Census of South Australian plants, algae and fungi: Vascular plants

Version 6.1 – 7 July 2025

The 5th edition of the *Census of South Australian vascular plants* was published as hardcopy in 2005. Since then it is maintained in a database and was until recently available online through the eFloraSA website.

The Census is administered and edited by members of the State Herbarium of South Australia (AD): P.J. Lang, J. Kellermann, T.A. Hammer & M. Waycott.

This is an interim PDF version of the authoritative plant list for the State, while the online version is unavailable. Updated versions will be published as necessary.

Please cite as:
Census of South Australian plants, algae and fungi: Vascular plants (2025). V.6.1 – 7 July 2025. Editors: Lang, P.J., Kellermann, J., Hammer, T.A & Waycott, M. (State Herbarium of South Australia: Adelaide, South Australia.)

Government of South Australia

Botanic Gardens and State Herbarium

Census of South Australian Vascular Plants

Final data modification on: Saturday 5 July 2025 2:45 AM

Pteridophyta 70.0000

PSILOTACEAE 71.001

Psilotum nudum (L.) P.Beauv. (Endangered status in SA) – SL
- *Lycopodium nudum* L.

LYCOPODIACEAE 72.001

Lycopodiella lateralis (R.Br.) B.Ollg. (Rare status in SA) – SL KI
- *Lycopodium laterale* R.Br.

Lycopodiella serpentina (Kunze) B.Ollg. (Endangered status in SA) – SL
- *Lycopodium drummondii* Spring
- *Lycopodium serpentinum* Kunze

Lycopodium deuterodensum Herter (Endangered status in SA) – SL
- *Lycopodium densum* Labill.

Phylloglossum drummondii Kunze (Rare status in SA) – EP MU SL KI SE
- *Huperzia drummondii* (Kunze) Christenh. & H.Schneid.

ISOETACEAE 72.002

Isoetes attenuata C.R.Marsden & Chinnock – SE

Isoetes drummondii A.Braun ssp. **anomala** C.R.Marsden & Chinnock – SL SE

Isoetes drummondii A.Braun ssp. **drummondii** (Rare status in SA) – NL MU SL KI SE

Isoetes muelleri A.Braun – NW LE FR EA EP NL SL SE
- *Isoetes humilior* auct.non F.Muell.ex A.Braun: J.H.Willis(1962)

SELAGINELLACEAE 72.003

Selaginella gracillima (Kunze) Alston – MU SL KI SE
- *Lycopodium gracillimum* Kunze
- *Selaginella preissiana* Spring

* **Selaginella kraussiana** (Kunze) A.Braun – SL*
- *Lycopodium kraussianum* Kunze

GLEICHENIACEAE 74.003

Gleichenia microphylla R.Br. (Rare status in SA) – SL KI SE
- *Gleichenia circinata* auct.non Sw.: J.M.Black(1943)

OPHIOGLOSSACEAE 74.005

Botrychium australe R.Br. (Endangered status in SA) – SL

Ophioglossum lusitanicum L. – NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Ophioglossum coriaceum* A.Cunn.
- *Ophioglossum lusitanicum* L. ssp. *coriaceum* (A.Cunn.) R.T.Clausen

Ophioglossum polyphyllum A.Braun (Rare status in SA) – NW LE GT FR EA

OSMUNDACEAE 74.006

Todea barbara (L.) T.Moore (Endangered status in SA) – SL
- *Acrostichum barbarum* L.
- *Osmunda barbara* (L.) Thunb.
- *Todea africana* Willd.

SCHIZAEACEAE 74.009

Schizaea bifida Willd. (Vulnerable status in SA) – SL SE
- *Schizaea asperula* N.A.Wakef.

Schizaea fistulosa Labill. (Vulnerable status in SA) – SL KI SE

CYATHEACEAE 74.012
* **Cyathea cooperi** (Hook. ex F.Muell) Domin – SL*
  - *Alsophila cooperi* Hook. ex F.Muell.

DICKSONIACEAE 74.014
Dicksonia antarctica Labill. (Endangered status in SA) – SL?n* SE

DENNSTAEDTIACEAE 74.015
Dennstaedtia davallioides (R.Br.) T.Moore (Endangered status in SA) – SE
  - *Dicksonia davallioides* R.Br.
?n **Histiopteris incisa** (Thunb.) J.Sm. (Endangered status in SA) – FR?n SL?n KI?n SE?n
  - *Pteris incisa* Thunb.
* **Hypolepis dicksonioides** (Endl.) Hook. (Vulnerable* status in Australia) – SL*
  - *Cheilanthes dicksonioides* Endl.
  - *Hypolepis punctata* auct.non (Thunb.) Mett.ex Kuhn: Chinnock(1978)
Hypolepis rugosula (Labill.) J.Sm. ssp. **rugosula** (Rare status in SA) – MU SL KI SE
  - *Hypolepis rugosula* (Labill.) J.Sm.
  - *Polypodium rugosulum* Labill.
* **Pteridium aquilinum** (L.) Kuhn – SL*
  - *Pteris aquilina* L.
Pteridium esculentum (G.Forst.) Cockayne ssp. **esculentum** – EP NL MU SL KI SE
  - *Pteridium aquilinum* auct.non (L.) Kuhn: J.M.Black(1943)
  - *Pteridium esculentum* (G.Forst.) Cockayne
  - *Pteris esculenta* G.Forst.

LINDSAEACEAE 74.016
Lindsaea linearis Sw. – SL KI SE

PTERIDACEAE 74.023
Adiantum aethiopicum L. – FR EP NL MU SL KI SE
Adiantum capillus-veneris L. (Vulnerable status in SA) – MU YP SL?n?e SE
Anogramma leptophylla (L.) Link (Rare status in SA) – ?NW FR EP NL MU SL KI SE
  - *Polypodium leptophyllum* L.
Cheilanthes austrotenuifolia H.M.Quirk & T.C.Chambers – FR EP NL MU YP SL KI SE
  - *Cheilanthes tenuifolia* auct.non (Burm.f) Sw.: Chinnock(1978)
Cheilanthes distans (R.Br.) Mett. – FR EA EP NL MU YP SL SE
  - *Notholaena distans* R.Br.
Cheilanthes lasiophylla Pic.Serm. – NW LE NU GT FR EA EP NL MU SL
  - *Notholaena brownii* auct.non Desv.: J.M.Black(1943)
Cheilanthes sieberi Kunze ssp. **pseudovellea** H.M.Quirk & T.C.Chambers – NW LE EP
  - *Cheilanthes vellea* auct.non (R.Br.) F.Muell.: Chinnock(1978), partly
Cheilanthes sieberi Kunze ssp. **sieberi** – NW LE GT FR EA EP MU YP SL SE
  - *Cheilanthes clelandii* F.Muell. & Tate
  - *Cheilanthes tenuifolia* (Burm.f.) Sw. ssp. *sieberi* (Kunze) Domin
Paraceterach reynoldsii (F.Muell.) Tindale – NW FR EA
  - *Grammitis reynoldsii* (F.Muell.) Benth.
  - *Gymnogramma reynoldsii* (F.Muell.) J.M.Black
  - *Gymnogramme reynoldsii* (F.Muell.) J.M.Black, orth.var.
  - *Nothochlaena reynoldsii* F.Muell., orth.var.
  - *Notholaena reynoldsii* F.Muell.
Pellaea falcata (R.Br.) Fee – SL
  - *Pteris falcata* R.Br.
Pteris tremula R.Br. (Rare status in SA) – FR EP MU YP SL SE

BLECHNACEAE 74.027
Blechnum chambersii Tindale (Endangered status in SA) – SE
  - *Austroblechnum lanceolatum* (R.Br.) Gasper & V.A.O.Dittrich
  - *Blechnum aggregatum* auct.non (Colenso) Tindale: H.Eichler(1965)
  - *Blechnum lanceolatum* (R.Br.) J.W.Sturm, nom.illeg. non Raddi(1819)
  - *Stegania lanceolata* R.Br.

Blechnum minus (R.Br.) Ettingsh. – SL SE
- *Blechnum capense* auct.non (L.) Schltdl.: J.M.Black(1943), partly
- *Parablechnum minus* (R.Br.) Gasper & Salino
- *Stegania minor* R.Br.

Blechnum nudum (Labill.) Mett. ex Luerss. (Rare status in SA) – SL KI
- *Blechnum discolor* auct.non (G.Forst.) Keys: J.M.Black(1943), partly
- *Lomaria nudum* (Labill.) Willd.
- *Onoclea nuda* Labill.

?n **Blechnum parrisiae** Christenh. – SL?n
- *Blechnum parrisii* Christenh., orth.var.
- *Doodia australis* (Parris) Parris
- *Doodia media* Parris ssp. *australis* Parris

Blechnum rupestre (Kaulf. ex Link) Christenh. (Endangered status in SA) – FR
- *Doodia caudata* (Cav.) R.Br.
- *Woodwardia caudata* Cav.

Blechnum wattsii Tindale (Rare status in SA) – SL KI SE
- *Blechnum capense* auct.non (L.) Schltdl.: J.M.Black(1943), partly
- *Blechnum procerum* auct.non (Forster f.) Sw.: H.Eichler(1965)

DRYOPTERIDACEAE 74.028

* **Cyrtomium falcatum** (L.f.) C.Presl – MU* SL* SE*
- *Polypodium falcatum* L.f.

Lastreopsis acuminata (Houlston) C.V.Morton (Endangered status in SA) – SE
- *Aspidium shepherdii* Kunze ex Mett.
- *Lastrea acuminata* Houlston
- *Lastreopsis shepherdii* (Kunze ex Mett.) Tindale

Polystichum proliferum (R.Br.) C.Presl (Endangered status in SA) – ?SE
- *Aspidium proliferum* R.Br.
- *Polystichum aculeatum* auct.non (L.) Schott.: J.M.Black(1943)

ASPLENIACEAE 74.029

Asplenium flabellifolium Cav. – FR EP NL MU SL KI SE
- *Asplenium flavelifolium* Cav.

Asplenium gracillimum Colenso (Endangered* status in SA) – SE
- *Asplenium bulbiferum* G.Forst. ssp. *gracillimum*

Asplenium subglandulosum (Hook. & Grev.) Salvo, Prada & T.E.Diaz – NW LE GT FR EA EP NL MU SL KI SE
- *Asplenium pleurosorum* Christenh.
- *Asplenium subglandulosum* (Hook. & Grev.) Salvo, Prada & T.E.Diaz ssp. *subglandulosum*
- *Grammitis rutaefolia* R.Br., orth.var.(orig.)
- *Grammitis rutifolia* R.Br.
- *Gymnogramma rutifolia* (R.Br.) Desv.
- *Gymnogramma subglandulosa* Hook. & Grev.
- *Pleurosorus rutaefolius* (R.Br.) Fee, orth.var.
- *Pleurosorus rutifolius* (R.Br.) Fee
- *Pleurosorus subglandulosus* (Hook. & Grev.) Tindale

Asplenium trichomanes L. (Rare status in SA) – EP YP SE

THELYPTERIDACEAE 74.032

Christella dentata (Forssk.) Brownsey & Jermy (Rare status in SA) – FR EP MU
- *Cyclosorus parasiticus* auct.non (L.) Farwell: H.Eichler(1965)
- *Dryopteris parasitica* auct.non (L.) O.Kuntze: J.M.Black(1943)
- *Polypodium dentatum* Forssk.

MARSILEACEAE 74.040

Marsilea costulifera D.L.Jones – LE GT FR NL MU KI SE
- *Marsilea angustifolia* auct.non R.Br.: J.H.Willis(1962)
- *Marsilea sp.* Chinnock(1986)

Marsilea cryptocarpa Albr. & Chinnock – LE
- *Marsilea drummondii* auct.non A.Braun: Barker et al.(2005), partly
- *Marsilea sp. Neutral Junction (D.E.Albrecht 9192)* NT Census

Marsilea drummondii A.Braun – NW LE GT FR EA EP NL MU YP SL SE
- *Marsilea elata* A.Braun var. *crenata* A.Braun

Marsilea exarata A.Braun – NW LE GT

Marsilea hirsuta R.Br. – NW LE GT FR EA EP NL MU SL KI SE

?n **Marsilea mutica** Mett. – MU?n?id SL*

Pilularia novae-hollandiae A.Braun (Rare status in SA) – FR EP NL MU SL KI SE

SALVINIACEAE 74.042

Azolla pinnata R.Br. – MU SL SE

Azolla rubra R.Br. – LE MU SL SE
- *Azolla filiculoides* auct.non Lam.: Willd. (1810), Chinnock (1986, 1998)
- *Azolla filiculoides* Lam. var. *rubra* (R.Br.) Strasb.
- *Azolla rubra* R.Br.

?e **Salvinia molesta** D.S.Mitch. (Declared SA plant) – EP?e SL?e

Gymnospermae 80.0000

ARAUCARIACEAE 84.001

?e **Araucaria bidwillii** Hook. – SL?e

PINACEAE 84.002

?e **Abies pinsapo** Boiss. – SL?e

?e **Cedrus deodara** (Roxb. ex D.Don) G.Don – SL?e
- *Pinus deodara* Roxb. ex D.Don

* **Pinus canariensis** C.Smith – EP* NL* MU* SL* SE*

* **Pinus halepensis** Mill. (Declared SA plant) – FR* EP* NL* MU* YP* SL* KI* SE*

* **Pinus nigra** J.F.Arnold – SL* KI* SE*
- *Pinus sylvestris* L. var. *maritima* Aiton

* **Pinus pinaster** Aiton – MU* SL* KI*
- *Pinus maritima* Lam.

?e **Pinus pinea** L. – SL?e

?e **Pinus ponderosa** Lawson & C.Lawson – MU?e SL?e

* **Pinus radiata** D.Don – NL* MU* SL* KI* SE*

?e **Pseudotsuga menziesii** (Mirb.) Franco – SL?e
- *Abies menziesii* Mirb.

CUPRESSACEAE 84.004

* **Callitris drummondii** (Parl.) F.Muell. – SL*
- *Frenela drummondii* Parl.

Callitris glaucophylla Joy Thomps. & L.A.S.Johnson – NW LE NU GT FR EA EP NL MU
- *Callitris columellaris* auct.non F.Muell.: Venning(1986)
- *Callitris glauca* R.Br. ex R.T.Baker & H.G.Sm.
- *Frenela robusta* A.Cunn. ex Mirb. var. *microcarpa* Benth.

Callitris gracilis R.T.Baker – FR EA EP NL MU YP SL KI SE
- *Callitris gracilis* R.T.Baker ssp. *murrayensis* (J.Garden) K.D.Hill
- *Callitris preissii* Miq., partly
- *Callitris preissii* Miq. ssp. *murrayensis* J.Garden
- *Callitris propinqua* R.Br. ex R.T.Baker & H.G.Sm.
- *Callitris robusta* R.Br. ex R.T.Baker & H.G.Sm.

* **Callitris oblonga** Rich. & A.Rich. ssp. **oblonga** – SL*

Callitris rhomboidea R.Br. ex Rich. – SL KI SE
- *Callitris cupressiformis* Heynh., nom.inval., nom.nud.
- *Callitris cupressiformis* var. *tasmanica* (Benth.) Maiden
- *Callitris tasmanica* (Benth.) R.T.Baker & H.G.Sm.
- *Frenela rhomboidea* (R.Br. ex Rich.) Endl.
- *Frenela rhomboidea* (R.Br. ex Rich.) Endl. var. *tasmanica* Benth.

Callitris sp. Limestone (M.D.Crisp 11785) M.D.Crisp & L.G.Cook – EP NL MU YP KI SE
- *Callitris canescens* auct.non (Parl.) S.T.Blake: J.Venning in Jessop & Toelken(1986)
- *Callitris drummondii* auct.non (Parl.) F.Muell.: J.M.Black(1943)

Callitris verrucosa (A.Cunn. ex Endl.) F.Muell. – NW NU GT FR EA EP NL MU YP SE
- *Callitris preissii* Miq. ssp. *verrucosa* (A.Cunn. ex Endl.) J.Garden
- *Frenela robusta* A.Cunn. ex Mirb. var. *verrucosa* (A.Cunn. ex Endl.) Benth.

- *Frenela verrucosa* A.Cunn. ex Endl.

* **Cupressus goveniana** Gordon – SL*
- *Hesperocyparis goveniana* (Gordon) Bartel

* **Cupressus macrocarpa** Hartw. ex Gordon – FR* NL* MU* SL* KI?e SE*
- *Hesperocyparis macrocarpa* (Hartw. ex Gordon) Bartel

?e **Sequoia sempervirens** (D.Don) Endl. – SL?e
- *Taxodium sempervirens* D.Don

?e **Thuja plicata** Donn ex D.Don – SL?e

Angiospermae 90.0000

AMARANTHACEAE 91.049

HYDATELLACEAE 100.002

Trithuria australis (Diels) D.D.Sokoloff, Remizowa, T.D.Macfarl. & Rudall – KI
- *Hydatella australis* Diels

Trithuria submersa Hook.f. – EP MU KI SE

NYMPHAEACEAE 100.004

* **Nymphaea alba** L. – MU* SL*

* **Nymphaea mexicana** Zucc. – MU*

LAURACEAE 100.025

Cassytha flindersii (J.Z.Weber) J.Z.Weber – FR EP NL
- *Cassytha peninsularis* J.Z.Weber var. *flindersii* J.Z.Weber
- *Cassytha pubescens* auct.non R.Br.: J.M.Black(1948), partly

Cassytha glabella R.Br. f. **dispar** (Schltdl.) J.Z.Weber – FR EP NL MU YP SL KI SE
- *Cassytha dispar* Schltdl.
- *Cassytha glabella* R.Br. f. *glabella* auct.non R.Br.: Jessop(1993)

Cassytha melantha R.Br. – NU GT FR EP NL MU YP SL KI SE

Cassytha peninsularis J.Z.Weber – ?FR EP NL YP KI
- *Cassytha peninsularis* J.Z.Weber var. *peninsularis*
- *Cassytha pubescens* auct.non R.Br.: J.M.Black(1948), partly

Cassytha pubescens R.Br. – EP NL MU YP SL KI SE
- *Cassytha piligera* Schltdl.
- *Cassytha tepperiana* Ludw. ex Tepper

?e **Cinnamomum camphora** (L.) J.Presl – SL?e
- *Laurus camphora* L.

?e **Laurus nobilis** L. – SL?e

ARACEAE 100.028

* **Arisarum vulgare** O.Targ.Tozz. – SL*

* **Arum italicum** Mill. – NL* SL*

?e **Arum palaestinum** Boiss. – SL?e

* **Colocasia esculenta** (L.) Schott – SL*

?e **Dracunculus vulgaris** Schott – SL?e SE?e

Lemna disperma Hegelm. – LE EP NL MU SL SE
- *Lemna minor* auct.non L.: Jessop(1978)
- *Lemna perpusilla* auct.non Torr.: Jessop(1993)

Lemna trisulca L. – MU SL KI SE

Spirodela punctata (G.Mey.) C.H.Thomps. – MU SL SE
- *Landoltia punctata* (G.Mey.) Les & D.J.Crawford
- *Lemna oligorrhiza* Kurz
- *Lemna punctata* G.Mey.
- *Spirodela oligorrhiza* (Kurz) Hegelm.

Typhonium alismifolium F.Muell. (Rare status in SA) – LE

Wolffia angusta Landolt – SL SE
- *Wolffia globosa* auct.non (Roxb.) Hartog & Plas: Jessop(1978)

Wolffia australiana (Benth.) Hartog & Plas – MU SL SE
- *Wolffia arrhiza* auct.non (L.) Horkel ex Wimm.: J.M.Black(1943)
- *Wolffia arrhiza* (L.) Horkel ex Wimm. var. *australiana* Benth.

* **Zantedeschia aethiopica** (L.) Spreng. – EP* MU* SL* KI* SE*
- *Calla aethiopica* L.
- *Richardia africana* Kunth

ALISMATACEAE 100.030
* **Alisma lanceolatum** With. – SL*
- *Alisma plantago* : J.M.Black(1922 & 1943), orth.var., partly
- *Alisma plantago-aquatica* auct.non L.: J.M.Black(1922 & 1943), as plantago, partly

Alisma plantago-aquatica L. – NL[?n] SL SE
- *Alisma lanceolatum* auct.non With.: Jessop & Toelken(1986), partly
- *Alisma plantago* : J.M.Black(1922 & 1943), orth.var., partly

Damasonium minus (R.Br.) Buchenau – NW GT FR MU SL SE
- *Actinocarpus minor* R.Br.
- *Damasonium australe* Salisb.

* **Sagittaria platyphylla** (Engelm.) J.G.Sm. – MU* SL*
- *Sagittaria graminea* auct.non Michx.: Jessop(1978)
- *Sagittaria graminea* Michx. ssp. *platyphylla* Engelm. ex G.R.Sainty & S.W.L.Jacobs, nom.inval.
- *Sagittaria graminea* Michx. var. *platyphylla* Engelm.
- *Sagittaria graminea* Michx. var. *weatherbiana* (Fern.) Bogin

HYDROCHARITACEAE 100.032
[?e] **Egeria densa** Planch. (Declared SA plant) – MU[?e] SE[?e]
- *Elodea densa* (Planch.) Casp.

* **Elodea canadensis** Michx. (Declared SA plant) – MU* SL*

Halophila australis Doty & B.C.Stone – EP YP SL KI SE
- *Halophila ovalis* auct.non (R.Br.) Hook.f.: Aston(1973), partly
- *Halophila ovalis* auct.non (R.Br.) Hook.f.: Jessop(1978)
- *Halophila ovalis* (R.Br.) Hook.f. ssp. *australis* (Doty & B.C.Stone) Hartog

Hydrilla verticillata (L.f.) Royle (Rare status in SA) – MU
- *Serpicula verticillata* L.f.

Najas tenuifolia R.Br. (Endangered status in SA) – NL MU

Ottelia ovalifolia (R.Br.) Rich. ssp. **ovalifolia** (Rare status in SA) – FR EP MU SL KI SE
- *Damasonium ovalifolium* R.Br.
- *Ottelia ovalifolia* (R.Br.) Rich.

Vallisneria australis S.W.L.Jacobs & D.H.Les – MU SL SE
- *Vallisneria americana* auct.non Michx.: Jacobs & Frank(1997)
- *Vallisneria americana* var. *americana* auct.non Michx.: Barker et al.(2005)
- *Vallisneria gigantea* auct.non Graebn.: H.Eichler(1965)
- *Vallisneria spiralis* auct.non L.: Jessop & E.L.Robertson(1986)

APONOGETONACEAE 100.034
* **Aponogeton distachyos** L.f. – SL*

JUNCAGINACEAE 100.035

Cycnogeton alcockiae (Aston) Mering & Kadereit (Rare status in SA) – SL KI SE
- *Triglochin alcockiae* Aston
- *Triglochin procera* auct.non. R.Br.: J.M.Black(1943), partly
- *Triglochin procerum* auct.non R.Br.: Jessop(1978), orth.var., partly
- *Triglochin procerum* auct.non R.Br.: Randell in Jessop & Toelken(1986), orth.var., partly

Cycnogeton multifructum (Aston) Mering & Kadereit – LE
- *Triglochin multifructa* Aston
- *Triglochin multifructum* Aston: Jessop(1973), orth.var.
- *Triglochin procera* auct.non R.Br.: J.M.Black(1943), partly
- *Triglochin procerum* auct.non R.Br: Jessop(1978), orth.var., partly
- *Triglochin procerum* auct.non R.Br.: Randell in Jessop & Toelken(1986) var. *procerum*, orth.var., partly

Cycnogeton procerum (R.Br.) Buchenau – MU SL KI SE
- *Triglochin procera* R.Br.
- *Triglochin procerum* R.Br.: Jessop(1978), orth.var., partly
- *Triglochin procerum* R.Br.: Randell in Jessop & Toelken(1986) var. *procerum*, orth.var., partly

Triglochin hexagona J.M.Black – LE FR EP MU
- *Triglochin hexagonum* J.M.Black: Jessop(1978), orth.var.

- *Triglochin hexagonum* J.M.Black: Randell in Jessop & Toelken(1986), orth.var.
- *Triglochin ovoidea* J.M.Black
- *Triglochin ovoideum* J.M.Black: Jessop(1978), orth.var.
- *Triglochin ovoideum* J.M.Black: Randell in Jessop & Toelken(1986), orth.var.

Triglochin isingiana (J.M.Black) Aston – NW LE NU GT FR EA EP NL MU YP SL SE
- *Triglochin calcitrapa* auct.non Hook.: J.M.Black(1922), partly
- *Triglochin calcitrapa* Hook. var. *isingiana* J.M.Black
- *Triglochin calcitrapa* Hook. var. *pedunculata* Buchenau
- *Triglochin calcitrapum* auct.non Hook.: Jessop(1978), orth.var., partly
- *Triglochin calcitrapum* auct.non Hook.: Randell in Jessop & Toelken(1986), orth.var., partly
- *Triglochin elongata* Ising, nom.illeg., non Buchenau(1903)
- *Triglochin sp. B Flora of Australia (P.G.Wilson 4294)* Aston
- *Triglochin sp. B (J.Z.Weber 1330)* Aston

Triglochin longicarpa (Ostenf.) Aston – EP SL
- *Triglochin centrocarpa* auct.non Hook.: J.M.Black(1922), partly
- *Triglochin centrocarpa* Hook. var. *longicarpa* Ostenf.
- *Triglochin centrocarpum* auct.non Hook.: Jessop(1978), orth.var., partly
- *Triglochin centrocarpum* auct.non Hook.: Randell in Jessop & Toelken(1986), orth.var., partly
- *Triglochin sp. C Flora of Australia (P.G.Wilson 8811)* Aston
- *Triglochin sp. C (J.Z.Weber 6793)* Aston

Triglochin minutissima F.Muell. (Rare status in SA) – EP YP SL KI SE
- *Triglochin minutissimum* F.Muell.: Randell in Jessop & Toelken(1986), orth.var.

Triglochin mucronata R.Br. – EP MU YP SL KI SE
- *Triglochin calcarata* Hook.
- *Triglochin mucronatum* R.Br.: Jessop(1978), orth.var.
- *Triglochin mucronatum* R.Br.: Randell in Jessop & Toelken(1986), orth.var.
- *Triglochin neesii* Endl.

Triglochin nana F.Muell. – NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Triglochin centrocarpa* Hook. var. *brevicarpa* Ostenf.
- *Triglochin centrocarpum* auct.non Hook.: Jessop(1978), orth.var., partly
- *Triglochin centrocarpum* auct.non Hook.: Randell in Jessop & Toelken(1986), orth.var., partly
- *Triglochin centrocarpum* Hook. var. *nanum* (F.Muell.) Ostenf.
- *Triglochin nanum* F.Muell.: Barker et al.(2005), orth.var.

Triglochin sp. A Flora of Australia (G.J.Keighery 2477) Aston – LE GT FR EA
- *Triglochin calcitrapa* auct.non Hook.: J.M.Black(1922), partly
- *Triglochin calcitrapa* Hook. var. *sessiliflora* Buchenau, nom.illeg., partly
- *Triglochin calcitrapum* auct.non Hook.: Jessop(1978), orth.var., partly
- *Triglochin calcitrapum* auct.non Hook.: Randell in Jessop & Toelken(1986), orth.var., partly
- *Triglochin sp. A (N.N.Donner 3596)* Aston
- *Triglochin sp.A.* Aston

Triglochin striata Ruiz & Pav. – LE FR EP NL MU YP SL KI SE
- *Triglochin decipiens* R.Br.
- *Triglochin flaccida* A.Cunn.
- *Triglochin striatum* Ruiz & Pav.: Jessop(1978), orth.var.
- *Triglochin striatum* Ruiz & Pav.: Randell in Jessop & Toelken(1986), orth.var.

Triglochin trichophora Nees – NU EP YP SL KI SE
- *Triglochin muelleri* auct.non Buchenau: Randell in Jessop & Toelken(1986)
- *Triglochin trichophorum* Nees ex Endl.: Jessop(1978), orth.var.
- *Triglochin trichophorum* Nees ex Endl.: Randell in Jessop & Toelken(1986), orth.var.

Triglochin turrifera Ewart (Vulnerable status in SA) – SE
- *Triglochin turriferum* Ewart: Jessop(1978), orth.var.
- *Triglochin turriferum* Ewart: Randell in Jessop & Toelken(1986), orth.var.

ZOSTERACEAE 100.037

Zostera muelleri Irmisch ex Asch. ssp. **capricorni** (Asch.) S.W.L.Jacobs – KI
- *Zostera capricorni* Asch.
- *Zostera muelleri* Irmisch ex Asch., partly

Zostera muelleri Irmisch ex Asch. ssp. **mucronata** (Hartog) S.W.L.Jacobs (Rare status in SA) – EP NL YP KI
- *Zostera mucronata* Hartog
- *Zostera muelleri* Irmisch ex Asch., partly

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Zostera muelleri Irmisch ex Asch. ssp. **muelleri** – SL KI SE
- *Zostera muelleri* Irmisch ex Asch., partly
- *Zostera muelleri* Irmisch ex Asch. var. *muelleri*

Zostera muelleri Irmisch ex Asch. var. **Estuarine (E.L.Robertson 13 Oct 1981)** E.L.Robertson – SL KI SE
- *Heterozostera nigricaulis* J.Kuo
- *Zostera muelleri* Irmisch ex Asch., partly
- *Zostera muelleri* Irmisch ex Asch. *estuarine form* E.L.Robertson(1984)
- *Zostera muelleri* Irmisch ex Asch. *estuarine variety* E.L.Robertson(1986)

Zostera tasmanica G.Martens ex Asch. – EP NL YP SL KI SE
- *Heterozostera tasmanica* (G.Martens ex Asch.) Hartog

POTAMOGETONACEAE 100.038

Althenia australis (J.Drumm. ex Harvey) F.Muell. – FR EP MU SL SE
- *Althenia australis* (J.Drumm. ex Harvey) Asch.
- *Lepilaena australis* J.Drumm. ex Harvey

Althenia bilocularis (Kirk) Cockayne – GT MU SE
- *Lepilaena bilocularis* Kirk

Althenia cylindrocarpa (Korn. ex Mull.Berol.) Asch. – EP YP SL KI SE
- *Lepilaena cylindrocarpa* (Korn. ex Mull.Berol.) Benth.
- *Lepilaena preissii* auct.non (Lehm.) F.Muell.: J.M.Black(1948), partly
- *Zannichellia cylindrocarpa* Korn. ex Mull.Stuttg.

Althenia marina (E.L.Robertson) Yu Ito – EP NL YP SL KI
- *Lepilaena marina* E.L.Robertson
- *Lepilaena preissii* auct.non (Lehm.) F.Muell.: Aston(1973), partly
- *Lepilaena preissii* auct.non (Lehm.) F.Muell.: Jessop(1978), partly

Althenia patentifolia (E.L.Robertson) T.D.Macfarl. & D.D.Sokoloff – KI SE
- *Althenia sp. Patentifolia (K.Preece AD99102279)* Waycott
- *Lepilaena patentifolia* E.L.Robertson

Althenia preissii (Lehm.) F.Muell. – EP SL SE
- *Lepilaena preissii* (Lehm.) F.Muell.
- *Zannichellia preissii* Lehm.

Potamogeton australiensis A.Benn. (Vulnerable status in SA) – SE

Potamogeton crispus L. – LE FR NL MU SL SE

Potamogeton ochreatus Raoul (Rare status in SA) – GT FR EA EP MU SL KI SE

Potamogeton pectinatus L. – LE EA EP NL MU SL KI SE
- *Coleogeton pectinatus* (L.) Les & R.R.Haynes
- *Stuckenia pectinata* (L.) Borner

Potamogeton reduncus Hagstr. – EP?id

Potamogeton tepperi A.Benn. – MU SL SE

Potamogeton tricarinatus F.Muell. & A.Benn. – FR MU SL KI SE
- *Potamogeton cheesemanii* auct.non A.Benn.: H.Eichler(1965)
- *Potamogeton natans* auct.non L.: R.Br.(1810)
- *Potamogeton sulcatus* A.Benn.

Zannichellia palustris L. (Rare status in SA) – MU SL SE

POSIDONIACEAE 100.039

Posidonia angustifolia Cambridge & J.Kuo – EP NL YP SL KI SE
- *Posidonia australis* auct.non Hook.f.: Aston(1973), partly
- *Posidonia australis* auct.non Hook.f.: Jessop(1978), partly

Posidonia australis Hook.f. – EP NL YP SL KI SE
- *Caulinia oceanica* auct.non DC.: R.Br.(1810)

Posidonia coriacea Cambridge & J.Kuo – NU EP YP SL KI SE
- *Posidonia aff. ostenfeldii Hartog* : E.L.Robertson(1984), partly
- *Posidonia ostenfeldii* auct.non Hartog: Aston(1973), partly
- *Posidonia ostenfeldii* auct.non Hartog: Jessop(1978), partly

Posidonia denhartogii J.Kuo & Cambridge – NU EP YP SL SE
- *Posidonia aff. ostenfeldii Hartog* : E.L.Robertson(1984), partly
- *Posidonia ostenfedlii* auct.non Hartog: Jessop(1978), partly
- *Posidonia ostenfeldii* auct.non Hartog: Aston(1973), partly

Posidonia sinuosa Cambridge & J.Kuo – EP NL YP SL KI SE
- *Posidonia australis* auct.non Hook.f.: Aston(1973), partly
- *Posidonia australis* auct.non Hook.f.: Jessop(1978), partly

RUPPIACEAE 100.040
Ruppia maritima L. – NW LE EP NL MU YP SL KI SE
- *Ruppia rostellata* W.D.J.Koch ex Rchb.

Ruppia megacarpa R.Mason – FR EP NL MU SL KI SE
- *Ruppia maritima* auct.non L.: Aston(1973), partly
- *Ruppia spiralis* auct.non L. ex Dumort.: Jessop(1978), partly

Ruppia polycarpa R.Mason – EP MU SL KI SE
- *Ruppia maritima* auct.non L.: Aston(1973), partly
- *Ruppia spiralis* auct.non L. ex Dumort.: Jessop(1978), partly

Ruppia tuberosa J.S.Davis & Toml. – EP NL YP SL KI SE
- *Ruppia maritima* auct.non L.: Aston(1973), partly
- *Ruppia maritima* auct.non L.: Jessop(1978)
- *Ruppia spiralis* auct.non L. ex Dumort.: Jessop(1978), partly

CYMODOCEACEAE 100.041
Amphibolis antarctica (Labill.) Sond. & Asch. – NU EP YP SL KI SE
- *Cymodocea antarctica* (Labill.) Endl.
- *Pectinella antarctica* (Labill.) J.M.Black
- *Ruppia antarctica* Labill.

Amphibolis griffithii (J.M.Black) Hartog – NU EP YP SL
- *Cymodocea griffithii* (J.M.Black) J.M.Black
- *Pectinella griffithii* J.M.Black

ALSTROEMERIACEAE 100.055
?e **Alstroemeria aurea** Graham – SL?e
- *Alstroemeria aurantiaca* D.Don

?e **Alstroemeria psittacina** Lehm. – SL?e

COLCHICACEAE 100.056
Burchardia umbellata R.Br. – EP NL MU YP SL KI SE
- *Reya umbellata* (R.Br.) Kuntze

?e **Colchicum autumnale** L. – SE?e

Wurmbea australis (R.J.Bates) R.J.Bates – LE GT FR EA EP NL
- *Anguillaria dioica* auct.non R.Br.: J.M.Black(1943), partly
- *Wurmbea centralis* auct.non T.D.Macfarl.: T.D.Macfarl.(1986), partly
- *Wurmbea centralis* T.D.Macfarl. ssp. *australis*

Wurmbea biglandulosa (R.Br.) T.D.Macfarl. ssp. **flindersica** R.J.Bates – FR EP NL
- *Wurmbea centralis* auct.non T.D.Macfarl.: T.D.Macfarl.(1986), partly
- *Wurmbea dioica* (R.Br.) F.Muell. ssp. *dioica* auct.non T.D.Macfarl.: T.D.Macfarl.(1986), partly

Wurmbea centralis T.D.Macfarl. – NW
- *Anguillaria dioica* auct.non R.Br.: J.M.Black(1943), partly
- *Wurmbea centralis* T.D.Macfarl. ssp. *centralis*

Wurmbea citrina (R.J.Bates) R.J.Bates – LE GT FR EA EP
- *Wurmbea dioica* (R.Br.) F.Muell. ssp. *citrina* R.J.Bates
- *Wurmbea dioica* (R.Br.) F.Muell. ssp. *dioica* auct.non T.D.Macfarl.: T.D.Macfarl.(1986), partly

Wurmbea decumbens R.J.Bates (Rare status in SA) – EP KI
- *Wurmbea centralis* auct.non T.D.Macfarl.: T.D.Macfarl.(1980), partly

Wurmbea deserticola T.D.Macfarl. (Rare status in SA) – NW

Wurmbea dioica (R.Br.) F.Muell. ssp. **brevifolia** R.J.Bates – NU FR EA EP NL MU YP SL KI SE
- *Wurmbea dioica* (R.Br.) F.Muell. ssp. *dioica* auct.non T.D.Macfarl.: T.D.Macfarl.(1986), partly
- *Wurmbea dioica* (R.Br.) F.Muell. ssp. *Short upper leaf (S.WilliamsCBP23)* R.J.Bates

Wurmbea dioica (R.Br.) F.Muell. ssp. **dioica** – NU GT FR EA EP NL MU YP SL KI SE

Wurmbea dioica (R.Br.) F.Muell. ssp. **lacunaria** R.J.Bates (Endangered status in SA) – SE

Wurmbea latifolia T.D.Macfarl. ssp. **latifolia** (Vulnerable status in SA) – FR NL

Wurmbea latifolia T.D.Macfarl. ssp. **vanessae** R.J.Bates (Rare status in SA) – EP NL SL KI SE

Wurmbea nilpinna R.J.Bates (Vulnerable status in SA) – LE
- *Wurmbea sp. Nilpinna (F.J.Badman 7107)* R.J.Bates

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Wurmbea sinora Macfarlane (Endangered status in SA) – EP
Wurmbea stellata R.J.Bates (Rare status in SA) – LE GT FR EP
Wurmbea uniflora (R.Br.) T.D.Macfarl. (Endangered status in SA) – SL SE
- *Anguillaria uniflora* R.Br.

LILIACEAE 100.060
?e **Lilium formosanum** A.Wallace – SL?e

ORCHIDACEAE 100.061
Acianthus caudatus R.Br. – EP NL MU YP SL KI SE
- *Acianthus caudatus* R.Br. var. *caudatus*
- *Acianthus caudatus* R.Br. var. *pallidus* Rupp
- *Nemacianthus caudatus* (R.Br.) D.L.Jones & M.A.Clem.

Acianthus pusillus D.L.Jones – FR EP NL MU YP SL KI SE
- *Acianthus exsertus* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986)

Caladenia argocalla D.L.Jones (Endangered status in SA, Endangered status in Australia) – NL MU SL
- *Arachnorchis argocalla* (D.L.Jones) D.L.Jones & M.A.Clem.
- *Caladenia patersonii* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly
- *Caladenia sp.* R.J.Bates & J.Z.Weber(1990, pl. 59, LHS)
- *Calonema argocallum* (D.L.Jones) Szlach.
- *Calonemorchis argocalla* (D.L.Jones) Szlach.

Caladenia audasii R.S.Rogers (Endangered status in Australia) – SE
- *Arachnorchis audasii* (R.S.Rogers) D.L.Jones & M.A.Clem.
- *Caladenia patersonii* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), questionably, partly
- *Calonema audasii* (R.S.Rogers) Szlach.
- *Calonemorchis audasii* (R.S.Rogers) Szlach.

Caladenia aurulenta (D.L.Jones) R.J.Bates – EP
- *Arachnorchis aurulenta* D.L.Jones
- *Caladenia "long golden bayonets"* R.J.Bates in J NOSSA 30(2): 17 (2006)

Caladenia behrii Schltdl. (Endangered status in SA, Endangered status in Australia) – NL SL
- *Arachnorchis behrii* (Schltdl.) D.L.Jones & M.A.Clem.
- *Caladenia aff. patersonii R.Br.* : R.J.Bates & J.Z.Weber(1990, pl. 60)
- *Caladenia patersonii* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly

Caladenia bicalliata R.S.Rogers ssp. **bicalliata** (Rare status in SA) – EP MU YP SL KI SE
- *Caladenia bicalliata* R.S.Rogers, partly
- *Caladenia bicalliata* R.S.Rogers ssp. *cleistogama* auct.non Hopper & A.P.Br.: Barker et al.(2005)
- *Caladenia cleistogama* : SANPW schedule (2005), nom.nud.
- *Caladenia filamentosa* R.Br. var. *bicalliata* (R.S.Rogers) J.Z.Weber & R.J.Bates
- *Calonema bicalliatum* (R.S.Rogers) D.L.Jones & M.A.Clem.
- *Calonema bicalliatum* (R.S.Rogers) Szlach.
- *Calonema cleistogamum* auct.non (Hopper & A.P.Br.) D.L.Jones & M.A.Clem.: Barker et el.(2005), pro syn.
- *Calonemorchis bicalliata* (R.S.Rogers) Szlach.
- *Calonemorchis cleistogama* auct.non (Hopper & A.P.Br.) D.L.Jones & M.A.Clem.: Barker et al.(2005), pro syn.
- *Jonesiopsis bicalliata* (R.S.Rogers) D.L.Jones & M.A.Clem.

Caladenia brumalis D.L.Jones (Vulnerable status in SA, Vulnerable status in Australia) – EP YP SL
- *Arachnorchis brumalis* (D.L.Jones) D.L.Jones & M.A.Clem.
- *Caladenia patersonii* auct.non R.Br.: J.Z.Weber & R.J.Bates(1990, pl. 57), partly
- *Calonema brumale* (D.L.Jones) Szlach.
- *Calonemorchis brumalis* (D.L.Jones) Szlach.

Caladenia bruniella (R.J.Bates) R.J.Bates – EP
- *Arachnorchis bruniella* R.J.Bates
- *Arachnorchis sp. Brown bayonets (R.Bates 59762)* R.J.Bates
- *Arachnorchis sp. Small brown bayonets* R.J.Bates

Caladenia calcicola G.W.Carr (Endangered status in SA, Vulnerable status in Australia) – SE
- *Arachnorchis calcicola* (G.W.Carr) D.L.Jones & M.A.Clem.
- *Caladenia reticulata* auct.non Fitzg.: J.Z.Weber & R.J.Bates(1986), partly
- *Calonema calcicolum* (G.W.Carr) Szlach.
- *Calonemorchis calcicola* (G.W.Carr) Szlach.

Caladenia campestris (R.J.Bates) R.J.Bates – SL KI?id
- *Arachnorchis campestris* R.J.Bates
- *Arachnorchis tensa* auct.non (G.W.Carr) D.L.Jones & M.A.Clem.: Bates(2011), partly

Caladenia capillata D.L.Jones – FR EP NL MU YP KI SE
- *Caladenia filamentosa* R.Br. var. *tentaculata* R.S.Rogers
- *Caladenia tentaculata* Tate(1889), nom.illeg., non Schltdl.(1847)
- *Calonema capillatum* (D.L.Jones) D.L.Jones & M.A.Clem.
- *Calonemorchis capillata* (D.L.Jones) D.L.Jones & M.A.Clem.
- *Jonesiopsis capillata* (D.L.Jones) D.L.Jones & M.A.Clem.

Caladenia cardiochila Tate – FR EP NL MU YP SL KI SE
- *Arachnorchis cardiochila* (Tate) D.L.Jones & M.A.Clem.
- *Caladenia tessellata* auct.non Fitzg.: J.Z.Weber & R.J.Bates(1978)
- *Phlebochilus cardiochilus* (Tate) Szlach.

Caladenia carnea R.Br. – FR EP NL MU YP SL KI SE
- *Caladenia catenata* auct.non (Sm.) Druce: Jessop(1983)
- *Caladenia catenata* (Smith) Druce f. *carnea* (R.Br.) Halle
- *Petalochilus carneus* (R.Br.) D.L.Jones & M.A.Clem.

Caladenia clavigera A.Cunn. ex Lindl. (Endangered status in SA) – SE
- *Arachnorchis clavigera* (A.Cunn. ex Lindl.) D.L.Jones & M.A.Clem.
- *Caladenia cordiformis* R.S.Rogers
- *Phlebochilus clavigera* (A.Cunn.ex Lindl.) Szlach.

Caladenia clavula D.L.Jones – FR EP
- *Arachnorchis clavula* (D.L.Jones) D.L.Jones & M.A.Clem.
- *Caladenia dilatata* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly
- *Calonema clavulum* (D.L.Jones) Szlach.
- *Calonemorchis clavula* (D.L.Jones) Szlach.

Caladenia cleistantha D.L.Jones – EP KI

Caladenia coactilis D.L.Jones (Rare status in SA) – FR ?EP NL
- *Caladenia carnea* R.Br. var. *B* (R.J.Bates & J.Weber 1990)
- *Caladenia carnea* R.Br. var. *gigantea* auct.non R.S.Rogers: J.Z.Weber & R.J.Bates(1986)
- *Caladenia quadrifaria* auct.non D.L.Jones: D.L.Jones(1991)
- *Petalochilus coactilis* (D.L.Jones) D.L.Jones & M.A.Clem.

Caladenia colorata D.L.Jones (Endangered status in SA, Endangered status in Australia) – NL MU SL SE
- *Arachnorchis colorata* (D.L.Jones) D.L.Jones & M.A.Clem.
- *Caladenia patersonii* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly
- *Caladenia sp.* R.J.Bates & J.Z.Weber(1990, pl. 59, RHS)
- *Calonema coloratum* (D.L.Jones) Szlach.
- *Calonemorchis colorata* (D.L.Jones) Szlach.

Caladenia concolor Fitzg. (Vulnerable status in Australia) – FR MU SL
- *Arachnorchis concolor* (Fitzg.) D.L.Jones & M.A.Clem.
- *Caladenia patersonii* R.Br. var. *concolor* (Fitzg.) J.H.Willis & Court
- *Calonema concolor* (Fitzg.) Szlach.
- *Calonemorchis concolor* (Fitzg.) Szlach.

Caladenia conferta D.L.Jones (Endangered status in SA, Endangered status in Australia) – ?EP YP SE
- *Arachnorchis conferta* (D.L.Jones) D.L.Jones & M.A.Clem., partly
- *Arachnorchis conferta* (D.L.Jones) D.L.Jones & M.A.Clem. ssp. *conferta*
- *Caladenia conferta* D.L.Jones, partly
- *Caladenia conferta* D.L.Jones ssp. *conferta*
- *Caladenia toxochila* auct.non Tate: J.Z.Weber & R.J.Bates(1986), partly
- *Calonema confertum* (D.L.Jones) Szlach.
- *Calonemorchis conferta* (D.L.Jones) Szlach.

Caladenia congesta R.Br. (Endangered status in SA) – SE
- *Stegostyla congesta* (R.Br.) D.L.Jones & M.A.Clem.

Caladenia cruciformis D.L.Jones (Endangered* status in SA) – SE
- *Arachnorchis cruciformis* (D.L.Jones) D.L.Jones
- *Caladenia denticulata* auct.non Fitzg.: R.J.Bates & J.Z.Weber(1993), partly
- *Caladenia reticulata* auct.non Fitzg.: R.J.Bates & J.Z.Weber(1993), partly
- *Caladenia sp. Bordertown (R.S.Rogers 788)* R.J.Bates

Caladenia cucullata Fitzg. (Rare status in SA) – SE
- *Stegostyla cucullata* (Fitzg.) D.L.Jones & M.A.Clem.

Caladenia dilatata R.Br. (Endangered status in SA) – SE
- *Arachnorchis dilatata* (R.Br.) D.L.Jones & M.A.Clem.
- *Caladenia necrophylla* auct.non D.L.Jones: Jessop(1993), partly

Caladenia diversiflora (R.J.Bates) R.J.Bates – MU
- *Arachnorchis diversifloa* R.J.Bates, orth.var.
- *Arachnorchis diversiflora* R.J.Bates

Caladenia × ensigera (D.L.Jones) R.J.Bates – FR
- *Arachnorchis ensigera* D.L.Jones
- *Caladenia gladiolata hybrids:* Bates, Orchids of SA CD (2007)

Caladenia filamentosa R.Br. – SE
- *Caladenia filamentosa* R.Br. var. *filamentosa*

Caladenia flaccida D.L.Jones (Vulnerable status in SA) – FR NL MU
- *Caladenia filamentosa* R.Br. var. *filamentosa* auct.non Benth.: J.Z.Weber & R.J.Bates(1986), partly
- *Calonema flaccidum* (D.L.Jones) D.L.Jones & M.A.Clem.(2001)
- *Calonema flaccidum* (D.L.Jones) Szlach.(2001)
- *Calonemorchis flaccida* (D.L.Jones) Szlach.
- *Jonesiopsis flaccida* (D.L.Jones) D.L.Jones & M.A.Clem.

Caladenia flindersica (D.L.Jones) R.J.Bates – FR NL
- *Arachnorchis aff. arenaria 'Flinders'* R.J.Bates, partly
- *Arachnorchis flindersica* D.L.Jones
- *Caladenia patersonii* auct.non R.Br.: R.J.Bates & J.Z.Weber(1986), partly
- *Caladenia sp. Inland (F.A.Mason 300)* R.J.Bates, partly

Caladenia formosa G.W.Carr (Vulnerable status in SA, Vulnerable status in Australia) – SE
- *Arachnorchis formosa* (G.W.Carr) D.L.Jones & M.A.Clem.
- *Caladenia haemantha* D.L.Jones
- *Caladenia patersonii* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly
- *Calonema haemanthum* (D.L.Jones) Szlach.
- *Calonemorchis haemantha* (D.L.Jones) Szlach.

Caladenia fragrantissima D.L.Jones & G.W.Carr (Vulnerable status in SA) – SE
- *Arachnorchis fragrantissima* (D.L.Jones & G.W.Carr) D.L.Jones & M.A.Clem.
- *Caladenia fragrantissima* D.L.Jones & G.W.Carr ssp. *fragrantissima*
- *Caladenia patersonii* R.Br. var. *suaveolens* Nicholls
- *Calonema fragrantissimum* (D.L.Jones & G.W.Carr) Szlach.
- *Calonemorchis fragrantissima* (D.L.Jones & G.W.Carr) Szlach.

Caladenia fuliginosa (D.L.Jones) R.J.Bates (Vulnerable* status in SA) – EP YP SL
- *Arachnorchis fuliginosa* D.L.Jones
- *Caladenia fragrantissima* auct.non D.L.Jones & G.W.Carr: R.J.Bates & J.Z.Weber(1990), partly
- *Caladenia patersonii* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly

Caladenia fulva G.W.Carr (Endangered status in SA, Endangered status in Australia) – SE
- *Arachnorchis fulva* (G.W.Carr) D.L.Jones & M.A.Clem.
- *Caladenia demissa* D.L.Jones
- *Calonema demissum* (D.L.Jones) Szlach.
- *Calonemorchis demissa* (D.L.Jones) Szlach.

Caladenia fuscata (Rchb.f.) M.A.Clem. & D.L.Jones – EP NL MU YP KI SE
- *Caladenia carnea* R.Br. var. *fuscata* Rchb.f.
- *Petalochilus fuscatus* (Reichb.f.) D.L.Jones & M.A.Clem.

Caladenia gladiolata R.S.Rogers (Endangered status in SA, Endangered status in Australia) – FR NL SL
- *Arachnorchis gladiolata* (R.S.Rogers) D.L.Jones & M.A.Clem.
- *Calonema gladiolatum* (R.S.Rogers) Szlach.
- *Calonemorchis gladiolata* (R.S.Rogers) Szlach.

Caladenia hastata (Nicholls) Rupp (Endangered status in Australia) – ?SE

Caladenia hesperia D.L.Jones & M.A.Clem. – EP
- *Arachnorchis conferta* (D.L.Jones) D.L.Jones & M.A.Clem. ssp. *occidentalis* R.J.Bates
- *Caladenia conferta* auct.non D.L.Jones: Barker(2005), partly
- *Caladenia conferta* D.L.Jones ssp. *occidentalis*
- *Caladenia toxochila* auct.non Tate: J.Z.Weber & R.J.Bates(1986), partly

Caladenia × idiastes Hopper & A.P.Br. – YP

Caladenia interanea (D.L.Jones) R.J.Bates – EP
- *Arachnorchis interanea* D.L.Jones
- *Caladenia dilatata* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly
- *Caladenia tensa* auct.non G.W.Carr: Barker et al.(2005), partly
- *Caladenia tentaculata* auct.non Schltdl.: R.J.Bates & J.Z.Weber(1990), partly

Caladenia intuta (D.L.Jones) R.J.Bates (Endangered status in SA, Critically Endangered status in Australia) – YP
- *Arachnorchis intuta* D.L.Jones
- *Caladenia sp. Brentwood (R.J.Bates 53510)* R.J.Bates

Caladenia iridescens R.S.Rogers – SE?id
- *Stegostyla iridescens* (R.S.Rogers) D.L.Jones & M.A.Clem.
- *Stegostyla transitoria* auct.non (D.L.Jones) D.L.Jones & M.A.Clem.: Jones et al.(2001), partly

Caladenia latifolia R.Br. – FR EP NL MU YP SL KI SE
- *Caladenia elongata* Lindl.
- *Caladenia latifolia* R.Br. var. *alba* Guilfoyle, nom.inval., pro syn., partly
- *Caladenia mollis* Lindl.

Caladenia leptochila Fitzg. ssp. **dentata** (D.L.Jones) R.J.Bates (Rare status in SA) – FR
- *Arachnorchis leptochila* (Fitzg.) D.L.Jones & M.A.Clem., partly
- *Arachnorchis leptochila* (Fitzg.) D.L.Jones & M.A.Clem. ssp. *dentata* D.L.Jones
- *Caladenia leptochila* Fitzg., partly

Caladenia leptochila Fitzg. ssp. **leptochila** (Rare status in SA) – ?FR NL MU SL
- *Arachnorchis leptochila* (Fitzg.) D.L.Jones & M.A.Clem., partly
- *Arachnorchis leptochila* (Fitzg.) D.L.Jones & M.A.Clem. ssp. *leptochila*
- *Caladenia leptochila* Fitzg., partly
- *Phlebochilus leptochila* (Fitzg.) Szlach.
- *Phlebochilus leptochilus* (Fitzg.) Szlach.

Caladenia littoricola R.J.Bates – SE
- *Caladenia sp. "Selfing coastal dunes"* R.J.Bates

Caladenia lowanensis G.W.Carr (Endangered status in Australia) – SE?id
- *Arachnorchis lowanensis* (G.W.Carr) D.L.Jones & M.A.Clem.

Caladenia macroclavia D.L.Jones (Endangered status in SA, Endangered status in Australia) – NL YP
- *Arachnorchis macroclavia* (D.L.Jones) D.L.Jones & M.A.Clem.
- *Caladenia dilatata* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly
- *Caladenia macroclavia* D.L.Jones, partly
- *Calonema macroclavium* (D.L.Jones) Szlach.
- *Calonemorchis macroclavia* (D.L.Jones) Szlach.

Caladenia moschata (D.L.Jones) G.N.Backh. (Endangered* status in SA) – SE
- *Caladenia carnea* R.Br. var. *quadriseriata* Benth.
- *Caladenia gracilis* auct.non R.Br.: Barker et al.(2005)
- *Caladenia testacea* auct.non R.Br.: R.S.Rogers(1922)
- *Stegostyla gracilis* auct.non (R.Br.) D.L.Jones & M.A.Clem.: Bates(2011)
- *Stegostyla moschata* D.L.Jones

Caladenia necrophylla D.L.Jones (Rare status in SA) – MU SE
- *Arachnorchis necrophylla* (D.L.Jones) D.L.Jones & M.A.Clem.
- *Caladenia dilatata* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly
- *Calonema necrophyllum* (D.L.Jones) Szlach.
- *Calonemorchis necrophylla* (D.L.Jones) Szlach.

Caladenia ornata (Nicholls) D.L.Jones (Endangered status in SA, Vulnerable status in Australia) – SE
- *Caladenia carnea* R.Br. var. *ornata* Nicholls
- *Petalochilus ornatus* (Nicholls) D.L.Jones & M.A.Clem.

Caladenia ovata R.S.Rogers (Endangered status in SA) – SL KI
- *Arachnorchis ovata* (R.S.Rogers) D.L.Jones & M.A.Clem.
- *Phlebochilus ovata* (R.S.Rogers) Szlach.
- *Phlebochilus ovatus (amend.)* (R.S.Rogers) Szlach.

Caladenia parva G.W.Carr (Rare status in SA) – SL SE
- *Arachnorchis parva* (G.W.Carr) D.L.Jones & M.A.Clem.
- *Caladenia dilatata* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly
- *Caladenia dilatata* auct.non R.Br.: D.L.Jones(1991)

Caladenia prolata D.L.Jones – SL KI SE
- *Caladenia carnea* R.Br. var. *attenuata* auct.non Brinsley: J.Z.Weber & R.J.Bates(1978)
- *Caladenia carnea* R.Br. var. *C* (R.J.Bates & J.Weber 1990)
- *Caladenia carnea* R.Br. var. *minor* auct.non (Hook.f.) Hatch: J.Z.Weber & R.J.Bates(1986), partly
- *Petalochilus prolatus* (D.L.Jones) D.L.Jones & M.A.Clem.

Caladenia pusilla W.M.Curtis (Rare status in SA) – FR EP SL KI SE
- *Caladenia carnea* R.Br. var. *pygmaea* R.S.Rogers, partly
- *Caladenia minor* auct.non Hook.f.: Jessop(1993)

- *Caladenia pygmaea* (R.S.Rogers) R.J.Bates
- *Petalochilus pusillus* (W.M.Curtis) D.L.Jones & M.A.Clem.

Caladenia reticulata Fitzg. (Rare status in SA) – SL KI
- *Arachnorchis reticulata* (Fitzg.) D.L.Jones & M.A.Clem.
- *Caladenia huegelii* Rchb.f. var. *reticulata* (Fitzg.) J.Z.Weber & R.J.Bates
- *Calonema reticulatum* (Fitzg.) Szlach.
- *Calonemorchis reticulata* (Fitzg.) Szlach.

Caladenia richardsiorum D.L.Jones (Endangered status in SA, Endangered status in Australia) – SE
- *Arachnorchis richardsiorum* (D.L.Jones) D.L.Jones & M.A.Clem.
- *Caladenia aff. hastata (Nicholls)Rupp* : R.J.Bates & J.Z.Weber(1990)
- *Caladenia hastata* auct.non (Nicholls) Rupp: Jessop(1993)
- *Caladenia sp. A* R.J.Bates in Barker et al.(2005), pro syn.
- *Calonema richardsiorum* (D.L.Jones) Szlach.
- *Calonemorchis richardsiorum* (D.L.Jones) Szlach.

Caladenia rigida R.S.Rogers (Endangered status in SA, Endangered status in Australia) – SL
- *Arachnorchis rigida* (R.S.Rogers) D.L.Jones & M.A.Clem.
- *Caladenia huegelii* Rchb.f. var. *rigida* (R.S.Rogers) J.Z.Weber & R.J.Bates
- *Calonema rigidum* (R.S.Rogers) Szlach.
- *Calonemorchis rigida* (R.S.Rogers) Szlach.

Caladenia sanguinea D.L.Jones (Rare status in SA) – EP YP KI
- *Caladenia aff. filamentosa R.Br.* : J.Z.Weber & R.J.Bates(1993), partly
- *Caladenia filamentosa* R.Br. var. *filamentosa* auct.non Benth.: J.Z.Weber & R.J.Bates(1986)
- *Jonesiopsis sanguinea* (D.L.Jones) D.L.Jones & M.A.Clem.

Caladenia saxatilis (D.L.Jones) R.J.Bates (Rare status in SA) – FR NL
- *Arachnorchis saxatilis* D.L.Jones
- *Caladenia aff. fitzgeraldii Rupp* : R.J.Bates & J.Z.Weber, pl. 44(1990)
- *Caladenia fitzgeraldii* auct.non Rupp: J.Z.Weber & R.J.Bates(1986)
- *Caladenia stellata* auct.non D.L.Jones: Barker et al.(2005), partly

Caladenia septuosa D.L.Jones – EP
- *Arachnorchis septuosa* (D.L.Jones) D.L.Jones & M.A.Clem.
- *Caladenia aff. dilatata R.Br.* : R.J.Bates & J.Z.Weber(1990, pl.39), partly
- *Caladenia dilatata* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly
- *Calonema septuosum* (D.L.Jones) Szlach.
- *Calonemorchis septuosa* (D.L.Jones) Szlach.

Caladenia sp. Brown bayonets (R.Bates 59762) SA Herbarium – EP NL
- *Arachnorchis sp. Brown bayonets (R.Bates 59762)* Bates(2011)
- *Caladenia dilatata* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly
- *Caladenia macroclavia* auct.non D.L.Jones: Barker et al.(2005), partly

Caladenia sp. Finniss (R.Bates 308) R.J.Bates (Endangered* status in SA) – SL
- *Arachnorchis sp. Finniss (R.Bates 308)* R.J.Bates
- *Caladenia clavigera* auct.non A.Cunn. ex Lindl: J.Z.Weber & R.J.Bates(1978), partly

Caladenia sp. Monarto South (H.Goldsack 163 AD97708605A) R.J.Bates (Endangered status in SA) – MU
- *Caladenia aff. denticulata* SA orchid community
- *Caladenia filamentosa* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986)

Caladenia sp. Southeast (R.Bates 66283) R.Bates – SE
- *Arachnorchis arenaria* auct.non (Fitzg.) D.L.Jones & M.A.Clem.: R.J.Bates, SANO (2011)
- *Arachnorchis sp. Southeast (R.Bates 66283)* R.J.Bates (2011)
- *Caladenia arenaria* auct.non Fitzg.: Barker et al.(2005), only as to SE, partly
- *Caladenia patersonii* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly
- *Caladenia sp. Inland (F.A.Mason 300)* R.J.Bates in Barker et al.(2005), only with respect to SE, partly

Caladenia sp. White (R.Bates 41056) R.J.Bates – SL ?SE
- *Caladenia pusilla* auct.non W.M.Curtis: R.J.Bates & J.Z.Weber(1990), partly

Caladenia stellata D.L.Jones (Rare status in SA) – NL?id MU SL
- *Arachnorchis stellata* (D.L.Jones) D.L.Jones & M.A.Clem.
- *Caladenia aff. fitzgeraldii Rupp* : R.J.Bates & J.Z.Weber(1990)
- *Caladenia fitzgeraldii* auct.non Rupp: J.Z.Weber & R.J.Bates(1986)
- *Calonema stellatum* (D.L.Jones) Szlach.
- *Calonemorchis stellata* (D.L.Jones) Szlach.

Caladenia stricta (R.J.Bates) R.J.Bates – EP NL MU YP SL KI SE
- *Arachnorchis stricta* (R.J.Bates) D.L.Jones & M.A.Clem.
- *Caladenia dilatata* R.Br. var. *stricta* R.J.Bates

- *Calonema strictum* (R.J.Bates) Szlach.
- *Calonemorchis stricta* (R.J.Bates) Szlach.

Caladenia strigosa (D.L.Jones) R.J.Bates – SE
- *Arachnorchis australis* auct.non (G.W.Carr) D.L.Jones & M.A.Clem.: Jones et al.(2001), partly
- *Caladenia australis* auct.non G.W.Carr: Barker et al.(2005), partly

Caladenia subglabriphylla (R.J.Bates) M.A.Clem. – FR
- *Arachnorchis sp. Subglabriphylla (N.Lothian 5277)* R.J.Bates
- *Arachnorchis subglabriphylla* R.J.Bates
- *Caladenia aff. dilatata*, Bates & Weber(1990)
- *Caladenia dilatata* auct.non R.Br.: Jessop & Toelken(1986), partly
- *Caladenia sp. Glabriphylla* R.J.Bates
- *Caladenia subglabriphylla* (R.J.Bates) J.M.H.Shaw, isonym
- *Caladenia tensa* auct.non G.W.Carr: Barker et al.(2005), partly
- *Caladenia tentaculata* auct.non (Schltdl.) D.L.Carr & M.A.Clem.: Bates(2011), partly

Caladenia tensa G.W.Carr (Endangered status in Australia) – MU SE
- *Arachnorchis tensa* (G.W.Carr) D.L.Jones & M.A.Clem.
- *Caladenia aff. dilatata R.Br.* : R.J.Bates & J.Z.Weber(1990, pl.40), partly
- *Caladenia dilatata* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly
- *Caladenia tentaculata* auct.non Schltdl.: R.J.Bates & J.Z.Weber(1990), partly

Caladenia tentaculata Schltdl. – NL MU SL KI SE
- *Arachnorchis tentaculata* (Schltdl.) D.L.Jones & M.A.Clem.
- *Calonema tentaculatum* (Schltdl.) Szlach.
- *Calonemorchis tentaculata* (Schltdl.) Szlach.

Caladenia toxochila Tate – GT FR EA EP NL MU
- *Arachnorchis toxochila* (Tate) D.L.Jones & M.A.Clem.
- *Caladenia concinna* auct.non (Rupp) D.L.Jones & M.A.Clem.: R.J.Bates & J.Z.Weber(1993)
- *Caladenia dilatata* R.Br. var. *concinna* auct.non Rupp: J.Z.Weber & R.J.Bates(1977)
- *Calonema toxochilum* (Tate) Szlach.
- *Calonemorchis toxochila* (Tate) Szlach.

Caladenia transitoria D.L.Jones ssp. **isolata** (R.J.Bates) R.J.Bates – ?KI
- *Caladenia isolata* (R.J.Bates) D.L.Jones & M.A.Clem.
- *Caladenia transitoria* D.L.Jones ssp. *isolata* (R.J.Bates) J.M.H.Shaw, isonym
- *Stegostyla aff. transitoria*, Bates(2011)
- *Stegostyla transitoria* D.L.Jones ssp. *isolata* R.J.Bates

Caladenia valida (Nicholls) M.A.Clem. & D.L.Jones (Endangered status in SA) – SL KI SE
- *Arachnorchis valida* (Nicholls) D.L.Jones & M.A.Clem.
- *Caladenia aff. huegelii Rchb.f.* : R.J.Bates & J.Z.Weber(1990)
- *Caladenia fitzgeraldii* auct.non Rupp: J.M.Black(1948)
- *Caladenia reticulata* Fitzg. var. *valida* Nicholls
- *Calonema validum* (Nicholls) Szlach.
- *Calonemorchis valida* (Nicholls) Szlach.

Caladenia × variabilis Nicholls – EP NL MU YP SE
- *Arachnorchis × variabilis* (Nicholls) Jeanes
- *Caladenia × variabilis* Nicholls

Caladenia venusta G.W.Carr (Vulnerable status in SA) – SE
- *Arachnorchis venusta* (G.W.Carr) D.L.Jones & M.A.Clem.
- *Caladenia floribunda* D.L.Jones
- *Caladenia patersonii* auct.non R.Br.: J.Z.Weber & R.J.Bates(1990, pl. 58), partly
- *Calonema floribundum* (D.L.Jones) Szlach.

Caladenia verrucosa G.W.Carr – FR NL MU YP SL SE
- *Arachnorchis verrucosa* (G.W.Carr) D.L.Jones & M.A.Clem.
- *Caladenia aff. dilatata R.Br.* : R.J.Bates & J.Z.Weber(1990, pl.38), partly
- *Caladenia dilatata* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly
- *Caladenia rigens* D.L.Jones

Caladenia versicolor G.W.Carr (Endangered* status in SA, Vulnerable status in Australia) – SE
- *Arachnorchis versicolor* (G.W.Carr) D.L.Jones & M.A.Clem.
- *Caladenia aerochila* D.L.Jones
- *Caladenia patersonii* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly
- *Calonema aerochilum* (D.L.Jones) Szlach.

Caladenia viriosa (R.J.Bates) R.J.Bates – EP
- *Arachnorchis viriosa* R.J.Bates

Caladenia vulgaris D.L.Jones (Rare status in SA) – SL SE
- *Petalochilus vulgaris* (D.L.Jones) D.L.Jones & M.A.Clem.

Caladenia woolcockiorum D.L.Jones (Endangered status in SA, Vulnerable status in Australia) – FR
- *Arachnorchis woolcockiorum* (D.L.Jones) D.L.Jones & M.A.Clem.
- *Calonema woolcockiorum* (D.L.Jones) Szlach.
- *Calonemorchis woolcockiorum* (D.L.Jones) Szlach.

Caladenia xanthochila D.Beards. & C.Beards. (Endangered status in SA, Endangered status in Australia) – NL SE
- *Arachnorchis xanthochila* (D.Beards. & C.Beards.) D.L.Jones & M.A.Clem.

Caladenia xantholeuca D.L.Jones (Endangered status in SA, Endangered status in Australia) – FR NL
- *Caladenia aff. alba R.Br.* : Jessop(1984)
- *Caladenia carnea* R.Br. var. *A* R.J.Bates & J.Z.Weber(1990)
- *Caladenia carnea* R.Br. var. *alba* auct.non (R.Br.) Benth.: J.Z.Weber & R.J.Bates(1978)
- *Petalochilus xantholeucus* (D.L.Jones) D.L.Jones & M.A.Clem.

Caladenia zephyra (D.L.Jones) R.J.Bates (Vulnerable status in SA) – EP
- *Arachnorchis zephyra* D.L.Jones
- *Caladenia arenaria* auct.non Fitzg.: Jessop(1993), partly
- *Caladenia patersonii* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990), partly
- *Caladenia sp. Inland (F.A.Mason 300)* R.J.Bates, partly

Caleana major R.Br. (Vulnerable status in SA) – SL SE

Calochilus cupreus R.S.Rogers (Endangered status in SA, Critically Endangered status in Australia) – SL
- *Calochilus campestris* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly

Calochilus herbaceus Lindl. (Rare status in SA) – KI SE
- *Calochilus campestris* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), R.J.Bates & J.Weber(1990), partly

Calochilus paludosus R.Br. (Vulnerable status in SA) – SL KI SE

Calochilus platychilus D.L.Jones – MU SL KI
- *Calochilus robertsonii* auct.non Benth.: R.J.Bates & J.Z.Weber(1990), partly

Calochilus pruinosus D.L.Jones (Rare status in SA) – EP MU SE
- *Calochilus campestris* auct.non R.Br.: Barker et al. (2005), partly

Calochilus robertsonii Benth. – ?MU SL KI SE
- *Calochilus imberbis* R.S.Rogers

Chiloglottis cornuta Hook.f. (Endangered status in SA) – SE
- *Chiloglottis muelleri* Fitzg.
- *Simpliglottis cornuta* (Hook.f.) Szlach.

Chiloglottis trapeziformis Fitzg. (Endangered status in SA) – SL[?e] SE
- *Myrmechila trapeziformis* (Fitzg.) D.L.Jones & M.A.Clem.

Chiloglottis valida D.L.Jones – ?SL SE[?n]
- *Chiloglottis gunnii* auct.non Lindl.: J.Z.Weber & R.J.Bates(1986)
- *Simpliglottis valida* (D.L.Jones) Szlach.

Corybas × dentatus D.L.Jones (Endangered status in SA, Vulnerable status in Australia) – SL
- *Corybas diemenicus* auct.non (Lindl.) Rchb.f.: J.Z.Weber & R.J.Bates(1986), partly
- *Corybas incurvus* auct.non D.L.Jones & M.A.Clem.: R.J.Bates & J.Z.Weber(1990), partly
- *Corysanthes dentata* (D.L.Jones) D.L.Jones

Corybas despectans D.L.Jones & R.C.Nash – EP NL YP SL KI SE
- *Corysanthes despectans* (D.L.Jones & R.C.Nash) D.L.Jones & M.A.Clem.
- *Corysanthes sp. Red-eyed Ghost* R.J.Bates, SA Native Orchids DVD(2011)

Corybas diemenicus (Lindl.) Rupp & Nichols – NL MU SL KI SE
- *Corybas dilatatus* (Rupp & Nicholls) Rupp
- *Corysanthes diemenica* Lindl.
- *Corysanthes dilatata* Rupp & Nicholls
- *Corysanthes fimbriata* auct.non R.Br.: R.S.Rogers(1922)
- *Corysanthes fimbriata* R.Br. var. *diemenica* (Lindl.) Benth.
- *Corysanthes pruinosa* auct.non A.Cunn.: Tate(1890), Rogers(1922)

Corybas expansus D.L.Jones (Vulnerable status in SA) – EP YP SL KI SE
- *Corybas despectans* auct.non D.Jones & R.Nash: J.Z.Weber & R.J.Bates(1986), partly
- *Corybas sp. B* R.J.Bates & J.Z.Weber(1990)
- *Corysanthes expansa* (D.L.Jones) D.L.Jones & M.A.Clem.

Corybas fordhamii (Rupp) Rupp (Endangered status in SA) – SL
- *Anzybas fordhamii* (Rupp) D.L.Jones & M.A.Clem.
- *Corysanthes fordhamii* Rupp

Corybas incurvus D.L.Jones & M.A.Clem. – FR EP NL MU SL KI SE
- *Corybas diemenicus* auct.non (Lindl.) Rupp: J.Z.Weber & R.J.Bates(1986)
- *Corybas sp.* J.Z.Weber & R.J.Bates(1986)
- *Corysanthes incurva* (D.L.Jones & M.A.Clem.) D.L.Jones & M.A.Clem.

Corybas × miscellus D.L.Jones – SL SE
- *Corysanthes × miscella* (D.L.Jones) D.L.Jones & M.A.Clem.

Corybas sp. aff. diemenicus (Coastal) – SE
- *Corybas sp. aff. dilatatus* G.Backhouse & J.Jeanes, Orchids Victoria 143(1995)
- *Corybas sp. Silky Ti-tree Swamps* SA Census online(2014)
- *Corybas sp. Wilsons Promotory* Vic Herbarium
- *Corysanthes sp. Silky Tea-tree Swamps* R.J.Bates, SA Native Orchids DVD(2011)

Corybas unguiculatus (R.Br.) Rchb.f. (Rare status in SA) – SL KI SE
- *Anzybas unguiculatus* (R.Br.) D.L.Jones & M.A.Clem.
- *Corysanthes unguiculata* R.Br.

Cryptostylis subulata (Labill.) Rchb.f. (Vulnerable status in SA) – SL KI SE
- *Cryptostylis longifolia* R.Br., nom.illeg.
- *Malaxia subulata* J.M.Black(1943), orth.var.
- *Malaxis subulata* Labill.

Cyrtostylis reniformis R.Br. – FR NL ?MU SL KI SE
- *Acianthus reniformis* (R.Br.) Schltr. var. *reniformis*
- *Caladenia reniformis* (R.Br.) Rchb.f.

Cyrtostylis robusta D.L.Jones & M.A.Clem. – EP NL MU YP SL KI SE
- *Acianthus reniformis* auct.non (R.Br.) Schltr.: Kores(1995), partly

Dipodium campanulatum D.L.Jones (Vulnerable status in SA, Endangered status in Australia) – SE
- *Dipodium punctatum unnamed form* R.J.Bates & J.Z.Weber(1990, pl. 96)
- *Dipodium punctatum* auct.non (Sm.) R.Br.: J.Z.Weber & R.J.Bates(1986), partly

Dipodium pardalinum D.L.Jones (Vulnerable status in SA) – SL SE

Dipodium punctatum (Sm.) R.Br. (Endangered status in SA) – SE
- *Dendrobium punctatum* Sm.

Dipodium roseum D.L.Jones & M.A.Clem. – MU SL SE
- *Dipodium punctatum* auct.non (Sm.) R.Br.: J.Z.Weber & R.J.Bates(1986), partly

* **Disa bracteata** Sw. – NL* MU* SL* KI* SE*
- *Monadenia australiensis* Rupp
- *Monadenia bracteata* (Sw.) T.Durand & Schinz

Diuris behrii Schltdl. (Vulnerable status in SA) – FR EP NL MU SL SE
- *Diuris lanceolata* auct.non Lindl.: J.Z.Weber & R.J.Bates(1986), partly
- *Diuris pedunculata* auct.non R.Br.: J.Z.Weber & R.J.Bates(1978), partly
- *Diuris pedunculata* R.Br. var. *gigantea* Nicholls

Diuris brevifolia R.S.Rogers (Endangered status in SA) – EP SL KI
- *Diuris emarginata* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986)
- *Diuris sulphurea* R.Br. ssp. *brevifolia* (R.S.Rogers) J.Z.Weber & R.J.Bates, nom.inval. (in error)
- *Diuris sulphurea* R.Br. var. *brevifolia* (R.S.Rogers) J.Z.Weber & R.J.Bates

Diuris calcicola R.J.Bates – EP MU SE
- *Diuris maculata* auct.non Sm.: R.J.Bates & J.Z.Weber(1990)
- *Diuris pardina* auct.non Lindl.: Barker et al.(2005)
- *Diuris sp. aff. pardina*, Jeanes & Backhouse(2006), questionably
- *Diuris sp. Short-tailed (R.Bates 66289)* R.J.Bates

Diuris chryseopsis D.L.Jones (Endangered status in SA) – SL SE
- *Diuris lanceolata* auct.non Lindl.: Jessop(1993), partly
- *Diuris pedunculata* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly

Diuris × fastidiosa R.S.Rogers – FR NL MU SE

Diuris orientis D.L.Jones – EP NL MU YP SL KI SE
- *Diuris aff. corymbosa Lindl.* R.J.Bates & J.Z.Weber(1993)
- *Diuris corymbosa* auct.non Lindl.: R.J.Bates & J.Z.Weber(1990)
- *Diuris longifolia* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly

Diuris × palachila R.S.Rogers – NL MU SL SE

Diuris palustris Lindl. – FR EP NL MU YP SL SE

Diuris pardina Lindl. – NL ?MU ?YP SL ?SE
- *Diuris brevissima* auct.non Fitzg. ex Nicholls: R.J.Bates & J.Z.Weber(1990)
- *Diuris maculata* auct.non Sm.: J.Z.Weber & R.J.Bates(1986)
- *Diuris pardina* Lindl., partly

Diuris punctata Sm. var. **punctata** (Endangered* status in SA) – SE
Diuris sulphurea R.Br. (Rare status in SA) – SE
Eriochilus collinus D.L.Jones & R.J.Bates ssp. **collinus** – FR NL SL KI
- *Eriochilus collinus* D.L.Jones & R.J.Bates, partly
- *Eriochilus cucullatus* auct.non (Labill.) Rchb.f.: J.M.Black(1922, 1929), Bates & Weber(1990), partly
- *Eriochilus sp. Hills woodland* R.J.Bates, SA Native Orchids DVD(2011)
- *Eriochilus sp. Hills* R.J.Bates

Eriochilus collinus D.L.Jones & R.J.Bates ssp. **sericeus** R.J.Bates – EP ?MU ?YP ?SE
- *Eriochilus collinus* auct.non D.L.Jones & R.J.Bates: Jones & Bates(2016), partly
- *Eriochilus cucullatus* auct.non (Labill.) Rchb.f.: J.M.Black(1922, 1929), Bates & Weber(1990), partly
- *Eriochilus Smooth-leaf plains* R.J.Bates, SA Native Orchids DVD(2011)
- *Eriochilus sp. Plains* R.J.Bates

Eriochilus cucullatus (Labill.) Rchb.f. – ?FR ?EP ?NL ?MU ?YP ?SL ?KI SE
- *Epipactis cucullata* Labill.
- *Eriochilus autumnalis* R.Br., nom.illeg.

Eriochilus paludosus D.L.Jones & R.J.Bates (Endangered status in SA) – SL KI
- *Eriochilus aff. cucullatus 'Swamp'* D.L.Jones
- *Eriochilus cucullatus* auct.non (Labill.) Rchb.: Black(1922, 1929), Bates & Weber(1990), partly
- *Eriochilus sp. Swamp (D.E.Murfet 1950b)* D.L.Jones

Gastrodia procera G.W.Carr – SE
Gastrodia sesamoides R.Br. (Rare status in SA) – SL KI SE
Gastrodia vescula D.L.Jones (Vulnerable status in SA) – SE
- *Gastrodia sesamoides* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990), partly

Genoplesium ciliatum (Ewart & B.Rees) D.L.Jones & M.A.Clem. (Endangered status in SA) – SL KI SE
- *Corunastylis ciliata* (Ewart & B.Rees) D.L.Jones & M.A.Clem.
- *Genoplesium archeri* auct.non (Hook.f.) D.L.Jones & M.A.Clements: R.J.Bates & J.Z.Weber(1993
- *Prasophyllum archeri* auct.non Hook.f.: J.Z.Weber & R.J.Bates(1986)
- *Prasophyllum ciliatum* Ewart & B.Rees
- *Prasophyllum intricatum* auct.non Benth.: R.S.Rogers(1922)

Genoplesium despectans (Hook.f.) D.L.Jones & M.A.Clem. (Vulnerable status in SA) – SE
- *Corunastylis despectans* (Hook.f.) D.L.Jones & M.A.Clem.
- *Prasophyllum despectans* Hook.f.
- *Prasophyllum despectans* Hook.f. var. *intermedia* Ewart & B.Rees

Genoplesium morrisii (Nicholls) D.L.Jones & M.A.Clem. (Endangered status in SA) – SE
- *Corunastylis morrisii* (Nicholls) D.L.Jones & M.A.Clem.
- *Prasophyllum morrisii* Nicholls

Genoplesium nigricans (R.Br.) D.L.Jones & M.A.Clem. – FR EP NL MU YP KI SE
- *Corunastylis nigricans* (R.Br.) D.L.Jones & M.A.Clem.
- *Corunastylis tepperi* (F.Muell. ex Tepper) D.L.Jones & M.A.Clem.
- *Prasophyllum fuscoviride* Reader
- *Prasophyllum nigricans* R.Br.
- *Prasophyllum tepperi* F.Muell. ex R.S.Rogers(1909)
- *Prasophyllum tepperi* F.Muell. ex Tepper(1880)

Genoplesium rufum (R.Br.) D.L.Jones & M.A.Clem. – FR EP NL MU YP SL KI SE
- *Corunastylis rufa* (R.Br.) D.L.Jones & M.A.Clem.
- *Corunastylis sp. Adelaide Hills (R.H.Edge s.n. AD99104294)* R.J.Bates, SA Native Orchids DVD 455 (2011)
- *Corunastylis sp. aff. rufa Dark Midge Orchid* Jeanes & Backhouse, Wild Orchids of Victoria 283 (2006)
- *Corunastylis sp. Dark Midge (R.Bates 60714)* R.J.Bates, SA Native Orchids DVD 457 (2011)
- *Corunastylis sp. Intermediate (R.Bates 60741)* R.J.Bates, SA Native Orchids DVD 459 (2011)
- *Corunastylis sp. Large Bracts (R.Bates 25380)* R.J.Bates, SA Native Orchids DVD 461 (2011)
- *Corunastylis sp. Mount Billy (R.Bates 52404)* R.J.Bates, SA Native Orchids DVD 463 (2011)
- *Genoplesium linearis* R.J.Bates ms
- *Prasophyllum nigricans* auct.non R.Br.: J.M.Black(1943)
- *Prasophyllum rufum* R.Br.

× **Glossadenia tutelata** (R.S.Rogers) Kellermann – SL SE
- *Caladenia* × *tutelata* R.S.Rogers
- × *Calassodia tutelata* (R.S.Rogers) M.A.Clem.
- *Glossadenia tutelata* (R.S.Rogers) Kavulak, nom. inval., nom. nud.

Glossodia major R.Br. – FR NL MU SL KI SE
- *Glossodia major* R.Br. var. *alba* McKibbin

Leporella fimbriata (Lindl.) A.S.George – EP NL MU YP SL KI SE
- *Caladenia fimbriata* (Lindl.) Rchb.f.
- *Eriochilus fimbriatus* (Lindl.) F.Muell.
- *Leptoceras fimbriata* Lindl.

Leptoceras menziesii (R.Br.) Lindl. – EP NL MU YP SL KI SE
- *Caladenia menziesii* R.Br.

Microtis arenaria Lindl. – FR EP NL MU YP SL KI SE
- *Microtis biloba* Nicholls
- *Microtis porrifolia* auct.non Spreng.: Rogers in J.M.Black(1922)
- *Microtis unifolia* auct.non (G.Forst.) Rchb.f.: J.Z.Weber & R.J.Bates(1986), partly

Microtis atrata Lindl. (Rare status in SA) – EP SL KI SE
- *Microtidium atratum* (Lindl.) D.L.Jones & M.A.Clem.
- *Microtis atrata* Lindl. var. *viridula* Rchb.f.
- *Microtis minutiflora* F.Muell.

Microtis eremaea R.J.Bates (Endangered status in SA) – FR EA EP ?MU
- *Microtis parviflora* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990), partly

Microtis frutetorum Schltdl. – GT FR EA EP NL MU SL KI SE
- *Microtis porrifolia* auct.non Spreng.: Rogers in J.M.Black(1922)
- *Microtis unifolia* auct.non (G.Forst.) Rchb.f.: J.Z.Weber & R.J.Bates(1986), partly

Microtis gracilenta R.J.Bates – SL
- *Microtis gracilenta* R.J.Bates, nom.inval. [Orchadian 18(5), 2015]

Microtis oblonga R.S.Rogers (Rare status in SA) – SL KI
- *Microtis parviflora* auct.non R.Br.: R.S.Rogers in J.M.Black(1922), partly
- *Microtis porrifolia* auct.non Spreng.: R.S.Rogers in J.M.Black(1922), partly
- *Microtis rara* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990), partly
- *Microtis sp. Hanging bogs (R.Bates)* R.J.Bates, SA Native Orchids DVD 783 (2011)

Microtis orbicularis R.S.Rogers (Vulnerable status in SA) – EP SL KI SE
- *Hydrorchis orbicularis* (R.S.Rogers) D.L.Jones & M.A.Clem.

Microtis parviflora R.Br. – FR EP NL MU SL KI SE
- *Microtis parviflora* R.Br. ssp. *brevichila* R.J.Bates ms
- *Microtis parviflora* R.Br. ssp. *Dense spikes (R.Bates 57790)* R.J.Bates, J Native Orchid Soc. SA 30: 4(2006)
- *Microtis parviflora* R.Br. ssp. *Short lip (R.Bates 57790)* R.J.Bates

Microtis rara R.Br. (Rare status in SA) – SE
- *Microtis unifolia* (G.Forst.) Rchb.f. var. *rara* (R.Br.) Rchb.f.

Microtis sp. Short-leaf (R.J.Bates 54342) R.J.Bates – FR EP NL MU YP SL KI SE
- *Microtis unifolia* auct.non (G.Forst.) Rchb.f.: Jessop(1993), partly

Microtis unifolia (G.Forst.) Rchb.f. – FR EP NL MU YP SL KI SE
- *Epipactis porrifolia* Sw., nom. illeg.
- *Microtis angustata* R.J.Bates ms
- *Microtis "Curved labellum" RB 39890* R.J.Bates, NOSSA 30: 4(2006)
- *Microtis curvichila* R.J.Bates ms
- *Microtis flindersica* R.J.Bates ms.
- *Microtis flindersii* R.J.Bates ms
- *Microtis fragrans* R.J.Bates ms
- *Microtis leptochila* R.J.Bates ms
- *Microtis nashii* R.J.Bates ms
- *Microtis porrifolia* R.Br. ex Spreng., nom. illeg.
- *Microtis postremus* R.J.Bates ms
- *Microtis sp. Curved lip (N.N.Donner 5999)* R.J.Bates, South Australia?s Native Orchids DVD 791 (2011
- *Microtis sp. Flinders (R.Bates 45201)* R.J.Bates, SA Native Orchids DVD 793 (2011)
- *Microtis sp. Fragrant (R.Bates 26215)* R.J.Bates, SA Native Orchids DVD 775 (2011)
- *Microtis sp. Late flowered (R.Bates 16589)* R.J.Bates, SA Native Orchids DVD 795 (2011)
- *Microtis sp. Narrow Labellum (Hj. Eichler 18099)* R.J.Bates, SA Native Orchids DVD 797 (2011)
- *Microtis sp. Nash (R.Bates 44740)* R.J.Bates, SA Native Orchids DVD 799 (2011)
- *Microtis species "Late-flowered" RB 16589* R.J.Bates, NOSSA 30: 4(2006)
- *Microtis "Strap labellum" RB 40544* R.J.Bates, NOSSA 30: 4(2006)
- *Ophrys unifolia* G.Forst.

Orthoceras strictum R.Br. – FR EP NL MU YP SL KI SE

Paracaleana disjuncta D.L.Jones (Endangered status in SA) – SL KI
- *Caleana aff. nigrita (Lindl.)Blaxell* : R.J.Bates & J.Z.Weber(1990), as syn.
- *Paracaleana aff. nigrita (Lindl.)Blaxell* : R.J.Bates & J.Z.Weber(1990)

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

- *Sullivania disjuncta* (D.L.Jones) D.L.Jones

Paracaleana minor (R.Br.) Blaxell (Vulnerable status in SA) – SL SE
- *Caleana minor* R.Br.
- *Caleana sullivanii* (F.Muell.) Pescott
- *Paracaleana sullivanii* (F.Muell.) Blaxell
- *Sullivania minor* (R.Br.) D.L.Jones & M.A.Clem.

Pheladenia deformis (R.Br.) D.L.Jones & M.A.Clem. – FR EP NL MU YP SL KI SE
- *Caladenia barbata* Lindl.
- *Caladenia deformis* R.Br.
- *Caladenia deformis* R.Br. var. *albiflora* Benth.
- *Cyanicula deformis* (R.Br.) Hopper & A.P.Br.

Prasophyllum aff. truncatum sensu Weber & Bates(1986) – EP YP ?KI

Prasophyllum asinantum R.J.Bates – SE

Prasophyllum australe R.Br. (Rare status in SA) – SL KI SE

Prasophyllum calcicola R.J.Bates (Vulnerable status in SA) – EP YP KI
- *Prasophyllum macrostachyum* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986)

Prasophyllum catenemum D.L.Jones (Endangered status in SA) – EP
- *Prasophyllum odoratum* auct.non R.S.Rogers: Jessop(1993), partly
- *Prasophyllum patens* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990), partly
- *Prasophyllum patens* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986) var. *patens*, partly
- *Prasophyllum sp. West Coast (R.Tate AD96945167)* R.J.Bates

Prasophyllum collinum D.L.Jones – EP
- *Prasophyllum odoratum* auct.non R.S.Rogers: Barker et al.(2005), partly

Prasophyllum constrictum R.S.Rogers (Rare status in SA) – EP MU SE
- *Prasophyllum fuscum* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly
- *Prasophyllum gracile* R.S.Rogers, nom.illeg., partly

Prasophyllum elatum R.Br. – FR EP NL MU YP SL KI SE

Prasophyllum fecundum R.J.Bates (Rare status in SA) – EP YP SL SE
- *Prasophyllum fitzgeraldii* auct.non R.S.Rogers & Maiden: J.Z.Weber & R.J.Bates(1986), partly

Prasophyllum fitzgeraldii R.S.Rogers & Maiden – FR EP NL MU YP SL SE

Prasophyllum frenchii F.Muell. (Endangered status in SA, Endangered status in Australia) – SE
- *Prasophyllum hartii* R.S.Rogers

Prasophyllum goldsackii J.Z.Weber & R.J.Bates (Endangered status in SA, Endangered status in Australia) – EP YP

Prasophyllum laxum R.J.Bates (Endangered status in SA, Critically Endangered status in Australia) – EP
- *Prasophyllum aff. lindleyanum* NOSSA Orchids of South Australia CD
- *Prasophyllum sp. Koppio (R.Bates 64046)* NOSSA Orchids of South Australia CD

Prasophyllum litorale R.J.Bates (Endangered* status in SA, Critically Endangered status in Australia) – SE

Prasophyllum murfetii D.L.Jones (Endangered status in SA, Critically Endangered status in Australia) – SL
- *Prasophyllum frenchii* auct.non F.Muell.: J.Z.Weber & R.J.Bates(1990, pl.133), partly

Prasophyllum occidentale R.S.Rogers – FR EP NL MU YP SL KI SE
- *Prasophyllum fuscum* R.Br. var. *occidentale* (R.S.Rogers) J.Z.Weber & R.J.Bates(1986)

Prasophyllum occultans R.J.Bates (Rare status in SA) – EP YP SL KI SE
- *Prasophyllum occidentale* auct.non R.S.Rogers: J.Z.Weber & R.J.Bates(1986), partly
- *Prasophyllum pallidum* auct.non. Nicholls: J.Z.Weber & R.J.Bates(1986)

Prasophyllum odoratum R.S.Rogers – GT FR EA EP NL MU YP SL KI SE
- *Prasophyllum album* R.S.Rogers
- *Prasophyllum odoratum* R.S.Rogers var. *album* (R.S.Rogers) R.S.Rogers
- *Prasophyllum patens* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990), partly
- *Prasophyllum patens* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986) var. *patens*, partly

Prasophyllum pallidum Nicholls (Rare status in SA, Vulnerable status in Australia) – FR NL SL
- *Prasophyllum fuscum* auct.non R.Br.: R.S.Rogers(1922)

Prasophyllum praecox D.L.Jones – EP YP

Prasophyllum pruinosum R.S.Rogers (Endangered status in SA, Endangered status in Australia) – SL
- *Prasophyllum fuscum* R.Br. var. *grandiflorum* Benth., partly
- *Prasophyllum patens* auct.non R.Br.: J.M.Black(1943)
- *Prasophyllum patens* R.Br. var. *pruinosum* (R.S.Rogers) R.S.Rogers

Prasophyllum rotundiflorum R.S.Rogers (Endangered* status in SA) – NL$^{?id}$ SL
- *Prasophyllum odoratum* auct.non R.S.Rogers: R.J.Bates & J.Z.Weber(1993), partly

Prasophyllum sp. Bushfires (R.S.Rogers 2681) R.J.Bates – SL
- *Prasophyllum "Bushfire" R.S.Rogers* R.J.Bates in NOSSA(2005)

- *Prasophyllum constrictum* auct.non R.S.Rogers: R.J.Bates & J.Z.Weber(1990), partly
- *Prasophyllum fuscum* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly
- *Prasophyllum gracile* R.S.Rogers, nom.illeg., partly
- *Prasophyllum sp. aff. pyriforme 1* Jeanes & Backhouse(2006)

Prasophyllum sp. Coast sandhills (Hj.Eichler 14100) R.J.Bates – EP YP SL
- *Prasophyllum odoratum* auct.non R.S.Rogers: Jessop(1993), partly
- *Prasophyllum patens (coastal form)* R.J.Bates & J.Z.Weber(1990), pl.138
- *Prasophyllum patens* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990), partly
- *Prasophyllum patens* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986) var. *patens*, partly

Prasophyllum sp. Waterholes (R.Bates 9037) R.J.Bates (Endangered status in SA) – SE
- *Prasophyllum odoratum* auct.non R.S.Rogers: Jessop(1993), partly
- *Prasophyllum patens* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986) var. *patens*, partly

Prasophyllum spicatum R.J.Bates & D.L.Jones (Endangered status in SA, Vulnerable status in Australia) – SE
- *Prasophyllum odoratum* R.S.Rogers var. *album* auct.non (R.S.Rogers) R.S.Rogers: R.S.Rogers(1922)
- *Prasophyllum truncatum* auct.non Lindl.: J.Z.Weber & R.J.Bates(1986), partly

Prasophyllum tortilis D.L.Jones & R.J.Bates (Endangered* status in SA) – EP YP SL[?id]
- *Prasophyllum goldsackii* auct.non J.Z.Weber & R.J.Bates: R.J.Bates & J.Z.Weber(1990), partly
- *Prasophyllum sp. Enigma (R.Bates 2350)* R.J.Bates

Prasophyllum validum R.S.Rogers (Vulnerable status in SA, Vulnerable status in Australia) – FR ?SL[?id]
- *Prasophyllum fuscum* R.Br. var. *validum* (R.S.Rogers) J.Z.Weber & R.J.Bates

Pterostylis alata (Labill.) Rchb.f. – SL KI SE
- *Diplodium alatum* (Labill.) D.L.Jones & M.A.Clem.
- *Disperis alata* Labill.

Pterostylis arenicola M.A.Clem. & J.L.Stewart (Vulnerable status in SA, Vulnerable status in Australia) – MU SL SE
- *Oligochaetochilus arenicola* (M.A.Clem. & J.Stewart) Szlach.
- *Pterostylis boormanii* auct.non Rupp: J.Z.Weber & R.J.Bates(1986)
- *Pterostylis squamata* auct.non R.Br.: J.M.Black(1943), partly

Pterostylis biseta Blackmore & Clemesha – FR EA EP NL MU YP SL SE
- *Oligochaetochilus bisetus* (Blackmore & Clemesha) Szlach.
- *Pterostylis Mt Brown* Anon.(Lofty Block Threatened Orchids)
- *Pterostylis rufa* auct.non R.Br.: J.M.Black(1943)

Pterostylis boormanii Rupp – FR EP NL MU YP
- *Oligochaetochilus boormanii* (Rupp) Szlach.
- *Pterostylis squamata* auct.non R.Br.: J.M.Black(1943), partly

Pterostylis bryophila D.L.Jones (Endangered status in SA, Critically Endangered status in Australia) – SL
- *Diplodium bryophilum* (D.L.Jones) D.L.Jones & M.A.Clem.
- *Pterostylis obtusa* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986)

Pterostylis chlorogramma D.L.Jones & M.A.Clem. (Endangered status in SA, Vulnerable status in Australia) – SE
- *Bunochilus chlorogrammus* (D.L.Jones & M.A.Clem.) D.L.Jones & M.A.Clem.
- *Pterostylis longifolia* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly

Pterostylis cobarensis M.A.Clem. – FR EA
- *Oligochaetochilus cobarensis* (M.A.Clem.) Szlach.
- *Pterostylis excelsa* auct.non M.A.Clem.: R.J.Bates & J.Z.Weber(1990), partly
- *Pterostylis sp.* R.J.Bates & J.Z.Weber(1990, pl. 192)

Pterostylis concinna R.Br. (Endangered status in SA) – SE
- *Taurantha concinna* (R.Br.) D.L.Jones & M.A.Clem.

Pterostylis corpulenta (D.L.Jones) D.L.Jones (Vulnerable status in SA) – SE
- *Pterostylis aff. parviflora* R.J.Bates & J.Z.Weber(1990)
- *Pterostylis parviflora* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986)
- *Pterostylis sp. Sandheath (D.Murfet 3190)* R.J.Bates
- *Speculantha corpulenta* D.L.Jones

Pterostylis cucullata R.Br. ssp. **cucullata** (Endangered status in SA, Vulnerable status in Australia) – SL SE
- *Pterostylis cucullata* R.Br. ssp., partly

Pterostylis cucullata R.Br. ssp. **sylvicola** D.L.Jones (Endangered status in SA, Vulnerable status in Australia) – SL
- *Pterostylis cucullata* R.Br. ssp., partly

Pterostylis curta R.Br. (Rare status in SA) – FR NL SL SE

Pterostylis cycnocephala Fitzg. – FR EP NL MU YP SL SE
- *Hymenochilus cycnocephalus* (Fitzg.) D.L.Jones & M.A.Clem.

. . . [?e], questionably established. [n*], native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

- *Oligochaetochilus cycnocephalus* (Fitzg.) Szlach.

Pterostylis despectans (Nicholls) M.A.Clem. & D.L.Jones (Endangered status in SA, Endangered status in Australia) – NL
- *Oligochaetochilus despectans* (Nicholls) Szlach.
- *Pterostylis aff. despectans (Mt Bryan)* : Anon.(Lofty Block Threatened Orchids)
- *Pterostylis rufa* R.Br. var. *despectans* Nicholls

Pterostylis dolichochila M.A.Clem. & D.L.Jones – FR EP NL MU YP SL SE
- *Diplodium dolichochilum* (D.L.Jones & M.A.Clem.) D.L.Jones & M.A.Clem.
- *Pterostylis alata* auct.non (Labill.) Reichb.f.: J.Z.Weber & R.J.Bates(1978), partly

Pterostylis erythroconcha M.A.Clem. & D.L.Jones – EP MU YP KI SE
- *Diplodium erythroconchum* (M.A.Clem. & D.L.Jones) D.L.Jones & M.A.Clem.
- *Pterostylis hamiltonii* auct.non Nicholls: J.M.Black(1943)

Pterostylis exalla (D.L.Jones) G.N.Backh. – NL MU YP SL
- *Oligochaetochilus aff. boormanii 'Coastal'* R.J.Bates: Orchids of SA CD (Nov, 2007)
- *Oligochaetochilus "Belvidere" DE Murfet 3603* R.J.Bates: J. Native Orchid. Soc. S. Australia(2006)
- *Oligochaetochilus exallus* D.L.Jones
- *Pterostylis boormanii* auct.non Rupp: Barker et al.(2005), partly

Pterostylis excelsa M.A.Clem. – GT FR EP NL MU YP SL SE
- *Oligochaetochilus excelsus* (M.A.Clem.) Szlach.
- *Pterostylis hamata* auct.non Blackmore & Clemesha: J.Z.Weber & R.J.Bates(1978)
- *Pterostylis mitchellii* auct.non Lindl.: J.M.Black(1943)
- *Pterostylis mitchellii* Lindl. f. *major* Lindl.

Pterostylis falcata R.S.Rogers (Endangered status in SA) – SL KI SE
- *Pterostylis furcata* auct.non: Lindl.: J.Z.Weber & R.J.Bates(1986)

Pterostylis ferruginea (D.L.Jones) G.N.Backh. (Endangered* status in SA) – ?SL SE
- *Oligochaetochilus 'Sandplain' DN Kraehenbuehl 5670* R.J.Bates: J. Native Orchid. Soc. S. Australia(2006)
- *Oligochaetochilus ferrugineus* D.L.Jones
- *Pterostylis aff. rufa* Bates & Weber(1990), partly
- *Pterostylis rufa* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly
- *Pterostylis sp. Sand plain (D.N.Kraehenbuehl 5670)* R.J.Bates: Barker et al.(2005)

Pterostylis flavovirens (D.L.Jones) R.J.Bates – EP YP SL KI SE
- *Bunochilus flavovirens* D.L.Jones
- *Pterostylis longifolia* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly
- *Pterostylis sp. Coastal (R.Bates 37621)* R.J.Bates

Pterostylis foliata Hook.f. (Rare status in SA) – SL KI SE
- *Pterostylis vereenae* R.S.Rogers

Pterostylis × ingens (Rupp) D.L.Jones – SL
- *Pterostylis × acuminata* R.Br. var. *ingens* Rupp

Pterostylis lepida (D.L.Jones) G.N.Backh. (Endangered* status in SA, Endangered* status in Australia) – NL YP SL
- *Oligochaetochilus "Halbury" RB 8425* R.J.Bates: J. Native Orchid. Soc. S. Australia(2006)
- *Oligochaetochilus lepidus* D.L.Jones
- *Pterostylis aff. boormanii Rupp* R.J.Bates & J.Z.Weber: Jessop(1993)
- *Pterostylis boormanii* auct.non Rupp: R.J.Bates & J.Z.Weber(1990), partly
- *Pterostylis sp. Halbury (R.Bates 8425)* R.J.Bates: Barker et al.(2005)
- *Pterostylis sp.11 (Halbury; R.Bates 8425)* : Briggs & Leigh(1995)

Pterostylis lingua M.A.Clem. (Endangered status in SA) – EA
- *Oligochaetochilus linguus* (M.A.Clem.) Szlach.

Pterostylis littoralis (D.L.Jones) R.J.Bates – SE
- *Bunochilus littoralis* D.L.Jones

Pterostylis lustra D.L.Jones (Endangered status in SA) – SL
- *Pterostylis falcata* R.S.Rogers, partly

Pterostylis maxima M.A.Clem. & D.L.Jones (Endangered* status in SA) – SE
- *Oligochaetochilus maximus* (M.A.Clem. & D.L.Jones) Szlach.

Pterostylis melagramma D.L.Jones (Endangered status in SA) – SL KI SE
- *Bunochilus melagrammus* (D.L.Jones) D.L.Jones & M.A.Clem.
- *Oligochaetochilus melagrammus* (D.L.Jones) Szlach.
- *Pterostylis longifolia* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986)

Pterostylis mirabilis (D.L.Jones) R.J.Bates (Vulnerable* status in SA, Vulnerable status in Australia) – EP
- *Oligochaetochilus "Eyre Peninsula" RB 19474* R.J.Bates: J. Native Orchid. Soc. S. Australia(2006)
- *Oligochaetochilus mirabilis* D.L.Jones

- *Pterostylis aff. despectans* : Bates & Weber(1990), partly
- *Pterostylis aff. despectans* : Jessop(1993)
- *Pterostylis despectans "summer flowered form"* Bates & Weber(1990, pl. 164)
- *Pterostylis sp. Eyre Peninsula (R.Bates 19474)* R.J.Bates: Barker et al.(2005)
- *Pterostylis sp.9 (Eyre Peninsula; R.Bates 19474)* : Briggs & Leigh(1995)

Pterostylis mutica R.Br. – NU FR EA EP NL MU YP SL SE
- *Hymenochilus muticus* (R.Br.) D.L.Jones & M.A.Clem.
- *Oligochaetochilus muticus* (R.Br.) Szlach.

Pterostylis nana R.Br. – NU GT FR EP NL MU YP SL KI SE
- *Linguella nana* (R.Br.) D.L.Jones & M.A.Clem.

Pterostylis nutans R.Br. – MU SL KI SE

Pterostylis ovata M.A.Clem. – GT EP
- *Oligochaetochilus ovatus* (M.A.Clem.) Szlach.
- *Pterostylis mitchellii* auct.non Lindl.: J.Z.Weber & R.J.Bates(1978)

Pterostylis parviflora R.Br. (Endangered status in SA) – SE

Pterostylis pedunculata R.Br. – FR NL YP SL KI SE

Pterostylis planulata D.L.Jones & M.A.Clem. – SE
- *Oligochaetochilus planulatus* (D.L.Jones & M.A.Clem.) D.L.Jones & M.A.Clem.
- *Pterostylis biseta* auct.non Blackmore & Clemesha: R.J.Bates & J.Z.Weber(1990), partly

Pterostylis plumosa Cady – FR EP NL MU YP SL KI SE
- *Plumatichilos plumosum* (Cady) Szlach.
- *Pterostylis barbata* auct.non Lindl.: J.M.Black(1943)

Pterostylis prasina (D.L.Jones) G.N.Backh. – ?EP MU YP SE
- *Bunochilus prasinus* D.L.Jones
- *Pterostylis longifolia* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly

Pterostylis psammophila (D.L.Jones) R.J.Bates (Endangered status in SA, Critically Endangered status in Australia) – SL
- *Oligochaetochilus bisetus* (Blackmore & Clemesha) Szlach., partly
- *Oligochaetochilus psammophilus* D.L.Jones
- *Oligochaetochilus sp. 'Sandy Creek', (R. Bates 34875B)* R.J.Bates: Orchids SA CDRom (Apr 2007)
- *Pterostylis biseta* auct.non Blackmore & Clemesha: R.J.Bates & J.Z.Weber(1990), partly
- *Pterostylis psammophilus* (D.L.Jones) R.J.Bates

Pterostylis pusilla R.S.Rogers – FR EP NL MU YP SL SE
- *Oligochaetochilus pusillus* (R.S.Rogers) Szlach.

Pterostylis robusta R.S.Rogers – FR EA EP NL MU YP SL SE
- *Diplodium robustum* (R.S.Rogers) D.L.Jones & M.A.Clem.
- *Pterostylis alata* (Labill.) Rchb.f. var. *robusta* (Ewart) Tovey & P.Morris
- *Pterostylis alata* (Labill.) Reichb.f. var. *robusta* (R.S.Rogers) J.Z.Weber & R.J.Bates, nom.illeg.
- *Pterostylis praecox* Lindl. var. *robusta* Ewart
- *Pterostylis reflexa* auct.non R.Br.: R.S.Rogers(1922)
- *Pterostylis scabra* Lindl. var. *robusta* (R.S.Rogers) A.S.George

Pterostylis sanguinea D.L.Jones & M.A.Clem. – FR EP NL MU YP SL KI SE
- *Oligochaetochilus sanguinea* (D.L.Jones & M.A.Clem.) Szlach.
- *Pterostylis vittata* auct.non Lindl.: J.Z.Weber & R.J.Bates(1986)
- *Urochilus sanguineus* (D.L.Jones & M.A.Clem.) D.L.Jones & M.A.Clem.

Pterostylis setifera M.A.Clem., Matthias & D.L.Jones (Endangered status in SA) – MU
- *Oligochaetochilus setifer* (M.A.Clem., Matthias & D.L.Jones) Szlach.
- *Pterostylis mitchellii* auct.non Lindl.: J.Z.Weber & R.J.Bates(1978)

Pterostylis simulans R.J.Bates – FR

Pterostylis smaragdyna D.L.Jones & M.A.Clem. – FR EP NL SL SE
- *Bunochilus smaragdynus* (D.L.Jones & M.A.Clem.) D.L.Jones & M.A.Clem.
- *Pterostylis longifolia* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly

Pterostylis sp. Hale (R.Bates 21725) EPBC list (Vulnerable* status in SA, Endangered status in Australia) – EP MU SL SE
- *Pterostylis aff. nana R.Br.* : Anon.(SA orchid publications)
- *Pterostylis Hale* : Anon.(Lofty Block Threatened Orchids)
- *Pterostylis sp. 10 (Hale)* : Anon.(Lofty Block Threatened Orchids)
- *Pterostylis sp. Veined leaf (R.J.Bates 59781)* : R.J.Bates

Pterostylis sp. Rock ledges (pl. 185, Bates & Weber 1990) R.J.Bates (Endangered status in SA) – SL SE
- *Pterostylis aciculiformis* auct.non (Nicholls) M.A.Clem. & D.L.Jones: R.J.Bates & J.Z.Weber(1990)
- *Pterostylis aff. aciculiformis (Nicholls)M.A.Clem. & D.L.Jones* : R.J.Bates & J.Z.Weber(1993)

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Pterostylis sp. Short sepals (A.G.Spooner 12842) R.J.Bates – EP
- *Pterostylis aff. excelsa* M.Clements: Jessop(1993)
- *Pterostylis excelsa* auct.non M.A.Clem.: R.J.Bates & J.Z.Weber(1990), partly

Pterostylis striata Fitzg. (Rare status in SA) – SE
- *Diplodium striatum* (Fitzg.) D.L.Jones & M.A.Clem.
- *Pterostylis alata* auct.non (Labill.) Rchb.f.: R.J.Bates & J.Z.Weber(1990, pl.148)
- *Pterostylis reflexa* R.Br. var. *intermedia* Ewart

Pterostylis tasmanica D.L.Jones (Vulnerable status in SA) – SE
- *Plumatichilos gracilens* D.L.Jones
- *Plumatichilos tasmanicum* (D.L.Jones) Szlach.
- *Pterostylis plumosa* auct.non Cady: J.Z.Weber & R.J.Bates(1986), partly

Pterostylis tenuissima Nicholls (Vulnerable status in SA, Vulnerable status in Australia) – SE
- *Diplodium tenuissimum* (Nicholls) D.L.Jones & M.A.Clem.

Pterostylis uliginosa D.L.Jones (Endangered status in SA) – SL
- *Pterostylis aff. aphylla Lindl.* : R.J.Bates & J.Z.Weber(1990)
- *Pterostylis aphylla* auct.non Lindl.: J.Z.Weber & R.J.Bates(1986)
- *Pterostylis parviflora* R.Br. var. *aphylla* (Lindl.) Ewart & Jean White
- *Speculantha uliginosa* (D.L.Jones) D.L.Jones & M.A.Clem.

Pterostylis viriosa (D.L.Jones) R.J.Bates – FR EP NL MU SL
- *Bunochilus smaragdynus* (D.L.Jones & M.A.Clem.) D.L.Jones & M.A.Clem., partly
- *Bunochilus viriosus* D.L.Jones
- *Pterostylis longifolia* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly
- *Pterostylis smaragdyna* auct.non D.L.Jones & M.A.Clem.: Barker et al.(2005), partly

Pterostylis xerophila M.A.Clem. (Vulnerable status in SA, Vulnerable status in Australia) – GT EP MU
- *Oligochaetochilus xerophilus* (M.A.Clem.) Szlach.
- *Pterostylis sp. Undescribed (fig.446, Jessop, 1978)* J.Z.Weber & R.J.Bates
- *Pterostylis Triloba (pl. 191, Bates & Weber 1990)* R.J.Bates

Pyrorchis nigricans (R.Br.) D.L.Jones & M.A.Clem. – FR EP NL MU YP SL KI SE
- *Burnettia nigricans* (R.Br.) Hopper & A.P.Br.
- *Lyperanthus nigricans* R.Br.

* **Serapias lingua** L. – SL*

Spiranthes australis (R.Br.) Lindl. (Rare status in SA) – SL KI SE
- *Neottia australis* R.Br., partly
- *Spiranthes sinensis* auct.non (Pers.) Ames: R.J.Bates & J.Z.Weber(1990), partly
- *Spiranthes sinensis* (Pers.) Ames ssp. *australis* (R.Br.) Kitamura, partly

Spiranthes elytra D.L.Jones & R.J.Bates – SL
- *Spiranthes australis* auct.non (R.Br.) Lindl.: Barker et al.(2005), partly
- *Spiranthes sinensis* auct.non (Pers.) Ames: R.J.Bates & J.Z.Weber(1990), partly
- *Spiranthes sinensis* (Pers.) Ames ssp. *australis* auct.non (R.Br.) Kitamura, partly
- *Spiranthes sp. Late selfing white (R.Bates 909)* R.J.Bates

Thelymitra abrupta R.J.Bates – SE
- *Thelymitra sp. Glen Shera (R.J.Bates 66742)* R.J.Bates, Orchids S. Austral. CD(2011)

Thelymitra albiflora Jeanes – FR EP NL MU SL SE
- *Thelymitra pauciflora* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990), partly

Thelymitra alcockiae D.L.Jones ex Jeanes – FR EP NL MU YP SL KI SE
- *Thelymitra alcockiae* Jeanes ms, Bates(2011)
- *Thelymitra aristata* auct.non Lindl.: J.M.Black(1943), partly
- *Thelymitra longifolia* auct.non J.R.Forst. & G.Forst.: J.Z.Weber & R.J.Bates, partly
- *Thelymitra nuda* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990), partly
- *Thelymitra sp. aff. megcalyptra* Jeanes & Backhouse(2006)
- *Thelymitra species 'Laxifolia' R.S. Rogers 4737* R.J.Bates, unpubl.(2007)

Thelymitra antennifera (Lindl.) Hook.f. – FR EP NL MU YP SL KI SE
- *Macdonaldia antennifera* Lindl.

Thelymitra arenaria Lindl. – NL MU SL KI SE
- *Thelymitra pauciflora* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990), partly

Thelymitra aristata Lindl. (Endangered* status in SA) – SE

Thelymitra azurea R.S.Rogers – EP MU YP SL KI SE
- *Thelymitra azurea* auct.non R.S.Rogers: R.J.Bates & J.Z.Weber(1990), partly
- *Thelymitra canaliculata* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986)

Thelymitra batesii Jeanes (Rare status in SA) – FR NL SL
- *Thelymitra aff. holmesii "Woodland"* : R.J.Bates

- *Thelymitra pauciflora* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990), partly

Thelymitra benthamiana Rchb.f. – EP NL SL KI SE
- *Thelymitra fuscolutea* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986)

Thelymitra bracteata J.Z.Weber ex Jeanes – FR NL MU SL KI SE
- *Thelymitra pauciflora* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990)

Thelymitra brevifolia Jeanes – FR NL MU SL SE
- *Thelymitra pauciflora* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990), partly

Thelymitra carnea R.Br. (Rare status in SA) – EP SL SE
- *Thelymitra imberbis* Hook.f.

Thelymitra × chasmogama R.S.Rogers – FR EP NL MU YP SL

Thelymitra circumsepta Fitzg. (Endangered status in SA) – SL
- *Thelymitra retecta* Rupp

Thelymitra crenulata R.J.Bates (Vulnerable status in SA) – SE
- *Thelymitra pauciflora* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990), partly
- *Thelymitra sp. Black buds (R.J.Bates 64389)* R.J.Bates
- *Thelymitra sp. Dark buds (R.J.Bates 64416)* R.J.Bates

Thelymitra cyanapicata Jeanes (Endangered status in SA, Critically Endangered status in Australia) – SL
- *Thelymitra cyanapicta (orth.)* Jeanes, partly
- *Thelymitra pauciflora* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990)

Thelymitra cyanea (Lindl.) Benth. (Endangered status in SA) – SL
- *Macdonaldia cyanea* Lindl.
- *Thelymitra venosa* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986)
- *Thelymitra venosa* R.Br. var. *cyanea* (Lindl.) Hatch

Thelymitra epipactoides F.Muell. (Endangered status in SA, Endangered status in Australia) – EP MU SL SE

Thelymitra exigua Jeanes – FR NL MU SL SE
- *Thelymitra pauciflora* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990), partly

Thelymitra flexuosa Endl. (Rare status in SA) – EP SL KI SE
- *Macdonaldia smithiana* Gunn ex Lindl.
- *Thelymitra smithiana* (Gunn ex Lindl.) Hook.f.

Thelymitra glaucophylla R.J.Bates ex Jeanes – FR NL SL
- *Thelymitra aristata* auct.non Lindl.: J.M.Black(1943), partly
- *Thelymitra glaucophylla* ms, R.J.Bates(2011)
- *Thelymitra longifolia* auct.non J.R.Forst. & G.Forst.: J.Z.Weber & R.J.Bates, partly
- *Thelymitra nuda* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990), partly

Thelymitra grandiflora Fitzg. (Rare status in SA) – FR EP NL SL KI
- *Thelymitra aristata (Adelaide Hills)* R.J.Bates & J.Z.Weber(1990)

Thelymitra hiemalis D.L.Jones & M.A.Clem. – MU
- *Thelymitra ixioides* Sw. var. *subdifformis* Nicholls

Thelymitra holmesii Nicholls (Vulnerable status in SA) – NL MU SL KI SE
- *Thelymitra pauciflora* R.Br. var. *holmesii* (Nicholls) Nicholls

Thelymitra hygrophila R.J.Bates (Endangered status in SA, Critically Endangered status in Australia) – MU SL
- *Thelymitra holmesii* auct.non Nicholls: R.J.Bates & J.Z.Weber(1990), partly
- *Thelymitra pauciflora* R.Br. var. *holmesii* (Nicholls) Nicholls, partly
- *Thelymitra sp. Springton (R.Bates 63666)* R.J.Bates, Orchids of SA CD (2007)
- *Thelymitra sp. Springton (R.Bates 64102)* R.J.Bates, Orchids of SA CD (2009)

Thelymitra inflata Jeanes (Vulnerable status in SA) – MU SL
- *Thelymitra pauciflora* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990), partly

Thelymitra × irregularis Nicholls – SL SE

Thelymitra ixioides Sm. ex Sw. (Endangered* status in SA) – EP MU SL SE
- *Thelymitra ixioides* Sm. ex Sw. var. *subdifformis* Nicholls
- *Thelymitra lilacina* F.Muell. ex Lindl.

Thelymitra juncifolia Lindl. – EP NL MU SL SE
- *Thelymitra ixioides* auct.non Sm. ex Sw.: R.J.Bates & J.Z.Weber(1990), partly

Thelymitra latifolia R.J.Bates (Vulnerable status in SA) – FR ?NL MU SL SE
- *Thelymitra pauciflora* auct.non R.Br.: J.Z.Weber & R.J.Bates(1986), partly
- *Thelymitra peniculata* auct.non Jeanes: Jeanes(2004), partly
- *Thelymitra sp. latifolia (R.Bates 64051)* R.J.Bates, Orchids S.Australia CD(2008)
- *Thelymitra sp. Latifolia (R.Bates 64108)* R.J.Bates, Orchids S.Australia CD(2006)

Thelymitra lucida Jeanes – KI[?id] SE[?id]
- *Thelymitra holmesii* auct.non Nicholls: Barker et al.(2005), partly
- *Thelymitra mucida* auct.non Fitzg.: Barker et al.(2005), partly

Thelymitra luteocilium Fitzg. – FR EP NL MU YP SL KI SE
- *Thelymitra mackibbinii* auct.non F.Muell.: EPBC Recovery Plan(2003)

Thelymitra mackibbinii F.Muell. – ?SL[?id] ?SE[?id]
- *Thelymitra x mackibbinii* F.Muell.

Thelymitra × macmillanii F.Muell. – FR NL MU YP SL KI SE

Thelymitra malvina M.A.Clem., D.L.Jones & Molloy (Endangered status in SA) – SE
- *Thelymitra pauciflora* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990), partly

Thelymitra matthewsii Cheeseman (Endangered status in SA, Endangered status in Australia) – SL KI SE
- *Thelymitra daltonii* R.S.Rogers

Thelymitra megcalyptra Fitzg. – FR EP NL MU YP SL SE
- *Thelymitra aristata* Lindl. var. *megcalyptra* (Fitzg.) R.S.Rogers
- *Thelymitra nuda* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990), partly

Thelymitra × merraniae Nicholls (Endangered status in SA) – SL

Thelymitra mucida Fitzg. (Rare status in SA) – ?KI ?SE
- *Thelymitra mucida* Fitzg., partly

Thelymitra nuda R.Br. – EP[?id] NL SL SE
- *Thelymitra aristata* auct.non Lindl.: J.M.Black(1943), partly
- *Thelymitra longifolia* auct.non J.R.Forst. & G.Forst.: J.Z.Weber & R.J.Bates(1978), partly

Thelymitra occidentalis Jeanes (Rare status in SA) – EP
- *Thelymitra azurea* auct.non R.S.Rogers: R.J.Bates & J.Z.Weber(1990), partly

Thelymitra odora R.J.Bates – MU SL
- *Thelymitra pauciflora* R.J.Bates auct.non R.Br.: R.J.Bates & J.Z.Weber(1990), partly
- *Thelymitra sp. Odorata (R.Bates 61708)* R.J.Bates, Orchids S. Australia CD(2008)
- *Thelymitra sp. Slate buds (R.Bates 64092)* R.J.Bates, Orchids S. Austral CD(2006)

Thelymitra orientalis R.J.Bates (Rare status in SA, Critically Endangered status in Australia) – KI SE
- *Thelymitra mucida* auct.non Fitzg.: Jeanes(2004), partly
- *Thelymitra mucida* Fitzg. ssp. *orientalis* R.J.Bates, Orchids S Australia CD(2009)

Thelymitra pallidifructus R.J.Bates – MU SL KI SE
- *Thelymitra pauciflora* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990), partly
- *Thelymitra sp. Pale capsules (R.Bates 64170)* R.J.Bates, Orchids S Australia CD (2007)

Thelymitra pauciflora R.Br. – EP NL MU SL KI SE

Thelymitra peniculata Jeanes (Vulnerable status in SA) – ?FR ?EP ?NL SL ?KI SE
- *Thelymitra holmesii* auct.non Nicholls: R.J.Bates & J.Z.Weber(1990), partly
- *Thelymitra longifolia* auct.non J.R. & G.Forst.: J.M.Black(1948), partly
- *Thelymitra pauciflora* auct.non R.Br.: R.J.Bates & J.Z.Weber(1990), partly

Thelymitra rubra Fitzg. – FR EP NL MU SL SE
- *Thelymitra carnea* auct.non R.Br.: R.S.Rogers(1922)
- *Thelymitra carnea* R.Br. var. *rubra* (Fitzg.) J.Z.Weber & R.J.Bates
- *Thelymitra elizabethae* F.Muell.
- *Thelymitra rubra* Fitzg. var. *magnanthera* Rupp
- *Thelymitra urnalis* Fitzg.

Thelymitra rubricaulis R.J.Bates – SE
- *Thelymitra sp. Rubricaulis (R.Bates 64273)* R.J.Bates, Orchids S Australia CD(2006)

Thelymitra × truncata R.S.Rogers – SL SE
- *Thelymitra* × *decora* auct.non Cheeseman: J.Z.Weber & R.J.Bates(1978)
- *Thelymitra* × *ixioides* Sm. ex Sw. var. *truncata* (R.S.Rogers) Nicholls

HYPOXIDACEAE 100.066

Hypoxis hygrometrica Labill. var. **hygrometrica** – ?SE

Pauridia glabella (R.Br.) Snijman & Kocyan var. **glabella**
– LE NU FR EA EP NL MU YP SL KI SE
- *Hypoxis glabella* R.Br. var. *glabella*
- *Hypoxis hookeri* Geer.
- *Hypoxis pusilla* Hook.f., nom.illeg.

Pauridia vaginata (Schltdl.) Snijman & Kocyan var. **vaginata** – FR EP MU SL SE
- *Hypoxis glabella* auct.non R.Br.: Jessop(1986)
- *Hypoxis vaginata* Schltdl. var. *vaginata*

IRIDACEAE 100.070

* **Babiana stricta** (Aiton) Ker Gawl. – SL* KI*
- *Gladiolus strictus* Sol.

* **Chasmanthe aethiopica** (L.) N.E.Br. – KI*
- *Antholyza aethiopica* L.

* **Chasmanthe floribunda** (Salisb.) N.E.Br. – EP* NL* YP* SL* KI* SE*
- *Antholyza aethiopica* auct.non L.: J.M.Black(1943)
- *Antholyza floribunda* Salisb.
- *Chasmanthe aethiopica* auct.non (L.) N.E.Br.: H.Eichler(1965)
- *Chasmanthe floribunda* (Salisb.) N.E.Br. var. *duckittii* G.J.Lewis ex L.Bolus
- *Chasmanthe floribunda* (Salisb.) N.E.Br. var. *floribunda*

* **Crocosmia × crocosmiiflora** (Lemoine ex E.Morren) N.E.Br. – MU* SL* SE*
- *Montbretia × crocosmiaeflora* Lemoine ex E.Morren
- *Tritonia × crocosmiflora* G.Nicholson

* **Dierama pendulum** (L.f.) Baker – SE*
- *Dierama pulcherrima* auct.non (Thunb.) Baker: Jessop(1978)
- *Ixia pendula* L.f.

?e **Dietes grandiflora** N.E.Br. – SL?e

?e **Dietes iridioides** (L.) Sweet ex Klatt – SL?e
- *Dietes iridoides* Sweet

* **Ferraria crispa** Burm. ssp. **crispa** – ?EP* YP* SL* KI* SE*
- *Ferraria undulata* L.

* **Freesia laxa** (Thunb.) Goldblatt & J.C.Manning ssp. **laxa** – SL* KI?e
- *Anomatheca laxa* (Thunb.) Goldblatt
- *Freesia laxa* (Thunb.) Goldblatt & J.C.Manning
- *Gladiolus laxa* Thunb.
- *Lapeirousia laxa* (Thunb.) N.E.Br.

* **Freesia leichtlinii** Klatt – FR* EP* NL?e ?MU* YP* SL* KI* SE*
- *Freesia cultivar* Barker et al.(2005)
- *Freesia hybrid* ADHERB (2022)
- *Freesia refracta* auct.non Klatt: Jessop(1978)

* **Gladiolus angustus** L. – ?SL*

* **Gladiolus carneus** D.Delaroche – SL* ?KI*
- *Gladiolus blandus* Sol.

* **Gladiolus communis** L. ssp. **byzantinus** (Mill.) A.P.Ham. – NL* SL* KI*
- *Gladiolus byzantinus* Mill.
- *Gladiolus illyricus* auct.non Koch ex Sturm: H.Eichler(1965)

* **Gladiolus dalenii** Van Geel – NL?e MU*
- *Gladiolus dalenii* Van Geel cv. *Hookeri*
- *Gladiolus natalensis* Reinw. ex Hook.f.

* **Gladiolus floribundus** Jacq. – SL*

* **Gladiolus tristis** L. – EP* YP* SL* KI*
- *Acidanthera platypetala* auct.non Baker: J.M.Black(1943)
- *Gladiolus grandis* auct.non Thunb.: Ewart(1931)
- *Gladiolus longicollis* auct.non Baker: H.Eichler(1965)

* **Gladiolus undulatus** L. – EP* NL* MU* SL* KI*
- *Gladiolus cuspidatus* Jacq.

* **Gladiolus watsonius** Thunb. – NL* SL*
- *Homoglossum watsonium* (Thunb.) N.E.Br.

* **Hesperantha falcata** (L.f.) Ker Gawl. – ?SL*
- *Ixia falcata* L.f.

* **Iris albicans** Lange – FR* NL* MU* YP* SL* KI*
- *Iris germanica* auct.non L.: D.A.Cooke(1986), partly

* **Iris foetidissima** L. – MU*?id SL?e

* **Iris germanica** L. – ?NL* ?YP* SL* KI* ?SE*

* **Iris monnieri** Redoute – ?NL*

* **Iris orientalis** Mill. – SL*
- *Iris ochroleuca* L.

* **Iris pseudacorus** L. – MU* SL*

* **Iris unguicularis** Poir. – ?YP* SL*
- *Iris stylosa* Desf.

* **Iris xiphium** L. – ?NL*
- *Xiphion xiphium* (L.) M.B.Crespo, Mart.-Azoprin & Mavrodiev

?e **Ixia dubia** Vent. – SL?e

* **Ixia flexuosa** L. – SL*

* **Ixia maculata** L. – EP* NL* SL* KI*

* **Ixia paniculata** D.Delaroche – SL*

* **Ixia polystachya** L. – SL* KI*
- *Ixia flexuosa* auct.non L.: J.M.Black(1943)

* **Ixia viridiflora** Lam. – ?EP* ?NL* ?SL*

* **Moraea aristata** (D.Delaroche) Asch. & Graebn. – SL*
- *Vieusseuxia aristata* D.Delaroche

* **Moraea bellendenii** (Sweet) N.E.Br. – SL*
- *Moraea pavonia* Ker Gawl. var. *lutea* Baker
- *Vieusseuxia bellendenii* Sweet

* **Moraea flaccida** (Sweet) Steud. (Declared SA plant) – ?EP* NL* MU* YP* SL* KI* SE*
- *Homeria breyniana* auct.non G.J.Lewis: H.Eichler(1965)
- *Homeria collina* auct.non Salisb.: J.M.Black(1909)
- *Homeria flaccida* Sweet

* **Moraea fugax** (D.Delaroche) Jacq. ssp. **fugax** – ?SL*
- *Iris edulis* L.f.
- *Moraea edulis* (L.f.) KerGawl.

* **Moraea miniata** Andrews (Declared SA plant) – EP* NL* MU* YP* SL*
- *Homeria miniata* (Andrews) Sweet

* **Moraea ochroleuca** (Salisb.) Drapiez – EP* SL*
- *Homeria collina* (Thunb.) Salisb. var. *ochroleuca* (Salisb.) Baker
- *Homeria ochroleuca* Salisb.

* **Moraea setifolia** (L.f.) Druce – FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Gynandriris setifolia* (L.f.) R.C.Foster
- *Iris setifolia* L.f.
- *Moraea xerospatha* MacOwan ex Baker
- *Moraea xerospatha* MacOwan ex Baker var. *monophylla* J.M.Black

* **Moraea vegeta** L. – NL* KI*
- *Moraea juncea* auct.non L.: H.Eichler(1965)

Orthrosanthus multiflorus Sweet – EP SL?n KI
- *Eveltria multiflora* (Sweet) Raf.
- *Sisyrinchium cyaneum* Lindl.
- *Sisyrinchium multiflorum* (Sweet) Steud.

Patersonia fragilis (Labill.) Asch. & Graebn. – SL KI SE
- *Genosiris fragilis* Labill.
- *Patersonia glauca* R.Br.

Patersonia occidentalis R.Br. – MU SL KI SE
- *Genosiris occidentalis* (R.Br.) F.Muell.
- *Patersonia longiscapa* Sweet

* **Romulea minutiflora** Klatt – ?FR* EP* NL* MU* YP* SL* KI* SE*
- *Romulea columnae* auct.non Sebast. & Mauri: J.M.Black(1943)

* **Romulea rosea** (L.) Eckl. var. **australis** (Ewart) M.P.de Vos – EP* NL* MU* SL* KI* SE*
- *Romulea bulbocodium* auct.non (L.) Sebast. & Mauri: Ewart(1931)
- *Romulea cruciata* (Ker Gawl.) Eckl. var. *australis* Ewart
- *Romulea longifolia* (Salisb.) Baker
- *Romulea parviflora* Eckl.
- *Trichonema longifolium* Salisb.

* **Sisyrinchium micranthum** Cav. – SL* SE*
- *Sisyrinchium iridifolium* Kunth

* **Sparaxis bulbifera** (L.) Ker Gawl. – EP* NL* SL* KI* SE*
- *Ixia bulbifera* L.
- *Sparaxis grandiflora* auct.non Ker Gawl.: J.H.Willis(1970)

* **Sparaxis tricolor** (Schneev.) Ker Gawl. – NL* ?MU* SL* SE*
- *Ixia tricolor* Schneev.

* **Sparaxis villosa** (Burm.f.) Goldblatt – SL* SE*
- *Gladiolus bicolor* Thunb.
- *Gladiolus villosus* Burm.f.

- *Synnotia bicolor* (Thunb.) Sweet
- *Synnotia villosa* (Burm.f.) N.E.Br.

* **Tritonia crocata** (L.) Ker Gawl. – ?NL* SL* KI*
- *Ixia crocata* L.

* **Tritonia gladiolaris** (Lam.) Goldblatt & J.C.Manning – NL* SL* KI*
- *Gladiolus lineatus* Salisb.
- *Tritonia lineata* (Salisb.) Ker Gawl.

* **Tritonia squalida** (Aiton) Ker Gawl. – ?MU* SL*
- *Ixia squalida* Aiton

* **Watsonia borbonica** (Pourr.) Goldblatt – SL* KI* SE*
- *Gladiolus pyramidatus* Andrews
- *Lomenia borbonica* Pourr.
- *Watsonia pyramidata* (Andrews) Klatt

* **Watsonia marginata** (L.f.) Ker Gawl. – ?FR* SL*
- *Gladiolus marginatus* L.f.

* **Watsonia meriana** (L.) Mill. var. **bulbillifera** (J.W.Mathews & L.Bolus) D.A.Cooke (Declared SA plant) – NL* SL* KI*
- *Watsonia bulbillifera* J.W.Mathews & L.Bolus
- *Watsonia meriana* auct.non (L.) Mill.: J.M.Black(1943)
- *Watsonia meriana* (L.) Mill. cv. *Bulbillifera* (J.W.Mathews & L.Bolus) Goldblatt

* **Watsonia meriana** (L.) Mill. var. **meriana** – NL?e SL*
- *Antholyza meriana* L.
- *Watsonia sp. B* D.A.Cooke(1986, Fl.Austral.)

ASPHODELACEAE 100.072

* **Aloe arborescens** Mill. – EP?e NL?e MU?e YP?e SL?e KI*

* **Aloe brevifolia** Mill. – EP* NL?e

* **Aloe maculata** All. – LE* EP* NL* YP* SL* KI* SE*
- *Aloe latifolia* Haw.
- *Aloe perfoliata* L. var. *saponaria* Aiton
- *Aloe saponaria* (Ait.) Haw.

?e **Aloiampelos ciliaris** (Haw.) Klopper & Gideon F.Sm. var. **ciliaris** – SL?e

* **Asphodelus fistulosus** L. (Declared SA plant) – LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*

Bulbine alata Baijnath – NW LE GT FR EA EP
- *Bulbine semibarbata* (R.Br.) Haw. var. *depilata* J.M.Black
- *Bulbinopsis semibarbata* (R.Br.) Borzi var. *depilata* (J.M.Black) H.Eichler

Bulbine bulbosa (R.Br.) Haw. – FR EP NL MU YP SL SE
- *Anthericum bulbosum* R.Br.
- *Bulbinopsis bulbosa* (R.Br.) Borzi

Bulbine fraseri Kunth – LE EA

Bulbine semibarbata (R.Br.) Haw. – NW LE NU GT FR EA EP MU YP SL KI SE
- *Anthericum semibarbatum* R.Br.
- *Bulbinopsis semibarbata* (R.Br.) Borzi

Caesia calliantha R.J.F.Hend. – FR EP NL MU YP SL KI SE
- *Caesia vittata* auct.non R.Br.: Jessop(1986)

Caesia parviflora R.Br. var. **minor** R.J.F.Hend. (Rare status in SA) – SE
- *Caesia parviflora* R.Br., partly

Caesia parviflora R.Br. var. **parviflora** – SE
- *Caesia parviflora* R.Br., partly
- *Caesia parviflora* R.Br. var. *vittata* (R.Br.) R.J.F.Hend.

Chamaescilla corymbosa (R.Br.) F.Muell. ex Benth. var. **corymbosa** – FR EP NL MU YP SL KI SE

Corynotheca divaricata (R.J.F.Hend.) R.L.Barrett & T.Macfarlane – NW LE
- *Caesia lateriflora* auct.non R.Br.: Jessop(1986), partly
- *Corynotheca micrantha* (Lindl.) Druce var. *divaricata*

Corynotheca licrota R.J.F.Hend. (Rare status in SA) – NW NU GT ?EP MU SE
- *Caesia lateriflora* auct.non R.Br.: Jessop(1976), partly

Dianella brevicaulis (Ostenf.) G.W.Carr & P.F.Horsfall – EP NL MU YP SL KI SE
- *Dianella revoluta* R.Br. var. *brevicaulis* Ostenf.

Dianella callicarpa G.W.Carr & P.F.Horsfall (Endangered status in SA) – SE

Dianella longifolia R.Br. var. **grandis** R.J.F.Hend. (Rare status in SA) – FR?id EP?id NL MU SL SE
- *Dianella laevis* auct.non R.Br.: Jessop(1986), partly

Dianella porracea (R.J.F.Hend.) P.F.Horsfall & G.W.Carr (Vulnerable status in SA) – EA MU SL?id
- *Dianella laevis* auct.non R.Br.: Jessop(1986), partly
- *Dianella longifolia* R.Br. var. *porracea* R.J.F.Hend.

Dianella revoluta R.Br. var. **divaricata** (R.Br.) R.J.F.Hend. – NW NU GT EP
- *Dianella divaricata* R.Br.

Dianella revoluta R.Br. var. **revoluta** – FR EA EP NL MU YP SL KI SE

Dianella sp. Coastal (C.R.Alcock 3033) G.W.Carr & P.F.Horsfall – SE
- *Dianella aff. revoluta "coastal"(C.R.Alcock)* G.W.Carr & P.F.Horsfall

Dianella tarda P.F.Horsfall & G.W.Carr (Endangered status in SA) – SE?id

?e **Gasteria carinata** (Mill.) Duval var. **verrucosa** (Mill.) van Jaarsv – SL?e
- *Aloe verrucosa* Mill.

?e **Gasteria obliqua** (Aiton) Duval – NL?e
- *Aloe obliqua* (Aiton) Haw., nom. illeg.
- *Gasteria bicolor* Haw.

Kniphofia uvaria (L.) Oken – FR?e SL?e SE

Stypandra glauca R.Br. (Vulnerable status in SA) – EP

Thelionema caespitosum (R.Br.) R.J.F.Hend. (Vulnerable status in SA) – SE
- *Stypandra caespitosa* R.Br.

* **Trachyandra divaricata** (Jacq.) Kunth – EP?e SL*
- *Anthericum divaricatum* Jacq.
- *Asphodelus sp.* (Jessop 1993)

Tricoryne elatior R.Br. – FR EP NL MU SL KI SE

Tricoryne tenella R.Br. – EP MU YP SL KI SE

Xanthorrhoea australis R.Br. – SE

Xanthorrhoea caespitosa Bedford – MU SE
- *Xanthorrhoea australis* auct.non R.Br.: Jessop(1978), partly

Xanthorrhoea minor R.Br. ssp. **lutea** Bedford (Endangered status in SA) – SE

Xanthorrhoea quadrangulata F.Muell. – LE FR EA EP NL MU SL

Xanthorrhoea semiplana F.Muell. ssp. **semiplana** – EP MU YP?id SL SE

Xanthorrhoea semiplana F.Muell. ssp. **tateana** (F.Muell.) Bedford (Rare status in SA) – EP YP SL KI
- *Xanthorrhoea tateana* F.Muell.

Xanthorrhoea thorntonii Tate (Rare status in SA) – NW

AMARYLLIDACEAE 100.073

?e **Agapanthus praecox** Willd. ssp. **minimus** (Lindl.) F.M.Leight – SL?e

* **Agapanthus praecox** Willd. ssp. **orientalis** (F.M.Leight.) F.M.Leight. – SL* KI?e SE*
- *Agapanthus orientalis* F.M.Leight.

* **Allium ampeloprasum** L. – FR* EP* NL* YP* SL* SE*

?e **Allium cepa** L. – SL?e

* **Allium neapolitanum** Cirillo – LE?e FR* EP* NL* YP* SL* KI* SE*

* **Allium paniculatum** L. ssp. **paniculatum** – NL* SL*

?e **Allium roseum** L. – SL?e
- *Allium roseum* L. ssp. *bulbiferum* (Desf. ex DC.) E.F.Warb.
- *Allium roseum* L. var. *bulbiferum* Desf. ex DC.

?e **Allium scorodoprasum** L. ssp. **rotundum** (L.) Stearn – NL?e YP?e SL?e
- *Allium rotundum* L.

?e **Allium scorodoprasum** L. ssp. **scorodoprasum** – SL?e?id

* **Allium triquetrum** L. (Declared SA plant) – EP* NL* MU?e SL* KI* SE*

* **Allium vineale** L. (Declared SA plant) – EP* MU?e SL* KI?e

* **Amaryllis belladonna** L. – FR* NL* YP* SL* KI* SE*

Calostemma abdicatum P.J.Lang – NW
- *Calostemma purpureum* auct.non R.Br.: Jessop(1983), partly
- *Calostemma sp. Everard Ranges (P.J.Lang BS23-30021)* P.J.Lang

Calostemma luteum Sims – LE GT FR MU

Calostemma purpureum R.Br. – FR EA EP NL MU YP SL

Crinum flaccidum Herb. – LE GT FR EA EP MU
- *Crinum luteolum* Traub & L.S.Hannibal
- *Crinum pedunculatum auct.non R.Br.: J.M.Black(1922)*

?e **Hippeastrum zephyranthum** Byng & Christenh. – NL?e
- *Amaryllis candida* Lindl.
- *Zephyranthes candida* (Lindl.) Herb.

* **Ipheion uniflorum** (Graham) Raf. – FR?e EP?e NL* MU?e SL*
- *Milla uniflora* Graham
- *Triteleia uniflora* Lindl.

* **Leucojum aestivum** L. – FR* NL* SL*

* **Narcissus jonquilla** L. – FR* SL*

* **Narcissus × medioluteus** Mill. – NL*

* **Narcissus pseudonarcissus** L. – SL*

* **Narcissus tazetta** L. – FR?e EP?e NL* MU?e YP* SL* KI*

* **Nerine sarniensis** (L.) Herb. – SL?e KI*

* **Nothoscordum borbonicum** Kunth – MU* YP* SL* KI* SE*
- *Nothoscordum gracile* auct.non (Aiton) Stearn: Vonow(1993)
- *Nothoscordum inodorum* auct.non (Aiton) G.Nicholson: Jessop(1986)

?e **Sternbergia lutea** (L.) Ker Gawl. ex Spreng. – SL?e
- *Sternbergia lutea* (L.) Ker Gawl. ex Spreng. ssp. *lutea*

?e **Tulbaghia violacea** Harvey – SL?e

ASPARAGACEAE 100.074

* **Agave americana** L. – LE?e GT?e FR?e EA?e EP* NL* MU* YP?e SL* KI?e SE*
- *Agave americana* L. var. *americana*
- *Agave americana* L. var. *picta* (Salm-Dyck) A.Terrac.
- *Agave picta* Salm-Dyck

?e **Agave attenuata** Salm-Dyck – NL?e SL?e

Arthropodium fimbriatum R.Br. – GT FR EP NL MU YP SL KI SE
- *Dichopogon fimbriatus* (R.Br.) Macbride

Arthropodium milleflorum (Redoute) J.F.Macbr. (Vulnerable status in SA) – SE
- *Anthericum milleflorum* DC.
- *Anthericum paniculatum* Andrews
- *Arthropodium paniculatum* (Andrews) R.Br.

Arthropodium minus R.Br. – GT FR EA EP NL MU YP SE

Arthropodium strictum R.Br. – NW FR EA EP NL MU YP SL KI SE
- *Dichopogon strictus* (R.Br.) Baker

?e **Asparagus aethiopicus** L. – SL?e
- *Asparagopsis densiflora* Kunth
- *Asparagus densiflorus* (Kunth) Jessop
- *Protasparagus densiflorus* (Kunth) Oberm.

* **Asparagus asparagoides** (L.) W.Wright f. **Western Cape (R.Taplin 1133)** (Declared SA plant) – SL* SE*
- *Asparagus asparagoides* (L.) W.Wright f., partly

* **Asparagus asparagoides** (L.) W.Wright – FR?e EP* NL* MU* YP* SL* KI* SE*
- *Asparagus asparagoides* (L.) Druce, isonym
- *Asparagus asparagoides* (L.) W.Wright f. *asparagoides*, nom.inval. (no forma exist)
- *Asparagus medeoloides* (L.f.) Thunb.
- *Dracaena medeoloides* L.f.
- *Medeola asparagoides* L.
- *Myrsiphyllum asparagoides* (L.) Willd., partly

* **Asparagus declinatus** L. (Declared SA plant) – EP* NL* YP* SL* KI* SE*
- *Asparagus crispus* Lam.
- *Myrsiphyllum declinatum* (L.) Oberm.

* **Asparagus officinalis** L. – EP?e NL?e MU* YP?e SL* KI?e SE*

?e **Asparagus plumosus** Baker – FR?e MU?e YP?e SL?e KI?e
- *Asparagus setaceus* auct.non (Kunth) Jessop: Jessop(1983)
- *Protasparagus setaceus* auct.non (Kunth) Oberm.: Jessop(1986)

* **Asparagus scandens** Thunb. – SL* KI?e SE*

* **Chlorophytum comosum** (Thunb.) Jacques – SL*
- *Anthericum comosum* Thunb.

* **Cordyline australis** (G.Forst.) Endl. – SL?e SE*
- *Drakaena australis* G.Forst.

* **Hyacinthoides non-scripta** (L.) Chouard ex Rothm. – SL*
- *Hyacinthus non-scriptus* L.

* **Lachenalia aloides** (L.f.) Pers. ex Engl. – MU[?e] SL* KI[?e] SE[?e]
- *Lachenalia tricolor* Jacq.
- *Phormium aloides* L.f.

[?e] **Lachenalia bulbifera** (Cirillo) Engl. – EP[?e] YP[?e]
- *Lachenalia pendula* Sol.
- *Phormium bulbifera* Cirillo

Laxmannia orientalis Keighery – EP MU YP SL KI SE
- *Laxmannia sessiliflora* auct.non Decne.: Jessop(1986)

Lomandra caespitosa (Benth.) Ewart – SL[?id]
- *Xerotes caespitosa* Benth.

Lomandra collina (R.Br.) Ewart – NU FR EP NL MU YP SL KI SE
- *Lomandra glauca* (R.Br.) Ewart ssp. *collina* (R.Br.) A.T.Lee
- *Xerotes collina* R.Br.

Lomandra densiflora J.M.Black – FR EP NL MU YP SL

Lomandra effusa (Lindl.) Ewart – NU FR EA EP NL MU YP SL SE
- *Xerotes effusa* Lindl.

Lomandra fibrata J.M.Black – MU SL

Lomandra filiformis (Thunb.) Britten ssp. **coriacea** A.T.Lee (Rare status in SA) – SE

Lomandra juncea (F.Muell.) Ewart – EP MU SL KI SE
- *Xerotes juncea* F.Muell.

Lomandra leucocephala (R.Br.) Ewart ssp. **robusta** A.T.Lee
– NW LE NU GT EA EP NL MU YP SL SE

Lomandra longifolia Labill. – SL[?e] SE

Lomandra micrantha (Endl.) Ewart ssp. **micrantha** – EP NL MU YP SL KI SE

Lomandra micrantha (Endl.) Ewart ssp. **tuberculata** J.Everett – EP SL KI SE

Lomandra multiflora (R.Br.) Britten ssp. **dura** (F.Muell.) T.D.Macfarl.
– LE[?id] FR EA EP NL MU YP SL
- *Lomandra dura* (F.Muell.) Ewart
- *Lomandra multiflora* auct.non (R.Br.) Britten: J.M.Black(1943)
- *Xerotes dura* F.Muell.

Lomandra multiflora (R.Br.) Britten ssp. **multiflora** (Endangered status in SA) – SE
- *Xerotes brownii* F.Muell., nom.illeg.

Lomandra nana (A.T.Lee) A.T.Lee – NL MU SL SE
- *Lomandra glauca* (R.Br.) Ewart ssp. *nana* A.T.Lee

Lomandra sororia (F.Muell. ex Benth.) Ewart – NL MU SL KI SE
- *Lomandra caespitosa* auct.non (Benth.) Ewart: J.M.Black(1943)
- *Xerotes sororia* F.Muell. ex Benth.

* **Muscari armeniacum** Baker – FR* NL* MU* YP* SL*
- *Muscari conicum* Baker
- *Muscari neglectum* auct.non Guss. ex Ten.: J.M.Black(1943)

* **Muscari comosum** (L.) Mill. – SL*
- *Hyacinthus comosus* L.
- *Leopoldia comosa* (L.) Parl.

[?e] **Ornithogalum arabicum** L. – EP[?e] NL[?e] MU[?e] YP[?e] SL[?e] KI[?e] SE[?e]

[?e] **Ornithogalum pyrenaicum** L. – NL[?e]

* **Ornithogalum thyrsoides** Jacq. – EP* SL*

* **Ornithogalum umbellatum** L. – NL* MU* YP* SL* SE*

[?e] **Phormium tenax** J.R.Forst. & G.Forst. – SL[?e]

* **Scilla hyacinthoides** L. – NL* SL[?e] KI[?e] SE[?e]

* **Scilla peruviana** L. – FR[?e] EP[?e] NL[?e] YP[?e] SL[?e] KI* SE[?e]

Thysanotus baueri R.Br. – LE NU GT FR EA EP NL MU YP SL KI[?id]

Thysanotus exfimbriatus Sirisena, Conran & T.D.Macfarl. – NW LE NU GT EP
- *Murchisonia volubilis* Brittan
- *Thysanotus exiliflorus* auct.non F.Muell.: J.M.Black(1922)
- *Thysanotus patersonii* R.Br. var. *exfimbriatus* J.M.Black, nom.inval., partly

Thysanotus exiliflorus F.Muell. – NW LE GT EP[?id]

Thysanotus fractiflexus Brittan – KI

Thysanotus nudicaulis Brittan (Endangered status in SA) – EP

Thysanotus patersonii R.Br. – NW[?id] FR EA EP NL MU YP SL KI SE
- *Thysanotus patersonii* R.Br. var. *exfimbriatus* J.M.Black, partly

Thysanotus racemoides Sirisena, T.D.Macfarl. & Conran – EP MU SL KI SE
- *Thysanotus dichotomus* auct.non (Labill.) R.Br.: J.M.Black(1943)
- *Thysanotus juncifolius* auct.non (Salisb.) J.H.Willis & Court: J.P.Jessop(1978)

Thysanotus tenellus Endl. (Rare status in SA) – FR EA NL MU SL
- *Thysanotus exasperatus* F.Muell.

Thysanotus tuberosus R.Br. ssp. **parviflorus** (Benth.) Brittan (Vulnerable* status in SA) – SE
- *Thysanotus tuberosus* R.Br. var. *parviflorus* Benth.

Thysanotus tuberosus R.Br. ssp. **tuberosus** (Vulnerable status in SA) – SE?id

Thysanotus wangariensis Brittan (Rare status in SA) – EP

?e **Yucca gloriosa** L. – YP?e SL?e KI?e SE?e

DASYPOGONACEAE 100.075

Calectasia intermedia Sond. (Vulnerable status in SA) – SE
- *Calectasia cyanea* auct.non R.Br.: Tate(1890), J.M.Black(1922)
- *Calectasia cyanea* R.Br. var. *intermedia* (Sond.) Anway

ARECACEAE 100.076

* **Chamaerops humilis** L. – NL*

* **Phoenix canariensis** H.Wildpret – FR?e NL* MU* YP* SL*

* **Phoenix dactylifera** L. – LE* FR?e

Washingtonia filifera (T.Moore & Mast.) de Bary – NL?e MU SL*

?e **Washingtonia robusta** H.Wendl – FR?e

COMMELINACEAE 100.078

?e **Commelina benghalensis** L. – LE?e SL?e

?n **Commelina ensifolia** R.Br. – NW?n LE?n GT?n
- *Commelina undulata* R.Br.

?e **Murdannia graminea** (R.Br.) G.Bruckn. – SL?e
- *Aneilema gramineum* R.Br., as graminea

?e **Tradescantia cerinthoides** Kunth – SL?e
- *Tradescantia blossfeldiana* Mildbr.

* **Tradescantia crassula** Link & Otto – SE*

* **Tradescantia fluminensis** Vell. – SL* SE*
- *Tradescantia albiflora* Kunth

PONTEDERIACEAE 100.080

* **Eichhornia crassipes** (Mart.) Solms (Declared SA plant) – MU*
- *Eichhornia speciosa* Kunth
- *Pontederia crassipes* Mart.

?e **Pontederia cordata** L. – SE?e

HAEMODORACEAE 100.081

* **Anigozanthos flavidus** Redoute – SL* KI?e

?e **Wachendorfia thyrsiflora** Burm. – SL?e

CANNACEAE 100.086

?e **Canna × generalis** L.H.Bailey – SL?e

ZINGIBERACEAE 100.089

?e **Hedychium gardnerianum** Sheppard ex Ker Gawl. – SL?e

TYPHACEAE 100.090

Typha domingensis Pers. – NW LE GT FR EA EP NL MU SL KI SE
- *Typha angustifolia* auct.non L.: J.M.Black(1943), partly
- *Typha angustifolia* L. var. *brownii* (Kunth) Kronf.
- *Typha basedowii* Graebn.
- *Typha brownii* Kunth

Typha orientalis C.Presl – LE?id EP MU SL KI SE
- *Typha angustifolia* auct.non L.: J.M.Black(1943), partly
- *Typha muelleri* Rohrb.

XYRIDACEAE 100.093
Xyris operculata Labill. (Rare status in SA) – SL KI SE

ERIOCAULACEAE 100.094
Eriocaulon australasicum (F.Muell.) Korn. (Endangered status in Australia) – SE
- *Electrosperma australasicum* F.Muell.

Eriocaulon carsonii F.Muell. ssp. **carsonii** (Endangered status in SA, Endangered status in Australia) – LE
- *Eriocaulon carsonii* F.Muell.
- *Eriocaulon submersum* Tate
- *Eriocaulon tatei* Ruhland

JUNCACEAE 100.097
* **Juncus acutus** L. – FR* EA* EP* NL* MU* YP* SL* KI?e SE*
Juncus amabilis Edgar (Vulnerable status in SA) – SL SE
Juncus aridicola L.A.S.Johnson – LE GT FR EA EP NL MU
* **Juncus articulatus** L. – FR* NL* MU* SL* KI* SE*
- *Juncus lampocarpus* Ehrh.

Juncus australis Hook.f. (Rare status in SA) – SL SE
Juncus bufonius L. – NW GT FR EA EP NL MU YP SL KI SE
- *Juncus bufonius* L. var. *fasciculatus* W.D.J.Koch
- *Juncus plebeius* R.Br.
- *Juncus tenuis* auct.non Willd.: J.M.Black, Fl. S. Australia 1: 182(1948).

* **Juncus bulbosus** L. – SL* SE*
Juncus caespiticius E.Mey. – FR NL MU SL KI SE
* **Juncus capitatus** Weigel – FR* EP* NL* MU* YP* SL* KI* SE*
* **Juncus effusus** L. – FR* SL*
Juncus flavidus L.A.S.Johnson – FR NL MU YP SL SE
Juncus fockei Buchenau – ?SE
Juncus holoschoenus R.Br. – FR EP NL MU SL SE
- *Juncus prismatocarpus* auct.non R.Br.: J.M.Black(1943), partly

Juncus homalocaulis F.Muell.ex Benth. (Vulnerable status in SA) – FR NL MU SL SE
- *Juncus plebeius* auct.non R.Br.: J.M.Black(1943)

Juncus kraussii Hochst. – LE GT FR EA EP NL MU YP SL KI SE
- *Juncus maritimus* Lam. var. *australiensis* Buchenau

Juncus pallidus R.Br. – EP MU SL KI SE
Juncus pauciflorus R.Br. – FR MU SL KI SE
Juncus planifolius R.Br. – FR NL MU SL KI SE
Juncus prismatocarpus R.Br. (Endangered status in SA) – MU SL
Juncus procerus E.Mey. (Rare status in SA) – SE
Juncus radula Buchenau (Vulnerable status in SA) – FR EP NL YP SL SE
Juncus sarophorus L.A.S.Johnson – MU SL
- *Juncus polyanthemos* auct.non Buchenau: J.M.Black(1943), partly

* **Juncus subnodulosus** Schrank – SL* SE*
Juncus subsecundus N.A.Wakef. – FR EA EP NL MU SL KI SE
- *Juncus radula* Buchenau var. *laevior* Buchenau
- *Juncus vaginatus* auct.non R.Br.: J.M.Black(1943), partly

* **Juncus usitatus** L.A.S.Johnson – MU* SL* SE*
- *Juncus polyanthemos* auct.non Buchenau: J.M.Black(1943), partly

?e **Juncus vaginatus** R.Br. – SL?e
Luzula densiflora (H.Nordensk.) Edgar – FR EP SL KI SE
- *Luzula campestris* auct.non (L.) DC: J.M.Black(1943), partly
- *Luzula meridionalis* H.Nordensk. var. *densiflora* H.Nordensk.

Luzula flaccida (Buchenau) Edgar (Vulnerable status in SA) – SL SE
- *Luzula campestris* auct.non (L.) DC.: J.M.Black(1943), partly
- *Luzula campestris* (L.) DC. var. *flaccida* Buchenau
- *Luzula meridionalis* H.Nordensk. var. *flaccida* (Buchenau) H.Nordensk.

Luzula meridionalis H.Nordensk. – FR EP NL MU SL KI SE
- *Luzula campestris* auct.non (L.) DC.: J.M.Black(1943), partly

Luzula ovata Edgar (Rare status in SA) – NL MU SL SE
- *Luzula australasica* auct.non Steud.: Jessop(1986)
- *Luzula campestris* auct.non (L.) DC: J.M.Black(1943), partly

CYPERACEAE 100.098

Bolboschoenus caldwellii (V.J.Cook) Sojak – LE FR EA EP NL MU SL SE
- *Scirpus caldwellii* V.J.Cook
- *Scirpus fluviatilis* auct.non (Torrey) A.Gray: Jessop(1978), partly
- *Scirpus maritimus* auct.non L.: Jessop(1978), partly

* **Bolboschoenus fluviatilis** (Torr.) Sojak – MU*
- *Scirpus fluviatilis* (Torr.) A.Gray
- *Scirpus maritimus* L. var. *fluviatilis* Torr.

Bolboschoenus medianus (V.J.Cook) Sojak – NL MU SL SE
- *Scirpus fluviatilis* auct.non A.Gray: Jessop(1978), partly
- *Scirpus maritimus* auct.non L.: Jessop(1978), partly
- *Scirpus medianus* V.J.Cook

Bulbostylis barbata (Rottb.) C.B.Clarke – NW LE GT EP
- *Bulbostylis eustachii* J.M.Black ex Eardley
- *Fimbristylis barbata* (Rottb.) Benth.
- *Scirpus barbatus* Rottb.
- *Stenophyllus barbatus* (Rottb.) T.Cooke

Bulbostylis pyriformis S.T.Blake (Rare status in SA) – NW LE GT

Bulbostylis turbinata S.T.Blake (Rare status in SA) – NW LE

Carex appressa R.Br. – FR EP NL MU SL KI SE
- *Carex paniculata* auct.non L.: Benth.(1878)

Carex bichenoviana Boott – FR NL MU SL SE
- *Carex pumila* auct.non Thunb.: Jessop(1986)

Carex breviculmis R.Br. – FR EP NL MU YP SL KI SE

* **Carex divisa** Huds. – NL* MU* SL*

* **Carex divulsa** Stokes – SL*

Carex fascicularis Sol. ex Boott – NL MU SL KI SE
- *Carex pseudocyperus* auct.non L.: R.Br.(1810)

Carex gaudichaudiana Kunth – FR NL MU SL KI SE

Carex gunniana Boott (Rare status in SA) – FR SL SE

Carex inversa R.Br. var. **inversa** – FR NL SL KI SE
- *Carex chlorantha* auct.non R.Br.: Jessop(1986)

Carex inversa R.Br. var. **major** Boott – FR EP NL MU SL KI SE

Carex iynx Nelmes – SL?n SE

?e **Carex pendula** Huds. – SL?e

Carex tereticaulis F.Muell. – FR EP NL MU SL SE

Caustis pentandra R.Br. – EP SL KI SE

Chorizandra australis K.L.Wilson (Endangered status in SA) – SE
- *Chorizandra sp.* Jessop(1993)

Chorizandra enodis Nees – EP NL MU YP SL KI SE

Cladium procerum S.T.Blake (Rare status in SA) – FR EP NL MU SL SE
- *Cladium mariscus* auct.non (L.) Pohl: Jessop & J.Z.Weber(1986)
- *Machaerina procera* (S.T.Blake) T.Koyama

?e **Cyperus albostriatus** Schrad. – SL?e

Cyperus alterniflorus R.Br. f. **Oodnadatta (K.L.Wilson 4612)** K.L.Wilson – NW LE GT EP
- *Cyperus alterniflorus* auct.non R.Br.: Jessop & J.Z.Weber(1986), partly
- *Cyperus clarus* auct.non S.T.Blake: J.P.Jessop(1978)
- *Cyperus dactylotes* auct.non Benth.: Jessop(1978)
- *Cyperus rutilans* auct.non (C.B.Clarke) Maiden & Betche: Jessop(1978), partly

Cyperus alterniflorus R.Br. – FR EA EP NL
- *Mariscus alterniflorus* (R.Br.) C.B.Clarke

?e **Cyperus arenarius** Retz. – EP?e

Cyperus bifax C.B.Clarke (Rare status in SA) – LE FR
- *Cyperus retzii* Nees
- *Cyperus rotundus* L. ssp. *retzii* (Nees) Kuk.

?e **Cyperus brevifolius** (Rottb.) Hassk. – MU?e?id SL?e
- *Kyllinga brevifolia* Rottb.

Cyperus bulbosus Vahl – NW LE GT FR EA SL?e
- *Cyperus andrewsii* C.B.Clarke

Cyperus castaneus Willd. (Rare status in SA) – NW

Cyperus centralis K.L.Wilson – NW LE
- *Cyperus cunninghamii* auct.non (C.B.Clarke) C.A.Gardner: Jessop(1978), partly
- *Cyperus rutilans* auct.non (C.B.Clarke) Maiden & Betche: Jessop(1978), partly
- *Cyperus sp. aff. cunninghamii (C.B.Clarke)C.A.Gardner* : K.L.Wilson(1981)

Cyperus concinnus R.Br. (Rare status in SA) – LE

* **Cyperus congestus** Vahl – NL* MU* SL* SE*

Cyperus dactylotes Benth. (Vulnerable status in SA) – LE GT
- *Cyperus clelandii* J.M.Black

Cyperus difformis L. – NW LE GT FR EA MU

* **Cyperus eragrostis** Lam. – GT* FR* NL* MU* YP* SL* KI* SE*
- *Cyperus vegetus* Willd.

Cyperus exaltatus Retz. – NW LE FR MU SL?n?e
- *Cyperus exaltatus* Retz. var. *minor* J.M.Black

Cyperus flaccidus R.Br. (Rare status in SA) – NW MU

Cyperus gilesii Benth. – NW LE GT FR EA

Cyperus gunnii Hook.f. ssp. **gunnii** – NL MU SL SE

Cyperus gymnocaulos Steud. – NW LE GT FR EA EP NL MU YP SL SE
- *Cyperus vaginatus* R.Br. var. *densiflora* Benth.

* **Cyperus hamulosus** M.Bieb. – LE* GT* MU*
- *Scirpus hamulosus* (M.Bieb.) Steven

* **Cyperus involucratus** Rottb. – GT* NL* MU* YP* SL* KI?e
- *Cyperus flabelliformis* Rottb.

Cyperus iria L. – NW LE GT

Cyperus laevigatus L. – NW LE GT FR EA EP NL MU SL SE
- *Cyperus distachyos* All.

Cyperus lhotskyanus Boeckeler (Rare status in SA) – SE
- *Cyperus rutilans* (C.B.Clarke) Maiden & Betche
- *Mariscus rutilans* C.B.Clarke

Cyperus lucidus R.Br. (Endangered status in SA) – SE

Cyperus nervulosus (Kuk.) S.T.Blake (Rare status in SA) – LE EA MU
- *Cyperus pumilus* L. var. *nervulosus* Kuk.

?e **Cyperus papyrus** L. – YP?e

Cyperus pygmaeus Rottb. – NW LE EA MU

Cyperus rigidellus (Benth.) J.M.Black – NW LE GT FR EA EP MU
- *Cyperus enervis* auct.non R.Br.: J.M.Black(1943)
- *Cyperus gracilis* auct.non R.Br.: J.M.Black(1943)
- *Cyperus gracilis* R.Br. var. *rigidellus* Benth.
- *Mariscus rigidellus* (Benth.) C.B.Clarke

* **Cyperus rotundus** L. (Declared SA plant) – LE?e MU* SL*
- *Cyperus rotundus* L. ssp. *rotundus*

Cyperus sanguinolentus Vahl (Rare status in SA) – FR MU SL
- *Cyperus eragrostis* Vahl, nom.illeg., non Lam.(1791)
- *Cyperus eragrostis* Vahl var. *pauperata* J.M.Black

Cyperus sphaeroideus L.A.S.Johnson & O.D.Evans (Rare status in SA) – MU

Cyperus squarrosus L. – NW LE GT FR EA MU
- *Cyperus aristatus* Rottb.

Cyperus vaginatus R.Br. – NW GT FR EP NL MU SL KI

Cyperus victoriensis C.B.Clarke – NW LE GT FR MU

Eleocharis acuta R.Br. – GT FR EP NL MU YP SL KI SE
- *Eleocharis pallens* auct.non S.T.Blake: Barker et al.(2005), partly
- *Heleocharis acuta* R.Br., orth.var.

Eleocharis atricha R.Br. (Vulnerable status in SA) – SL SE

Eleocharis geniculata (L.) Roem. & Schult. (Rare status in SA) – LE
- *Scirpus geniculatus* L.

Eleocharis gracilis R.Br. – MU SL KI SE
- *Eleocharis multicaulis* auct.non (Sm.) Sm.: Benth.(1878)
- *Heleocharis multicaulis* auct.non (Sm.) Sm: Benth.(1878), orth.var.

Eleocharis pallens S.T.Blake – NW LE GT FR EA EP NL MU
- *Eleocharis acuta* R.Br. var. *pallens* Benth.

Eleocharis papillosa Latz (Rare status in SA, Vulnerable status in Australia) – LE GT

Eleocharis plana S.T.Blake (Rare status in SA) – LE

Eleocharis pusilla R.Br. – NW LE GT MU SL SE
- *Eleocharis acicularis* auct.non (L.) Roem. & Schult.: J.M.Black(1943)
- *Eleocharis acicularis* F.Muell., non (L.) Roem. & Schult.: J.M.Black(1943).
- *Heleocharis acicularis* auct.non (L.) Roem. & Schult.: J.M.Black(1922), orth.var.

?e **Eleocharis setifolia** (A.Rich.) J.Raynal ssp. **setifolia** – ?SL?e
- *Eleocharis nigrescens* auct.non (Nees) Steud.: Kew Bull.(1988)

Eleocharis sphacelata R.Br. – FR MU SL KI SE
- *Heleocharis sphacelata* R.Br., orth.var.

Ficinia nodosa (Rottb.) Goetgh., Muasya & D.A.Simpson – NU EP NL MU YP SL KI SE
- *Isolepis nodosa* (Rottb.) R.Br.
- *Scirpus nodosus* Rottb.

Fimbristylis aestivalis (Retz.) Vahl (Rare status in SA) – ?MU SL?e
- *Scirpus aestivalis* Retz.

Fimbristylis dichotoma (L.) Vahl – NW LE GT FR EA MU
- *Fimbristylis communis* Kunth, nom.illeg.
- *Fimbristylis diphylla* (Retz.) Vahl
- *Scirpus dichotomus* L.
- *Scirpus diphylla* Retz.

Fimbristylis ferruginea (L.) Vahl – LE GT FR EA
- *Fimbristylis dichotoma* auct.non (L.) Vahl: Jessop & Weber(1986), partly
- *Scirpus ferrugineus* L.

Fimbristylis microcarya F.Muell. – LE

Fimbristylis sieberiana Kunth – LE
- *Fimbristylis sieberana* Kunth

Fimbristylis velata R.Br. – LE EA MU SL SE
- *Fimbristylis propinqua* R.Br.
- *Fimbristylis squarrosa* auct.non Vahl: J.M.Black(1922)
- *Fimbristylis squarrosa* Vahl var. *esquarrosa* Makino

Gahnia ancistrophylla Benth. – EP NL SL

Gahnia clarkei Benl (Rare status in SA) – SE
- *Cladium psittacorum* auct.non (Labill.) F.Muell.: Tate(1890), partly
- *Gahnia psittacorum* auct.non Labill.: J.M.Black(1943), partly

Gahnia deusta (R.Br.) Benth. – EP NL MU YP SL KI SE
- *Cladium deustum* R.Br.

Gahnia filum (Labill.) F.Muell. – EP NL MU YP SL KI SE
- *Baumea longifolia* Boeckeler
- *Cladium filum* (Labill.) R.Br.
- *Schoenus filum* Labill.

Gahnia halmaturina R.L.Barrett & K.L.Wilson (Rare* status in SA) – KI
- *Gahnia sp. West Bay (B.M.Overton 2685)* R.L.Taplin

Gahnia hystrix J.M.Black (Rare status in SA) – KI

Gahnia lanigera (R.Br.) Benth. – NU EP NL MU YP SL KI SE
- *Cladium lanigerum* R.Br.

Gahnia radula (R.Br.) Benth. (Rare status in SA) – SL SE
- *Cladium radula* R.Br.

Gahnia sieberiana Kunth – SL KI
- *Cladium psittacorum* auct.non (Labill.) F.Muell.: Tate(1890), partly
- *Gahnia psittacorum* auct.non Labill.: J.M.Black(1922), partly
- *Gahnia sieberana* : Jessop(1978), orth.var.
- *Gahnia tetragonocarpa* Boeckeler

Gahnia trifida Labill. – LE EP NL MU YP SL KI SE
- *Cladium trifidum* (Labill.) F.Muell.

Gymnoschoenus sphaerocephalus (R.Br.) Hook.f. (Endangered status in SA) – SE
- *Chaetospora sphaerocephala* R.Br.
- *Schoenus sphaerocephalus* (R.Br.) Poir.

Isolepis australiensis (Maiden & Betche) K.L.Wilson – NW LE GT FR EA EP MU YP ?SL SE
- *Scirpus australiensis* (Maiden & Betche) S.T.Blake
- *Scirpus cernuus* Vahl var. *australiensis* Maiden & Betche
- *Scirpus multicaulis* F.Muell. ex C.B.Clarke, nom.illeg., non Sm.(1800)

Isolepis cernua (Vahl) Roem. & Schult. – LE FR EP NL MU YP SL KI SE
- *Isolepis riparia* R.Br.

- *Scirpus arenarius* auct.non Benth.: Benth.(1878)
- *Scirpus cernuus* Vahl
- *Scirpus riparius* (R.Br.) Poir.

Isolepis congrua Nees – NW GT FR EA EP NL SL SE
- *Scirpus congruus* (Nees) S.T.Blake
- *Scirpus kochii* Maiden & Betche

Isolepis fluitans (L.) R.Br. – EP NL MU SL KI SE
- *Scirpus fluitans* L.

Isolepis hookeriana Boeckeler – FR EP NL MU YP SL KI SE
- *Scirpus calocarpus* S.T.Blake
- *Scirpus hookerianus* (Boeckeler) S.T.Blake

* **Isolepis hystrix** (Thunb.) Nees – GT* MU* SL* KI* SE*
- *Scirpus hystrix* Thunb.

Isolepis inundata R.Br. – FR EP NL MU SL KI SE
- *Isolepis subtilissima* auct.non Boeckeler: Barker et al.(2005)
- *Scirpus inundatus* (R.Br.) Poir.

* **Isolepis levynsiana** Muasya & D.A.Simpson – FR* EP* NL* MU* SL* KI* SE*
- *Cyperus tenellus* L.f.
- *Isolepis tenella* (L.f.) Muasya & D.A.Simpson, nom.illeg., non (Link)Kunth.(1837)

* **Isolepis marginata** (Thunb.) A.Dietr. – FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Isolepis cartilaginea* R.Br.
- *Scirpus antarcticus* auct.non L.: Jessop(1978)
- *Scirpus cartilagineus* (R.Br.) Poir.
- *Scirpus marginatus* Thunb.

Isolepis platycarpa (S.T.Blake) Sojak – FR EP NL MU YP SL KI SE
- *Scirpus platycarpus* S.T.Blake

Isolepis producta (C.B.Clarke) K.L.Wilson (Vulnerable status in SA) – SL KI SE
- *Scirpus productus* C.B.Clarke

Isolepis stellata (C.B.Clarke) K.L.Wilson – EP NL SL KI SE
- *Scirpus stellatus* C.B.Clarke

?n **Isolepis trachysperma** Nees – NL?n* MU?n* SL?n* KI?n* SE?n*
- *Isolepis aff. hookeriana Boeckeler* : Jessop & J.Z.Weber(1986)
- *Isolepis hookeriana* auct.non Boeckeler: Jessop & J.Z.Weber(1986), partly

Lepidosperma avium K.L.Wilson (Rare status in SA) – NW
- *Lepidosperma canescens* auct.non Boeckeler: K.L.Wilson(1981), partly
- *Lepidosperma urophorum* auct.non N.A.Wakef.: J.Z.Weber(1993)

Lepidosperma canescens Boeckeler – EP NL MU SL KI SE

Lepidosperma carphoides F.Muell. ex Benth. – EP NL MU SL KI SE

Lepidosperma congestum R.Br. – EP MU YP SL KI SE

Lepidosperma curtisiae K.L.Wilson & D.I.Morris – FR EP NL MU SL SE
- *Lepidosperma lineare* auct.non R.Br.: Jessop & J.Z.Weber(1986)

Lepidosperma gahnioides R.L.Barrett (Rare status in SA) – EP
- *Lepidosperma leptophyllum* auct.non Benth.: Barker et al.(2005)

Lepidosperma gladiatum Labill. – EP YP SL KI SE

Lepidosperma hispidulum G.T.Plunkett, J.J.Bruhl & K.L.Wilson – EP MU SL KI SE
- *Lepidosperma concavum* auct.non R.Br.: Jessop & J.Z.Weber(1986), partly

Lepidosperma laeve R.Br – MU SL SE
- *Lepidosperma congestum* auct.non R.Br.: Jessop & J.Z.Weber(1986), partly
- *Lepidosperma laevis* R.Br, orth.var.
- *Lepidosperma sp. Narrow leaf (R.L.Taplin 709)* R.L.Taplin & P.J.Lang

Lepidosperma laterale R.Br. – FR SL SE
- *Lepidosperma lineare* R.Br.

Lepidosperma longitudinale Labill. – MU SL KI SE
- *Lepidosperma exaltatum* R.Br.

Lepidosperma neesii Kunth. (Vulnerable status in SA) – SE
- *Lepidosperma canescens* auct.non Boeckeler: Jessop(1986), partly

Lepidosperma semiteres F.Muell. ex Boeckeler – MU SL KI SE

Lepidosperma sieberi Kunth – SE
- *Lepidosperma concavum* auct.non R.Br.: Jessop & J.Z.Weber(1986), partly

Lepidosperma viscidum R.Br. – GT FR EA EP NL MU YP SL KI SE

Lipocarpha microcephala (R.Br.) Kunth – NW MU
- *Hypaelyptum microcephalum* R.Br.
- *Rikliella australiensis* J.Raynal

Machaerina acuta (Labill.) J.Kern (Rare status in SA) – SL KI SE
- *Baumea acuta* (Labill.) Palla
- *Cladium acutum* (Labill.) Poir.
- *Cladium schoenoides* R.Br.
- *Machaerina schoenoides* (R.Br.) T.Koyama
- *Schoenus acutus* Labill.

Machaerina arthrophylla (Nees) T.Koyama – LE FR EP NL MU SL KI SE
- *Baumea arthrophylla* (Nees) Boeckeler
- *Baumea huttonii* (Kirk) S.T.Blake
- *Chapelliera arthrophylla* Nees
- *Cladium arthrophyllum* Nees
- *Cladium huttonii* Kirk
- *Machaerina huttonii* (Kirk) T.Koyama

Machaerina articulata (R.Br.) T.Koyama – FR MU SL SE
- *Baumea articulata* (R.Br.) S.T.Blake
- *Cladium articulatum* R.Br.

Machaerina gunnii (Hook.f.) J.Kern (Rare* status in SA) – MU SL KI SE
- *Baumea gunnii* (Hook.f.) S.T.Blake
- *Cladium gunnii* Hook.f.

Machaerina juncea (R.Br.) T.Koyama – LE FR EP NL MU YP SL KI SE
- *Baumea juncea* (R.Br.) Palla
- *Cladium junceum* R.Br.

Machaerina laxa (Nees) T.Koyama (Rare status in SA) – SL KI SE
- *Baumea laxa* (Nees) Boeckeler
- *Chapelliera laxa* Nees
- *Cladium gracile* J.M.Black
- *Cladium laxum* (Nees) Benth.
- *Machaerina gracilis* (J.M.Black) T.Koyama

Machaerina rubiginosa (Spreng.) T.Koyama – SL KI
- *Baumea rubiginosa* (Spreng.) Boeckeler
- *Cladium glomeratum* R.Br.
- *Cladium rubiginosum* (Spreng.) Domin
- *Fuirena rubiginosa* Spreng.
- *Gahnia glomerata* (R.Br.) F.Muell.
- *Machaerina rubiginosa* (Spreng.) H.Eichler, isonym
- *Machaerina rubiginosa* (Spreng.) T.Koyama
- *Melancranis rubiginosa* (Spreng.) Spreng.
- *Schoenus rubiginosus* Sol. ex G.Forst.

Machaerina tetragona (Labill.) T.Koyama ex Jessop – SL KI SE
- *Baumea tetragona* (Labill.) S.T.Blake
- *Cladium tetragonum* (Labill.) J.M.Black
- *Cladium tetraquetrum* Hook.f.
- *Lepidosperma tetragonum* Labill.
- *Machaerina tetragona* H.Eichler, nom. inval
- *Machaerina tetragona* T.Koyama

Schoenoplectiella dissachantha (S.T.Blake) Lye – NW LE GT EA MU
- *Schoenoplectus dissachanthus* (S.T.Blake) J.Raynal
- *Scirpus dissachanthus* S.T.Blake

Schoenoplectiella laevis (S.T.Blake) Lye – LE
- *Schoenoplectus laevis* (S.T.Blake) J.Raynal
- *Scirpus laevis* S.T.Blake

?n **Schoenoplectiella lateriflora** (J.F.Gmel.) Lye – NW?n
- *Schoenoplectus lateriflorus* (J.F.Gmel.) Lye
- *Schoenoplectus supinus* (L.) Palla ssp. *lateriflorus* Sojak
- *Scirpus lateriflorus* J.F.Gmel.

Schoenoplectus pungens (Vahl) Palla – LE FR EA EP NL MU SL SE
- *Scirpus americanus* auct.non Pers.: Jessop(1978)
- *Scirpus pungens* Vahl

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Schoenoplectus subulatus (Vahl) Lye – LE GT FR EA EP NL MU SL SE
- *Schoenoplectus litoralis* auct.non (Schrad.) Palla: Barker et al.(2005)
- *Scirpus subulatus* Vahl

Schoenoplectus tabernaemontani (C.C.Gmel.) Palla – LE FR EP NL MU SL KI SE
- *Schoenoplectus lacustris* (L.) Palla
- *Schoenoplectus validus* (Vahl) A.Love & D.Love
- *Scirpus lacustris* L.
- *Scirpus lacustris* L. ssp. *validus* (Vahl) T.Koyama
- *Scirpus validus* Vahl

Schoenus apogon Roem. & Schult. – FR EP NL MU YP SL KI SE
- *Chaetospora imberbis* R.Br.
- *Schoenus brownii* Hook.f.

Schoenus breviculmis Benth. – EP MU YP SL KI SE
- *Schoenus breviculmis* Benth. var. *tepperi* (F.Muell.) Kuk.
- *Schoenus tepperi* F.Muell.

Schoenus carsei Cheeseman – EP SL KI SE
- *Cladium monocarpum* (J.M.Black) J.M.Black
- *Machaerina monocarpa* (J.M.Black) T.Koyama
- *Schoenus monocarpus* J.M.Black
- *Tetraria monocarpa* (J.M.Black) J.M.Black

Schoenus deformis (R.Br.) Poir. – EP MU YP SL KI SE
- *Chaetospora deformis* R.Br.

Schoenus discifer Tate (Rare status in SA) – SL KI SE

Schoenus fluitans Hook.f. – EP SL KI SE

Schoenus laevigatus W.Fitzg. (Rare status in SA) – EP SL KI SE
- *Schoenus brachyphyllus* F.Muell.ex J.M.Black

Schoenus latelaminatus Kuk. (Vulnerable status in SA) – NL MU SL SE

Schoenus lepidosperma (F.Muell.) K.L.Wilson ssp. **lepidosperma** (Rare status in SA) – SL KI SE
- *Chaetospora lepidosperma* F.Muell.
- *Chaetospora tenuissima* F.Muell. ex Hook.f.
- *Schoenus tenuissimus* Benth.

Schoenus maschalinus Roem. & Schult. – SL KI SE
- *Chaetospora axillaris* R.Br.
- *Schoenus axillaris* (R.Br.) Poir.
- *Schoenus foliatus* (Hook.f.) S.T.Blake
- *Schoenus subaxillaris* Kuk.
- *Scirpus foliatus* Hook.f.

Schoenus nanus (Nees ex Lehm.) Benth. – FR EP NL MU YP SL SE
- *Chaetospora nana* Nees ex Lehm.

Schoenus nitens (R.Br.) Poir. – EP NL MU YP SL KI SE
- *Chaetospora nitens* R.Br.
- *Scirpus nitens* (R.Br.) Boeckeler

Schoenus racemosus J.M.Black – EP MU YP SE

Schoenus sculptus (Nees) Boeckeler (Rare status in SA) – EP KI SE
- *Elynanthus sculptus* Nees

Schoenus subaphyllus Kuk. – NU GT EP MU SE
- *Schoenus aphyllus* Boeckeler
- *Schoenus kennyi* auct.non (F.M.Bailey) S.T.Blake: Jessop(1978)

Schoenus tesquorum J.M.Black (Rare status in SA) – SL KI SE

Tetraria capillaris (F.Muell.) J.M.Black – EP YP SL KI SE
- *Chaetospora capillacea* Hook.f.(1859), non Nees(1834)
- *Chaetospora capillaris* F.Muell.
- *Cladium capillaceum* (Benth.) C.B.Clarke in Cheeseman
- *Eleocharis halmaturina* J.M.Black
- *Elynanthus capillaceus* Benth.
- *Heleocharis halmaturina* J.M.Black, orth.var.
- *Lepidosperma tortuosum* auct.non F.Muell.: Jessop & J.Z.Weber(1986)
- *Machaerina capillacea* (Benth.) T.Koyama
- *Tetraria halmaturina* (J.M.Black) J.M.Black

Tricostularia pauciflora (F.Muell.) Benth. (Endangered status in SA) – SL KI SE
- *Lepidosperma pauciflorum* F.Muell.

RESTIONACEAE 100.099

Aphelia gracilis Sond. – EP NL MU SL KI SE
- *Brizula gracilis* (Sond.) Hieron.

Aphelia pumilio F.Muell.ex Sond. – NL MU SL KI SE
- *Brizula pumilio* (F.Muell. ex Sond.) Hieron.

Apodasmia brownii (Hook.f.) B.G.Briggs & L.A.S.Johnson – EP MU SL SE
- *Leptocarpus brownii* Hook.f.

Baloskion tetraphyllum (Labill.) B.G.Briggs & L.A.S.Johnson ssp. **tetraphyllum** (Vulnerable status in SA) – SE
- *Restio tetraphyllus* Labill.

Centrolepis aristata (R.Br.) Roem. & Schult. – FR EP NL MU YP SL KI SE
- *Devauxia aristata* R.Br.

Centrolepis cephaloformis Reader ssp. **cephaloformis** (Rare status in SA) – FR EP NL MU YP SL SE

Centrolepis cephaloformis Reader ssp. **murrayi** (J.M.Black) D.A.Cooke (Rare status in SA) – EP KI
- *Centrolepis murrayi* J.M.Black

Centrolepis drummondiana (Nees) Walp. – ?FR
- *Centrolepis drummondii* (Nees) Hieron in J.M.Black (1948)
- *Devauxia drummondiana* Nees
- *Devauxia drummondii* Nees

Centrolepis eremica D.A.Cooke – NW LE GT FR EA EP
- *Centrolepis polygyna* auct.non (R.Br.) Hieron: Jessop(1978), partly

Centrolepis fascicularis Labill. – EP SL KI SE

Centrolepis glabra (F.Muell.ex Sond.) Hieron. (Rare status in SA) – EP NL MU YP SL KI SE
- *Devauxia glabra* F.Muell. ex Sond.

Centrolepis polygyna (R.Br.) Hieron. – FR EP NL MU YP SL KI SE
- *Alepyrum polygynum* R.Br.

Centrolepis strigosa (R.Br.) Roem. & Schult. ssp. **strigosa** – FR EP NL MU YP SL KI SE
- *Centrolepis strigosa* (R.Br.) Roem. & Schult.
- *Devauxia strigosa* R.Br.

Desmocladus diacolpicus B.G.Briggs & L.A.S.Johnson (Vulnerable status in SA) – EP KI
- *Loxocarya fasciculata* auct.non (R.Br.) Benth.: C.R.Marsden(1986)

Empodisma minus (Hook.f.) L.A.S.Johnson & D.F.Cutler – SL KI SE
- *Calorophus lateriflorus* F.Muell.
- *Calorophus minor* Hook.f.
- *Colostrophus lateriflorus* F.Muell.
- *Hypolaena lateriflora* (F.Muell.) Benth.
- *Restio lateriflorus* R.Br.

Eurychorda complanata (R.Br.) B.G.Briggs & L.A.S.Johnson (Vulnerable status in SA) – KI SE
- *Restio complanatus* R.Br.

Hypolaena fastigiata R.Br. – FR EP MU SL KI SE

Lepidobolus drapetocoleus F.Muell. ex Benth. – MU SL SE

Leptocarpus tenax (Labill.) R.Br. – EP MU SL KI SE
- *Schoenodum tenax* Labill.

Lepyrodia muelleri Benth. – SE

Lepyrodia valliculae J.M.Black (Rare status in SA) – SL KI

POACEAE 100.103

* **Agrostis capillaris** L. – MU*?id SL* KI* SE*
- *Agrostis capillaris* L. var. *aristata* (Parn.) Druce
- *Agrostis capillaris* L. var. *capillaris*
- *Agrostis tenuis* Sibth.
- *Agrostis vulgaris* With.
- *Agrostis vulgaris* With. var. *aristata* Parn.

* **Agrostis gigantea** Roth – NL* SL* SE*
- *Agrostis alba* auct.non L.: J.M.Black(1943)

* **Agrostis stolonifera** L. – SL* SE*?id

Agrostis venusta Trin. – NL?id MU SL SE

* **Aira caryophyllea** L. – FR*?id EP*?id NL* YP* SL* KI* SE*

* **Aira cupaniana** Guss. – FR* EP* NL* MU* YP* SL* KI* SE*

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

* **Aira elegantissima** Schur – NL* MU* SL* KI* SE*
- *Aira elegans* Willd. ex Gaudin
- *Aira elegantissima* Schur ssp. *elegantissima*

* **Aira praecox** L. – SL*

* **Alopecurus aequalis** Sobol. – SE*

* **Alopecurus geniculatus** L. – NW* LE* GT* FR* EA* EP* MU* SL*
- *Alopecurus australis* Nees

* **Alopecurus myosuroides** Huds. – SE*
- *Alopecurus agrestis* L.

* **Alopecurus pratensis** L. – MU* SL* KI*

* **Ammophila arenaria** (L.) Link – EP* NL* YP* SL* KI* SE*
- *Ammophila arundinacea* Host
- *Arundo arenaria* L.

Amphibromus archeri (Hook.f.) P.Morris (Rare status in SA) – FR EP NL MU SL KI SE
- *Amphibromus archeri* (Hook.f.) P.Morris var. *papillosus* P.Morris
- *Danthonia archeri* Hook.f.

Amphibromus fluitans Kirk (Vulnerable status in Australia) – SE

Amphibromus macrorhinus S.W.L.Jacobs & Lapinpuro (Rare status in SA) – EP SL SE
- *Amphibromus neesii* auct.non Steud.: Jessop(1978), partly

Amphibromus neesii Steud. – SE
- *Amphibromus nervosus* auct.non (Hook.f) Baill.: Jessop(1993), partly

Amphibromus nervosus (Hook.f.) Baill. – FR EA EP NL MU YP SL KI SE
- *Amphibromus morrisii* S.W.L.Jacobs & Lapinpuro
- *Amphibromus neesii* auct.non Steud.: Jessop(1978), partly
- *Avena nervosa* auct.non Lam.: R.Br.(1810)
- *Danthonia nervosa* Hook.f.

Amphibromus pithogastrus S.W.L.Jacobs & Lapinpuro – SL

Amphibromus recurvatus Swallen (Rare status in SA) – KI SE

Amphibromus sinuatus S.W.L.Jacobs & Lapinpuro – SE

Amphipogon caricinus F.Muell. var. **caricinus**
– NW NU GT FR EA EP NL MU YP SL KI SE
- *Amphipogon strictus* auct.non R.Br.: J.M.Black(1943)

Amphipogon strictus R.Br. – NL MU SL SE
- *Amphipogon strictus* R.Br. var. *setifer*

Anthosachne kingiana (Endl.) Govaerts ssp. **multiflora** (Banks & Sol. ex Hook.f.) Govaerts – FR EA[?id]
- *Anthosachne multiflora* (Banks & Sol. ex Hook.f.) C.Yen & J.L.Yang ssp. *multiflora*
- *Elymus multiflorus* (Banks & Sol. ex Hook.f.) A.Love & Connor var. *multiflorus*
- *Triticum multiflorum* Banks & Sol. ex Hook.f.

Anthosachne rectiseta (Nees) Barkworth & S.W.L.Jacobs – ?FR ?EP
- *Elymus rectisetus* (Nees) A.Love & Connor
- *Vulpia rectiseta* Nees

Anthosachne scabra (R.Br.) Nevski – NU GT FR EA EP NL MU YP SL KI SE
- *Agropyron scabrum* (R.Br.) P.Beauv.
- *Elymus scaber* (R.Br.) A.Love var. *scaber*
- *Elymus scabrus* (R.Br.) A.Love var. *scabrus*, orth.var.
- *Festuca scabra* Labill., nom.illeg.
- *Triticum scaber* R.Br., orth.var.
- *Triticum scabrum* R.Br.

* **Anthoxanthum aristatum** Boiss. – MU*

* **Anthoxanthum odoratum** L. – MU* SL* KI* SE*

Aristida anthoxanthoides (Domin) Henrard – NW LE GT FR EA EP[?id]
- *Aristida adscensionis* L. var. *anthoxanthoides* Domin
- *Aristida depressa* auct.non Retz.: Benth.(1878)

Aristida arida B.K.Simon (Rare status in SA) – LE[?id] GT FR EA

Aristida australis B.K.Simon (Rare status in SA) – NL SL

Aristida behriana F.Muell. – FR EA EP NL MU YP SL

Aristida biglandulosa J.M.Black – FR[?id]

Aristida capillifolia Henrard – NW LE[?id]

Aristida contorta F.Muell. – NW LE NU GT FR EA EP NL MU SL
- *Aristida arenaria* auct.non Trin.: Gaudich.(1829)
- *Aristida arenaria* Trin. var. *hirsuta* Henrard

- *Aristida contorta* F.Muell. var. *hirsuta* (Henrard) H.Eichler

Aristida holathera Domin var. **holathera** – NW LE NU GT FR EA NL?id MU YP SL
- *Aristida browniana* Henrard
- *Aristida muelleri* Henrard
- *Aristida stipoides* auct.non Lam.: R.Br.(1810)

Aristida inaequiglumis Domin – NW LE

Aristida jerichoensis (Domin) Henrard var. **subspinulifera** Henrard – NW
- *Aristida biglandulosa* auct.non J.M.Black: B.K.Simon(1986)

Aristida latifolia Domin – NW LE GT EA

Aristida nitidula (Henrard) S.T.Blake ex J.M.Black – NW LE GT FR EA EP
- *Aristida echinata* Henrard var. *nitidula* Henrard

Aristida obscura Henrard – NW

Aristida personata Henrard – FR EP?id NL?id MU SL?id
- *Aristida ramosa* R.Br. var. *speciosa* Henrard

Aristida strigosa (Henrard) S.T.Blake ex J.M.Black – NW LE EA?id
- *Aristida calycina* R.Br. var. *strigosa* Henrard
- *Aristida muricata* auct.non Henrard: J.M.Black(1943)

* **Aristida vagans** Cav. – SE*

* **Arrhenatherum elatius** (L.) J.Presl & C.Presl var. **bulbosum** (Willd.) Spenn. – NL* SL* SE*
- *Arrhenatherum avenaceum* (Scop.) P.Beauv.
- *Arrhenatherum elatius* (L.) J.Presl & C.Presl ssp. *bulbosum* (Willd.) T.S.Schub. & G.Martens
- *Avena bulbosa* Willd.
- *Avena tuberosa* Gilib.
- *Holcus avenaceus* Scop.

* **Arundo donax** L. – NW?e LE* FR* EA* NL?e MU* SL* KI*

Astrebla lappacea (Lindl.) Domin – LE FR EA EP?e
- *Astrebla triticoides* (Lindl.) F.Muell.
- *Danthonia lappacea* Lindl.
- *Danthonia triticoides* Lindl.

Astrebla pectinata (Lindl.) F.Muell. ex Benth. – NW LE GT FR EA
- *Danthonia pectinata* Lindl.

Astrebla squarrosa C.E.Hubb. – FR

Austrofestuca littoralis (Labill.) E.B.Alexeev – EP YP SL KI SE
- *Arundo triodioides* Trin., nom.illeg.
- *Festuca littoralis* Labill.
- *Schedonorus billardierianus* Nees, nom.illeg.
- *Schedonorus littoralis* (Labill.) P.Beauv.

Austrostipa acrociliata (Reader) S.W.L.Jacobs & J.Everett – NU GT FR EP NL MU YP SL SE
- *Stipa acrociliata* Reader

Austrostipa blackii (C.E.Hubb.) S.W.L.Jacobs & J.Everett – FR EA EP NL MU YP SL SE
- *Stipa aristiglumis* F.Muell. var. *cana* Reader
- *Stipa blackii* C.E.Hubb.
- *Stipa clelandii* Summerh. & C.E.Hubb.
- *Stipa pubescens* R.Br. var. *comosa* J.M.Black

Austrostipa breviglumis (J.M.Black) S.W.L.Jacobs & J.Everett (Rare status in SA) – FR EP NL SL
- *Stipa breviglumis* J.M.Black
- *Stipa verticillata* auct.non Spreng.: J.M.Black(1943)

Austrostipa curticoma (Vickery) S.W.L.Jacobs & J.Everett – NL MU SL KI SE
- *Stipa bigeniculata* auct.non Hughes: J.M.Black(1943)
- *Stipa curticoma* Vickery

Austrostipa densiflora (Hughes) S.W.L.Jacobs & J.Everett (Rare status in SA) – FR EA?id MU SL KI
- *Stipa congesta* Summerh. & C.E.Hubb.
- *Stipa densiflora* Hughes

Austrostipa dongicola (Vickery, S.W.L.Jacobs & J.Everett) S.W.L.Jacobs & J.Everett – NU
- *Stipa dongicola* Vickery, S.W.L.Jacobs & J.Everett

Austrostipa drummondii (Steud.) S.W.L.Jacobs & J.Everett – NU FR EA EP NL MU YP SL SE
- *Stipa drummondii* Steud.
- *Stipa horrifolia* J.M.Black
- *Stipa luehmannii* Reader

Austrostipa echinata (Vickery, S.W.L.Jacobs & J.Everett) S.W.L.Jacobs & J.Everett (Rare status in SA)
– EP MU YP SL SE
- *Stipa echinata* Vickery, S.W.L.Jacobs & J.Everett

Austrostipa elegantissima (Labill.) S.W.L.Jacobs & J.Everett
– NU GT FR EA EP NL MU YP SL KI SE
- *Stipa elegantissima* Labill.

Austrostipa eremophila (Reader) S.W.L.Jacobs & J.Everett
– NW NU GT FR EA EP NL MU YP SL SE
- *Stipa dura* J.M.Black
- *Stipa eremophila* Reader
- *Stipa fusca* C.E.Hubb.
- *Stipa pubescens* R.Br. var. *auricoma* Reader
- *Stipa variegata* Summerh. & C.E.Hubb.

Austrostipa exilis (Vickery) S.W.L.Jacobs & J.Everett – EA[?id] EP NL MU YP SL KI SE
- *Stipa exilis* Vickery

Austrostipa flavescens (Labill.) S.W.L.Jacobs & J.Everett – FR EP NL MU YP SL KI SE
- *Stipa aphanoneura* Hughes
- *Stipa compacta* Hughes
- *Stipa elatior* (Benth.) Hughes
- *Stipa flavescens* Labill.
- *Stipa hirsuta* Hughes
- *Stipa pubescens* R.Br. var. *maritima* J.M.Black
- *Stipa scabra* Lindl. var. *barbata* Benth.
- *Stipa scabra* Lindl. var. *elatior* Benth.
- *Stipa scabra* Lindl. var. *striata* Benth.
- *Stipa tenuiglumis* Hughes
- *Stipa variabilis* Hughes var. *striata* (Benth.) C.A.Gardner

Austrostipa gibbosa (Vickery) S.W.L.Jacobs & J.Everett (Rare status in SA) – FR NL MU SL SE
- *Stipa aristiglumis* auct.non F.Muell.: J.M.Black(1943)
- *Stipa gibbosa* Vickery

Austrostipa hemipogon (Benth.) S.W.L.Jacobs & J.Everett – FR EP MU YP SL KI SE
- *Stipa hemipogon* Benth.
- *Stipa indeprensa* J.M.Black
- *Stipa nobilis* Pilg.
- *Stipa semibarbata* R.Br. var. *gracilis* J.M.Black

Austrostipa lanata (Vickery, S.W.L.Jacobs & J.Everett) S.W.L.Jacobs & J.Everett
– NU GT FR[?id] EA EP MU
- *Stipa lanata* Vickery, S.W.L.Jacobs & J.Everett

Austrostipa macalpinei (Reader) S.W.L.Jacobs & J.Everett – EP MU SL KI SE
- *Stipa compressa* R.Br. var. *lachnocolea* Benth.
- *Stipa lachnocolea* (Benth.) Hughes
- *Stipa macalpinei* Reader
- *Stipa scelerata* Behr ex J.M.Black
- *Stipa setacea* R.Br. var. *latifolia* Benth.

Austrostipa mollis (R.Br.) S.W.L.Jacobs & J.Everett – FR EP NL MU YP SL KI SE
- *Stipa mollis* R.Br.
- *Stipa plagiopogon* J.M.Black
- *Stipa semibarbata* R.Br. var. *mollis* (R.Br.) Benth.

Austrostipa muelleri (Tate) S.W.L.Jacobs & J.Everett – SL SE
- *Stipa muelleri* Tate

Austrostipa multispiculis (J.M.Black) S.W.L.Jacobs & J.Everett (Rare status in SA) – NL MU SL KI
- *Stipa multispiculis* J.M.Black

Austrostipa mundula (J.M.Black) S.W.L.Jacobs & J.Everett – EP NL[?id] MU YP SL SE
- *Stipa mundula* J.M.Black

Austrostipa nitida (Summerh. & C.E.Hubb.) S.W.L.Jacobs & J.Everett
– NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Stipa nitida* Summerh. & C.E.Hubb.
- *Stipa scabra* Lindl. var. *pallida* Reader

Austrostipa nodosa (S.T.Blake) S.W.L.Jacobs & J.Everett
– NW LE[?id] GT FR EA EP NL MU YP SL KI SE
- *Stipa effusa* Hughes

- *Stipa falcata* Hughes var. *minor* J.M.Black
- *Stipa nodosa* S.T.Blake

Austrostipa oligostachya (Hughes) S.W.L.Jacobs & J.Everett (Endangered status in SA) – SL SE
- *Stipa oligostachya* Hughes

Austrostipa petraea (Vickery) S.W.L.Jacobs & J.Everett (Rare status in SA) – FR EP NL
- *Stipa petraea* Vickery

Austrostipa pilata (S.W.L.Jacobs & J.Everett) S.W.L.Jacobs & J.Everett – FR NL MU
- *Stipa pilata* S.W.L.Jacobs & J.Everett

Austrostipa platychaeta (Hughes) S.W.L.Jacobs & J.Everett
– NW LE NU GT FR EA EP NL MU YP SL
- *Stipa acrociliata* Reader var. *minor* Reader
- *Stipa platychaeta* Hughes

Austrostipa plumigera (Hughes) S.W.L.Jacobs & J.Everett (Rare status in SA) – NW NU GT EP
- *Stipa eremophila* Reader var. *dodrantaria* J.M.Black
- *Stipa plumigera* Hughes

Austrostipa puberula (Steud.) S.W.L.Jacobs & J.Everett – NU EP NL MU YP SL SE[?id]
- *Stipa arachnopus* Pilg.
- *Stipa puberla* Steud.
- *Stipa puberula* Steud.

Austrostipa pubinodis (Trin. & Rupr.) S.W.L.Jacobs & J.Everett – MU SL SE
- *Stipa pubescens* auct.non R.Br.: J.M.Black(1943)
- *Stipa pubinodis* Trin. & Rupr.

Austrostipa scabra (Lindl.) S.W.L.Jacobs & J.Everett ssp. **falcata** (Hughes) S.W.L.Jacobs & J.Everett
– LE NU[?id] FR EA EP NL MU YP SL KI SE
- *Stipa falcata* Hughes
- *Stipa scabra* Lindl. ssp. *falcata* (Hughes) Vickery, S.W.L.Jacobs & J.Everett
- *Stipa variabilis* auct.non Hughes: J.Everett(1986), partly

Austrostipa scabra (Lindl.) S.W.L.Jacobs & J.Everett ssp. **scabra**
– NW LE NU GT FR EA EP NL MU YP SL
- *Stipa scabra* Lindl. ssp. *scabra*
- *Stipa variabilis* auct.non Hughes: J.Everett(1986), partly

Austrostipa semibarbata (R.Br.) S.W.L.Jacobs & J.Everett – NL MU YP SL KI SE
- *Stipa semibarbata* R.Br.

Austrostipa setacea (R.Br.) S.W.L.Jacobs & J.Everett – FR NL MU SL SE
- *Dichelachne setacea* (R.Br.) Nees
- *Stipa brachystephana* S.T.Blake
- *Stipa setacea* R.Br.
- *Stipa setacea* R.Br. var. *latiglumis* J.M.Black

Austrostipa stipoides (Hook.f.) S.W.L.Jacobs & J.Everett – EP MU YP SL KI SE
- *Dichelachne stipoides* Hook.f.
- *Stipa stipoides* (Hook.f.) Veldkamp
- *Stipa teretifolia* Steud.

Austrostipa stuposa (Hughes) S.W.L.Jacobs & J.Everett – EP NL SL SE
- *Stipa stuposa* Hughes

Austrostipa tenuifolia (Steud.) S.W.L.Jacobs & J.Everett (Rare status in SA) – EP NL MU YP[?id] SL SE
- *Stipa eriopus* Benth.
- *Stipa incurva* Hughes
- *Stipa leptophylla* Hughes
- *Stipa scabra* Lindl. var. *occidentalis* Benth.
- *Stipa scabra* Lindl. var. *pubescens* Benth.
- *Stipa tenuifolia* Steud.

Austrostipa trichophylla (Benth.) S.W.L.Jacobs & J.Everett
– NW LE GT[?id] FR EA EP NL MU YP[?id] SL SE
- *Stipa trichophylla* Benth.

Austrostipa tuckeri (F.Muell.) S.W.L.Jacobs & J.Everett (Rare status in SA) – EA MU
- *Stipa tuckeri* F.Muell.

Austrostipa velutina (Vickery, S.W.L.Jacobs & J.Everett) S.W.L.Jacobs & J.Everett – NU EP
- *Stipa velutina* Vickery, S.W.L.Jacobs & J.Everett

Austrostipa vickeryana (J.Everett & S.W.L.Jacobs) S.W.L.Jacobs & J.Everett (Rare* status in SA)
– NW LE NU GT EP MU YP
- *Austrostipa nullanulla* (J.Everett & S.W.L.Jacobs) S.W.L.Jacobs & J.Everett

- *Stipa nullanulla* J.Everett & S.W.L.Jacobs
- *Stipa vickeryana* J.Everett & S.W.L.Jacobs

* **Avellinia festucoides** (Link) Valdes & H.Scholz – FR* EP* NL* MU* YP* SL* KI* SE*
- *Avellinia michelii* (Savi) Parl.
- *Bromus festucoides* Link
- *Bromus michelii* Savi
- *Koeleria michelii* (Savi) Coss.
- *Vulpia michelii* (Savi) Rchb.

* **Avena barbata** Pott ex Link – NU* GT* FR* EP* NL* MU* YP* SL* KI* SE*
- *Avena alba* auct.non Vahl: J.H.Willis(1970)

* **Avena fatua** L. – NW* LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* SE*

* **Avena sativa** L. – NW* LE* NU* GT* FR* EP* NL* MU* YP* SL* KI* SE*

* **Avena sterilis** L. ssp. **ludoviciana** (Durieu) Nyman – NL* SL*
- *Avena ludoviciana* Durieu

* **Axonopus fissifolius** (Raddi) Kuhlm. – SL*
- *Axonopus affinis* auct.non Chase: Jessop(1993)
- *Paspalum fissifolium* Raddi

Bothriochloa bladhii (Retz.) S.T.Blake – FR[?id]
- *Andropogon bladhii* Retz.
- *Andropogon intermedius* R.Br.
- *Andropogon inundatus* F.Muell.
- *Bothriochloa intermedia* (R.Br.) A.Camus
- *Bothriochloa inundata* (F.Muell.) J.M.Black

Bothriochloa ewartiana (Domin) C.E.Hubb. – NW LE GT FR
- *Andropogon ewartianus* Domin
- *Andropogon ischaemum* auct.non L.: Benth.(1878)
- *Dichanthium ewartianum* (Domin) C.A.Gardner

Bothriochloa macra (Steud.) S.T.Blake (Rare status in SA) – FR EA EP NL MU YP SL SE
- *Andropogon macer* Steud.
- *Andropogon pertusus* auct.non (L.) Willd.: Benth.(1878)
- *Bothriochloa ambigua* S.T.Blake
- *Bothriochloa decipiens* auct.non C.E.Hubb.: J.M.Black(1943)

Brachyachne ciliaris (Kuntze) C.E.Hubb. – LE GT
- *Capriola ciliaris* Kuntze
- *Cynodon ciliaris* Benth.

* **Brachypodium distachyon** (L.) P.Beauv. – FR* EP* NL* MU* YP* SL* KI* SE*
- *Bromus distachyos* L.

* **Briza maxima** L. – FR* EP* NL* MU* YP* SL* KI* SE*

* **Briza minor** L. – FR* EP* NL* MU* YP* SL* KI* SE*

* **Bromus alopecuros** Poir. – NL* MU* SL* KI* SE*
- *Bromus lanceolatus* auct.non Roth: Williams in Jessop & Toelken(1986)
- *Serrafalcus lanceolatus* auct.non (Roth) Parl.: Black(1978)
- *Serrafalcus macrostachys* auct.non (Desf.) Parl.: Black(1978)

Bromus arenarius Labill. – NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Serrafalcus arenarius* (Labill.) C.A.Gardner

* **Bromus catharticus** Vahl – LE* NU* FR* EA* EP* NL* MU* YP* SL* SE*
- *Bromus schraderi* Kunth
- *Bromus unioloides* (Willd.) Kunth
- *Bromus willdenowii* Kunth
- *Ceratochloa cathartica* (Vahl) Herter
- *Ceratochloa unioloides* (Willd.) P.Beauv.
- *Festuca unioloides* Willd.

* **Bromus diandrus** Roth – LE* NU* GT* FR* EP* NL* MU* YP* SL* KI* SE*
- *Anisantha diandra* (Roth) Tutin ex Tzvelev
- *Bromus gussonii* Parl.
- *Bromus maximus* Desf.
- *Bromus rigidus* Roth
- *Bromus villosus* Asch. & Graebn.

* **Bromus hordeaceus** L. ssp. **hordeaceus** – EP* NL* MU* YP* SL* KI* SE*
- *Bromus mollis* L.
- *Serrafalcus hordeaceus* (L.) Gren. & Godr.

- *Serrafalcus mollis* (L.) Parl.

* **Bromus lithobius** Trin. – SL* SE*

* **Bromus madritensis** L. – FR* EP* NL* MU* YP* SL* KI* SE*
- *Anisantha madritensis* (L.) Nevski

* **Bromus rubens** L. – NU* GT* FR* EA* EP* NL* MU* YP* SL* SE*
- *Anisantha rubens* (L.) Nevski
- *Bromus madritensis* L. ssp. *rubens* (L.) Husn.

* **Catapodium rigidum** (L.) C.E.Hubb. – FR* EP* NL* MU* YP* SL* KI* SE*
- *Desmazeria rigida* (L.) Tutin
- *Festuca rigida* (L.) Raspail
- *Poa rigida* L.
- *Sclerochloa rigida* (L.) Link
- *Scleropoa rigida* (L.) Griseb.

* **Cenchrus ciliaris** L. – NW* LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* SE?e
- *Pennisetum cenchroides* Rich. ex Pers.
- *Pennisetum ciliare* (L.) Link

* **Cenchrus clandestinus** (Hochst. ex Chiov.) Morrone – GT* FR* EP* MU* YP* SL* KI* SE*
- *Pennisetum clandestinum* Hochst. ex Chiov.

* **Cenchrus echinatus** L. – NW*

* **Cenchrus longisetus** M.C.Johnst. – ?LE?e ?FR?e EP* NL* MU* YP* SL* KI* SE*
- *Cenchrus villosus* (R.Br. ex Fresen.) Kuntze, nom.illeg.
- *Pennisetum villosum* R.Br. ex Fresen.

* **Cenchrus longispinus** (Hack.) Fernald (Declared SA plant) – FR* EP* NL* MU* YP* SL* SE?e
- *Cenchrus echinatus* auct.non L.: C.A.Gardner(1952)
- *Cenchrus echinatus* L. f. *longispinus* Hack.

* **Cenchrus macrourus** (Trin.) Morrone – SL* SE*
- *Pennisetum macrourum* Trin.

* **Cenchrus pennisetiformis** Hochst. & Steud. – LE* GT* FR* EA*
- *Cenchrus ciliaris* auct.non L.: Jessop(1986), partly
- *Pennisetum pennisetiformis (Hochst. & Steud. ex Steud.)Wipff*

* **Cenchrus setaceus** (Forssk.) Morrone – LE* GT* FR* EP* NL* MU* YP* SL* KI* SE*
- *Pennisetum alopecuroides* auct.non (L.) Spreng.: Jessop(1978)
- *Pennisetum setaceum* (Forssk.) Chiov.
- *Phalaris setacea* Forssk.

* **Cenchrus setiger** Vahl – LE*
- *Cenchrus setigerus* Vahl, orth.var.
- *Pennisetum setigerum* (Vahl) Wipff

* **Cenchrus spinifex** Cav. (Declared SA plant) – FR* EP* MU*
- *Cenchrus incertus* M.A.Curtis
- *Cenchrus pauciflorus* Benth.
- *Cenchrus tribuloides* auct.non L.: J.M.Black(1943)

* **Chloris barbata** Sw. – LE*
- *Chloris inflata* Link

* **Chloris gayana** Kunth – LE* NU* GT*?id FR* EA* EP* NL* MU* YP* SL* KI* SE*

Chloris pectinata Benth. – NW LE GT FR EA NL YP SL
- *Chloris divaricata* R.Br. var. *minor* J.M.Black

Chloris truncata R.Br. – LE NU GT FR EA EP NL MU YP SL KI* SE

* **Chloris virgata** Sw. – NW* LE* GT* FR* EP* NL* MU* SL*
- *Chloris barbata* Sw. var. *decora* (Nees ex Steud.) Benth.
- *Chloris decora* Nees ex Steud.

Chrysopogon fallax S.T.Blake – LE
- *Andropogon gryllus* auct.non L.: J.M.Black(1922)
- *Chrysopogon gryllus* auct.non (L.) Trin.: Benth.(1878)

* **Cortaderia selloana** (Schult. & Schult.f.) Asch. & Graebn. ssp. **jubata** (Lemoine) Testoni & Villamil – SL?e?id SE*

* **Cortaderia selloana** (Schult. & Schult.f.) Asch. & Graebn. ssp. **selloana** – NL* MU* SL*
- *Arundo selloana* Schult. & Schult.f.
- *Cortaderia selloana* (Schult. & Schult.f.) Asch. & Graebn.

Cymbopogon ambiguus (Hack.) A.Camus – NW LE NU GT FR EA EP NL MU SL SE
- *Andropogon ambiguus* Steud.
- *Cymbopogon exaltatus* auct.non (R.Br.) Domin: J.M.Black(1943)

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Cymbopogon obtectus S.T.Blake – NW LE GT FR EA EP NL MU SL
- *Cymbopogon bombycinus* auct.non (R.Br.) Domin: J.M.Black(1943)

* **Cynodon dactylon** (L.) Pers. var. **dactylon**
– NW* LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Cynodon dactylon* (L.) Pers.
- *Panicum dactylon* L.

Cynodon dactylon (L.) Pers. var. **pulchellus** Benth. – NL MU SE

* **Cynodon nlemfuensis** Vanderyst var. **nlemfuensis** – EA* NL*?id MU* SL* SE*

* **Cynosurus cristatus** L. – SL* SE*

* **Cynosurus echinatus** L. – LE* FR* NL* MU* SL* KI* SE*

* **Dactylis glomerata** L. – EP* NL* MU* YP* SL* KI* SE*
- *Dactylis glomerata* L. ssp. *hispanica* (Roth) Nyman
- *Dactylis hispanica* Roth

?e **Dactyloctenium australe** Steud. – NL?e SL?e
- *Dactyloctenium aegyptium* auct.non (L.) P.Beauv.: Jessop(1986)

Dactyloctenium radulans (R.Br.) P.Beauv. – NW LE GT FR EA EP?e NL?e MU SL?e SE?e
- *Dactyloctenium aegyptium* auct.non (L.) P.Beauv.: J.M.Black(1943)
- *Eleusine aegyptiaca* auct.non (L.) Desf.: Benth.(1878)
- *Eleusine radulans* R.Br.

* **Deschampsia cespitosa** (L.) P.Beauv. – SL*
- *Aira cespitosa* L.
- *Deschampsia caespitosa* (L.) P.Beauv.

Deyeuxia densa Benth. (Rare status in SA) – SL KI SE
- *Calamagrostis densa* (Benth.) Maiden & Betche

Deyeuxia minor F.Muell.ex Benth. (Vulnerable status in SA) – SL KI SE
- *Calamagrostis minor* (F.Muell. ex Benth.) J.M.Black

Deyeuxia quadriseta (Labill.) Benth. – FR EP MU SL KI SE
- *Agrostis quadriseta* (Labill.) R.Br.
- *Avena quadriseta* Labill.
- *Calamagrostis quadriseta* (Labill.) Spreng.

Dichanthium sericeum (R.Br.) A.Camus ssp. **humilius** (J.M.Black) B.K.Simon – NW LE GT FR EA
- *Andropogon annulatus* Forssk. var. *humilis* Benth.
- *Dichanthium affine* auct.non (R.Br.) A.Camus: Jessop(1986)
- *Dichanthium humilius* J.M.Black

Dichanthium sericeum (R.Br.) A.Camus ssp. **sericeum** – NW LE GT FR EA EP NL SL
- *Andropogon affinis* R.Br.
- *Andropogon sericeus* R.Br.
- *Dichanthium affine* (R.Br.) A.Camus

Dichelachne crinita (L.f.) Hook.f. – FR EP NL MU YP SL KI SE
- *Anthoxanthum crinitum* L.f.
- *Dichelachne longiseta* Trin. & Rupr.

Dichelachne hirtella N.G.Walsh – SL KI

Dichelachne inaequiglumis (Hack. ex Cheeseman) Edgar & Connor – MU?id SL
- *Dichelachne rara* (R.Br.) Vickery ssp. *asperula* auct.non Veldkamp: Jessop(1978)
- *Dichelachne sciurea* (R.Br.) Hook.f. var. *inaequiglumis* Hack. ex Cheeseman

Dichelachne micrantha (Cav.) Domin – FR NL SL KI SE
- *Agrostis sciurea* R.Br.
- *Dichelachne sciurea* (R.Br.) Hook.f.
- *Stipa micrantha* Cav.

Dichelachne rara (R.Br.) Vickery – NL SL KI
- *Agrostis rara* R.Br.

Digitaria aequiglumis (Hack. & Arechav.) Parodi – Distribution not available
- *Panicum aequiglume* Hack. & Arechav.

Digitaria ammophila (Benth.) Hughes – NW LE FR EA EP MU SL
- *Panicum ammophilum* auct.non Steud.: F.Muell.(1855)
- *Panicum divaricatissimum* R.Br. var. *ammophilum* Benth.

Digitaria brownii (Roem. & Schult.) Hughes – NW LE GT FR EA EP MU SL
- *Digitaria brownii* (Roem. & Schult.) Hughes var. *monostachya* (Benth.) Hughes
- *Panicum brownii* Roem. & Schult.
- *Panicum leucophaeum* Kunth var. *monostachyum* Benth.

* **Digitaria ciliaris** (Retz.) Koeler – GT* EP* NL*?id MU* SL* KI* SE*
- *Digitaria adscendens* (Kunth) Henrard
- *Panicum adscendens* Kunth
- *Panicum ciliare* Retz.

Digitaria ctenantha (F.Muell.) Hughes – LE
- *Panicum ctenanthum* F.Muell.

Digitaria divaricatissima (R.Br.) Hughes var. **divaricatissima** – NW LE GT FR EA NL MU SL
- *Digitaria coenicola* (F.Muell.) Hughes
- *Digitaria divaricatissima* (R.Br.) Hughes
- *Panicum coenicolum* F.Muell.
- *Panicum divaricatissimum* R.Br.

* **Digitaria ischaemum** (Schreb.) Schreb. ex Muhl. – MU* SL*
- *Panicum ischaemum* Schreb.

* **Digitaria sanguinalis** (L.) Scop. – GT*?id FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Panicum sanguinale* L.

* **Digitaria violascens** Link – SL*

Diplachne fusca (L.) P.Beauv. ex Roem. & Schult ssp. **fusca** – MU SL?id
- *Diplachne fusca* (L.) P.Beauv. ex Roem. & Schult.
- *Diplachne parviflora* (R.Br.) Benth.
- *Diplachne reptatrix* (L.) Druce
- *Festuca fusca* L.
- *Festuca reptatrix* L.
- *Leptochloa fusca* (L.) Kunth ssp. *fusca*
- *Triodia parviflora* R.Br.

Diplachne fusca (L.) P.Beauv. ex Roem. & Schult. ssp. **muelleri** (Benth.) P.M.Peterson & N.Snow – NW LE GT FR EA MU
- *Diplachne fusca* auct.non (L.) P.Beauv.: Jessop(1993), partly
- *Diplachne muelleri* Benth.
- *Leptochloa fusca* (L.) Kunth ssp. *muelleri* (Benth.) N.Snow

* **Diplachne fusca** (L.) P.Beauv. ex Roem. & Schult ssp. **uninervia** (J.Presl) P.M.Peterson & N.Snow – YP* SL*
- *Diplachne uninervia* (J.Presl) Parodi
- *Leptochloa fusca* (L.) Kunth ssp. *uninervia* (J.Presl) N.Snow
- *Megastachya uninervia* J.Presl

Distichlis distichophylla (Labill.) Fassett – LE FR EP NL MU YP SL KI SE
- *Distichlis maritima* auct.non Raf.: Benth.(1878)
- *Distichlis spicata* auct.non (L.) Greene: J.M.Black(1943)
- *Uniola distichophylla* Labill.

* **Echinochloa colona** (L.) Link – LE* EA*?id NL* MU* SL* SE*
- *Panicum colonum* L.

* **Echinochloa crus-galli** (L.) P.Beauv. – GT*?id FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Panicum crus-galli* L.

* **Echinochloa crus-pavonis** (Kunth) Schult. – MU* SL*
- *Oplismenus crus-pavonis* Kunth

* **Echinochloa esculenta** (A.Braun) H.Scholz – EA* NL* MU* SL* KI* SE*
- *Echinochloa utilis* Ohwi & Yabuno
- *Panicum esculentum* A.Braun

Echinochloa inundata P.W.Michael & Vickery – LE GT?id

Echinochloa lacunaria (F.Muell.) P.W.Michael & Vickery (Endangered status in SA) – MU
- *Panicum lacunarium* F.Muell.

* **Echinochloa pyramidalis** (Lam.) Hitchc. & Chase – MU* SL*?id
- *Panicum pyramidale* Lam.

Echinochloa turneriana (Domin) J.M.Black – LE
- *Echinochloa inundata* auct.non P.W.Michael & Vickery: Jessop(1993), partly
- *Panicum turneriana* Domin

Echinopogon caespitosus C.E.Hubb. var. **caespitosus** – FR NL

Echinopogon ovatus (G.Forst.) P.Beauv. (Rare status in SA) – FR NL SL KI SE
- *Agrostis ovata* G.Forst.
- *Echinopogon ovatus* (G.Forst.) P.Beauv. var. *ovatus*
- *Echinopogon ovatus* (G.Forst.) P.Beauv. var. *pubiglumis* C.E.Hubb.

* **Ehrharta calycina** Sm. – FR* EP* NL* MU* YP* SL* KI* SE*

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

* **Ehrharta erecta** Lam. – NL* MU* SL* SE*
* **Ehrharta longiflora** Sm. – NU* FR* EP* NL* MU* YP* SL* KI* SE*
* **Ehrharta villosa** Schult.f. – EP* MU* YP* SL* SE*
- *Ehrharta villosa* (L.f.) Schult.f. ex Schult. & Schult.f. var. *maxima* Stapf
* **Eleusine indica** (L.) Gaertn. – EP* NL* MU* SL* SE*
- *Cynosurus indicus* L.
* **Eleusine tristachya** (Lam.) Lam. – NL* SL* SE*
- *Cynosurus tristachyos* Lam.
- *Eleusine coracana* auct.non (L.) Gaertn.: J.M.Black(1948)
* **Elytrigia repens** (L.) Nevski – FR* NL* SL* SE*
- *Agropyron repens* (L.) P.Beauv.
- *Elymus repens* (L.) Gould
- *Triticum repens* L.
Elytrophorus spicatus (Willd.) A.Camus – NW LE MU
- *Dactylis spicata* Willd.
- *Elytrophorus articulatus* P.Beauv.
Enneapogon avenaceus (Lindl.) C.E.Hubb. – NW LE NU GT FR EA EP MU SL?e
- *Pappophorum avenaceum* Lindl.
Enneapogon caerulescens (Gaudich.) N.T.Burb. – NW LE NU GT FR EA EP MU
- *Enneapogon caerulescens* (Gaudich.) N.T.Burb. var. *caerulescens*
- *Pappophorum caerulescens* Gaudich.
Enneapogon cylindricus N.T.Burb. – NW LE NU GT FR EA EP
Enneapogon eremophilus Kakudidi – NW
Enneapogon intermedius N.T.Burb. – NW LE FR EP ?NL
Enneapogon lindleyanus (Domin) C.E.Hubb. – NW
- *Enneapogon oblongus* N.T.Burb.
- *Pappophorum lindleyanum* Domin
- *Pappophorum nigricans* R.Br. var. *barbinode* Domin
Enneapogon nigricans (R.Br.) P.Beauv. – NW LE GT FR EA EP NL MU YP SL SE
- *Pappophorum nigricans* R.Br.
Enneapogon polyphyllus (Domin) N.T.Burb. – NW LE NU GT FR EA EP MU
- *Pappophorum nigricans* R.Br. var. *pallidum* auct.non (R.Br.) Domin: Domin(1915)
- *Pappophorum nigricans* R.Br. var. *polyphyllus* Domin
Enneapogon robustissimus (Domin) N.T.Burb. – NW
- *Enneapogon clelandii* N.T.Burb.
- *Pappophorum nigricans* R.Br. var. *robustissimum* Domin
Enteropogon acicularis (Lindl.) Lazarides – LE GT FR EA EP NL MU SL
- *Chloris acicularis* Lindl.
- *Chloris moorei* F.Muell.
Enteropogon ramosus B.K.Simon – NW LE GT FR EA EP NL MU SL
- *Enteropogon acicularis* auct.non (Lindl.) Lazarides: Lazarides(1972), partly
Eragrostis australasica (Steud.) C.E.Hubb. – NW LE GT FR EA EP NL MU
- *Glyceria australasica* Steud.
- *Glyceria ramigera* (F.Muell.) Benth.
- *Poa ramigera* F.Muell.
* **Eragrostis barrelieri** Daveau – NW* LE* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
Eragrostis basedowii Jedwabn. – NW LE GT FR EA
- *Eragrostis concinna* auct.non (R.Br.) Steud.: Benth.(1878)
Eragrostis brownii (Kunth) Nees ex Steud. – EA NL MU SL SE
- *Eragrostis benthamii* Mattei
- *Eragrostis brownii* (Kunth) Nees ex Steud. var. *patens* Benth.
- *Eragrostis philippica* Jedwabn.
- *Eragrostis rara* Domin
- *Poa brownii* Kunth
- *Poa polymorpha* R.Br.
* **Eragrostis cilianensis** (All.) Vignolo ex Janch.
– NW* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Eragrostis major* Host
- *Eragrostis megastachya* (Koeler) Link
- *Poa cilianensis* All.
- *Poa megastachya* Koeler

Eragrostis confertiflora J.M.Black – LE
- *Eragrostis interrupta* P.Beauv. var. *densiflora* J.M.Black

Eragrostis cumingii Steud. – NW

* **Eragrostis curvula** (Schrad.) Nees (Declared SA plant)
– NU* GT* FR* EP* NL* MU* YP* SL* KI* SE*
- *Poa curvula* Schrad.

Eragrostis dielsii Pilg. – NW LE NU GT FR EA EP NL MU YP SL
- *Eragrostis dielsii* Pilg. var. *dielsii*
- *Eragrostis falcata* auct.non (Gaudich.) Gaudich. ex Steud.: Benth.(1878)

Eragrostis elongata (Willd.) J.Jacq. – LE GT FR NL MU SL SE
- *Eragrostis diandra* (R.Br.) Steud.
- *Poa diandra* R.Br.
- *Poa elongata* Willd.

Eragrostis eriopoda Benth. – NW LE NU GT FR EA EP

Eragrostis exigua Lazarides – NW MU

Eragrostis falcata (Gaudich.) Gaudich. ex Steud. – NW LE NU GT FR EA EP MU
- *Eragrostis trichophylla* Benth.
- *Poa falcata* Gaudich.

Eragrostis infecunda J.M.Black (Rare status in SA) – FR NL MU SL SE

Eragrostis kennedyae F.Turner – NW LE GT

Eragrostis lacunaria F.Muell. ex Benth. (Rare status in SA) – NW LE EA MU
- *Eragrostis rankingii* F.M.Bailey

Eragrostis laniflora Benth. – NW LE NU GT FR[?id] EA EP MU

Eragrostis lanipes C.E.Hubb. – NW LE NU GT
- *Eragrostis clelandii* S.T.Blake

Eragrostis leptocarpa Benth. – NW LE GT FR EA MU[?id]

* **Eragrostis mexicana** (Hornem.) Link – EP* NL[?e] MU* SL*
- *Eragrostis mexicana* (Hornem.) Link ssp. *virescens* (J.Presl & C.Presl) S.D.Koch & Sanchez Vega
- *Eragrostis virescens* J.Presl & C.Presl
- *Poa mexicana* Hornem.

* **Eragrostis minor** Host – NW* LE* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Eragrostis poaeoides* P.Beauv., nom.nud.

Eragrostis parviflora (R.Br.) Trin. – NW LE GT FR EA EP NL MU YP SL SE
- *Eragrostis pellucida* (R.Br.) Steud.
- *Eragrostis pilosa* auct.non (L.) P.Beauv.: Benth.(1878)
- *Poa parviflora* R.Br.
- *Poa pellucida* R.Br.

Eragrostis pergracilis S.T.Blake – NW LE GT EA

* **Eragrostis pilosa** (L.) P.Beauv. – SL* SE*
- *Poa pilosa* L.

Eragrostis setifolia Nees – NW LE GT FR EA EP MU
- *Eragrostis chaetophylla* Steud.

Eragrostis sp. Erect spikelets (P.K.Latz 2122) NT Herbarium – NW LE

Eragrostis sp. Gibber (P.K.Latz 12528) NT Herbarium – LE

Eragrostis sp. Limestone (P.K.Latz 5921) NT Herbarium – NW LE

Eragrostis speciosa (Roem. & Schult.) Steud. – LE
- *Poa speciosa* Roem. & Schult.

* **Eragrostis superba** Peyr. – SL*

* **Eragrostis tef** (Zuccagni) Trotter – KI* SE*
- *Poa tef* Zucc.

Eragrostis tenellula (Kunth) Steud. – NW LE EA
- *Eragrostis japonica* auct.non (Thunb.) Trin.: Jessop(1978)
- *Eragrostis tenella* auct.non (L.) P.Beauv. ex Roem. & Schult.: Benth.(1878)
- *Poa tenellula* Kunth

* **Eragrostis trichophora** Coss. & Durieu – NU[?e] GT* FR* EA* EP* NL* MU* SL* KI*

Eragrostis xerophila Domin – NW LE GT FR EA EP MU

Eriachne aristidea F.Muell. – LE GT

Eriachne helmsii (Domin) W.Hartley – NW LE NU GT EP
- *Eriachne mucronata* auct.non R.Br.: J.M.Black(1922)
- *Eriachne mucronata* R.Br. var. *helmsii* Domin

. . . [?e], questionably established. [n*], native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Eriachne mucronata R.Br. – NW LE GT FR EA
- *Eriachne ovata* Nees var. *pedicellata* J.M.Black
- *Eriachne scleranthoides* auct.non F.Muell.: Benth.(1878)

Eriachne ovata Nees – NW LE GT
- *Eriachne benthamii* W.Hartley
- *Eriachne ovata* Nees var. *pallida* Benth.

Eriachne pulchella Domin ssp. **pulchella** – NW LE EA
- *Eriachne isingiana* J.M.Black

Eriochloa australiensis Stapf ex Thell. – LE GT FR EA EP MU SL
- *Eriochloa longiflora* S.T.Blake

Eriochloa crebra S.T.Blake – LE EA MU

Eriochloa pseudoacrotricha (Stapf ex Thell.) J.M.Black – LE GT FR EA EP NL MU YP SL
- *Eriochloa pseudoacroticha* (Stapf ex Thell.) J.M.Black, orth.var.
- *Eriochloa punctata* (L.) Ham. var. *acrotricha* auct.non Benth.: J.M.Black(1922)
- *Eriochloa ramosa* Kuntze var. *pseudoacrotricha* Stapf ex Thell.

Eulalia aurea (Bory) Kunth – NW LE GT FR EA MU
- *Andropogon aureus* Bory
- *Eulalia fulva* (R.Br.) Kuntze
- *Pollinia fulva* (R.Br.) Benth.
- *Saccharum fulvum* R.Br.

* **Eustachys distichophylla** (Lag.) Nees – NL* SL*
- *Chloris distichophylla* Lag.

Festuca benthamiana Vickery (Rare status in SA) – FR EP NL SL
- *Festuca duriuscula* L. var. *aristata* Benth.

* **Festuca rubra** L. – NL*?id MU*?id YP* SL* SE?e
- *Festuca asperula* auct.non Vickery: H.Eichler(1965)
- *Festuca duriuscula* L.

* **Gastridium phleoides** (Nees & Meyen) C.E.Hubb. – FR* EP* NL* MU* SL* KI* SE*
- *Gastridium ventricosum* auct.non (Gouan) Schinz & Thell.: J.M.Black(1943)
- *Lachnagrostis phleoides* Nees & Meyen

* **Gaudinia fragilis** (L.) P.Beauv. – SE*
- *Avena fragilis* L.

Glyceria australis C.E.Hubb. – NL MU SL KI SE
- *Glyceria fluitans* auct.non (L.) R.Br.: H.Eichler(1965)

* **Glyceria declinata** Breb. – FR* NL*?id SL* SE*?id

* **Glyceria maxima** (Hartm.) Holmb. – SE*?id
- *Glyceria aquatica* (L.) Wahlb.
- *Molinia maxima* Hartm.
- *Poa aquatica* L.

* **Hainardia cylindrica** (Willd.) Greuter – LE* FR* NL* MU* YP* SL* KI* SE*
- *Lepturus cylindricus* (Willd.) Trin.
- *Monerma cylindrica* (Willd.) Coss. & Durieu
- *Rottboellia cylindrica* Willd.

Hemarthria uncinata R.Br. var. **uncinata** – EP?id MU SL KI SE
- *Hemarthria compressa* auct.non (L.f.) R.Br.: Benth.(1878)

* **Heteropogon contortus** (L.) P.Beauv. ex Roem. & Schult. – NW?e GT*

* **Holcus annuus** Salzm. ex C.A.Mey. – NL* MU* SL* KI* SE*
- *Holcus setiglumis* Boiss. & Reut.
- *Holcus setosus* Trin.

* **Holcus lanatus** L. – GT* EP* NL* MU* SL* KI* SE*

* **Hordeum distichon** L. – LE* NU* GT* FR* EP* NL* MU* SL* KI* SE*
- *Hordeum vulgare* L. ssp. *distichon* (L.) Korn.
- *Hordeum vulgare* L. var. *distichon* (L.) Hook.f.

* **Hordeum glaucum** Steud.
– NW*?id LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* KI*?id SE*
- *Critesion glaucum* (Steud.) A.Love
- *Critesion murinum* (L.) A.Love ssp. *glaucum* (Steud.) B.K.Simon
- *Hordeum leporinum* auct.non Link: J.M.Black(1943)
- *Hordeum leporinum* Link ssp. *glaucum* (Steud.) T.A.Booth & A.J.Richards
- *Hordeum murinum* L. ssp. *glaucum* (Steud.) Tzvelev

* **Hordeum hystrix** Roth – NU* YP* SL* KI* SE*
- *Critesion hystrix* (Roth) A.Love
- *Hordeum geniculatum* All.
- *Hordeum gussoneanum* Parl.
- *Hordeum marinum* Huds. ssp. *gussoneanum* (Parl.) Thell.

* **Hordeum leporinum** Link – LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Critesion murinum* (L.) A.Love ssp. *leporinum* (Link) A.Love
- *Hordeum murinum* auct.non L.: J.M.Black(1943)
- *Hordeum murinum* (L.) A.Love ssp. *leporinum* (Link) A.Love
- *Hordeum murinum* L. var. *leporinum* (Link) Arcang.

* **Hordeum marinum** Huds. – FR* EP* NL* MU* YP* SL* KI* SE*
- *Critesion marinum* (Huds.) A.Love
- *Hordeum maritimum* With.

* **Hordeum vulgare** L. – LE* NU* GT* FR* EP* NL* MU* SL* SE*
- *Hordeum vulgare* L. ssp. *vulgare*
- *Hordeum vulgare* L. var. *hexastichon* (L.) Asch.
- *Hordeum vulgare* L. var. *vulgare*

* **Hyparrhenia hirta** (L.) Stapf (Declared SA plant) – EA* NL* MU* SL* SE*
- *Andropogon hirtus* L.

Imperata cylindrica (L.) P.Beauv. – LE FR EP MU SL SE
- *Imperata arundinacea* Cirillo, partly
- *Imperata cylindrica* (L.) P.Beauv. var. *major* (Nees) C.E.Hubb.
- *Imperata koenigii* (Retz.) P.Beauv. var. *major* Nees
- *Lagurus cylindricus* L.

Isachne globosa (Thunb.) Kuntze – NL MU SL
- *Isachne australis* R.Br.
- *Milium globosum* Thunb.

Iseilema eremaeum S.T.Blake – NW[?id] LE GT

Iseilema membranaceum (Lindl.) Domin – NW LE GT FR EA EP[?id]
- *Anthistiria membranacea* Lindl.
- *Iseilema actinostachys* Domin
- *Iseilema mitchellii* Andersson

Iseilema vaginiflorum Domin – NW LE NU[?id] GT FR EA

* **Jarava plumosa** (Spreng.) S.W.L.Jacobs & J.Everett (Declared SA plant) – SL*
- *Calamagrostis plumosa* Spreng.
- *Stipa papposa* Nees

Lachnagrostis aemula (R.Br.) Trin. – FR EP NL MU YP SL KI SE
- *Agrostis aemula* R.Br.

Lachnagrostis batesii A.J.Br. – SL
- *Lachnagrostis filiformis* auct.non (G.Forst.) Trin.: Barker et al.(2005), partly

Lachnagrostis billardierei (R.Br.) Trin. ssp. **billardierei** – EP NL MU YP SL KI SE
- *Agrostis billardierei* R.Br.
- *Agrostis labillardieri* Roem. & Schult.
- *Agrostis solandri* auct.non F.Muell.: Tate(1890)
- *Calamagrostis aemula* Steud. var. *billardierei* (R.Br.) Maiden & Betche
- *Calamagrostis filiformis* (G.Forst.) Pilg var. *billardierei* (R.Br.) Maiden & Betche
- *Deyeuxia billardierei* (R.Br.) Kunth

Lachnagrostis filiformis (G.Forst.) Trin. – NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Agrostis avenacea* J.F.Gmel. var. *avenacea*
- *Agrostis filiformis* (G.Forst.) Spreng.
- *Agrostis forsteri* Roem. & Schult., nom.illeg.
- *Agrostis solandri* F.Muell.
- *Avena filiformis* G.Forst.
- *Calamagrostis filiformis* (G.Forst.) Pilg. var. *filiformis*, nom.illeg.
- *Deyeuxia forsteri* (Roem. & Schult.) Kunth

Lachnagrostis limitanea (J.M.Black) S.W.L.Jacobs (Endangered status in SA, Endangered status in Australia) – NL
- *Agrostis limitanea* J.M.Black

Lachnagrostis palustris A.J.Br. – SE
- *Lachnagrostis filiformis* auct.non (G.Forst.) Trin.: Barker et al.(2005), partly

Lachnagrostis perennis (Vickery) A.J.Br. – FR NL MU
- *Agrostis avenacea* J.F.Gmel. var. *perennis* Vickery
- *Lachnagrostis filiformis* auct.non (G.Forst.) Trin.: Barker et al.(2005), partly

Lachnagrostis robusta (Vickery) S.W.L.Jacobs (Rare status in SA) – NL MU SE
- *Agrostis billardieri* R.Br. var. *robusta* Vickery
- *Agrostis robusta* (Vickery) A.J.Brown & N.G.Walsh

Lachnagrostis rudis (Roem. & Schult.) Trin. ssp. **rudis** (Vulnerable status in SA) – SE
- *Agrostis aequata* Nees
- *Agrostis rudis* Roem. & Schult.
- *Agrostis scabra* R.Br. non Willd., nom.illeg.
- *Calamagrostis aequata* (Nees) J.M.Black
- *Calamagrostis rudis* (Roem. & Schult.) Steud.
- *Deyeuxia aequata* (Nees) Benth.
- *Lachnagrostis aequata* (Nees) S.W.L.Jacobs
- *Lachnagrostis rudis* (Roem. & Schult.) Trin.
- *Lachnagrostis scabra* A.J.Br., nom.illeg., nom.superfl.
- *Lachnagrostis scabra* (P.Beauv.) Nees ex Steud., nom.inval. pro syn.
- *Vilfa scabra* P.Beauv., nom.nud., nom.inval., questionably

Lachnagrostis semibarbata (Trin.) A.J.Br var. **filifolia** (Vickery) A.J.Br. (Rare* status in SA) – SE
- *Agrostis aemula* R.Br. var. *setifolia* (Hook.f.) Vickery
- *Agrostis billardieri* R.Br. var. *filifolia* Vickery
- *Agrostis billardieri* R.Br. var. *setifolia* Hook.f.
- *Agrostis punicea* A.J.Br. & N.G.Walsh var. *filifolia* A.J.Br. & N.G.Walsh
- *Lachnagrostis punicea* (A.J.Br. & N.G.Walsh) S.W.L.Jacobs ssp. *filifolia* (Vickery) S.W.L.Jacobs

Lachnagrostis semibarbata (Trin.) A.J.Br. var. **semibarbata** (Rare* status in SA) – SE
- *Agrostis punicea* A.J.Br. & N.G.Walsh var. *punicea*
- *Lachnagrostis punicea* (A.J.Br. & N.G.Walsh) S.W.L.Jacobs ssp. *punicea*

* **Lagurus ovatus** L. – NU* FR* EP* NL* MU* YP* SL* KI* SE*

* **Lamarckia aurea** (L.) Moench – GT* FR* EA* EP* NL* MU* SL*
- *Cynosurus aureus* L.

Leptochloa digitata (R.Br.) Domin – NW LE EA
- *Leptochloa subdigitata* Trin.
- *Poa digitata* R.Br.

* **Lolium arundinaceum** (Schreb.) Darbysh. – GT* EP* NL* MU* SL* SE*
- *Festuca arundinacea* Schreb.
- *Poa phoenix* Scop.
- *Schedonorus phoenix* (Scop.) Holub

* **Lolium × hubbardii** Jansen & Wacht. ex B.K.Simon – GT* EP* YP* SL* KI* SE*
- *Lolium multiflorum* Lam. × *Lolium rigidum* Gaudin

* **Lolium × hybridum** Hausskn. – SE*
- *Lolium multiflorum* Lam. × *Lolium perenne* L.

* **Lolium loliaceum** (Bory & Chaub.) Hand-Mazz. – FR* EP* NL* MU* SL* KI* SE*
- *Lolium lepturoides* Boiss.
- *Lolium rigidum* Gaudin ssp. *lepturoides* (Boiss.) Sennen & Mauricio
- *Lolium rigidum* Gaudin var. *rottboellioides* Heldr. ex Boiss.
- *Lolium subulatum* Vis.
- *Rottboellia loliacea* Bory & Chaub.

* **Lolium multiflorum** Lam. – SL* SE*
- *Lolium italicum* A.Braun
- *Lolium perenne* L. var. *multiflorum* (Lam.) Parn.

* **Lolium perenne** L. – NU* FR* EP* NL* MU* YP* SL* KI*[?id] SE*

* **Lolium pratense** (Huds.) Darbysh. – NL* MU* SL* SE*
- *Festuca elatior* auct.non L.: J.M.Black(1943)
- *Festuca elatior* L. ssp. *pratensis* (Huds.) Hack.
- *Festuca pratensis* Huds.
- *Lolium pratense* (Huds.) Darbysh.
- *Schedonorus pratensis* (Huds.) P.Beauv.

* **Lolium rigidum** Gaudin – LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Lolium multiflorum* Lam. var. *rigidum* (Gaudin) Trab.
- *Lolium perenne* L. ssp. *rigidum* (Gaudin) A.Love & D.Love
- *Lolium subulatum* auct.non Vis.: J.M.Black(1943)

* **Lolium temulentum** L. var. **arvense** (With.) Lilj. – EP* SL* SE*
- *Lolium arvense* With.
- *Lolium temulentum* L. var. *leptochaeton* A.Braun
- *Lolium temulentum* L. f. *arvense* (With.) Junge

* **Lolium temulentum** L. var. **temulentum** – NL* SL* KI* SE*
- *Lolium temulentum* L. f. *temulentum*

* **Melica ciliata** L. – SL*

* **Melinis repens** (Willd.) Zizka – NW* FR* EP* NL* SL*
- *Rhynchelytrum repens* (Willd.) C.E.Hubb.
- *Saccharum repens* Willd.

Microlaena stipoides (Labill.) R.Br. var. **stipoides** – FR NL MU SL KI SE
- *Ehrharta stipoides* Labill.

* **Miscanthus sinensis** Anders. – MU*

* **Molineriella minuta** (L.) Rouy – FR* EP* NL* MU* YP* SL* SE*
- *Aira minuta* L.
- *Molineria minuta* (L.) Parl., nom. illeg.
- *Periballia minuta* (L.) Asch. & Graebn.

Monachather paradoxus Steud. – NW LE NU GT EA EP
- *Danthonia bipartita* F.Muell.

* **Nassella leucotricha** (Trin. & Rupr.) R.W.Pohl (Declared SA plant) – SL*
- *Stipa leucotricha* Trin. & Rupr.

* **Nassella neesiana** (Trin. & Rupr.) Barkworth (Declared SA plant) – NL* SL* SE*
- *Stipa neesiana* Trin. & Rupr. var. *neesiana*

?e **Nassella tenuissima** (Trin.) Barkworth (Declared SA plant) – KI?e SE?e

?e **Nassella trichotoma** (Nees) Hack. ex Arechav. (Declared SA plant) – SE?e
- *Stipa trichotoma* Nees

Neurachne alopecuroidea R.Br. – EA EP NL MU YP SL KI SE

Neurachne lanigera S.T.Blake (Rare status in SA) – NW LE

Neurachne munroi (F.Muell.) F.Muell. – NW LE NU GT FR
- *Panicum munroi* F.Muell.

Oxychloris scariosa (F.Muell.) Lazarides – LE EA
- *Chloris scariosa* F.Muell.

* **Panicum antidotale** Retz. – MU*

* **Panicum buncei** F.Muell. ex Benth. – SL*?id

* **Panicum capillare** L. var. **brevifolium** Vasey ex Rydb. & Shear – MU* YP* SL*
- *Panicum capillare* auct.non L.: Jessop(1986), partly
- *Panicum capillare* L. var. *occidentale* Rydb.

* **Panicum coloratum** L. – MU*

Panicum decompositum R.Br. var. **decompositum** – NW LE GT FR EA EP NL MU SL

Panicum effusum R.Br. var. **effusum** – NW LE NU GT FR EA EP NL MU YP SL SE
- *Panicum convallium* F.Muell.

* **Panicum hillmanii** Chase – FR* EP* NL* MU* YP* SL* KI* SE*
- *Panicum capillare* auct.non L.: Jessop(1986), partly

Panicum laevinode Lindl. – NW LE GT FR EA MU
- *Panicum whitei* J.M.Black

* **Panicum maximum** Jacq. var. **trichoglume** Eyles ex Robyns – MU*
- *Urochloa maxima* (Jacq.) R.D.Webster var. *trichoglume* (Eyles ex Robyns) R.D.Webster

* **Panicum miliaceum** L. – NU* EA* NL* SL* SE*
- *Panicum miliaceum* L. ssp. *miliaceum*

* **Panicum schinzii** Hack. – MU* SL* SE*
- *Panicum laevifolium* Hack.
- *Panicum laevifolium* Hack. var. *contractum* Pilg.

?n **Panicum simile** Domin – FR?n?e
- *Panicum effusum* R.Br. var. *simile* (Domin) B.K.Simon

Paractaenum novae-hollandiae P.Beauv. ssp. **reversum** (F.Muell.) R.D.Webster – NW LE NU GT FR EA EP
- *Panicum paractaenum* Kunth
- *Panicum reversum* F.Muell.

Paractaenum refractum (F.Muell.) R.D.Webster – NW LE NU GT FR EA
- *Pennisetum refractum* (F.Muell.) F.Muell.
- *Plagiosetum refractum* (F.Muell.) Benth.

- *Setaria refracta* F.Muell.

Paraneurachne muelleri (Hack.) S.T.Blake – NW LE
- *Neurachne clementii* Domin
- *Neurachne muelleri* Hack.

* **Parapholis incurva** (L.) C.E.Hubb. – LE* NU* FR* EP* NL* MU* YP* SL* KI* SE*
- *Aegilops incurva* L.
- *Lepturus incurvatus* Trin.
- *Pholiurus incurvus* (L.) Schinz & Thell.

* **Paspalum dilatatum** Poir. – FR* EP* MU* YP* SL* KI* SE*

* **Paspalum distichum** L. – EP* NL* MU* SL* SE*
- *Digitaria paspalodes* Michx.
- *Paspalum paspalodes* (Michx.) Scribn.

* **Paspalum vaginatum** Sw. – FR* EP* MU* YP* SL* SE*
- *Paspalum distichum* auct.non L.: Jessop(1978)

* **Pentameris airoides** Nees ssp. **airoides** – GT* FR* EP* NL* MU* YP* SL* SE*
- *Danthonia airoides* (Nees) Nees
- *Pentameris airoides* Nees, partly
- *Pentaschistis airoides* (Nees) Stapf

* **Pentameris pallida** (Thunb.) Galley & H.P.Linder – NL* MU* SL* SE*
- *Avena pallida* Thunb.
- *Pentaschistis pallida* (Thunb.) H.P.Linder
- *Pentaschistis thunbergii* auct.non (Kunth) Stapf: Jessop(1986)

Pentapogon quadrifidus (Labill.) Baill. var. **quadrifidus** (Rare status in SA) – MU SL SE
- *Agrostis quadrifida* Labill.
- *Pentapogon billardieri* R.Br.

Perotis rara R.Br. – NW LE

* **Phalaris aquatica** L. – FR* EP* NL* MU* SL* KI* SE*
- *Phalaris canariensis* auct.non L.: Jessop(1986), partly
- *Phalaris stenoptera* Hack.
- *Phalaris tuberosa* L. var. *stenoptera* (Hack.) Hitchc.

* **Phalaris arundinacea** L. var. **arundinacea** – SL* SE*

* **Phalaris arundinacea** L. var. **picta** L. – SL*

* **Phalaris canariensis** L. – SL*

* **Phalaris minor** Retz. – LE* FR* EA* EP* NL* MU* YP* SL* KI* SE*

* **Phalaris paradoxa** L. – EA* EP* NL* MU* SL* KI* SE*

* **Phleum pratense** L. – MU* SL* SE*

* **Pholiurus pannonicus** (Host) Trin. – NL* YP* SL*
- *Lepturus pannonicus* (Host) Kunth
- *Rottboellia pannonica* Host

Phragmites australis (Cav.) Trin. ex Steud. – LE FR EP NL MU SL SE
- *Arundo australis* Cav.
- *Arundo phragmites* L.
- *Arundo vulgaris* Lam., nom.illeg.
- *Phragmites communis* Trin.
- *Phragmites vulgaris* (Lam.) Crep., nom.illeg.

Phragmites karka (Retz.) Trin. ex Steud. – LE
- *Arundo karka* Retz.
- *Phragmites vallatoria* Veldkamp, orth. var/
- *Phragmites vallatorius* Veldkamp, nom. illeg., nom. superfl.

?e **Phyllostachys aurea** Riviere & C.Riviere – SL?e?id

* **Piptatherum miliaceum** (L.) Coss. – NU* FR* EP* NL* MU* YP* SL* KI* SE*
- *Achnatherum miliaceum* (L.) P.Beauv.
- *Agrostis miliacea* L.
- *Milium multiflorum* Cav.
- *Oryzopsis miliacea* (L.) Benth. & Hook.f. ex Asch. & Schweinf.
- *Piptatherum multiflorum* (Cav.) P.Beauv.

* **Poa annua** L. – FR*?id EP* NL* MU* YP* SL* SE*

* **Poa bulbosa** L. – FR* EP* NL* MU* YP* SL* KI* SE*
- *Poa bulbosa* L. var. *vivipara* Koeler

Poa clelandii Vickery – EP NL MU YP?id SL KI SE

Poa crassicaudex Vickery – FR EP NL MU YP SL KI SE

Poa drummondiana Nees (Rare status in SA) – EP NL MU YP
- *Poa nodosa* Nees

Poa fax J.H.Willis & Court (Rare status in SA) – EP NL MU YP SL KI SE
- *Poa lepida* auct.non Steud.: F.Muell.(1873)

Poa fordeana F.Muell. – LE FR EA EP MU SL?id
- *Glyceria fordeana* (F.Muell.) Benth.

Poa halmaturina J.M.Black – SL KI SE

* **Poa infirma** Kunth – EP* SE*

Poa labillardieri Steud. var. **labillardieri** – FR EP NL MU YP SL KI SE
- *Poa billardieri* Steud., orth.var.
- *Poa caespitosa* G.Forst. ex Spreng. var. *billardieri* J.M.Black

Poa meionectes Vickery (Vulnerable status in SA) – SE
- *Poa exilis* Vickery

Poa morrisii Vickery (Rare status in SA) – SE

Poa poiformis (Labill.) Druce var. **poiformis** – EP NL?id MU YP SL KI SE
- *Arundo poaeformis* Labill.
- *Poa australis* auct.non R.Br.: J.M.Black(1943)
- *Poa australis* R.Br. var. *billardieri* Hook.f., nom.inval.
- *Poa caespitosa* G.Forst. ex Spreng. var. *labillardierei* auct.non J.M.Black: J.M.Black(1922)
- *Poa laevis* R.Br.
- *Poa poaeformis* (Labill.) Druce, orth.var.

* **Poa pratensis** L. – NL* MU* SL* KI*?id SE*
- *Poa angustifolia* L.

Poa rodwayi Vickery (Rare status in SA) – SE?id

Poa sieberiana Spreng. var. **hirtella** Vickery – SE

Poa sieberiana Spreng. var. **sieberiana** (Rare status in SA) – SE

Poa tenera F.Muell.ex Hook.f. – EP SL KI SE
- *Poa caespitosa* J.R.Forst. var. *tenera* (F.Muell. ex Hook.f.) Benth.
- *Poa humifusa* J.M.Black

Poa umbricola Vickery (Rare status in SA) – SL

* **Polypogon lutosus** (Poir.) Hitchc. – SE*
- × *Agropogon littoralis* (Sm.) C.E.Hubb., nom.illeg.
- × *Polypogon littoralis* Sm., nom.illeg.

* **Polypogon maritimus** Willd. – FR* EA* EP* NL* MU* YP* SL* KI* SE*

* **Polypogon monspeliensis** (L.) Desf.
– NW* LE* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Alopecurus monspeliensis* L.

Polypogon tenellus R.Br. (Vulnerable status in SA) – YP

* **Polypogon viridis** (Gouan) Breistr. – GT* FR* EA* EP* NL* MU* SL* KI* SE*
- *Agrostis semiverticillata* (Forssk.) C.Chr.
- *Agrostis verticillata* Vill.
- *Agrostis viridis* Gouan
- *Phalaris semiverticillata* Forssk.
- *Polypogon semiverticillatus* (Forssk.) Hyl.

Pseudoraphis spinescens (R.Br.) Vickery – LE MU SL KI SE
- *Chamaeraphis aspera* (J.Konig) Nees
- *Chamaeraphis spinescens* (R.Br.) Poir.
- *Panicum asperum* J.Konig
- *Panicum spinescens* R.Br.
- *Pseudoraphis aspera* Pilg.

* **Psilurus incurvus** (Gouan) Schinz & Thell. – NL*?id MU* SL*?id
- *Nardus aristata* L., nom.illeg., nom.superfl.
- *Nardus incurva* Gouan
- *Psilurus aristatus* Duval-Jouve, nom.illeg., nom.superfl.
- *Psilurus nardoides* Trin., nom.illeg., nom.superfl.

* **Puccinellia ciliata** Bor – EP* NL* MU* SL* KI* SE*
- *Puccinellia stricta* auct.non (Hook.f.) C.H.Blom: Jessop(1986), partly

* **Puccinellia distans** (Jacq.) Parl. – FR* NL* MU* SL* SE*
- *Glyceria distans* (L.) Wahlenb.
- *Poa distans* Jacq.
- *Poa distans* L., nom.illeg.

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

- *Puccinellia distans* (L.) Parl.

* **Puccinellia fasciculata** (Torr.) E.P.Bicknell – EP*[?id] NL* MU* YP* SL* SE*
- *Festuca borreri* Bab.
- *Phippsia fasciculata* (Torr.) A.Love & D.Love
- *Poa fasciculata* Torr.
- *Puccinellia borreri* (Bab.) Hitchc.

Puccinellia longior A.R.Williams – SE

[?n] **Puccinellia perlaxa** (N.G.Walsh) N.G.Walsh & A.R.Williams – MU[?n] SL[?n] KI[?n]
- *Puccinellia stricta* (Hook.f.) C.H.Blom var. *perlaxa*

Puccinellia stricta (Hook.f.) C.H.Blom – LE FR EA EP NL MU YP SL KI SE
- *Atropis stricta* (Hook.f.) Hack.
- *Festuca syrtica* (F.Muell.) F.Muell.
- *Glyceria stricta* Hook.f.
- *Panicularia syrtica* (F.Muell.) Kuntze
- *Poa syrtica* F.Muell.
- *Puccinellia stricta* (Hook.f.) C.H.Blom, partly
- *Puccinellia stricta* (Hook.f.) C.H.Blom var. *stricta*

* **Rostraria cristata** (L.) Tzvelev – FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Festuca cristata* L.
- *Festuca phleoides* Vill.
- *Koeleria phleoides* (Vill.) Pers.
- *Lophochloa cristata* (L.) Hyl.
- *Lophochloa phleoides* (Vill.) Rchb.

* **Rostraria pumila** (Desf.) Tzvelev – LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* SE*
- *Avena pumila* Desf.
- *Lophochloa pumila* (Desf.) Bor
- *Trisetaria pumila* (Desf.) Maire
- *Trisetum pumilum* (Desf.) Kunth

Rytidosperma auriculatum (J.M.Black) Connor & Edgar – FR NL MU SL
- *Austrodanthonia auriculata* (J.M.Black) H.P.Linder
- *Danthonia auriculata* J.M.Black
- *Notodanthonia auriculata* (J.M.Black) Zotov

Rytidosperma caespitosum (Gaudich.) Connor & Edgar – GT FR EA EP NL MU YP SL KI SE
- *Austrodanthonia caespitosa* (Gaudich.) H.P.Linder
- *Danthonia caespitosa* Gaudich.
- *Danthonia semiannularis* auct.non (Labill.) R.Br.: J.M.Black(1943)
- *Notodanthonia caespitosa* (Gaudich.) Zotov
- *Rytidosperma caespitosum* (Gaudich.) Connor & Edgar, partly

Rytidosperma carphoides (F.Muell. ex Benth.) Connor & Edgar – NL MU SL SE
- *Austrodanthonia carphoides* (F.Muell. ex Benth.) H.P.Lindner
- *Danthonia carphoides* F.Muell. ex Benth.
- *Danthonia carphoides* F.Muell. ex Benth. var. *angustior* Vickery
- *Notodanthonia carphoides* (F.Muell.) Zotov
- *Rytidosperma carphoides* (F.Muell. ex Benth.) Connor & Edgar var. *angustius* (Vickery) Connor & Edgar

Rytidosperma clelandii (Vickery) Connor & Edgar – NL[?id] MU[?id] SL
- *Danthonia clelandii* Vickery
- *Joycea clelandii* (Vickery) H.P.Linder

Rytidosperma duttonianum (Cashmore) Connor & Edgar – FR[?id] EA[?id] NL MU SL SE
- *Austrodanthonia duttoniana* (Cashmore) H.P.Linder
- *Danthonia duttoniana* Cashmore

Rytidosperma erianthum (Lindl.) Connor & Edgar – FR EA EP NL MU YP SL SE
- *Austrodanthonia eriantha* (Lindl.) H.P.Linder
- *Danthonia eriantha* Lindl.

Rytidosperma fulvum (Vickery) A.M.Humphreys & H.P.Linder – FR EP NL MU YP SL SE
- *Austrodanthonia fulva* (Vickery) H.P.Linder
- *Danthonia linkii* Kunth var. *fulva* Vickery
- *Joycea clelandii* auct.non (Vickery) H.P.Linder: Jessop et al.(2006), partly
- *Notodanthonia fulva* (Vickery) H.P.Linder
- *Rytidosperma linkii* (Kunth) Connor & Edgar var. *fulvum* (Vickery) Connor & Edgar

Rytidosperma geniculatum (J.M.Black) Connor & Edgar – GT EP NL MU YP SL KI SE
- *Austrodanthonia geniculata* (J.M.Black) H.P.Linder

- *Danthonia geniculata* J.M.Black
- *Notodanthonia geniculata* (J.M.Black) Zotov

Rytidosperma indutum (Vickery) Connor & Edgar – SE
- *Austrodanthonia induta* (Vickery) H.P.Linder
- *Danthonia induta* Vickery
- *Danthonia procera* Vickery
- *Notodanthonia procera* (Vickery) Veldkamp

Rytidosperma laeve (Vickery) Connor & Edgar (Rare status in SA) – FR EA MU SL
- *Austrodanthonia laevis* (Vickery) H.P.Linder
- *Danthonia laevis* Vickery
- *Notodanthonia laevis* (Vickery) Zotov

Rytidosperma pilosum (R.Br.) Connor & Edgar – FR EP[?id] NL MU SL KI SE
- *Austrodanthonia pilosa* (R.Br.) H.P.Linder
- *Danthonia pilosa* R.Br.
- *Danthonia pilosa* R.Br. var. *paleacea* Vickery
- *Notodanthonia pilosa* (R.Br.) Zotov var. *pilosa*
- *Rytidosperma pilosum* (R.Br.) Connor & Edgar var. *paleaceum* (Vickery) Connor & Edgar

Rytidosperma racemosum (R.Br.) Connor & Edgar var. **racemosum**
– FR EA[?id] EP NL MU SL KI SE
- *Austrodanthonia racemosa* (R.Br.) H.P.Linder var. *racemosa*
- *Danthonia penicillata* auct.non (Labill.) P.Beauv.: J.M.Black(1943)
- *Danthonia racemosa* R.Br. var. *racemosa*
- *Notodanthonia racemosa* (R.Br.) Zotov var. *racemosa*

[?n] **Rytidosperma richardsonii** (Cashmore) Connor & Edgar – SL[?n?id]
- *Austrodanthonia richardsonii* (Cashmore) H.P.Linder
- *Danthonia richardsonii* Cashmore
- *Notodanthonia richardsonii* (Cashmore) Veldkamp

Rytidosperma robertsoniae Tiver – LE NU GT FR EA EP NL MU YP SL
- *Austrodanthonia caespitosa* (Gaudich.) H.P.Linder auct.non: Jessop et al.(2006), partly
- *Danthonia caespitosa* Gaudich. auct.non: A.P.C.Renfrey in Jessop & Toelken(1986)
- *Rytidosperma caespitosum* (Gaudich.) Connor & Edgar auct.non: SA Census online(1/7/2013-14/2/2020, partly

Rytidosperma semiannulare (Labill.) Connor & Edgar – NL MU SL KI SE
- *Arundo semiannularis* Labill.
- *Danthonia semiannularis* (Labill.) R.Br.
- *Notodanthonia semiannularis* (Labill.) Zotov
- *Thonandia semiannularis* (Labill.) H.P.Linder

Rytidosperma setaceum (R.Br.) Connor & Edgar – NU GT[?id] FR EA EP NL MU YP SL KI SE
- *Austrodanthonia setacea* (R.Br.) H.P.Linder
- *Danthonia setacea* R.Br.
- *Notodanthonia setacea* (R.Br.) Veldkamp

Rytidosperma tenuius (Steud.) A.Hansen & Sunding (Rare status in SA) – FR[?id] EA[?id] NL SL SE
- *Austrodanthonia tenuior* (Steud.) H.P.Lindner
- *Danthonia purpurascens* Vickery
- *Danthonia semiannularis* (Labill.) R.Br. var. *browniana* Domin
- *Danthonia tenuior* (Steud.) Conert, partly
- *Notodanthonia purpurascens* (Vickery) Zotov
- *Notodanthonia tenuior* (Steud.) S.T.Blake
- *Plinthanthesis tenuior* Steud.

* **Schismus arabicus** Nees – NW* LE* NU* GT* EP*

* **Schismus barbatus** (L.) Thell.
– NW* LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Festuca barbata* L.
- *Festuca calycina* Loefl.
- *Schismus calycinus* (Loefl.) C.Koch
- *Schismus marginatus* P.Beauv.

* **Sclerochloa dura** (L.) P.Beauv. – NL* MU* YP*
- *Cynosurus durus* L.

* **Secale cereale** L. – GT* MU* YP* SL*

Setaria basiclada (Hughes) R.D.Webster – NW LE NU GT FR EA EP NL MU
- *Paspalidium basicladum* Hughes
- *Paspalidium gracile* auct.non (R.Br.) Hughes: J.M.Black(1943), partly

. . . [?e], questionably established. [n*], native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Setaria clementii (Domin) R.D.Webster – NW LE NU GT FR EA EP MU SL
- *Panicum clementii* Domin
- *Paspalidium clementii* (Domin) C.E.Hubb.
- *Paspalidium gracile* auct.non (R.Br.) Hughes: J.M.Black(1943), partly

Setaria constricta (Domin) R.D.Webster – NW LE NU GT FR EA EP NL MU YP SL
- *Panicum constrictum* Domin
- *Paspalidium constrictum* (Domin) C.E.Hubb.
- *Paspalidium gracile* (R.Br.) Hughes var. *rugosum* Hughes

Setaria dielsii R.A.W.Herrm. – NW LE GT FR EA
- *Setaria macrostachya* auct.non Kunth: J.M.Black(1943)

* **Setaria italica** (L.) P.Beauv. – NW* GT* FR* EA* NL* MU* YP* SL* SE*
- *Panicum italicum* L.

Setaria jubiflora (Trin.) R.D.Webster – NW LE GT FR EA EP NL MU SL KI SE
- *Panicum flavidum* auct.non Retz.: Benth.(1878)
- *Panicum jubiflorum* Trin.
- *Paspalidium jubiflorum* (Trin.) Hughes

* **Setaria palmifolia** (J.Konig) Stapf – SL* SE*
- *Panicum palmifolium* J.Konig

* **Setaria parviflora** (Poir.) Kerguelen – MU* SL* KI* SE*
- *Panicum geniculatum* Poir.
- *Setaria geniculata* (Poir.) P.Beauv.
- *Setaria geniculata* (Poir.) P.Beauv. var. *pauciseta* Desv.
- *Setaria gracilis* Kunth
- *Setaria gracilis* Kunth var. *pauciseta* (Desv.) B.K.Simon

* **Setaria pumila** (Poir.) Roem. & Schult. ssp. **pumila** – FR* NL* MU* SL*
- *Panicum pumilum* Poir.
- *Setaria glauca* auct.non (L.) P.Beauv.: Jessop(1978)

Setaria reflexa (R.D.Webster) R.D.Webster – NW LE NU GT EP
- *Paspalidium reflexum* R.D.Webster

* **Setaria verticillata** (L.) P.Beauv. – LE* FR* EP* NL* MU* YP* SL* KI* SE*
- *Panicum verticillatum* L.

* **Setaria viridis** (L.) P.Beauv. – NW* NL* MU* SL* SE*
- *Panicum viride* L.

* **Sorghum × almum** Parodi – NW* GT*?id

* **Sorghum bicolor** (L.) Moench – NW* NU?e FR* EP* NL* MU* SL*
- *Holcus bicolor* L.

* **Sorghum halepense** (L.) Pers. – LE* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Andropogon halepensis* (L.) Brot.
- *Andropogon miliaceus* Roxb.
- *Holcus halepensis* L.
- *Sorghum miliaceum* (Roxb.) Snowden

* **Spartina × townsendii** H.Groves & J.Groves – SL*

* **Sphenopus divaricatus** (Gouan) Rchb. – EP* NL* YP* SL*
- *Poa divaricata* Gouan
- *Sphenopus gouanii* Trin.

Spinifex hirsutus Labill. – NU EP YP SL KI SE
- *Spinifex sericeus* R.Br., partly

?e **Spinifex longifolius** R.Br. – SL?e

Sporobolus actinocladus (F.Muell.) F.Muell. – NW LE GT FR EA EP NL
- *Sporobolus australasicus* auct.non Domin: Jessop(1978)
- *Vilfa actinoclada* F.Muell.

* **Sporobolus africanus** (Poir.) Robyns & Tournay – EP* MU* SL* KI* SE*
- *Agrostis africana* Poir.
- *Agrostis capensis* Willd.
- *Agrostis spicata* Thunb.
- *Sporobolus capensis* (Willd.) Kunth
- *Sporobolus indicus* (L.) R.Br. var. *africanus* (Poir.) Jovet & Guedes
- *Sporobolus indicus* (L.) R.Br. var. *capensis* Engl.

Sporobolus australasicus Domin – NW LE

Sporobolus blakei De Nardi ex B.K.Simon – NW LE

Sporobolus caroli Mez – NW LE GT FR EA SL
- *Sporobolus lindleyi* auct.non (Steud.) Benth.: Benth.(1878)

?n **Sporobolus creber** De Nardi – MU?n?e
Sporobolus elongatus R.Br. var. **elongatus** – LE?id
Sporobolus mitchellii (Trin.) C.E.Hubb. – LE GT MU SL SE
- *Sporobolus benthamii* F.M.Bailey
- *Sporobolus virginicus* (L.) Kunth var. *pallidus* Benth.
- *Vilfia mitchellii* Trin.

Sporobolus virginicus (L.) Kunth – LE NU FR EP NL MU YP SL KI SE
- *Agrostis virginica* L.
- *Sporobolus virginicus* L. var. *minor* F.M.Bailey ex B.K.Simon

* **Stenotaphrum secundatum** (Walter) Kuntze – EP* NL* MU* YP* SL* SE*
- *Ischaemum secundatum* Walter
- *Stenotaphrum americanum* Schrank

* **Taeniatherum caput-medusae** (L.) Nevski – NL*
- *Elymus caput-medusae* L.

Tetrarrhena acuminata R.Br. – SE
Tetrarrhena distichophylla (Labill.) R.Br. (Vulnerable status in SA) – SE
- *Ehrharta distichophylla* Labill.

* **Tetrarrhena juncea** R.Br. – SL*
Tetrarrhena turfosa N.G.Walsh – SE
Themeda avenacea (F.Muell.) Lugger – NW LE
- *Anthistiria avenacea* F.Muell.

Themeda triandra Forssk. – NW LE GT FR EA EP NL MU YP SL SE
- *Anthistiria australis* R.Br.
- *Anthistiria ciliata* auct.non L.f.: Benth.(1878)
- *Themeda australis* (R.Br.) Stapf

* **Thinopyrum elongatum** (Host) D.R.Dewey – EP* NL* MU* YP* SL* KI* SE*
- *Agropyron elongatum* (Host) P.Beauv.
- *Elymus elongatus* (Host) Runemark
- *Elytrigia elongata* (Host) Nevski
- *Lophopyrum elongatum* (Host) A.Love
- *Triticum elongatum* Host

* **Thinopyrum junceiforme** (A.Love & D.Love) A.Love – SL* KI* SE*
- *Agropyron junceiforme* (A.Love & D.Love) A.Love & D.Love
- *Elymus farctus* auct.non (Viv.) Runemark ex Melderis: Jessop(1993), partly
- *Elytrigia junceiformis* A.Love & D.Love

Thyridolepis mitchelliana (Nees) S.T.Blake – NW LE GT FR EA EP
- *Neurachne mitchelliana* Nees

Thyridolepis multiculmis (Pilg.) S.T.Blake – NW LE GT
- *Neurachne multiculmis* Pilg.

Thyridolepis xerophila (Domin) S.T.Blake – NW
- *Neurachne xerophila* Domin

Tragus australianus S.T.Blake – NW LE NU GT FR EA EP NL MU YP
- *Tragus heptaneuron* Clayton
- *Tragus racemosus* auct.non (L.) All.: Benth.(1878)

* **Tribolium acutiflorum** (Nees) Renvoize – NL* SL* SE*
- *Brizopyrum acutiflorum* Nees
- *Desmazeria acutiflora* (Nees) Hemsl.
- *Plagiochloa acutiflora* (Nees) Adamson & Sprague

* **Tribolium obliterum** (Hemsl.) Renvoize – EP* SL* SE*
- *Desmazeria oblitera* Hemsl.
- *Plagiochloa acutiflora* auct.non (Nees) Adamson & Sprague: Jessop(1986), partly

Triodia basedowii E.Pritz. – NW LE NU FR
- *Triodia pungens* auct.non R.Br.: J.M.Black(1943)

Triodia compacta (N.T.Burb.) S.W.L.Jacobs – EP MU YP SL
- *Triodia irritans* R.Br. var. *compacta* N.T.Burb.

Triodia helmsii (C.E.Hubb.) Lazarides – NW LE
- *Plectrachne helmsii* C.E.Hubb.
- *Triraphis bromoides* auct.non F.Muell.: J.M.Black(1943)

Triodia irritans R.Br. – NW LE NU GT FR EP NL SL?id
- *Triodia aristata* J.M.Black

Triodia lanata J.M.Black – NU GT EP

Triodia lanigera Domin – Distribution not available

Triodia longiceps J.M.Black – NW

Triodia melvillei (C.E.Hubb.) Lazarides – NW
- *Plectrachne melvillei* C.E.Hubb.

Triodia pungens R.Br. (Rare status in SA) – NW

Triodia scariosa N.T.Burb. – NW LE NU FR EA EP NL MU YP SL SE
- *Triodia bunicola* (S.W.L.Jacobs) Lazarides
- *Triodia irritans* R.Br. var. *laxispicata* auct.non N.T.Burb.: Jessop(1986), partly
- *Triodia irritans* R.Br. var. *laxispicata* N.T.Burb.
- *Triodia scariosa* N.T.Burb. ssp. *bunicola* S.W.L.Jacobs, partly
- *Triodia scariosa* N.T.Burb. ssp. *scariosa*

Triodia schinzii (Henrard) Lazarides – NW?id LE
- *Plectrachne schinzii* Henrard

Tripogonella loliiformis (F.Muell.) P.M.Peterson & Romasch. – NW LE GT FR EA EP MU
- *Diplachne loliiformis* (F.Muell.) F.Muell. ex Benth.
- *Festuca loliiformis* F.Muell.
- *Tripogon loliiformis* (F.Muell.) C.E.Hubb.

Triraphis mollis R.Br. – NW LE NU GT FR EA EP NL MU YP SL

* **Triticum aestivum** L. – LE* GT?e FR* EP* NL* MU* YP* SL*
- *Triticum sativum* Lam.
- *Triticum vulgare* Vill.

Uranthoecium truncatum (Maiden & Betche) Stapf – NW LE
- *Rottboellia truncata* Maiden & Betche

Urochloa gilesii (Benth.) Hughes var. **gilesii** – NW LE EA
- *Brachiaria gilesii* (Benth.) Chase
- *Panicum gilesii* Benth.
- *Urochloa gilesii* (Benth.) Hughes ssp. *gilesii*

Urochloa gilesii (Benth.) Hughes var. **notochthona** (Domin) B.K.Simon – NW LE?n EA?n
- *Brachiaria notochthona* (Domin) Stapf
- *Panicum helopus* auct.non Spreng.: Benth.(1878), partly
- *Panicum notochthonum* Domin
- *Urochloa gilesii* (Benth.) Hughes ssp. *gilesii* auct.non (Benth.) Hughes: Jessop(1993), partly
- *Urochloa notochthona* (Domin) Hughes

* **Urochloa mosambicensis** (Hack.) Dandy – NW* NL*

* **Urochloa panicoides** P.Beauv. var. **panicoides** – LE* EP* NL* MU* SL*

Urochloa piligera (F.Muell. ex Benth.) R.D.Webster – NW LE GT EA MU
- *Brachiaria piligera* (F.Muell. ex Benth.) Hughes
- *Brachiaria subquadripara* auct.non (Trin.) Hitchc.: Jessop(1989)
- *Panicum piligerum* F.Muell. ex Benth.

Urochloa praetervisa (Domin) Hughes – NW LE GT FR EA
- *Brachiaria praetervisa* (Domin) C.E.Hubb.
- *Panicum adspersum* auct.non Trin.: Benth.(1878)
- *Panicum praetervisum* Domin

* **Vulpia bromoides** (L.) Gray – NU* FR* EP* NL* MU* YP* SL* KI* SE*
- *Festuca bromoides* L.
- *Festuca sciuroides* Roth
- *Vulpia sciuroides* (Roth) Roth ex C.C.Gmelin

* **Vulpia ciliata** Dumort. – EP* MU* SL* SE*
- *Festuca ciliata* Danthoine ex Lam. & DC.
- *Festuca ciliata* Pers.
- *Festuca danthonii Asch. & Graebn.*
- *Vulpia ciliata* (Pers.) Link

* **Vulpia fasciculata** (Forssk.) Fritsch – EP* NL* MU* YP* SL* KI* SE*
- *Festuca fasciculata* Forssk.
- *Vulpia membranacea* auct.non (L.) Dumort.: Jessop(1978)

* **Vulpia muralis** (Kunth) Nees – NU* FR* EP* MU* YP*?id SL* KI* SE*
- *Festuca muralis* Kunth
- *Vulpia broteri* Boiss. & Reut.

* **Vulpia myuros** (L.) C.C.Gmelin f. **megalura** (Nutt.) Stace & R.Cotton
– FR* EP* NL* MU* YP* SL* KI* SE*
- *Festuca megalura* Nutt.
- *Vulpia megalura* (Nutt.) Rydb.

* **Vulpia myuros** (L.) C.C.Gmelin f. **myuros**
– LE* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Festuca myuros* L.

Walwhalleya jacobsiana R.D.B.Whalley & J.J.Bruhl – FR
- *Homopholis proluta* auct.non (F.Muell.) R.D.Webster: Webster(1987), partly
- *Panicum prolutum* auct.non F.Muell.: Jessop(1986), partly
- *Walwhalleya proluta* auct.non (F.Muell.) Wills & J.J.Bruhl: Bruhl et al.(2006), partly
- *Whalleya proluta* auct.non (F.Muell.) Wills & J.J.Bruhl: Wills et al.(2000), partly

Walwhalleya proluta (F.Muell.) Wills & J.J.Bruhl – GT EP NL MU YP SL SE
- *Homopholis proluta* (F.Muell.) R.D.Webster, partly
- *Panicum prolutum* F.Muell., partly
- *Whalleya proluta* (F.Muell.) K.E.Wills & J.J.Bruhl, partly

Yakirra australiensis (Domin) Lazarides & R.D.Webster var. **australiensis** – NW LE
- *Ichnanthus australiensis* (Domin) Hughes
- *Panicum australiense* Domin
- *Panicum pauciflorum* R.Br. var. *fastigiatum* Benth.

Zoysia macrantha Desv. ssp. **walshii** Night. (Rare status in SA) – EP KI SE
- *Zoysia matrella* auct.non (L.) Merr.: Jessop(1986)

Zygochloa paradoxa (R.Br.) S.T.Blake – LE GT FR EA EP
- *Neurachne paradoxa* R.Br.
- *Spinifex paradoxa* (R.Br.) Benth.

CERATOPHYLLACEAE 100.104

Ceratophyllum demersum L. (Rare status in SA) – MU SL SE

PAPAVERACEAE 100.106

* **Argemone ochroleuca** Sweet ssp. **ochroleuca** – LE* FR* EA* EP* NL* SL* SE*
- *Argemone mexicana* L. var. *ochroleuca* (Sweet) Lindl.
- *Argemone subfusiformis* Ownbey ssp. *subfusiformis* auct.non Ownbey: Toelken(1986)

* **Eschscholzia californica** Cham. – MU* SL*

* **Fumaria bastardii** Boreau – EP* NL* MU* YP* SL* KI*
- *Fumaria officinalis* L. ssp. *wirtgenii* auct.non (W.D.J.Koch) Arcang.: Toelken(1986), partly

* **Fumaria capreolata** L. – FR* EP* NL* MU* YP* SL* KI* SE*
- *Fumaria capreolata* L. ssp. *capreolata*

* **Fumaria densiflora** DC. – FR* EP* NL* MU* YP* SL*
- *Fumaria micrantha* Lag.

* **Fumaria indica** (Hausskn.) Pugsley – FR* EA* SL*
- *Fumaria vaillantii* Loisel. var. *indica* Hausskn.

* **Fumaria muralis** Sond. ex W.D.J.Koch ssp. **muralis** – FR* EP* MU* YP* SL* KI* SE*
- *Fumaria muralis* Sond. ex W.D.J.Koch ssp. *boraei* auct.non (Jord.) Pugsley: Toelken(1986), partly
- *Fumaria officinalis* L. ssp. *wirtgenii* auct.non (W.D.J.Koch) Arcang.: Toelken(1986), partly

* **Fumaria officinalis** L. ssp. **officinalis** – EP* NL* MU* SL*
- *Fumaria officinalis* L. ssp. *wirtgenii* auct.non (W.D.J.Koch) Arcang.: Toelken(1986), partly

?e **Fumaria parviflora** Lam. var. **indicoides** Pugsley – NL?e

* **Fumaria parviflora** Lam. var. **parviflora** – NL* YP* SL* SE*

* **Glaucium corniculatum** (L.) Rudolph – LE* FR* EA* EP* NL* MU* YP* SL* SE*
- *Chelidonium corniculatum* L.
- *Glaucium corniculatum* (L.) Rudolph var. *flaviflorum* auct.non DC.: J.M.Black(1948)
- *Glaucium corniculatum* (L.) Rudolph var. *phoeniceum* (Crantz) DC.
- *Glaucium phoeniceum* Crantz

* **Glaucium flavum** Crantz – NL* YP* SL*
- *Glaucium flavum* Crantz var. *leiocarpum* auct.non (Boiss.) Stoj. & Stef.: Toelken(1986)
- *Glaucium leiocarpum* Boiss.
- *Glaucium luteum* Scop.

* **Hypecoum pendulum** L. – NL* YP*
- *Hypecoum trilobum* Trautv.

* **Papaver aculeatum** Thunb. – FR* EP* MU* YP* SL* KI*
- *Papaver horridum* DC.

* **Papaver argemone** L. – FR*

* **Papaver dubium** L. – NL* MU* YP* SL* SE*

* **Papaver hybridum** L. – NW* LE* NU* FR* EA* EP* NL* MU* YP* SL*

* **Papaver rhoeas** L. – FR* MU* SL* KI* SE*

* **Papaver somniferum** L. – LE* NU* FR* EP* MU* YP* SL* SE*
- *Papaver setigerum* DC.
- *Papaver somniferum* L. ssp. *setigerum* (DC.) Corb.
- *Papaver somniferum* L. var. *setigerum* (DC.) Elkan

?e **Platycapnos spicatus** (L.) Bernh. ssp. **spicatus** – NL?e
- *Fumaria spicata* L.

?e **Roemeria hybrida** (L.) DC. var. **hybrida** – NL?e
- *Chelidonium hybridum* L.
- *Roemeria hybrida* (L.) DC. var. *velutino-eriocarpa* Fedde

?e **Romneya coulteri** Harv. – NL?e SL?e

BERBERIDACEAE 100.110

* **Berberis aquifolium** Pursh – NL* SL*
- *Mahonia aquifolium* (Pursh) Nutt.

?e **Berberis darwinii** Hook. – SL?e

?e **Berberis thunbergii** DC. var. **atropurpurea** Chenault – SL?e

RANUNCULACEAE 100.111

* **Adonis microcarpa** DC. (Declared SA plant) – FR* EP* NL* MU* YP* SL* SE*
- *Adonis aestivalis* auct.non L: H.Eichler(1965)
- *Adonis annua* auct.non L: H.Eichler(1965)
- *Adonis autumnalis* auct.non L.: J.M.Black(1948)

* **Anemone hortensis** L. – NL*

* **Aquilegia sp.** – SL*

Clematis aristata R.Br. ex Ker Gawl. (Vulnerable status in SA) – SL?e SE

Clematis decipiens H.Eichler ex Jeanes – NW?id FR EA EP NL MU SL KI SE
- *Clematis microphylla* auct.non DC.: Eichler in Jessop & Toelken(1986), partly
- *Clematis microphylla* auct.non DC.: Barker et al.(2005) var. *microphylla*, partly

?e **Clematis flammula** L. – EP?e NL?e MU?e YP?e SL?e

Clematis leptophylla (F.Muell. ex Benth.) H.Eichler – FR EP YP KI SE
- *Clematis microphylla* auct.non DC.: Eichler in Jessop & Toelken(1986), partly
- *Clematis microphylla* DC. var. *leptophylla* F.Muell.

Clematis microphylla DC. – FR EP NL MU YP SL KI SE
- *Clematis microphylla* DC. var. *microphylla*, partly

* **Clematis vitalba** L. – EP?e SL*

?e **Consolida ajacis** (L.) Schur – EP?e SL?e
- *Consolida ambigua* auct.non (L.) P.W.Ball & Heywood: Eichler in Jessop & Toelken(1986)
- *Delphinium ajacis* L.

Myosurus australis F.Muell. – NW LE GT FR EA EP MU YP
- *Myosurus minimus* auct.non L.: J.M.Black(1948)
- *Myosurus minimus* L. var. *australis* (F.Muell.) Huth

?e **Nigella damascena** L. – NL?e SL?e

Ranunculus amphitrichus Colenso – FR NL MU SL KI SE
- *Ranunculus rivularis* Banks & Sol. ex DC., non Spreng.(1807)

Ranunculus amplus N.G.Walsh & B.G.Briggs – SE

?e **Ranunculus arvensis** L. – SE?e

Ranunculus diminutus B.G.Briggs – SE
- *Ranunculus sp. B* Fl. New South Wales(1990)

* **Ranunculus flammula** L. – SL*

Ranunculus glabrifolius Hook. (Vulnerable status in SA) – SE

Ranunculus hamatosetosus H.Eichler – LE FR EA EP NL MU SL
- *Ranunculus parviflorus* auct.non L.: J.M.Black(1948), partly

Ranunculus inundatus R.Br. ex DC. (Rare status in SA) – MU SL SE
- *Ranunculus rivularis* auct.non J.M.Black(1948), partly

Ranunculus lappaceus Sm. – FR EP NL MU SL SE

* **Ranunculus muricatus** L. – FR* EP* NL* MU* SL* SE*
* **Ranunculus ophioglossifolius** Vill. – SE*
Ranunculus pachycarpus B.G.Briggs – FR NL MU YP SL KI SE
- *Ranunculus lappaceus* auct.non Sm.: J.M.Black(1948), partly
Ranunculus papulentus Melville (Vulnerable status in SA) – MU SL SE
* **Ranunculus parviflorus** L. – SL* SE*
Ranunculus pentandrus J.M.Black var. **pentandrus** – LE
- *Ranunculus parviflorus* L. var. *glabrescens* auct.non J.M.Black: J.M.Black(1948), partly
Ranunculus pentandrus J.M.Black var. **platycarpus** (F.Muell.) H.Eichler
– NW LE GT FR EA EP MU ?SL
- *Ranunculus parviflorus* L. var. *glabrescens* J.M.Black
- *Ranunculus pentandrus* J.M.Black var. *glabrescens* (J.M.Black) Melville
- *Ranunculus sessiliflorus* R.Br. ex DC. var. *platycarpus* F.Muell.
Ranunculus pumilio R.Br. ex DC. var. **politus** Melville (Vulnerable status in SA) – FR EA MU SE
- *Ranunculus parviflorus* auct.non L.: J.M.Black(1948), partly
Ranunculus pumilio R.Br. ex DC. var. **pumilio** – NW LE GT EA EP MU YP SL KI SE
- *Ranunculus parviflorus* auct.non L.: J.M.Black(1948), partly
* **Ranunculus repens** L. – NL* SL* SE*
Ranunculus robertsonii Benth. (Rare status in SA) – SE
- *Ranunculus lappaceus* auct.non Sm.: J.M.Black(1948)
* **Ranunculus sardous** Crantz – SL*
* **Ranunculus sceleratus** L. ssp. **sceleratus** (Declared SA plant) – MU* SE*
Ranunculus sessiliflorus R.Br. ex DC. var. **pilulifer** (Hook.) Melville (Vulnerable status in SA)
– FR EP?id ?NL MU YP KI?id SE
- *Ranunculus pilulifer* Hook.
Ranunculus sessiliflorus R.Br. ex DC. var. **sessiliflorus**
– NW LE FR EA EP NL MU YP SL KI SE
* **Ranunculus trichophyllus** Chaix – FR* EP* NL* MU* SL* KI* SE*
- *Batrachium trichophyllum* (Chaix) Bosch, nom.illeg.
- *Batrachium trichophyllum* (Chaix) F.W.Schultz
- *Ranunculus aquatilis* auct.non L.: J.M.Black(1948)
* **Ranunculus trilobus** Desf. – EP* MU* SL* KI* SE*
- *Ranunculus trachycarpus* auct.non Fisch.& C.A.Mey.: J.M.Black(1948)
* **Ranunculus undosus** Melville – MU*

PLATANACEAE 100.114
?e **Platanus** × **hispanica** Mill. ex Munchh. cv. **Acerifolia** – NL?e SL?e
- *Platanus* × *acerifolia* (Aiton) Willd.
- *Platanus acerifolia* (Aiton) Willd. var. *hispanica* (Munchh.) Bean
- *Platanus hispanica* Mill. ex Munchh.
- *Platanus* × *hybrida* Brot.
- *Platanus orientalis* L. × *Platanus occidentalis* L.
- *Platanus orientalis* L. var. *acerifolia* Aiton

PROTEACEAE 100.115
Adenanthos macropodianus E.C.Nelson – KI
- *Adenanthos barbata* F.Muell. ex Benth., nom.inval. pro syn., orth.var.
- *Adenanthos macropodiana* E.C.Nelson, orth.var.
- *Adenanthos sericea* auct.non Labill.: Tate(1890), orth.var.
- *Adenanthos sericea* Labill. var. *brevifolia* Benth., orth.var.
- *Adenanthos sericea* Labill. ?var. *brevifolia* Benth., orth.var.
Adenanthos terminalis R.Br. – EP MU SL KI SE
- *Adenanthos terminalis* R.Br. β *plumosa* Meisn., orth.var.
- *Adenanthos terminalis* R.Br. var. *plumosus* Meisn.
* **Banksia formosa** (R.Br.) A.R.Mast & K.R.Thiele – SE*
- *Dryandra formosa* R.Br.
?e **Banksia grandis** Willd. – KI?e
Banksia marginata Cav. – EP NL MU SL KI SE
- *Banksia patula* R.Br.
Banksia ornata F.Muell. ex Meisn. – EP MU SL KI SE
- *Banksia ornata* F.Muell. ex Meisn. var. *rufa* Ashby

- *Sirmuellera ornata* (F.Muell. ex Meisn.) Kuntze

?e **Banksia prionotes** Lindl. – KI?e

* **Banksia undata** A.R.Mast & K.R.Thiele var. **undata** – SL*

- *Dryandra praemorsa* Meisn., partly
- *Dryandra praemorsa* Meisn. var. *praemorsa*

Conospermum mitchellii Meisn. – ?SE

Conospermum patens Schltdl. – EP NL MU SL KI SE

- *Conospermum cucullatum* Gand.
- *Conospermum helichrysoides* Gand.

Grevillea albiflora C.T.White – NW

Grevillea anethifolia R.Br. (Rare status in SA) – EP

- *Grevillea biternata* auct.non Meisn.: J.M.Black(1943)

Grevillea angustiloba (F.Muell.) Downing ssp. **angustiloba** (Endangered* status in SA) – SE

- *Grevillea ilicifolia* (R.Br.) R.Br., partly
- *Grevillea ilicifolia* (R.Br.) R.Br. var. *angustiloba* F.Muell.

Grevillea angustiloba (F.Muell.) Downing ssp. **wirregaensis** Downing (Endangered status in SA) – SE

- *Grevillea ilicifolia* (R.Br.) R.Br., partly

Grevillea aquifolium Lindl. (Rare status in SA) – MU?e SL* SE

Grevillea aspera R.Br. – FR EP

- *Grevillea aspera* R.Br. *Eyre Peninsula form* Makinson(2000)
- *Grevillea aspera* R.Br. *Flinders Ranges form* Makinson(2000)
- *Grevillea aspera* R.Br. *Gawler Ranges form* Makinson(2000)

Grevillea dilatata (R.Br.) Downing – EP YP KI

- *Grevillea ilicifolia* (R.Br.) R.Br., partly
- *Grevillea ilicifolia* (R.Br.) R.Br. β *dilatata* R.Br.

?e **Grevillea dimorpha** F.Muell. – SL?e

- *Grevillea speciosa* Knight(McGill.) ssp. *dimorpha* (F.Muell.) McGill.

Grevillea eriostachya Lindl. – NW

- *Grevillea eriostachya* Lindl. ssp. *eriostachya*

Grevillea halmaturina Tate ssp. **halmaturina** (Rare status in SA) – KI ?SE

- *Grevillea linearifolia* auct.non (Cav.) Druce: McGill.& Makinson(1993), partly
- *Grevillea parviflora* auct.non R.Br.: W.R.Barker(1968), partly
- *Grevillea parviflora* R.Br. var. *acuaria* F.Muell. ex Benth., partly

Grevillea halmaturina Tate ssp. **laevis** Makinson (Rare status in SA) – EP

- *Grevillea linearifolia* auct.non (Cav.) Druce: McGill.& Makinson(1993), partly
- *Grevillea parviflora* auct.non R.Br.: W.R.Barker(1968), partly
- *Grevillea parviflora* R.Br. var. *acuaria* F.Muell. ex Benth., partly

Grevillea huegelii Meisn. – NW LE NU GT FR EA EP NL MU YP SL

Grevillea ilicifolia (R.Br.) R.Br. ssp. **ilicifolia** – FR EP NL MU YP SL KI SE

- *Anadenia ilicifolia* R.Br.
- *Grevillea behrii* Schltdl.

Grevillea ilicifolia R.Br. ssp. **lobata** (F.Muell.) Downing – MU SE

- *Grevillea ilicifolia* (R.Br.) R.Br., partly
- *Grevillea ilicifolia* (R.Br.) R.Br. var. *lobata* (F.Muell.) Benth.
- *Grevillea lobata* F.Muell.
- *Grevillea lobata* F.Muell. β *sturtii* Meisn.

Grevillea juncifolia Hook. ssp. **juncifolia** – NW LE NU GT EP

- *Grevillea sturtii* R.Br.

* **Grevillea juniperina** R.Br. ssp. **juniperina** – SL*

Grevillea lavandulacea Schltdl. ssp. **lavandulacea** – FR NL MU SL SE

- *Grevillea lavandulacea* Schltdl. α *latifolia* Meisn.
- *Grevillea lavandulacea* Schltdl. β *lanceolata* Meisn.
- *Grevillea lavandulacea* Schltdl. γ *angustifolia* Meisn.
- *Grevillea lavandulacea* Schltdl. var. *angustifolia* Schltdl.
- *Grevillea lavandulacea* Schltdl. var. *lanceolata* Meisn.
- *Grevillea lavandulacea* Schltdl. var. *latifolia* Meisn.
- *Grevillea lavandulacea* Schltdl. var. *sericea* Benth.
- *Grevillea ramulosa* F.Muell. ex Meisn.
- *Grevillea rosea* Lindl.

?e **Grevillea lavandulacea** Schltdl. ssp. **lavandulacea** × **Grevillea rosmarinifolia** A.Cunn. ssp. **rosmarinifolia** – FR?e SL?e SE?e

Grevillea lavandulacea Schltdl. ssp. **rogersii** (Maiden) Makinson (Rare status in SA) – KI
- *Grevillea rogersii* Maiden

?e **Grevillea leucopteris** Meisn. – KI?e

?e **Grevillea manglesii** Pepin ssp. **manglesii** – SL?e
- *Anadenia manglesii* Graham

Grevillea muricata J.M.Black (Rare status in SA) – KI
- *Grevillea lavandulacea* auct.non Schltdl.: W.R.Barker(1983), partly
- *Grevillea rogersii* auct.non Maiden: J.M.Black(1948), partly

Grevillea nematophylla F.Muell. ssp. **nematophylla** – NW LE NU GT FR EA EP
- *Grevillea nematophylla* F.Muell. *simple-leaf or typical form* Olde & Marriott(1995)
- *Grevillea nematophylla* F.Muell. *simple-leaved race* McGill.& Makinson(1993)
- *Grevillea purdieana* Diels

Grevillea nematophylla F.Muell. ssp. **supraplana** Makinson – NU
- *Grevillea nematophylla* F.Muell. *divided-leaf form* Olde & Marriott(1995)
- *Grevillea nematophylla* F.Muell. *divided-leaved race* McGill.& Makinson(1993)

Grevillea parallelinervis Carrick – EP

Grevillea pauciflora R.Br. ssp. **leptophylla** W.R.Barker (Rare status in SA) – EP
- *Grevillea pauciflora* R.Br. ssp. *"Narrow-leaved"(R.Bates 6936)* W.R.Barker

Grevillea pauciflora R.Br. ssp. **pauciflora** – EP YP KI

Grevillea pterosperma F.Muell. – NW LE NU GT FR EP MU SE

Grevillea quinquenervis J.M.Black – KI

?e **Grevillea robusta** A.Cunn. ex R.Br. – FR?e SL?e SE?e

* **Grevillea rosmarinifolia** A.Cunn. ssp. **rosmarinifolia** – SL*
- *Grevillea rosmarinifolia* A.Cunn.

Grevillea sarissa S.Moore ssp. **umbellifera** (J.M.Black) McGill. – GT EP
- *Grevillea umbellifera* J.M.Black

* **Grevillea sericea** (Sm.) R.Br. ssp. **sericea** – SL*
- *Embothrium sericeum* Sm.

Grevillea stenobotrya F.Muell. – NW LE NU
- *Grevillea livea* Ewart & M.E.L.Archer
- *Grevillea simulans* Morrison

Grevillea striata R.Br. – NW LE FR EA
- *Grevillea lineata* R.Br.

Grevillea treueriana F.Muell. (Vulnerable status in SA, Vulnerable status in Australia) – GT

?e **Grevillea vestita** (Endl.) Meisn. ssp. **vestita** – SL?e
- *Manglesia vestita* Endl.

Hakea aenigma W.R.Barker & Haegi (Rare status in SA) – KI
- *Hakea cf. francisiana* F.Muell.: Maconochie(1973)

?n **Hakea baxteri** R.Br. – ?NU?n

?e **Hakea bucculenta** C.A.Gardner – SL?e

Hakea carinata F.Muell. ex Meisn. – FR NL MU SL ?KI SE
- *Hakea carinata* F.Muell. ex Meisn. α *planifolia* Meisn.
- *Hakea carinata* F.Muell. ex Meisn. β *trigonophylla* Meisn.
- *Hakea ulicina* auct.non R.Br.: R.Tate(1880)
- *Hakea ulicina* R.Br. var. *carinata* (F.Muell. ex Meisn.) Benth., partly

* **Hakea cucullata** R.Br. – SL*

Hakea cycloptera R.Br. – EP

* **Hakea decurrens** R.Br. ssp. **physocarpa** W.R.Barker – SL*
- *Hakea sericea* auct.non Schrad.& J.C.Wendl.: W.R.Barker(1985), partly
- *Hakea vittata* R.Br. var. *glabriflora* J.M.Black ex J.H.Willis

Hakea divaricata L.A.S.Johnson – NW
- *Hakea eyreana* auct.non (S.Moore) McGill.: Boomsma(1981)
- *Hakea intermedia* Ewart & O.B.Davies
- *Hakea ivoryi* auct.non F.M.Bailey: J.M.Black(1948)
- *Hakea ivoryi* F.M.Bailey var. *glabrescens* J.M.Black

* **Hakea drupacea** (C.F.Gaertn.) Roem. & Schult. – SL?e SE*
- *Hakea suaveolens* R.Br.

Hakea ednieana Tate – LE FR EA

Hakea elliptica (Sm.) R.Br. – SL KI?e

Hakea eyreana (S.Moore) McGill. – LE
- *Grevillea eyreana* S.Moore

- *Hakea divaricata* auct.non L.A.S.Johnson: Boomsma(1981), partly
- *Hakea ednieana* auct.non Tate: G.M.Cunningham(1981), partly
- *Hakea intermedia* auct.non Ewart & O.B.Davies: J.M.Black(1924), partly
- *Hakea ivoryi* auct.non F.M.Bailey: Boomsma(1981), partly

Hakea francisiana F.Muell. – NW NU GT EP
- *Hakea coriacea* Maconochie
- *Hakea multilineata* auct.non Meisn.: J.M.Black(1948)
- *Hakea multilineata* Meisn. var. *grammatophylla* auct.non (F.Muell.) Benth.: J.M.Black(1948), partly

* **Hakea laurina** R.Br. – NL* MU?e SL* KI*
- *Hakea eucalyptoides* Meisn.

Hakea leucoptera R.Br. ssp. **leucoptera** – NW LE NU GT FR EA EP NL MU YP SL
- *Hakea florigera* Gand.
- *Hakea kippistiana* auct.non Kippist & Meisn.: J.M.Black(1948)
- *Hakea leucoptera* R.Br. var. *kippistiana* auct.non Kippist & Meisn.: J.M.Black(1948)
- *Hakea stricta* F.Muell. ex Meisn.
- *Hakea virgata* R.Br.

Hakea lorea (R.Br.) R.Br. ssp. **lorea** – NW LE
- *Hakea suberea* S.Moore

Hakea minyma Maconochie – NW

Hakea mitchellii Meisn. – EP MU YP SL KI SE
- *Hakea flexibilis* F.Muell. ex Meisn.
- *Hakea flexilis* F.Muell. ex Meisn.
- *Hakea muelleriana* J.M.Black
- *Hakea ulicina* R.Br. var. *flexilis* (F.Muell. ex Meisn.) C.Moore & Betche

Hakea nodosa R.Br. – SL?e SE
- *Hakea flexilis* R.Br.
- *Hakea semiplana* F.Muell. ex Meisn.

* **Hakea petiolaris** ssp. **trichophylla** Haegi – SL*

* **Hakea prostrata** R.Br. – SL?e SE*

Hakea repullulans H.M.Lee – SE
- *Hakea ulicina* auct.non R.Br.: J.H.Willis(1973), partly
- *Hakea ulicina* R.Br. var. *latifolia* J.M.Black
- *Hakea ulicina* R.Br. var. *macrocarpa* Meisn.

Hakea rostrata F.Muell. ex Meisn. – NL MU SL KI SE
- *Hakea pampliniana* Meisn. ex Kippist

Hakea rugosa R.Br. – FR EP NL MU YP SL KI SE

?e **Hakea salicifolia** (Vent.) B.L.Burtt ssp. **salicifolia** – SL?e
- *Hakea saligna* (Andrews) Knight

?e **Hakea sericea** Schrad. & J.C.Wendl. – SL?e SE?e

Hakea tephrosperma R.Br. (Rare status in SA) – EA MU
- *Hakea leucoptera* auct.non R.Br.: Benth.(1870), partly
- *Hakea vittata* auct.non R.Br.: J.H.Willis(1973)

?e **Hakea teretifolia** (Salisb.) Britten – SL?e
- *Banksia teretifolia* Salisb.

* **Hakea undulata** R.Br. – SL*

Hakea vittata R.Br. – EP SL KI SE

Isopogon ceratophyllus R.Br. – NL MU SL KI SE

?e **Isopogon dubius** (R.Br.) Druce – SL?e

* **Isopogon latifolius** R.Br. – SL*

Persoonia juniperina Labill. – SL SE

Petrophile multisecta F.Muell. – KI
- *Petrophila multisecta* F.Muell.

?e **Protea cynaroides** (L.) L. – KI?e
- *Leucodendron cynaroides* L.

?e **Protea neriifolia** R.Br. – KI?e

GUNNERACEAE 100.119

* **Gunnera tinctoria** (Molina) Mirbel – SL*
- *Gunnera chilensis* Lam.
- *Gunnera sp.*

DILLENIACEAE 100.120

Hibbertia australis N.A.Wakef. – NL SL SE
- *Hibbertia riparia* auct.non (R.Br. ex DC.) Hoogland: Toelken(1996), partly
- *Hibbertia stricta* auct.non (R.Br. ex DC.) R.Br. ex F.Muell.: Black(1952), partly

Hibbertia cinerea (R.Br. ex DC.) Toelken (Rare status in SA) – EP KI
- *Hibbertia aspera* auct.non DC.: Jessop in Jessop(1986), partly
- *Hibbertia sericea* auct.non (R.Br. ex DC.) Benth.: Benth.(1863), partly
- *Hibbertia sericea* (R.Br. ex DC.) Benth. var. *cinerea* (R.Br. ex DC.) J.M.Black
- *Hibbertia sp. A* Toelken in Jessop(1993)
- *Pleurandra cinerea* R.Br. ex DC.

Hibbertia crinita Toelken – FR EP NL MU SL KI SE
- *Hibbertia incana* auct.non (Lindl.) Toelken: Toelken(1995), partly
- *Hibbertia sericea* auct.non (R.Br. ex DC.) Benth.: Jessop(1986), partly
- *Hibbertia stricta* (R.Br. ex DC.) R.Br. ex F.Muell. var. *canescens* auct.non Benth.: J.M.Black(1952)

Hibbertia crispula J.M.Black (Vulnerable status in SA, Vulnerable status in Australia) – NU GT

Hibbertia devitata Toelken – EP MU YP SL KI SE
- *Hibbertia riparia* auct.non (R.Br.ex DC.) Hoogland: Jessop & Toelken(1986), partly
- *Hibbertia sp. Glabriuscula (D.J.Whibley 9012)* Toelken in Barker et al.(2005), partly
- *Hibbertia stricta* auct.non (R.Br.ex DC.) F.Muell.: Tate(1890), partly
- *Hibbertia stricta* (R.Br.ex DC.) F.Muell. var. *glabriuscula* auct.non Benth.: J.M.Black(1952), partly

Hibbertia exutiacies N.A.Wakef. – FR EP NL MU SL KI SE
- *Hibbertia acicularis* auct.non (Labill.) F.Muell.: Tate(1890)
- *Hibbertia acicularis* (Labill.) F.Muell. var. *sessiliflora* J.M.Black

Hibbertia fasciculata R.Br. ex DC. – KI SE
- *Hibbertia prostrata* auct.non Hook.: Jessop(1986)

Hibbertia glaberrima F.Muell. (Rare status in SA) – NW
- *Hibbertia muelleri-ferdinandi* Gilg

Hibbertia glebosa Toelken ssp. **glebosa** – SL
- *Hibbertia australis* auct.non N.A.Wakef.: Barker et al.(2005), partly
- *Hibbertia stricta* auct.non (R.Br. ex DC.) F.Muell.: Toelken(1986), partly
- *Hibbertia stricta* (R.Br. ex DC.) F.Muell. var. *canescens* Benth., partly
- *Hibbertia stricta* var. *stricta* auct.non (R.Br. ex DC.) F.Muell.: Black(1952), partly

Hibbertia glebosa Toelken ssp. **oblonga** (J.M.Black) Toelken (Rare status in SA) – KI
- *Hibbertia australis* auct.non N.A.Wakef.: H.Eichler(1965), partly
- *Hibbertia globosa* Toelken ssp. *oblonga* (J.M.Black) Toelken, orth.var.(orig.)
- *Hibbertia sp. Humilis (H.R.Toelken 9196)* Toelken
- *Hibbertia stricta* auct.non (R.Br.ex DC.) F.Muell.: Jessop & Toelken(1986), partly
- *Hibbertia stricta* (R.Br.ex DC.) F.Muell. var. *oblonga* J.M.Black

Hibbertia hirsuta (Hook.) Benth. – SL
- *Pleurandra hirsuta* Hook.

Hibbertia obtusibracteata Toelken (Vulnerable status in SA) – KI
- *Hibbertia acicularis* auct.non (Labill.) F.Muell.: Jessop(1986)

Hibbertia paeninsularis J.M.Black – EP KI
- *Hibbertia sericea* auct.non (R.Br. ex DC.) Benth.: Tate(1890)

Hibbertia pallidiflora Toelken – YP SL KI SE
- *Hibbertia aspera* auct.non DC.: H.Eichler(1965), partly
- *Hibbertia aspera* auct.non DC.: Jessop in Jessop(1986), partly
- *Hibbertia billardieri* auct.non F.Muell.: J.M.Black(1952), partly
- *Hibbertia sp. C* Toelken in Jessop(1993), partly

Hibbertia platyphylla Toelken ssp. **halmaturina** Toelken – KI
- *Hibbertia sericea* (R.Br. ex DC.) Benth. var. *major* auct.non J.M.Black: Jessop(1986), partly
- *Hibbertia sericea* (R.Br. ex DC.) Benth. var. *scabrifolia* auct.non J.M.Black: J.M.Black(1952)

Hibbertia platyphylla Toelken ssp. **major** (J.M.Black) Toelken – EP YP
- *Hibbertia sericea* auct.non (R.Br. ex DC.) Benth.: Tate(1890), partly
- *Hibbertia sericea* (R.Br. ex DC.) Benth. var. *major* J.M.Black

Hibbertia platyphylla Toelken ssp. **platyphylla** – EP YP
- *Hibbertia sericea* auct.non (R.Br. ex DC.) Benth.: J.M.Black(1952)
- *Hibbertia sericea* (R.Br. ex DC.) Benth. var. *major* auct.non J.M.Black: Jessop(1986), partly
- *Hibbertia stricta* auct.non (R.Br. ex DC.) R.Br. ex F.Muell.: Tate(1890), partly
- *Hibbertia stricta* (R.Br. ex DC.) R.Br. ex F.Muell. var. *hirtiflora* auct.non Benth.: Benth.(1863), partly

Hibbertia radians (Toelken) T.Hammer – SL KI
- *Hibbertia aspera* auct.non DC.: Jessop in Jessop & Toelken(1986), partly
- *Hibbertia billardierei* auct.non F.Muell.: J.M.Black(1926)
- *Hibbertia billardierei* F.Muell. var. *parviflora* auct.non(R.Br.ex DC.) Benth.: J.M.Black(1952)
- *Hibbertia empetrifolia* (DC.) Hoogland ssp. *radians* Toelken
- *Hibbertia sp. B* Toelken in Jessop(1993)
- *Hibbertia sp."B"* Toelken in Jessop(1993)

Hibbertia riparia (R.Br. ex DC.) Hoogland – SL KI SE
- *Hibbertia stricta* auct.non (R.Br. ex DC.) R.Br. ex F.Muell.: Black(1952), partly
- *Pleurandra riparia* R.Br. ex DC.

Hibbertia sericea (R.Br. ex DC.) Benth. – MU SL KI SE
- *Hibbertia densiflora* auct.non (Hook.) F.Muell.: F.Muell.(1862)
- *Hibbertia sericea* (R.Br. ex DC.) Benth. var. *scabrifolia* J.M.Black
- *Pleurandra sericea* R.Br. ex DC.

Hibbertia sessiliflora Toelken (Endangered status in SA) – SE

Hibbertia setifera Toelken – KI SE
- *Hibbertia riparia* auct.non (R.Br.ex DC.) Hoogland: Jessop & Toelken(1986), partly
- *Hibbertia sp. Glabriuscula (D.J.Whibley 9012)* Toelken in Barker et al.(2005), partly
- *Hibbertia stricta* (R.Br.ex DC.) F.Muell. var. *glabriuscula* auct.non Benth.: J.M.Black(1952), partly

Hibbertia tenuis Toelken & R.J.Bates (Endangered status in SA, Critically Endangered status in Australia) – SL

Hibbertia villifera Tepper ex Toelken – SL KI
- *Hibbertia sericea* auct.non (R.Br. ex DC.) Benth.: Tate(1890), partly
- *Hibbertia sericea* (R.Br. ex DC.) Benth. var. *major* auct.non J.M.Black: Jessop(1986), partly

Hibbertia virgata R.Br. ex DC. – GT EP NL MU YP SL KI SE
- *Hibbertia fasciculata* R.Br. ex DC. var. *crassifolia* Benth.
- *Hibbertia glandulosa* Schltdl.
- *Hibbertia virgata* R.Br. ex DC. var. *crassifolia* (Benth.) J.M.Black
- *Hibbertia virgata* R.Br. ex DC. var. *incana* J.M.Black

ALTINGIACEAE 100.123

?e **Liquidambar styraciflua** L. – SL?e SE?e
- *Liquidamber styraciflua* L.

CRASSULACEAE 100.130

* **Aeonium arboreum** (L.) Webb & Berthel. – NL* MU* YP* SL* KI* SE*
- *Sempervivum arboreum* L.

* **Aeonium haworthii** Webb & Berthel. – EP* NL* SL* KI* SE*
- *Aeonium castello-paivae* auct.non Bolle: Toelken(1986)

* **Bryophyllum delagoense** (Eckl. & Zeyh.) Schinz – GT?e FR?e EP* MU?e
- *Kalanchoe delagoensis Eckl. & Zeyh.*

* **Bryophyllum fedtschenkoi** (Raym.-Hamet & H.Perrier) Lauz.-March. – EP*
- *Kalanchoe fedtschenkoi* Raym.-Hamet & H.Perrier

* **Cotyledon orbiculata** L. var. **oblonga** (Haw.) DC. – MU*?id SL* SE*?id
- *Cotyledon oblonga* Haw.

* **Cotyledon orbiculata** L. var. **orbiculata** – FR* EP* NL*?id MU* YP* SL* KI*

* **Crassula alata** (Viv.) A.Berger var. **alata** – NL* MU* SL* KI* SE*
- *Crassula alata* (Viv.) A.Berger
- *Crassula tillaea* Lest.-Garl.
- *Crassula tripartita* N.A.Wakef.
- *Tillaea alata* Viv.

* **Crassula ciliata** L. – SL*

Crassula closiana (Gay) Reiche – EP NL YP SL KI SE
- *Crassula pedicellosa* (F.Muell.) Ostenf.
- *Tillaea closiana* Gay
- *Tillaea macrantha* Hook.f. var. *pedicellosa* F.Muell.
- *Tillaea pedicellosa* (F.Muell.) F.Muell.

Crassula colligata Toelken ssp. **colligata** – FR EP NL MU SL KI SE
- *Crassula sieberiana* (Schult. & Schult.f.) Druce ssp. *tetramera* Toelken, partly

Crassula colligata Toelken ssp. **lamprosperma** Toelken – LE NU FR EP NL MU YP SL KI SE
- *Crassula sieberiana* (Schult.& Schult.f.) Druce ssp. *tetramera* Toelken, partly

Crassula colorata (Nees) Ostenf. var. **acuminata** (Reader) Toelken
– NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Crassula colorata* (Nees) Ostenf. var. *tuberculata* Toelken
- *Tillaea acuminata* Reader
- *Tillaea sieberana* Schult. & Schult.f. var. *acuminata* (Reader) Ewart, Jean White & Tovey

Crassula colorata (Nees) Ostenf. var. **colorata** – NU GT FR EA EP NL MU YP SL SE
- *Crassula intricata* (Nees) Ostenf.
- *Tillaea adscendens* Nees
- *Tillaea colorata* Nees
- *Tillaea intricata* Nees

Crassula decumbens Thunb. var. **decumbens** – FR EP NL MU YP SL KI SE
- *Crassula macrantha* (Hook.f.) Diels & E.Pritz.
- *Tillaea macrantha* Hook.f.

?e **Crassula ericoides** Haw. ssp. **ericoides** – SL?e

Crassula exserta (Reader) Ostenf. (Rare status in SA) – EP SL SE
- *Tillaea exserta* Reader

Crassula extrorsa Toelken – EP
- *Crassula exserta* auct.non (Reader) Ostenf.: Toelken(1981), partly
- *Crassula sieberiana* (Schult. & Schult.f.) Druce ssp. *tetramera* Toelken, partly

* **Crassula glomerata** P.J.Bergius – SE*

Crassula helmsii (Kirk) Cockayne – MU SL KI SE
- *Bulliarda recurva* Hook.f.
- *Crassula recurva* (Hook.f.) Ostenf.
- *Tillaea helmsii* Kirk
- *Tillaea recurva* Hook.f.

* **Crassula multicava** Lem. ssp. **multicava** – EP* YP* SL* KI* SE*

* **Crassula natans** Thunb. var. **minor** (Eckl. & Zeyh.) G.D.Rowley – EP* NL* MU* YP* SL* KI* SE*
- *Crassula natans* Thunb. var. *minus* (Eckl. & Zeyh.) G.D.Rowley, orth.var.
- *Helophytum natans* (Thunb.) Eckl. & Zeyh. var. *minus* Eckl. & Zeyh.

Crassula peduncularis (Sm.) F.Meigen (Rare status in SA) – FR EP NL MU SL KI SE
- *Crassula bonariensis* Cambess.
- *Crassula purpurata* (Hook.f.) Domin
- *Tillaea peduncularis* Sm.
- *Tillaea purpurata* Hook.f.

* **Crassula sarmentosa** Harv. var. **sarmentosa** – SL* KI* SE*

Crassula sieberiana (Schult. & Schult.f.) Druce (Endangered status in SA) – SL
- *Crassula sieberiana* (Schult. & Schult.f.) Druce ssp. *sieberiana*
- *Tillaea sieberana* Schult. & Schult.f.
- *Tillaea verticillaris* DC.

* **Crassula spathulata** Thunb. – SL*

* **Crassula tetragona** L. ssp. **robusta** (Toelken) Toelken – EP* NL* MU* YP?e SL* KI* SE*
- *Crassula robusta* Toelken
- *Crassula tetragona* L.

Crassula tetramera (Toelken) A.P.Druce & Sykes – NW LE FR EP MU SE
- *Crassula sieberiana* (Schult. & Schult.f.) Druce ssp. *tetramera* Toelken, partly

* **Sedum praealtum** A.DC. – NL*?id MU* SL*
- *Sedum dendroideum* DC. ssp. *praealtum* (A.DC.) R.T.Clausen

* **Sedum rupestre** L. – SL*

* **Sedum sediforme** (Jacq.) Pau – FR* NL* MU* YP* SL*
- *Sedum altissimum* Poir.
- *Sedum nicaeense* All.
- *Sempervivum sediforme* Jacq.

HALORAGACEAE 100.134

Glischrocaryon angustifolium (Nees) M.L.Moody & Les – NW GT EP
- *Glischrocaryon aureum* (Lindl.) Orchard var. *angustifolium* (Nees) Orchard
- *Loudonia aurea* Lindl. var. *angustifolia* Nees
- *Loudonia roei* auct.non (Endl.) Schltdl.: J.M.Black(1952), partly

Glischrocaryon behrii (Schltdl.) Orchard – EP NL MU YP SL KI SE
- *Loudonia behrii* Schltdl.

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Glischrocaryon flavescens (J.Drumm.) Orchard – FR EP NL MU
- *Loudonia citrina* F.Muell.
- *Loudonia flavescens* J.Drumm.
- *Loudonia roei* auct.non (Endl.) Schltdl.: J.M.Black(1952), partly

?n **Gonocarpus confertifolius** (F.Muell.) Orchard var. **helmsii** Orchard – NU?n
- *Haloragis confertifolia* F.Muell.

Gonocarpus elatus (A.Cunn. ex Fenzl) Orchard – FR EA EP NL MU SL SE
- *Haloragis elata* A.Cunn. ex Fenzl
- *Haloragis tenuis* H.Schindl.

Gonocarpus humilis Orchard (Rare status in SA) – SE
- *Haloragis teucrioides* auct.non (DC.) Schltdl.: J.M.Black(1952), partly

Gonocarpus mezianus (H.Schindl.) Orchard – EP NL YP SL KI SE
- *Haloragis meziana* Schindl.
- *Haloragis teucrioides* auct.non (DC.) Schltdl.: Sond.(1856), partly
- *Haloragis teucrioides* (DC.) Schltdl. var. *glabrata* Sond.
- *Haloragis teucrioides* (DC.) Schltdl. var. *meziana* (Schindl.) J.M.Black

Gonocarpus micranthus Thunb. ssp. **micranthus** (Rare status in SA) – SL KI SE
- *Haloragis micrantha* (Thunb.) R.Br. ex Sieber & Zucc.

Gonocarpus tetragynus Labill. – FR EP NL MU SL KI SE
- *Haloragis tetragyna* (Labill.) Hook.f.

Haloragis acutangula F.Muell. f. **acutangula** – NU EP MU YP SL KI SE
- *Haloragis acutangula* F.Muell., partly

Haloragis acutangula F.Muell. f. **annulata** Orchard – EP YP
- *Haloragis acutangula* F.Muell., partly

Haloragis acutangula F.Muell. f. **dentata** Orchard – NU EP YP
- *Haloragis acutangula* F.Muell., partly

Haloragis acutangula F.Muell. f. **inflata** Orchard – EP MU YP
- *Haloragis acutangula* F.Muell., partly

Haloragis acutangula F.Muell. f. **obturbinata** Orchard – EP
- *Haloragis acutangula* F.Muell., partly

Haloragis acutangula F.Muell. f. **pyramidata** Orchard – NU EP
- *Haloragis acutangula* F.Muell., partly

Haloragis acutangula F.Muell. f. **semiangulata** (J.M.Black) Orchard – NU EP NL YP
- *Haloragis acutangula* F.Muell., partly
- *Haloragis semiangulata* J.M.Black

Haloragis acutangula F.Muell. f. **stellata** Orchard – NU EP
- *Haloragis acutangula* F.Muell., partly

Haloragis acutangula F.Muell. f. **subacutangula** Orchard – EP YP
- *Haloragis acutangula* F.Muell., partly

Haloragis acutangula F.Muell. f. **tetraglebosa** Orchard – NU EP YP
- *Haloragis acutangula* F.Muell., partly

Haloragis acutangula F.Muell. f. **tetraptera** Orchard – NU EP MU YP SL KI
- *Haloragis acutangula* F.Muell., partly
- *Haloragis ciliata* J.M.Black

Haloragis acutangula F.Muell. f. **turbinata** Orchard – NU EP MU YP KI
- *Haloragis acutangula* F.Muell., partly

Haloragis aspera Lindl. – NW LE GT FR EA EP NL MU YP SL KI SE
- *Haloragis heterophylla* Brongn. var. *aspera* (Lindl.) Schindl.
- *Haloragis heterophylla* Brongn. var. *glaucifolia* Schindl.

Haloragis eichleri Orchard (Rare status in SA) – EP MU SL KI SE

Haloragis eyreana Orchard (Endangered status in SA, Endangered status in Australia) – EP
- *Haloragis digyna* auct.non Labill.: Orchard(1975)
- *Haloragis mucronata* auct.non Benth.: J.M.Black(1928)

Haloragis glauca Lindl. f. **glauca** – NW LE GT MU
- *Haloragis glauca* Lindl.

Haloragis glauca Lindl. f. **sclopetifera** (F.Muell.) Orchard – LE
- *Haloragis glabrescens* (F.M.Bailey) C.T.White
- *Haloragis sclopetifera* F.Muell.
- *Haloragis tetragyna* (Labill.) Hook.f. var. *glabrescens* F.M.Bailey

Haloragis gossei F.Muell. – NW LE NU EP

Haloragis heterophylla Brongn. – MU SL SE
- *Haloragis ceratophylla* J.Zahlbr. ex Endl.
- *Haloragis filiformis* A.Gray
- *Haloragis heterophylla* Brongn. var. *linearis* J.M.Black

Haloragis myriocarpa Orchard (Rare status in SA) – SL SE
- *Haloragis digyna* auct.non Labill.: F.Muell.(1888)
- *Haloragis mucronata* auct.non (Nees) Benth.: Benth.(1864)
- *Haloragis mucronata* Benth. var. *trachycarpa* J.M.Black

Haloragis odontocarpa F.Muell. f. **octoforma** Orchard – NW LE

Haloragis odontocarpa F.Muell. f. **pterocarpa** Orchard – NW LE NU MU SL
- *Haloragis coronopifolia* Schindl.

Haloragis odontocarpa F.Muell. f. **rugosa** Orchard – NW NU

Haloragis uncatipila Orchard – NW

Meionectes brownii Hook.f. (Rare* status in SA) – SL KI SE
- *Haloragis brownii* (Hook.f.) H.Schindl.
- *Haloragis meionectes* F.Muell., nom.illeg.

Myriophyllum amphibium Labill. (Rare status in SA) – SL KI

* **Myriophyllum aquaticum** (Vell.) Verdc. – MU* SL*
- *Enydria aquatica* Vell.

Myriophyllum caput-medusae Orchard – MU SL SE
- *Myriophyllum elatinoides* auct.non Gaudich.: J.M.Black(1952), partly

Myriophyllum crispatum Orchard (Vulnerable status in SA) – MU SL
- *Myriophyllum propinquum* auct.non A.Cunn.: J.M.Black(1952), partly

Myriophyllum glomeratum H.Schindl. (Endangered status in SA) – NL SE

Myriophyllum integrifolium (Hook.f.) Hook.f. (Rare status in SA) – EP MU SL KI SE
- *Pelonastes integrifolium* Hook.f.

Myriophyllum muelleri Sond. – EP SL KI SE

Myriophyllum papillosum Orchard (Rare status in SA) – MU SL
- *Myriophyllum propinquum* auct.non A.Cunn.: J.M.Black(1952), partly

Myriophyllum salsugineum Orchard – EP SL KI SE
- *Myriophyllum elatinoides* auct.non Gaudich.: J.M.Black(1952), partly

Myriophyllum simulans Orchard – MU SL KI SE
- *Myriophyllum propinquum* auct.non A.Cunn.: J.M.Black(1952), partly

Myriophyllum variifolium Hook.f. (Rare status in SA) – MU SL KI SE
- *Myriophyllum propinquum* auct.non A.Cunn.: J.M.Black(1952), partly
- *Myriophyllum propinquum* A.Cunn. var. *genuinum* H.Schindl.

Myriophyllum verrucosum Lindl. – NW LE GT FR EA EP NL MU SL SE
- *Myriophyllum variifolium* Hook.f. var. *microphyllum* F.Muell. ex Sond.

VITACEAE 100.136

?e **Vitis vinifera** L. – FR?e EP?e NL?e MU?e SL?e

ZYGOPHYLLACEAE 100.138

Roepera ammophila (F.Muell.) Beier & Thulin – NW LE NU GT FR EA EP NL MU YP SL
- *Zygophyllum ammophilum* F.Muell.
- *Zygophyllum billardierei* auct.non DC.: Benth.(1863), partly
- *Zygophyllum billardierei* DC. var. *ammophilum* (F.Muell.) J.M.Black, partly

Roepera angustifolia (H.Eichler) Beier & Thulin – NU GT FR EA EP NL MU YP
- *Zygophyllum ammophilum* auct.non F.Muell.: Eichler(1986), partly
- *Zygophyllum angustifolium* H.Eichler
- *Zygophyllum billardierei* auct.non DC.: Benth.(1863), partly
- *Zygophyllum billardierei* DC. var. *bilobum* auct.non Benth.: Cunningham(1981)

Roepera apiculata (F.Muell.) Beier & Thulin – NW LE NU GT FR EA EP NL MU YP SL SE
- *Roepera latifolia* Hook. f.
- *Zygophyllum apiculatum* F.Muell.

Roepera aurantiaca Lindl. ssp. **aurantiaca** – NW LE NU GT FR EA EP NL MU YP SL
- *Roepera aurantiaca* Lindl.
- *Zygophyllum aurantiacum* (Lindl.) F.Muell. ssp. *aurantiacum*
- *Zygophyllum fruticulosum* auct.non DC.: J.M.Black(1948)
- *Zygophyllum fruticulosum* DC. var. *bilobum* Benth.

Roepera aurantiaca Lindl. ssp. **cuneata** (H.Eichler ex R.M.Barker) Beier & Thulin – NW LE GT FR EA EP
- *Zygophyllum aurantiacum* (Lindl.) F.Muell. ssp. *cuneatum* H.Eichler ex R.M.Barker

Roepera aurantiaca Lindl. ssp. **simplicifolia** (H.Eichler ex R.M.Barker) Beier & Thulin – LE NU GT EP
- *Zygophyllum aurantiacum* (Lindl.) F.Muell. ssp. *simplicifolium* H.Eichler ex R.M.Barker
- *Zygophyllum fruticulosum* DC. var. *brevilobum* J.M.Black, partly

Roepera aurantiaca Lindl. ssp. **verticillata** (H.Eichler ex R.M.Barker) Beier & Thulin – LE GT FR EA
- *Zygophyllum aurantiacum* (Lindl.) F.Muell. ssp. *verticillatum* H.Eichler ex R.M.Barker
- *Zygophyllum "Terete leaves"(D.E.Symon 14690)* W.R.Barker

Roepera billardierei (DC.) G.Don – NU EP YP SL KI SE
- *Zygophyllum ammophilum* auct.non F.Muell.: F.Muell.(1878), partly
- *Zygophyllum billardierei* DC.
- *Zygophyllum billardierei* DC. var. *stenophyllum* F.Muell. ex Diels & E.Pritz., partly

Roepera compressa (J.M.Black) Beier & Thulin – NW LE NU GT FR EP MU
- *Zygophyllum compressum* J.M.Black

Roepera confluens (H.Eichler) Beier & Thulin – LE GT FR EA EP NL MU SL
- *Zygophyllum billardierei* auct.non DC.: Eichler(1986), partly
- *Zygophyllum confluens* H.Eichler

Roepera crassissima (Ising) Beier & Thulin (Rare status in SA) – NW LE GT
- *Zygophyllum crassissimum* Ising

Roepera crenata (F.Muell.) Beier & Thulin – LE FR EA EP NL MU YP
- *Zygophyllum crenatum* F.Muell.
- *Zygophyllum glaucescens* F.Muell. var. *lobulatum* Benth.

Roepera eichleri (R.M.Barker) Beier & Thulin – NW LE
- *Zygophyllum eichleri* R.M.Barker
- *Zygophyllum iodocarpum* auct.non F.Muell.: H.Eichler(1986)

Roepera emarginata (H.Eichler) Beier & Thulin – NW LE GT FR
- *Zygophyllum ammophilum* auct.non F.Muell.: Eichler(1986), partly
- *Zygophyllum emarginatum* H.Eichler

Roepera eremaea (Diels) Beier & Thulin – NW LE NU GT FR EA EP MU
- *Zygophyllum aurantiacum* (Lindl.) F.Muell. var. *eremaeum* (Diels) H.Eichler
- *Zygophyllum eremaeum* (Diels) Ostenf.
- *Zygophyllum fruticulosum* DC. var. *eremaeum* Diels

Roepera flava (H.Eichler ex R.M.Barker) Beier & Thulin – EP KI
- *Zygophyllum ammophilum* auct.non F.Muell.: H.Eichler(1986)
- *Zygophyllum billardierei* auct.non DC.: H.Eichler(1986)
- *Zygophyllum flavum* H.Eichler ex R.M.Barker

Roepera glauca (F.Muell.) Beier & Thulin – NW LE NU FR EP NL MU YP SL
- *Zygophyllum glaucescens* F.Muell., nom.illeg., nom.superfl.
- *Zygophyllum glaucum* F.Muell.

Roepera halophila (R.M.Barker) Beier & Thulin – NW
- *Zygophyllum halophilum* R.M.Barker
- *Zygophyllum tetrapterum* auct.non H.Eichler ex R.M.Barker: R.M.Barker(1996), partly

Roepera howittii (F.Muell.) Beier & Thulin – LE GT FR EA EP
- *Zygophyllum howittii* F.Muell.

Roepera humillima (M.Koch ex Tate) Beier & Thulin (Rare status in SA) – NW LE FR
- *Zygophyllum humillimum* M.Koch ex Tate

Roepera hybrida (Tate) Beier & Thulin (Rare status in SA) – LE FR
- *Zygophyllum hybridum* Tate

Roepera iodocarpa (F.Muell.) Beier & Thulin – NW LE NU GT FR EA EP MU
- *Zygophyllum hybridum* auct.non Tate: Tate(1899), partly
- *Zygophyllum iodocarpum* F.Muell.

Roepera kochii (Tate) Beier & Thulin – NW LE GT FR EA
- *Zygophyllum kochii* Tate

Roepera marliesiae (R.M.Barker) Beier & Thulin – LE GT FR
- *Zygophyllum marliesiae* R.M.Barker
- *Zygophyllum prismatothecum* auct.non F.Muell.: H.Eichler(1986), partly

Roepera ovata (Ewart & Jean White) Beier & Thulin – NW LE NU GT FR EA EP NL MU YP
- *Zygophyllum iodocarpum* F.Muell. var. *bilobum* Benth.
- *Zygophyllum ovatum* Ewart & Jean White

Roepera prismatotheca (F.Muell.) Beier & Thulin – NW LE GT FR EA EP
- *Zygophyllum prismatothecum* F.Muell.

Roepera reticulata (H.Eichler ex R.M.Barker) Beier & Thulin – EP
- *Zygophyllum aurantiacum* auct.non (Lindl.) F.Muell.: Eichler(1986), partly
- *Zygophyllum eremaeum* auct.non (Diels) Ostenf.: Eichler(1986), partly
- *Zygophyllum fruticulosum* DC. var. *eremaeum* auct.non (Diels) Ostenf.: J.M.Black(1948), partly
- *Zygophyllum reticulatum* H.Eichler ex R.M.Barker

Roepera rowelliae (R.M.Barker) Beier & Thulin – NW LE
- *Zygophyllum iodocarpum* auct.non F.Muell.: H.Eichler(1986)
- *Zygophyllum rowelliae* R.M.Barker

Roepera similis (H.Eichler) Beier & Thulin – NW LE NU GT FR EA EP MU YP
- *Zygophyllum ammophilum* auct.non F.Muell.: F.Muell.(1878), partly
- *Zygophyllum simile* H.Eichler

Roepera sp. Witjira (D.J.Duval 3445) D.J.Duval – LE
- *Zygophyllum sp. Witjira (DJD3445)* D.J.Duval

Roepera tesquorum (J.M.Black) Beier & Thulin – NW LE
- *Zygophyllum tesquorum* J.M.Black

Tribulus astrocarpus F.Muell. – NW LE

Tribulus eichlerianus K.L.Wilson – NW LE GT FR EA
- *Tribulus occidentalis* auct.non R.Br.: G.M.Cunningham(1981), partly

Tribulus hystrix R.Br. – LE GT FR
- *Kallstroemia hystrix* (R.Br.) Engl.
- *Tribulus lanatus* R.Br.ex Walp.
- *Tribulus occidentalis* auct.non R.Br.: H.Eichler(1981)

Tribulus macrocarpus F.Muell. ex Benth. – NW LE
- *Kallstroemia macrocarpa* (F.Muell. ex Benth.) Engl.

?n **Tribulus micrococcus** Domin – NW?n

Tribulus minutus Leichh. ex Benth. – NW LE NU GT FR EA EP NL MU SL
- *Kallstroemia minuta* (Leichh. ex Benth.) Engl.
- *Tribulus acanthococcus* F.Muell., questionably

* **Tribulus terrestris** L. (Declared SA plant)
– NW* LE* NU* GT* FR* EA* EP* NL* MU* SL* SE*
- *Tribulus terrestris* L. f. *long style* R.M.Barker
- *Tribulus terrestris* L. f. *short style* R.M.Barker

FABACEAE 100.140

Acacia acanthoclada F.Muell. ssp. **acanthoclada** – NW NU EP MU
- *Acacia acanthoclada* F.Muell.

Acacia acinacea Lindl. – FR NL MU SL KI SE
- *Acacia cyclophylla* Schltdl.
- *Acacia latrobei* Meisn.
- *Acacia obliqua* A.Cunn. ex Benth.
- *Acacia rotundifolia* Hook.

Acacia adsurgens Maiden & Blakely – LE
- *Racosperma adsurgens* (Maiden & Blakely) Pedley

?e **Acacia adunca** A.Cunn. ex G.Don – SL?e

Acacia alcockii Maslin & Whibley (Rare status in SA) – EP

Acacia ammobia Maconochie (Rare status in SA) – NW
- *Racosperma ammobium* (Maconochie) Pedley

Acacia anceps DC. – NU EP
- *Acacia anceps* DC. var. *angustifolia* Benth.
- *Acacia glaucescens* F.Cels
- *Acacia muelleri* Benth.
- *Acacia pterigoidea* Seem.

Acacia ancistrophylla C.R.P.Andrews var. **lissophylla** (J.M.Black) R.S.Cowan & Maslin – EP MU YP
- *Acacia sclerophylla* Lindl. var. *lissophylla* J.M.Black

Acacia aneura F.Muell. ex Benth. var. **aneura** – NW LE NU GT FR EA EP MU

Acacia aneura F.Muell. ex Benth. var. **intermedia** Pedley – NW LE GT FR EA EP

Acacia aneura F.Muell. ex Benth. var. **major** Pedley – NW NU GT EP MU
- *Acacia aneura* F.Muell. ex Benth., partly

Acacia aptaneura Maslin & Reid. – NW LE GT FR EA EP
- *Acacia aneura* auct.non F.Muell. ex Benth.: Whibley(1986), partly
- *Acacia aneura* F.Muell. ex Benth. var. *conifera* auct.non Randell: Barker et al.(2005), partly
- *Acacia aneura* F.Muell. ex Benth. var. *tenuis* Pedley

Acacia araneosa Whibley (Endangered status in SA, Vulnerable status in Australia) – FR

Acacia argyrophylla Hook. – FR EA NL MU YP SL
- *Acacia bombycina* Benth.
- *Acacia brachybotrya* Benth. var. *argyrophylla* (Hook.) Maiden
- *Acacia brachybotrya* Benth. f. *argyrophylla* (Hook.) Benth.

Acacia ayersiana Maconochie – NW LE NU GT FR EP
- *Acacia aneura* F.Muell. ex Benth. var. *ayersiana* (Maconochie) Pedley
- *Acacia aneura* F.Muell. ex Benth. var. *latifolia* J.M.Black
- *Acacia ayersiana* Maconochie var. *latifolia* (J.M.Black) Randell

* **Acacia baileyana** F.Muell. – NL* SL* KI* SE*
- *Racosperma baileyanum* (F.Muell.) Pedley

Acacia barattensis J.M.Black (Rare status in SA) – FR EA

Acacia basedowii Maiden – NW
- *Acacia basedowii* Maiden var. *viridis* Blakely
- *Acacia ulicina* Meisn. var. *oxyclada* F.Muell. ex Tate

Acacia beckleri Tindale ssp. **beckleri** – GT FR EA EP MU
- *Acacia beckleri* Tindale, partly
- *Acacia gladiiformis* auct.non A.Cunn. ex Benth.: J.M.Black(1948), partly
- *Racosperma beckleri* (Tindale) Pedley, partly

Acacia beckleri Tindale ssp. **megaspherica** O'Leary – FR EA MU
- *Acacia beckleri* Tindale, partly
- *Acacia gladiiformis* auct.non A.Cunn. ex Benth.: J.M.Black(1948), partly
- *Racosperma beckleri* (Tindale) Pedley, partly

Acacia brachybotrya Benth. – NU FR EP NL MU YP SL KI SE
- *Acacia brachybotrya* Benth. var. *glaucophylla* Maiden
- *Acacia brachybotrya* Benth. f. *glabra* Benth.
- *Acacia brachybotrya* Benth. f. *glaucophylla* Benth.
- *Acacia dictyocarpa* Benth.

Acacia brachystachya Benth. – NW LE NU GT FR EA EP
- *Acacia aneura* F.Muell. ex Benth. var. *brachystachya* (Benth.) Maiden
- *Acacia aneura* F.Muell. ex Benth. var. *stenocarpa* Benth.
- *Acacia cibaria* F.Muell.

Acacia burkittii F.Muell. ex Benth. – NW NU GT FR EA EP MU
- *Acacia acuminata* Benth. ssp. *burkittii* (F.Muell. ex Benth.) Kodela & Tindale
- *Acacia randelliana* W.Fitzg.

Acacia caesaneura Maslin & J.E.Reid – NW GT

Acacia calamifolia Sweet ex Lindl. – FR EA EP NL MU
- *Acacia calamifolia* Sweet ex Lindl. var. *pulverulenta* Domin
- *Acacia microcarpa* F.Muell. var. *linearis* auct.non J.M.Black: J.H.Willis(1957), partly
- *Acacia pulverulenta* A.Cunn. ex Benth.

Acacia calcicola Forde & Ising – NW LE GT
- *Acacia coriacea* auct.non DC.: J.M.Black(1948), partly
- *Racosperma calcicola* (Forde & Ising) Pedley

Acacia cambagei R.T.Baker – LE
- *Racosperma cambagei* (R.T.Baker) Pedley

* **Acacia cardiophylla** A.Cunn. ex Benth. – SL*
- *Racosperma cardiophyllum* (A.Cunn. ex Benth.) Pedley

Acacia carneorum Maiden (Vulnerable status in SA, Vulnerable status in Australia) – LE NU FR EA
- *Acacia carnei* Maiden

Acacia clelandii Pedley – NW LE NU GT FR EA EP
- *Acacia brachystachya* auct.non Benth.: Randell(1992), partly
- *Acacia cibaria* auct.non F.Muell.: Jessop(1993), partly

Acacia colletioides Benth. – NW NU GT EA EP NL MU
- *Acacia nyssophylla* auct.non F.Muell.: F.Muell.(1863), partly

Acacia confluens Maiden & Blakely (Vulnerable status in SA) – LE FR EA
- *Racosperma confluens* (Maiden & Blakely) Pedley

Acacia continua Benth. – ?NU GT FR EA EP NL MU SL SE
- *Acacia colletioides* auct.non A.Cunn. ex Benth.: Benth.(1855)

Acacia cretacea Maslin & Whibley (Endangered status in SA, Endangered status in Australia) – EP
- *Acacia aff. steedmannii Maiden & Blakely* : Whibley(1986)

Acacia cupularis Domin – NU FR EP NL MU YP SL KI SE
- *Acacia ligulata* auct.non A.Cunn. ex Benth.: Whibley(1986), partly
- *Acacia salicina* Lindl. var. *minor* F.Muell.
- *Acacia salicina* Lindl. var. *wayi (as wayae)* Maiden
- *Acacia saligna* (Labill.) H.L.Wendl., partly

Acacia cyclops A.Cunn. ex G.Don – NU FR* EP[n*] NL* YP[n*] SL* KI[n*]
- *Acacia cyclopis* A.Cunn., orth.var.

Acacia cyperophylla F.Muell. ex Benth. var. **cyperophylla** – LE
- *Acacia cyperophylla* F.Muell. ex Benth.

* **Acacia dealbata** Link ssp. **dealbata** – NL* SL* KI[?e] SE*
- *Acacia dealbata* Link
- *Racosperma dealbatum* (Link) Pedley

* **Acacia decurrens** Willd. – NL[?e] SL* SE*
- *Acacia decurrens* Willd. f. *normalis* Benth.
- *Mimosa decurrens* Donn
- *Racosperma decurrens* (Willd.) Pedley

Acacia dictyophleba F.Muell. – LE
- *Racosperma dictyophlebum* (F.Muell.) Pedley

Acacia dodonaeifolia (Pers.) Balb. (Rare status in SA) – EP MU YP SL[n*] KI SE
- *Acacia visciflua* F.Muell.
- *Acacia viscosa* Schrad. ex H.L.Wendl.
- *Mimosa dodonaeifolia* Pers.

Acacia dodonaeifolia (Pers.) Balb. × **Acacia paradoxa** DC. – EP SL SE

Acacia doreta Maslin – NW
- *Acacia grasbyi* auct.non Maiden: Barker et al.(2005)

Acacia elachantha M.W.McDonald & Maslin – LE
- *Acacia cowleana* auct.non Tate: Whibley & Symon(1992)

* **Acacia elata** A.Cunn. ex Benth. – SL*

Acacia enterocarpa R.V.Sm. (Endangered status in SA, Endangered status in Australia) – EP YP SE

Acacia eremophila W.Fitzg. var. **Numerous-nerved variant (A.S.George 11924)** WA Herbarium – NW

Acacia erinacea Benth. (Rare status in SA) – NU

Acacia estrophiolata F.Muell. – NW LE GT
- *Racosperma estrophiolatum* (F.Muell.) Pedley

Acacia euthycarpa (J.M.Black) J.M.Black – GT EP NL MU SL KI SE
- *Acacia calamifolia* auct.non Sweet ex Lindl.: Whibley & Symon(1992)
- *Acacia calamifolia* Sweet ex Lindl. var. *euthycarpa* J.M.Black
- *Acacia euthycarpa* (J.M.Black) J.M.Black ssp. *oblanceolatum* Stephen H. Wright

Acacia farinosa Lindl. – EP MU YP SL KI SE
- *Acacia whanii* auct.non F.Muell. ex Benth.: Whibley & Symon(1992)

* **Acacia fimbriata** A.Cunn. ex G.Don – SL*

* **Acacia floribunda** (Vent.) Willd. – SL*
- *Mimosa floribunda* Vent.

Acacia fuscaneura Maslin & J.E.Reid – NW

Acacia genistifolia Link ssp. **genistifolia** (Endangered status in SA) – NL
- *Acacia genistifolia* Link

Acacia georginae F.M.Bailey (Rare status in SA) – LE
- *Racosperma georginae* (F.M.Bailey) Pedley

Acacia gilesiana F.Muell. – NW NU ?GT

Acacia gillii Maiden & Blakely – EP
- *Acacia pycnantha* Benth. var. *angustifolia* Benth.
- *Acacia retinodes* Schltdl. var. *angustifolia* (Benth.) J.M.Black
- *Acacia retinodes* Schltdl. var. *gillii* Maiden

Acacia glandulicarpa Reader (Endangered status in SA, Vulnerable status in Australia) – NL MU SE

Acacia gonophylla Benth. – SE
- *Acacia gonophylla* Benth. var. *gonophylla*

Acacia gracilifolia Maiden & Blakely (Rare status in SA) – FR NL

. . . [?e], questionably established. [n*], native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Acacia × grayana J.H.Willis – MU
- *Acacia* × *microcarpa* F.Muell. var. *linearis* J.M.Black

Acacia gunnii Benth. (Rare status in SA) – SL SE
- *Acacia vomeriformis* A.Cunn.
- *Racosperma gunnii* (Benth.) Pedley

Acacia hakeoides A.Cunn. ex Benth. – ?LE NU FR EA EP NL MU YP SL SE
- *Racosperma hakeoides* (A.Cunn. ex Benth.) Pedley

Acacia halliana Maslin – EP NL MU YP SL
- *Acacia iteaphylla* F.Muell. ex Benth. var. *latifolia* F.Muell.
- *Acacia microcarpa* auct.non F.Muell.: Whibley(1986), partly

Acacia havilandiorum Maiden – LE FR EA EP
- *Acacia havilandii* Maiden

Acacia helmsiana Maiden (Rare status in SA) – NW

Acacia hemiteles Benth. (Rare status in SA) – NU
- *Acacia dentifera* Benth. var. *intermedia* S.Moore
- *Acacia graffiana* F.Muell.
- *Acacia subcaerulea* Lindl. var. *subsessilis* E.Pritz.

Acacia hexaneura P.J.Lang & R.S.Cowan (Rare status in SA) – EP

?e **Acacia howittii** F.Muell. – SL?e SE?e

Acacia imbricata F.Muell. (Rare status in SA) – EP
- *Acacia lineata* auct.non A.Cunn. ex G.Don: Benth.(1864)

Acacia inaequilatera Domin – NW

Acacia incurvaneura Maslin & J.E.Reid – NW LE NU GT EA EP
- *Acacia aneura* auct.non: F.Muell. ex Benth.: Whibley(1986), partly
- *Acacia aneura* var. *aneura* auct.non F. Muell. ex Benth.: Barker et al.(2005), partly
- *Acacia aneura* F.Muell. ex Benth. var. *microcarpa* Pedley
- *Racosperma aneurum* (Benth.) Pedley var. *microcarpum* (Pedley) Pedley

Acacia iteaphylla F.Muell. ex Benth. (Rare status in SA) – FR EP?n* NL SL* SE*

Acacia jennerae Maiden (Rare status in SA) – NW?id LE NU GT

?e **Acacia jibberdingensis** Maiden & Blakely – SL?e
- *Racosperma jibberdingense* (Maiden & Blakely) Pedley

Acacia kempeana F.Muell. – NW LE NU GT FR EP

Acacia latzii Maslin (Rare status in SA, Vulnerable status in Australia) – LE

Acacia leiophylla Benth. – EP YP SL KI SE
- *Acacia retinodes* Schltdl. var. *oraria* J.M.Black ex Eardley
- *Acacia rubida* auct.non A.Cunn.: Court(1973), partly

Acacia ligulata A.Cunn. ex Benth. – NW LE NU GT FR EA EP NL MU YP SL?n* KI?e SE?n*
- *Acacia salicina* auct.non Lindl.: Benth.(1864)

Acacia lineata A.Cunn. ex G.Don (Rare status in SA) – EP MU YP SE
- *Acacia centrinervia* Maiden & Blakely
- *Racosperma lineatum* (A.Cunn. ex G.Don) Pedley

Acacia loderi Maiden (Rare status in SA) – LE EA MU

* **Acacia longifolia** (Andrews) Willd. ssp. **longifolia** – EP?e NL* SL* KI* SE*
- *Acacia longifolia* (Andrews) Willd. var. *longifolia*
- *Mimosa longifolia* Andrews

Acacia longifolia (Andrews) Willd. ssp. **sophorae** (Labill.) Court – EP MU?e YP SL KI SE
- *Acacia longifolia* (Andrews) Willd. var. *sophorae* (Labill.) Benth.
- *Acacia sophorae* (Labill.) R.Br.
- *Mimosa sophorae* Labill.

Acacia macraneura Maslin & J.E.Reid – ?NW LE
- *Acacia aneura* F.Muell. ex Benth. var. *macrocarpa*
- *Racosperma aneurum* (Benth.) Pedley var. *macrocarpum* (Randell) Pedley

Acacia maitlandii F.Muell. – NW
- *Acacia patens* F.Muell. ex Benth.
- *Racosperma maitlandii* (F.Muell.) Pedley

Acacia mearnsii De Wild. – EP* SL* SE?n*
- *Acacia decurrens* Willd. var. *mollis* auct.non Lindl.: J.M.Black(1922)
- *Acacia mollissima* auct.non Willd.: J.M.Black(1948)

Acacia melanoxylon R.Br. – EP?e NL MU SL KI?e SE
- *Racosperma melanoxylon* (R.Br.) Pedley

Acacia melleodora Pedley – NW ?LE
- *Acacia dictyophleba* auct.non F.Muell.: Whibley & Symon(1992)
- *Racosperma melleodorum* (Pedley) Pedley

Acacia menzelii J.M.Black (Vulnerable status in SA, Vulnerable status in Australia) – FR MU

Acacia merrallii F.Muell. – NU EP YP

Acacia microcarpa F.Muell. – EP NL MU YP SL SE

Acacia minyura Randell – NW GT
- *Acacia aneura* auct.non F.Muell. ex Benth.: Whibley(1986), partly
- *Acacia aneura* F.Muell. ex Benth. var. *A* Maslin(1981)

Acacia mitchellii Benth. (Rare status in SA) – SE

Acacia montana Benth. (Rare status in SA) – EP NL MU SL?e SE
- *Acacia clavata* Schltdl.
- *Acacia montana* Benth. var. *psilocarpa* J.H.Willis
- *Racosperma montanum* (Benth.) Pedley

Acacia mulganeura Maslin & J.E.Reid – NW LE GT
- *Acacia aneura* auct.non F.Muell. ex Benth.: Whibley(1986), partly
- *Acacia minyura* auct.non Randell: Randell(1992), partly

Acacia murrayana F.Muell. ex Benth. – NW LE GT EA EP?e
- *Acacia frumentacea* Tate
- *Acacia leptopetala* auct.non Benth.: J.M.Black(1948)
- *Racosperma murrayanum* (F.Muell. ex Benth.) Pedley

Acacia mutabilis Maslin ssp. **angustifolia** Maslin (Rare status in SA) – NU
- *Acacia aff. gonophylla Benth.* : Whibley(1986)

Acacia myrtifolia (Sm.) Willd. – EP NL MU YP SL KI SE
- *Acacia myrtifolia* (Sm.) Willd. var. *angustifolia* Benth., partly
- *Acacia myrtifolia* (Sm.) Willd. var. *myrtifolia*, partly
- *Mimosa myrtifolia* Sm.

Acacia nematophylla F.Muell. ex Benth. – EP YP SL
- *Acacia calamifolia* auct.non Sweet ex Lindl.: Whibley(1986), partly

Acacia notabilis F.Muell. – GT FR EP NL MUn* YP SLn*

Acacia nyssophylla F.Muell. – NW LE NU GT FR EA EP NL MU YP
- *Acacia colletioides* Benth. var. *nyssophylla* (F.Muell.) Benth.

Acacia oswaldii F.Muell. – NW LE NU GT FR EA EP NL MU YP SL
- *Acacia sessiliceps* F.Muell.
- *Racosperma oswaldii* (F.Muell.) Pedley

Acacia oxycedrus Sieber ex DC. – SE

Acacia pachyacra Maiden & Blakely – NW

Acacia papyrocarpa Benth. – NW LE NU GT FR EP
- *Acacia aff. papyrocarpa Benth.* : Jessop(1993)
- *Acacia sowdenii* Maiden

Acacia paradoxa DC. – FR EA EP NL MU YP SL KI SE
- *Acacia armata* R.Br. ex Aiton

Acacia paraneura Randell – NW LE
- *Acacia aneura* auct.non F.Muell.: Whibley(1986), partly

Acacia pendula A.Cunn. ex G.Don (Vulnerable status in SA) – EA?n NL* MU
- *Racosperma pendulum* (A.Cunn. ex G.Don) Pedley

?e **Acacia penninervis** Sieber ex DC. var. **penninervis** – SL?e

Acacia pickardii Tindale (Rare status in SA, Vulnerable status in Australia) – LE

Acacia pinguifolia J.M.Black (Endangered status in SA, Endangered status in Australia) – EP SL

* **Acacia podalyriifolia** A.Cunn. ex G.Don – EP?e SL*
- *Acacia podalyriaefolia* A.Cunn. ex G.Don
- *Racosperma podalyriifolium* (A.Cunn. ex G.Don) Pedley

Acacia praemorsa P.J.Lang & Maslin (Endangered status in SA, Vulnerable status in Australia) – EP

Acacia prainii Maiden – NW NU GT EP
- *Acacia dentifera* Benth. var. *parvifolia* S.Moore
- *Acacia prainii* Maiden var. *linearis* Maiden
- *Acacia prolifera* J.M.Black

Acacia pravifolia F.Muell. – FR EA NL MU
- *Acacia sublanata* auct.non Benth.: J.M.Black(1924)
- *Racosperma pravifolium* (F.Muell.) Pedley

Acacia provincialis A.Camus – SL KI SE
- *Acacia retinodes* Schltdl. var. *retinodes "swamp variant"* Maslin
- *Acacia rhetinodes* Schltdl. in J.M.Black(1924), orth.var., partly
- *Acacia sp. Swamp (N.M.Smith 3022)* O'Leary

Acacia pruinocarpa Tindale – NW
- *Acacia notabilis* auct.non F.Muell.: Chippendale(1958)

Acacia pteraneura Maslin & J.E.Reid – NW LE GT
- *Acacia aneura* auct.non F.Muell.: Whibley(1986), partly
- *Acacia aneura* F.Muell. ex Benth. var. *conifera* Randell
- *Acacia paraneura* auct.non Randell: Barker et al.(2005), partly
- *Racosperma aneurum* (Benth.) Pedley var. *coniferum* (Randell) Pedley

* **Acacia pulchella** R.Br. var. **glaberrima** Meisn. – SL*
- *Acacia denudata* Lehm. ex Meisn.
- *Acacia grandis* Hort. ex Henfr.
- *Acacia hispidissima* DC.
- *Acacia pulchella* R.Br., partly

Acacia pycnantha Benth. – FR EA EP NL MU YP SL KI SE
- *Acacia falcinella* Meisn.
- *Acacia leiophylla* auct.non Benth: Benth.(1842), partly
- *Acacia petiolaris* Lehm.

Acacia quornensis J.M.Black (Rare status in SA) – FR EP

Acacia ramulosa W.Fitzg. var. **linophylla** (W.Fitzg.) Pedley – NW LE NU GT EP
- *Acacia linophylla* W.Fitzg.
- *Racosperma ramulosum* (W.Fitzg.) Pedley, partly

Acacia ramulosa W.Fitzg. var. **ramulosa** – NW LE NU GT EP
- *Acacia ramulosa* W.Fitzg., partly
- *Racosperma ramulosum* (W.Fitzg.) Pedley, partly

Acacia retinodes Schltdl. – NL MU SL SE?e
- *Acacia retinodes* Schltdl. var. *"Normanville" variant* Maslin & McDonald(2004)
- *Acacia retinodes* Schltdl. var. *retinodes*
- *Acacia rhetinodes* Schltdl. in J.M.Black(1924), orth.var., partly

Acacia rhetinocarpa J.M.Black (Vulnerable status in SA, Vulnerable status in Australia) – EP MU YP SL SE

Acacia rhigiophylla F.Muell. ex Benth. (Rare status in SA) – EP MU

Acacia rhodophloia Maslin (Rare status in SA) – GT

Acacia rigens A.Cunn. ex G.Don – NW NU GT FR EP NL MU YP SL SE
- *Acacia chordophylla* F.Muell. ex Benth.
- *Racosperma rigens* (A.Cunn. ex G.Don) Pedley

Acacia rivalis J.M.Black – LE GT FR EA

Acacia rupicola F.Muell. ex Benth. – FR EP NL MU YP SL KI SE

Acacia salicina Lindl. – NW LE GT FR EA EP NL MU SL
- *Acacia salicina* Lindl. var. *varians* (Benth.) Benth.
- *Acacia varians* Benth.
- *Racosperma salicinum* (Lindl.) Pedley

* **Acacia saligna** (Labill.) H.L.Wendl. – EP* MU* YP* SL* KI* SE*
- *Acacia bracteata* Maiden & Blakely
- *Acacia cyanophylla* Lindl.
- *Acacia lindleyi* Meisn.
- *Mimosa saligna* Labill.

?e **Acacia schinoides** Benth. – SL?e

Acacia sclerophylla Lindl. var. **sclerophylla** – EP NL MU YP SL SE
- *Acacia sclerophylla* Lindl.

Acacia sericophylla F.Muell. – NW LE
- *Acacia coriacea* DC. ssp. *sericophylla* (F.Muell.) R.S.Cowan & Maslin

Acacia sibirica S.Moore – NW LE NU GT FR EP
- *Acacia clivicola* Pedley
- *Acacia kempeana* auct.non F.Muell.: Whibley(1986), partly
- *Acacia stowardii* Maiden
- *Racosperma sibirica* (S.Moore) Pedley
- *Racosperma stowardii* (Maiden) Pedley

Acacia simmonsiana O'Leary & Maslin (Rare status in SA) – MU SL KI SE

Acacia sp. Blyth Range (W.V.Fitzgerald s.n. 1898) WA Herbarium – ?NW?id LE GT FR
- *Acacia aff. papyrocarpa* Maslin(2001)

Acacia sp. Winged (C.R.Alcock 4936) Maslin – EP YP SL?e
- *Acacia anceps (winged variant)* Maslin et al.(2001)

Acacia spilleriana J.E.Br. (Endangered status in SA, Endangered status in Australia) – EP?e NL MU SE?e?id
- *Acacia brachybotrya* Benth. var. *spilleriana* (J.E.Br.) F.Muell. ex Maiden

Acacia spinescens Benth. – FR EP NL MU YP SL KI SE
- *Choretrum oxycladum* F.Muell.

Acacia spooneri O'Leary – FR EP
- *Acacia "Nectar Brook"* P.A.Gell & S.Bickford(1996)
- *Acacia wattsiana (Nectar Brook variant)* Maslin
- *Acacia wattsiana* F.Muell.ex Benth.: O'Leary(1993)

Acacia stenophylla A.Cunn. ex Benth. – NW LE GT FR MU
- *Acacia stenophylla* A.Cunn. ex Benth. var. *linearis* Maiden
- *Racosperma stenophyllum* (A.Cunn. ex Benth.) Pedley

Acacia stricta (Andrews) Willd. (Rare status in SA) – SL?e SE
- *Acacia emarginata* H.L.Wendl.
- *Acacia leprosa* auct.non Sieber ex DC.: Lindl.(1831)
- *Mimosa stricta* Andrews

Acacia strongylophylla F.Muell. – NW
- *Racosperma strongylophyllum* (F.Muell.) Pedley

Acacia suaveolens (Sm.) Willd. (Vulnerable status in SA) – SE
- *Mimosa suaveolens* Sm.

Acacia subcontorta Maslin – NW NL?e
- *Acacia olgana* auct.non Maconochie: Barker et al.(2005)
- *Acacia signata* auct.non F.Muell.: J.M.Black(1948)

Acacia symonii Whibley (Rare status in SA) – NW

Acacia tarculensis J.M.Black – NW GT EP

Acacia tenuior Maiden (Rare status in SA) – NW

Acacia tenuissima F.Muell. (Rare status in SA) – NW LE
- *Acacia luerssenii* Domin
- *Acacia pityoides* F.Muell.
- *Acacia xylocarpa* A.Cunn. ex Benth. var. *tenuissima* (F.Muell.) Benth.
- *Racosperma tenuissimum* (F.Muell.) Pedley

Acacia tetragonophylla F.Muell. – NW LE NU GT FR EA EP
- *Acacia genistioides* : Tate(1890), orth.var.
- *Acacia genistoides* A.Cunn. ex Benth.
- *Racosperma tetragonophyllum* (F.Muell.) Pedley

Acacia toondulya O'Leary (Rare status in SA) – EP

Acacia trineura F.Muell. (Endangered status in SA) – FR?e NL?e MU?e SL?e SE

Acacia triquetra Benth. – EP NL YP SL?e KI SE
- *Acacia acinacea* auct.non Lindl.: Whibley(1986)

Acacia ulicifolia (Salib.) Court – SE

Acacia uncifolia (J.M.Black) O'Leary – SL KI
- *Acacia retinodes* auct.non Schltdl.: J.M.Black(1924), partly
- *Acacia retinodes* Schltdl. var. *uncifolia* J.M.Black
- *Acacia rhetinodes* Schltdl. in J.M.Black(1924), orth.var., partly
- *Racosperma retinodes* (Schltdl.) Pedley var. *uncifolia* (J.M.Black) Pedley

Acacia validinervia Maiden & Blakely – NW
- *Acacia notabilis* F.Muell. var. *validinervia* (Maiden & Blakely) J.M.Black

Acacia verniciflua A.Cunn. – ?MU SL ?SE
- *Acacia binervata* Dehnh.
- *Acacia gracilis* Dehnh.
- *Acacia leprosa third variant* Maslin, Fl. Australia 11A: 599 (2001)
- *Acacia leprosa* Sieber ex DC. var. *binervis* F.Muell.
- *Acacia verniciflua first variant* Maslin, Fl. Australia 11A: 599(2001)
- *Acacia verniciflua* A.Cunn. var. *pendula* Seem.
- *Acacia virgata* G.Lodd., nom.nud.
- *Racosperma vernicifluum* (A.Cunn.) Pedley

Acacia verticillata (L'Her.) Willd. ssp. **ovoidea** (Benth.) Court – FR NL SL KI SE
- *Acacia ovoidea* Benth.

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

- *Acacia verticillata* (L'Her.) Willd.
- *Acacia verticillata* (L'Her.) Willd. var. *ovoidea* (Benth.) Benth.
- *Mimosa verticillata* L'Her.

* **Acacia vestita** Ker Gawl. – SL*
- *Racosperma vestitum* (Ker Gawl.) Pedley

Acacia victoriae Benth. ssp. **arida** Pedley – NW LE
- *Acacia victoriae* Benth., partly

Acacia victoriae Benth. ssp. **victoriae** – NW LE NU GT FR EA EP NL MU SL SE?e
- *Acacia coronalis* J.M.Black
- *Acacia decora* auct.non Rchb: Benth.(1855)
- *Acacia decora* Rchb. var. *spinescens* Benth.
- *Acacia sentis* F.Muell. ex Benth., nom.illeg.
- *Racosperma victoriae* (Benth.) Pedley

Acacia wattsiana F.Muell. ex Benth. – FR NL MU SL?e

Acacia whibleyana R.S.Cowan & Maslin (Endangered status in SA, Endangered status in Australia) – EP

Acacia wilhelmiana F.Muell. – GT FR EA EP NL MU YP SL?n
- *Acacia bynoeana* auct.non Benth.: J.M.Black(1948)
- *Acacia bynoeana* Benth. var. *latifolia* J.M.Black, nom.inval.
- *Acacia calamifolia* Sweet ex Lindl. var. *wilhelmiana (as wilhelmsiana)* (F.Muell.) Benth.
- *Acacia leptophylla* F.Muell.(1863), non (Cav.) DC.(1813)

Aenictophyton anomalum (F.Muell.) I.Thomps. – NW
- *Ptychosema anomalum* F.Muell.

Aeschynomene indica L. – NW LE GT

* **Alhagi maurorum** Medik. – NL* MU* YP* SL*
- *Alhagi camelorum* Fisch.
- *Alhagi pseudalhagi* (M.Bieb.) Desv.
- *Hedysarum alhagi* L.
- *Hedysarum pseudalhagi* M.Bieb.

* **Anagyris foetida** L. – NL*

* **Anthyllis barba-jovis** L. – EP* SL*

Aotus subspinescens (Benth.) Crisp – GT EP MU YP SL SE
- *Aotus ericoides* auct.non (Vent.) G.Don: H.Eichler(1965)
- *Aotus villosa* auct.non (Andrews) Sm.: J.M.Black(1948)
- *Aotus villosa* (Andrews) Sm. var. *subspinescens* Benth.

* **Astragalus hamosus** L. – FR* EA* EP* SL*

* **Astragalus sesameus** L. – FR* EA* MU*

Bauhinia gilva (F.M.Bailey) A.S.George – LE EA
- *Bauhinia carronii* auct.non F.Muell.: J.M.Black(1948)
- *Bauhinia cunninghamii* Benth. f. *gilva* F.M.Bailey
- *Lysiphyllum gilvum* (F.M.Bailey) Pedley

?e **Bituminaria bituminosa** (L.) C.H.Stirton – SE?e
- *Psoralea bituminosa* L.

Bossiaea cinerea R.Br. – SE
- *Bossiaea cinerea* R.Br. var. *tenuicaulis* (Graham) J.M.Black
- *Bossiaea cordifolia* Sweet
- *Bossiaea tenuicaulis* Graham

Bossiaea peninsularis I.Thomps. (Endangered status in SA, Endangered status in Australia) – EP
- *Bossiaea ensata* auct.non Sieber ex DC.: J.Z.Weber(1986)
- *Bossiaea riparia* auct.non A.Cunn. ex Benth.: Tate(1890); J.M.Black(1948)

Bossiaea prostrata R.Br. – FR NL MU SL SE
- *Bossiaea ovata* (Andrews) Sm.
- *Platylobium ovatum* Andrews

Bossiaea walkeri F.Muell. – NW NU GT EP MU

* **Caesalpinia gilliesii** (Wall. ex Hook.) Benth. – FR* NL* MU*
- *Poinciana gilliesii* Wall. ex Hook.

* **Caesalpinia spinosa** (Molina) Kuntze – EP*
- *Poinciana spinosa* Molina

* **Callistachys lanceolata** Vent. – NL* SL*
- *Oxylobium lanceolatum* (Vent.) Daveau

?e **Ceratonia siliqua** L. – FR?e NL?e

* **Cercis siliquastrum** L. – FR*

* **Chamaecytisus palmensis** (H.Christ) F.A.Bisby & K.Nicholls – EP* NL* MU* SL* KI* SE*
- *Chamaecytisus proliferus* (L.f.) Link ssp. *palmensis* (H.Christ) Kunkel
- *Chamaecytisus proliferus* (L.f.) Link var. *palmensis* (H.Christ) A.Hansen & Sunding
- *Cytisus proliferus* L.f., non Cytisus prolifer Kit.
- *Cytisus proliferus* L.f. var. *palmensis* H.Christ

* **Cicer arietinum** L. – YP*

?e **Colutea arborescens** L. – SL?e

* **Coronilla vaginalis** Lam. – SL*

?e **Coronilla varia** L. – MU?e

Crotalaria cunninghamii R.Br. ssp. **sturtii** (R.Br.) A.E.Holland – NW LE GT EP
- *Crotalaria cunninghamii* R.Br.
- *Crotalaria cunninghamii* R.Br. var. *trifoliolata* J.M.Black
- *Crotalaria sturtii* R.Br.

Crotalaria dissitiflora Benth. ssp. **dissitiflora** – LE

Crotalaria dissitiflora Benth. ssp. **rugosa** (Benth.) A.T.Lee – LE
- *Crotalaria dissitiflora* Benth. var. *rugosa* Benth.

Crotalaria eremaea F.Muell. ssp. **eremaea** – LE GT FR EA
- *Crotalaria dissitiflora* auct.non Benth.: J.M.Black(1948)
- *Crotalaria dissitiflora* Benth. var. *eremaea* (F.Muell.) Benth.

Crotalaria eremaea F.Muell. ssp. **strehlowii** (E.Pritz.) A.T.Lee – NW LE GT
- *Crotalaria strehlowii* E.Pritz.

Crotalaria medicaginea Lam. var. **neglecta** (Wight & Arn.) Baker – NW LE?id
- *Crotalaria trifoliastrum* auct.non Willd.: Benth.(1864)

Crotalaria novae-hollandiae DC. ssp. **lasiophylla** (Benth.) A.T.Lee – LE
- *Crotalaria novae-hollandiae* auct.non DC.: J.M.Black(1948)
- *Crotalaria novae-hollandiae* DC. f. *lasiophylla* Benth.

Crotalaria smithiana A.T.Lee – LE
- *Crotalaria mitchellii* auct.non Benth.: J.M.Black(1948)
- *Crotalaria mitchellii* Benth. var. *tomentosa* Ewart

Cullen australasicum (Schltdl.) J.W.Grimes – NW LE GT FR EA EP NL MU YP SL
- *Psoralea australasica* Schltdl.
- *Psoralea patens* auct.non Lindl.: J.M.Black(1948), partly

Cullen cinereum (Lindl.) J.W.Grimes – LE NU GT FR EA EP MU
- *Psoralea cinerea* Lindl.

Cullen discolor (Domin) J.W.Grimes – NW LE NU GT FR EP NL MU
- *Psoralea discolor* Domin

Cullen graveolens (Domin) J.W.Grimes – NW LE GT FR EP
- *Psoralea graveolens* Domin

Cullen microcephalum (Rchb. ex Kunze) J.W.Grimes (Endangered status in SA) – SE
- *Psoralea adscendens* F.Muell.
- *Psoralea microcephala* Rchb. ex Kunze

Cullen pallidum (N.T.Burb.) J.W.Grimes – NW LE GT FR MU
- *Psoralea eriantha* auct.non Benth.: J.M.Black(1948), partly
- *Psoralea pallida* N.T.Burb.

Cullen parvum (F.Muell.) J.W.Grimes (Vulnerable status in SA) – FR EA NL MU SL
- *Psoralea parva* F.Muell.

Cullen patens (Lindl.) J.W.Grimes – LE NU GT FR
- *Psoralea eriantha* Benth.
- *Psoralea patens* Lindl.

Cullen tenax (Lindl.) J.W.Grimes – FR EA
- *Psoralea tenax* Lindl.

?e **Cytisus multiflorus** (L'Her.) Sweet – SL?e
- *Cytisus albus* Link
- *Spartium multiflorum* L'Her.

* **Cytisus scoparius** (L.) Link (Declared SA plant) – NL* SL*
- *Sarothamnus scoparius* (L.) Wimm. ex W.D.J.Koch
- *Spartium scoparium* L.

Daviesia aphylla F.Muell. ex Benth. – NU EP MU
- *Daviesia acanthoclona* F.Muell.
- *Daviesia benthamii* Meisn. ssp. *acanthoclona* (F.Muell.) Crisp
- *Daviesia benthamii* Meisn. ssp. *benthamii* auct.non Meisn.: J.Z.Weber & Crisp in Jessop & Toelken (1986), partly

- *Daviesia genistifolia* auct.non A.Cunn. ex Benth.: J.M.Black(1948), partly
- *Daviesia genistifolia* var. *colletioides* auct.non (A.Cunn. ex Benth.) Benth.: J.M.Black(1922)
- *Daviesia nudula* J.M.Black

Daviesia arenaria Crisp – FR EP NL MU SL KI SE
- *Daviesia ulicina* Sm. var. *ruscifolia* auct.non (A.Cunn. ex Benth.) J.M.Black: J.M.Black(1924)

Daviesia arthropoda F.Muell. – NW NU

Daviesia asperula Crisp ssp. **asperula** – EP SL KI
- *Daviesia genistifolia* auct.non A.Cunn. ex Benth.: J.M.Black(1948), partly
- *Daviesia incrassata* auct.non Sm.: J.M.Black(1948)
- *Daviesia polyphylla* auct.non Benth.: J.M.Black(1948), partly

Daviesia asperula Crisp ssp. **obliqua** Crisp – EP
- *Daviesia polyphylla* auct.non Benth.: J.M.Black(1948), partly

Daviesia brevifolia Lindl. – EP NL MU SL KI SE

Daviesia devito Crisp & L.G.Cook (Rare* status in SA) – FR EP NL MU YP SL KI SE
- *Daviesia benthamii* Meisn. ssp. *humilis* Crisp, partly
- *Daviesia genistifolia* auct.non A.Cunn. ex Benth.: J.M.Black(1948), partly

Daviesia genistifolia A.Cunn. ex Benth. – FR EA EP NL MU

Daviesia incrassata Sm. ssp. **reversifolia** (F.Muell.) Crisp – ?KI

Daviesia leptophylla A.Cunn. ex G.Don – FR EP NL MU SL KI SE
- *Daviesia corymbosa* auct.non Sm.: J.M.Black(1948)
- *Daviesia mimosoides* auct.non R.Br.: Crisp(1983)
- *Daviesia virgata* A.Cunn. ex Hook.

Daviesia pectinata Lindl. (Rare status in SA) – EP SL SE
- *Daviesia latipes* F.Muell.

Daviesia purpurascens Crisp – EP

Daviesia schwarzenegger Crisp & L.G.Cook (Rare* status in SA) – FR NL MU
- *Daviesia benthamii* Meisn. ssp. *humilis* uct. non Crisp: J.Z.Weber & Crisp in Jessop &Toelken(1986), partly

Daviesia sejugata G.Chandler & Crisp (Endangered status in SA) – YP

Daviesia stricta Crisp (Rare status in SA) – FR EA

Daviesia ulicifolia Andrews ssp. **aridicola** G.Chandler & Crisp – NW NU GT EA EP MU
- *Daviesia arthropoda* auct.non F.Muell.: J.Z.Weber(1986)

Daviesia ulicifolia Andrews ssp. **incarnata** G.Chandler & Crisp – NL MU SL KI[?id]

Daviesia ulicifolia Andrews ssp. **ulicifolia** – MU SL KI SE
- *Daviesia ulicina* Sm.

Dillwynia cinerascens R.Br. (Endangered status in SA) – SE

Dillwynia glaberrima Sm. – SE
- *Dillwynia ericifolia* Sm. var. *glaberrima* (Sm.) Benth.
- *Dillwynia ericifolia* Sm. var. *pedunculari*s auct.non (Benth.) Benth.: J.M.Black(1922)
- *Dillwynia pedunculari*s auct.non Benth.: J.M.Black(1948)

Dillwynia hispida Lindl. – EP NL MU YP SL KI SE

Dillwynia sericea A.Cunn. – MU YP SL KI SE
- *Dillwynia floribunda* auct.non Sm.: J.M.Black(1948)

Dillwynia sparsifolia (F.Muell.) Jobson & P.H.Weston – GT EP MU YP SE
- *Dillwynia patula* (F.Muell.) F.Muell.
- *Dillwynia uncinata* auct.non (Turcz.) J.M.Black: Weber et al. in Craigie et al.(2014).
- *Eutaxia patula* F.Muell.
- *Eutaxia sparsifolia* F.Muell.

* **Dipogon lignosus** (L.) Verdc. – LE* EP* YP* SL* KI* SE*
- *Dolichos lignosus* L.
- *Verdcourtia lignosa* (L.) R.Wilczek

[?e] **Erythrina × sykesii** Barneby & Krukoff – SL[?e]

[?e] **Erythrina vespertilio** Benth. – LE[?e]
- *Erythrina biloba* F.Muell
- *Erythrina vespertilio* Benth. var. *typica* Domin

Eutaxia diffusa F.Muell. – FR EA EP NL MU YP SL KI SE
- *Eutaxia microphylla* (R.Br.) C.H.Wright & Dewar var. *diffusa* (F.Muell.) Court

Eutaxia microphylla (R.Br.) C.H.Wright & Dewar – NU GT FR EA EP NL MU YP SL KI SE
- *Eutaxia empetrifolia* Schltdl.
- *Sclerothamnus microphyllus* R.Br.

[?e] **Gastrolobium villosum** Benth. – SL[?e]

* **Genista linifolia** L. – EP* NL* SL*
- *Cytisus linifolius* (L.) Lam.
- *Teline linifolia* (L.) Webb & Berthel.

* **Genista monspessulana** (L.) L.A.S.Johnson (Declared SA plant) – FR* EP* NL* MU* SL* KI* SE*
- *Cytisus canariensis* auct.non (L.) Kuntze: J.M.Black(1948)
- *Cytisus candicans* (L.) DC.
- *Cytisus monspessulanus* L.
- *Genista candicans* L.
- *Genista maderensis* auct.non (Webb & Berthel.) Lowe: H.Eichler(1965)
- *Teline monspessulana* (L.) K.Koch

* **Genista × spachiana** Webb – SE*

* **Genista stenopetala** Webb & Berthel. – SL* SE*
- *Genista maderensis* auct.non (Webb & Berthel.) Lowe: H.Eichler(1965)
- *Genista monspessulana* auct.non (L.) L.A.S.Johnson: J.Z.Weber(1986), partly
- *Teline stenopetala* (Webb & Berthel.) Webb & Berthel.

* **Gleditsia triacanthos** L. – FR?e SL*

Glycine canescens F.J.Herm. – NW LE GT FR EA EP MU
- *Glycine sericea* (F.Muell.) Benth.
- *Glycine sericea* (F.Muell.) Benth. var. *orthotricha* J.M.Black
- *Leptocyamus sericeus* F.Muell.

Glycine clandestina J.C.Wendl. – SE

Glycine latrobeana (Meisn.) Benth. (Vulnerable status in SA, Vulnerable status in Australia) – NL SL SE
- *Zichya latrobeana* Meisn.

Glycine microphylla (Benth.) Tindale – SE
- *Glycine tabacina* auct.non (Labill.) Benth.: J.Z.Weber(1986)
- *Leptocyamus microphyllus* (Benth.) Tindale
- *Leptolobium microphyllum* Benth.

Glycine rubiginosa Tindale & B.E.Pfeil – NW NU GT FR EA EP NL MU YP SL KI SE
- *Glycine clandestina* auct.non J.C.Wendl.: J.Z.Weber(1986)
- *Glycine clandestina* J.C.Wendl. var. *sericea* Benth., partly

Glycine tabacina (Labill.) Benth. (Vulnerable status in SA) – FR?id NL SL SE
- *Kennedia tabacina* Labill.

Glycyrrhiza acanthocarpa (Lindl.) J.M.Black – LE GT EA NL MU SE
- *Clidanthera psoraleoides* R.Br.
- *Glycyrrhiza psoraleoides* (R.Br.) Benth.
- *Indigofera acanthocarpa* Lindl.
- *Psoralea acanthocarpa* (Lindl.) F.Muell.

* **Glycyrrhiza glabra** L. – NL* MU* YP* SL* SE*
- *Glycyrrhiza glandulifera* Waldst. & Kit.

Gompholobium ecostatum Kuchel – EP MU SL KI SE
- *Gompholobium minus* auct.non Sm.: J.M.Black(1948)
- *Gompholobium minus* Sm. var. *grandiflorum* Benth.

?e **Gompholobium knightianum** Lindl. – SE?e

Goodia medicaginea F.Muell. – FR EA EP NL MU YP SL KI SE
- *Goodia lotifolia* auct.non Salisb.: J.M.Black(1948)
- *Goodia lotifolia* var. *lotifolia* auct.non Salisb.: J.Z.Weber(1986)
- *Goodia lotifolia* Salisb. var. *pubescens* auct.non (Sims) H.B.Will.: J.Z.Weber(1986)
- *Goodia medicaginea* F.Muell.

Hardenbergia violacea (Schneev.) Stearn – FR EP NL MU YP SL KI SE
- *Glycine violacea* Schneev.
- *Hardenbergia monophylla* (Vent.) Benth.
- *Kennedia monophylla* Vent.

Hovea heterophylla A.Cunn. ex Hook.f. (Vulnerable status in SA) – SE
- *Hovea linearis* auct.non (Sm.) R.Br.: Barker et al.(2005), partly

* **Hovea pungens** Benth. – SL*

Hovea purpurea Sweet (Rare status in SA) – FR EP ?NL
- *Hovea beckeri* F.Muell.
- *Hovea longifolia* R.Br. var. *lanceolata* auct.non (Sims) Benth.: J.M.Black(1924)
- *Hovea longifolia* var. *longifolia* auct.non R.Br.: J.Z.Weber(1986)

* **Hovea trisperma** Benth. – SL*
- *Hovea linearis* auct.non (Sm.) R.Br.: Barker et al.(2005), partly

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

?n **Indigastrum parviflorum** (Wight & Arn.) Schrire – LE?n
- *Indigofera parviflora* Heyne ex Wight & Arn.

Indigofera australis Willd. ssp. **australis** – LE FR EA NL MU SL SE
- *Indigofera australis* Willd. var. *angulata* Benth., partly
- *Indigofera australis* Willd. var. *australis*
- *Indigofera australis* Willd. var. *minor* Benth.

Indigofera australis Willd. ssp. **hesperia** Peter G.Wilson & Rowe – GT FR EP NL
- *Indigofera australis* auct.non Willd.: J.Z.Weber(1986), partly
- *Indigofera australis* Willd. var. *angulata* Benth., partly

Indigofera basedowii E.Pritz. – NW

?n **Indigofera colutea** (Burm.f.) Merr. – NW* LE?n* FR*
- *Galega colutea* Burm.f.
- *Indigofera viscosa* Lam.

Indigofera cornuligera Peter G. Wilson & Rowe ssp. **cornuligera** – NW LE
- *Indigofera leucotricha* auct.non E.Pritz.: J.Z.Weber(1986), partly

Indigofera cornuligera Peter G. Wilson & Rowe ssp. **flindersensis** Peter G. Wilson & Rowe – LE FR EA
- *Indigofera leucotricha* auct.non E.Pritz.: J.Z.Weber(1986), partly

Indigofera ewartiana Domin – LE

Indigofera georgei E.Pritz. – NW LE EP

Indigofera helmsii Peter G.Wilson – NW GT FR EA EP NL MU
- *Indigofera brevidens* Benth. var. *uncinata* Benth.
- *Indigofera uncinata* Ewart & L.R.Kerr,, nom.illeg., non G.Don(1832)

Indigofera leucotricha E.Pritz. – LE EA
- *Indigofera brevidens* auct.non Benth.: J.M.Black(1924), partly

?n **Indigofera linifolia** (L.f.) Retz. – LE?n*
- *Hedysarum linifolium* L.f.

?n **Indigofera linnaei** Ali – NW* LE?n* FR*
- *Indigofera dominii* H.Eichler, nom.superfl.
- *Indigofera enneaphylla* L., nom.illeg.

Indigofera longibractea J.M.Black – NW FR EA
- *Indigofera basedowii* E.Pritz. ssp. *longibractea* (J.M.Black) Peter G.Wilson

Indigofera psammophila Peter G.Wilson – NW LE GT
- *Indigofera brevidens* auct.non Benth.: J.Z.Weber(1986)

Isotropis centralis Maconochie – NW

Isotropis wheeleri F.Muell. ex Benth. – LE GT EA

* **Kennedia nigricans** Lindl. – SL*
- *Kennedya nigricans* Lindl., orth.var.

Kennedia prorepens (F.Muell.) F.Muell. – NW FR MU
- *Caulinia prorepens* F.Muell.
- *Kennedya prorepens* (F.Muell.) F.Muell., orth.var.

Kennedia prostrata R.Br. – FR EP NL MU YP SL KI SE
- *Kennedya prostrata* R.Br., orth.var.

* **Laburnum anagyroides** Medik. – SL*
- *Cytisus laburnum* L.

* **Lathyrus latifolius** L. – NL?e SL*

* **Lathyrus odoratus** L. – SL* SE*

* **Lathyrus sphaericus** Retz. – SL*

* **Lathyrus tingitanus** L. – SL* SE*
- *Lathyrus latifolius* auct.non L.: J.M.Black(1948), partly

Leptosema chambersii F.Muell. – NW
- *Brachysema chambersii* (F.Muell.) F.Muell. ex Benth.
- *Leptosema chambersii* F.Muell. ssp. *chambersii*

* **Lessertia frutescens** (L.) Goldblatt & J.C.Manning – FR* EP* NL* MU* SL* KI* SE*
- *Colutea frutescens* L.
- *Sutherlandia frutescens* (L.) R.Br.

* **Lotus angustissimus** L. – EP* SL* KI* SE*

Lotus australis Andrews – FR EP NL MU YP SL KI SE

* **Lotus corniculatus** L. var. **corniculatus** – SE*

* **Lotus corniculatus** L. var. **tenuifolius** L. – SE*

Lotus cruentus Court – NW LE NU GT FR EA EP NL MU YP SL
- *Lotus australis* Andrews var. *behrianus* M.Koch

- *Lotus australis* Andrews var. *behrii* C.Moore & Betche
- *Lotus australis* Andrews var. *coccineus* F.Muell.(1878)
- *Lotus australis* Andrews var. *exstipulatus* J.M.Black
- *Lotus australis* Andrews var. *parviflorus* Benth.
- *Lotus australis* Andrews var. *pubescens* Benth.
- *Lotus coccineus* Schltdl.

* **Lotus preslii** Ten. – MU* SL* SE*
- *Lotus corniculatus* auct.non L.: J.M.Black(1948)
- *Lotus subbiflorus* auct.non Lagasca: Weber(1986), partly
- *Lotus uliginosus* auct.non Schkuhr: Jessop(1993), partly

* **Lotus subbiflorus** Lag. – EP* SL* SE*
- *Lotus suaveolens* Pers.

* **Lotus uliginosus** Schkuhr – SL* SE*
- *Lotus corniculatus* auct.non L.: J.M.Black(1948)
- *Lotus pedunculatus* auct.non Cav.: H.Eichler(1965)

?e **Lupinus angustifolius** L. – FR?e EP?e SL?e KI?e SE?e

* **Lupinus cosentinii** Guss. – EP* NL* MU* SL* KI* SE*
- *Lupinus digitatus* auct.non Forssk.: H.Eichler(1965)
- *Lupinus hirsutus* auct.non L.: J.M.Black(1948)
- *Lupinus pilosus* auct.non L.: J.M.Black(1948)
- *Lupinus varius* auct.non L.: Jessop(1993)

* **Lupinus luteus** L. – SL*

?e **Lupinus polyphyllus** Lindl. – SL?e

* **Medicago arabica** (L.) Huds. – NL* MU* YP* SL* SE*
- *Medicago maculata* Sibth.
- *Medicago polymorpha* L. var. *arabica* L.

* **Medicago italica** (Mill.) Fiori – MU* SE*
- *Medica italica* Mill.
- *Medicago littoralis* auct.non Rohde ex Loisel: Jessop(1993), partly
- *Medicago rugosa* auct.non Desr.: J.Z.Weber(1986), partly
- *Medicago tornata* (L.) Mill.

* **Medicago laciniata** (L.) Mill. – EP* NL* MU*
- *Medicago polymorpha* L. var. *laciniata* L.

* **Medicago littoralis** Rohde ex Loisel. – EP* NL* MU* YP* SL* SE*

* **Medicago lupulina** L. – SL* SE*

* **Medicago minima** (L.) Bartal. – GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Medicago minima* (L.) Bartal. var. *brachyodon* Reichb.
- *Medicago minima* (L.) Bartal. var. *brevispina* Benth.
- *Medicago minima* (L.) Bartal. var. *minima*
- *Medicago polymorpha* L. var. *minima* L.

* **Medicago orbicularis** (L.) Bartal. – YP* SL*
- *Medicago polymorpha* L. var. *orbicularis* L.

* **Medicago polymorpha** L. – LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Medicago apiculata* Willd.
- *Medicago apiculata* Willd. var. *confinis* Koch
- *Medicago confinis* (Koch) J.M.Black
- *Medicago denticulata* Willd.
- *Medicago denticulata* Willd. var. *brevispina* Benth.
- *Medicago denticulata* Willd. var. *vulgaris* Benth., nom.inval.
- *Medicago hispida* Gaertn. var. *apiculata* (Willd.) Urb.
- *Medicago hispida* Gaertn. var. *confinis* (Koch) Burnat
- *Medicago hispida* Gaertn. var. *denticulata* (Willd.) Urb.
- *Medicago hispida* Gaertn. var. *inermis* Urb., nom.inval.
- *Medicago hispida* Gaertn. var. *lappacea* (Desr.) J.M.Black
- *Medicago lappacea* Desr.
- *Medicago polymorpha* L. var. *brevispina* (Benth.) Heyn
- *Medicago polymorpha* L. var. *polymorpha*
- *Medicago reticulata* Benth.

* **Medicago praecox** DC. – FR* EP* MU* SL* SE*

* **Medicago rugosa** Desr. – NL* SE*

* **Medicago sativa** L. – NU* GT* FR* EA* EP* NL* MU* YP* SL* SE*
- *Medicago caerulea* Less. ex Ledeb.
- *Medicago sativa* L. ssp. *caerulea* (Less. ex Ledeb.) Schmalh.

* **Medicago scutellata** (L.) Mill. – LE?e FR* YP* SL* KI* SE*
- *Medicago polymorpha* L. var. *scutellata* L.

* **Medicago truncatula** Gaertn. – NU* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Medicago tentaculata* in error: J.M.Black(1948)
- *Medicago tribuloides* Desr.
- *Medicago tribuloides* Desr. var. *truncatula* (Gaertn.) W.D.J.Koch
- *Medicago truncatula* Gaertn. var. *longispina* Urb.

* **Melilotus albus** Medik. – FR* NL* MU* SL* SE*
- *Melilotus alba* Medik.

* **Melilotus indicus** (L.) All. – LE* NU* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Melilotus indica* (L.) All.
- *Melilotus parviflora* Desf.
- *Trifolium Melilotus indica* L.

?e **Melilotus officinalis** (L.) Lam. – EP?e SL?e
- *Melilotus arvensis* Wallr.
- *Trifolium Melilotus officinalis* L.

?e **Melilotus siculus** (Turra) B.D.Jackson – SL?e
- *Melilotus messanensis* (L.) All.
- *Trifolium messanensis* L.

Muelleranthus stipularis (J.M.Black) A.T.Lee – NW LE GT
- *Ptychosema stipulare* J.M.Black

Neptunia dimorphantha Domin – LE
- *Neptunia monosperma* auct.non F.Muell. ex Benth.: J.M.Black(1948)

* **Ornithopus compressus** L. – SL* KI*

?e **Ornithopus sativus** Brot. – NL?e
- *Ornithopus sativus* Brot. ssp. *sativus*

Paraserianthes lophantha (Willd.) I.C.Nielsen – FR* EPn* YP* SL* KI* SE*
- *Acacia lophantha* Willd.
- *Albizia distachya* (Vent.) J.Macbr.
- *Albizia lophantha* (Willd.) Benth.
- *Albizzia lopantha* (Willd.) Benth.
- *Mimosa distachya* Vent.

* **Parkinsonia aculeata** L. (Declared SA plant) – GT*

Petalostylis cassioides (F.Muell.) Symon – NW
- *Petalogyne cassioides* F.Muell.
- *Petalostyles spinescens* E.Pritz.
- *Petalostylis labicheoides* R.Br. var. *cassioides* Benth.
- *Petalostylis labicheoides* R.Br. var. *microphylla* Ewart & Morrison

Petalostylis labicheoides R.Br. – LE FR EA

Phyllota pleurandroides F.Muell. – MU SL KI SE

Phyllota remota J.H.Willis – EP MU SL SE

* **Pisum sativum** L. – NW* NL* SL* KI*

Platylobium obtusangulum Hook. – MU SL KI SE
- *Platylobium obtusangulum* Hook. var. *spinulosum* J.H.Willis

?e **Podalyria sericea** (Andrews) R.Br. – EP?e SL?e
- *Sophora sericea* Andrews

* **Prosopis juliflora** (Sw.) DC. (Declared SA plant) – LE* GT* FR* EA* EP*
- *Mimosa juliflora* Sw.

* **Psoralea pinnata** L. – KI?e SE*

Pullenia gunnii (Benth. ex Hook.f.) H.Ohashi & K.Ohashi – SE
- *Desmodium gunnii* Benth. ex Hook.f.

Pultenaea acerosa R.Br. ex Benth. – EP YP SL KI SE
- *Pultenaea acerosa* R.Br. ex Benth. var. *acerosa*
- *Pultenaea acerosa* R.Br. ex Benth. var. *acicularis* H.B.Will.

Pultenaea canaliculata F.Muell. – EP SL KI SE
- *Pultenaea canaliculata* F.Muell. var. *canaliculata*
- *Pultenaea canaliculata* F.Muell. var. *latifolia* H.B.Will.
- *Pultenaea tenuifolia* auct.non R.Br. & Sims: Barker et al.(2005), partly

- *Pultenaea tenuifolia* auct.non R.Br. & Sims: de Kok(2003), partly

Pultenaea daphnoides J.C.Wendl. – ?MU SL KI
- *Pultenaea daphnoides* J.C.Wendl. var. *obcordata* (Andrews) Hook.f.
- *Pultenaea obcordata* Andrews

Pultenaea densifolia F.Muell. – EP NL MU YP SL KI SE

Pultenaea dentata Labill. (Vulnerable status in SA) – SL KI SE

Pultenaea elachista (F.Muell.) Crisp – NU EP KI
- *Gastrolobium elachistum* F.Muell.
- *Pultenaea cymbifolia* J.M.Black

Pultenaea graveolens Tate (Rare status in SA) – FR SL KI?id
- *Pultenaea graveolens* Tate var. *glabrescens* J.M.Black
- *Pultenaea hispidula* auct.non R.Br. ex Benth.: Weber(1986), partly

Pultenaea hispidula R.Br. ex Benth. – SL KI SE
- *Pultenaea daltonii* auct.non H.B.Will.: SA Census online(Oct. 2010), partly
- *Pultenaea pubescens* H.B.Will. ex J.M.Black

Pultenaea insularis J.Z.Weber (Endangered status in SA) – KI
- *Pultenaea pedunculata* auct.non. Hook.: Barker et. al.(2005), partly
- *Pultenaea pedunculata* auct.non. Hook.: de Kok(2004), partly

Pultenaea involucrata Benth. – SL
- *Pultenaea fuscata* F.Muell.

Pultenaea kraehenbuehlii P.J.Lang (Rare status in SA) – NL
- *Pultenaea stricta* auct.non Sims: J.Z.Weber(1986), partly

Pultenaea largiflorens F.Muell. ex Benth. – FR EP NL MU?id ?YP SL KI
- *Pultenaea largiflorens* F.Muell. ex Benth. var. *latifolia* H.B.Will.

Pultenaea laxiflora Benth. – NL MU SL KI SE
- *Pultenaea filifolia* F.Muell.
- *Pultenaea laxiflora* Benth. var. *pilosa* H.B.Will.
- *Pultenaea laxiflora* Benth. var. *procumbens* F.Muell. ex H.B.Will.
- *Pultenaea quadricolor* J.M.Black

Pultenaea pedunculata Hook. – EP NL MU SL KI SE
- *Pultenaea pedunculata* Hook. var. *latifolia* H.B.Will.

Pultenaea penna de Kok – KI SE
- *Pultenaea vestita* auct.non R.Br.: J.Z.Weber(1986), partly

Pultenaea prostrata Benth. ex Hook.f. – MU SE

Pultenaea rigida R.Br. ex Benth. – EP YP KI
- *Pultenaea acerosa* auct.non R.Br. ex Benth.: Barker et al.(2005), partly
- *Pultenaea acerosa* auct.non R.Br. ex Benth.: de Kok(2003), partly
- *Pultenaea rigida* R.Br. ex Benth. var. *ovata* J.Z.Weber
- *Pultenaea rigida* R.Br. ex Benth. var. *rigida*

Pultenaea scabra R.Br. (Rare status in SA) – SL KI SE

Pultenaea stricta Sims – SE

Pultenaea tenuifolia R.Br. & Sims – EP MU YP SL KI SE
- *Pultenaea tenuifolia* R.Br. & Sims var. *glabra* Benth.

Pultenaea teretifolia H.B.Will. var. **brachyphylla** H.B.Will. – KI
- *Pultenaea tenuifolia* auct.non R.Br. & Sims: Barker et al.(2005), partly
- *Pultenaea tenuifolia* auct.non R.Br. & Sims: de Kok(2003), partly

Pultenaea teretifolia H.B.Will. var. **teretifolia** – EP
- *Pultenaea tenuifolia* auct.non R.Br. ex Sims: de Kok(2003), partly
- *Pultenaea teretifolia* auct.non R.Br. & Sims: Barker et al.(2005), partly

Pultenaea trichophylla H.B.Will. ex J.M.Black (Rare status in SA, Endangered status in Australia) – EP

Pultenaea trifida J.M.Black – KI

Pultenaea trinervis J.M.Black – EP SL KI
- *Pultenaea villifera* Sieber ex DC. var. *australis* Benth.

Pultenaea vestita R.Br. – EP YP KI

Pultenaea villifera Sieber ex DC. var. **glabrescens** J.M.Black (Vulnerable status in SA, Vulnerable status in Australia) – KI

Pultenaea viscidula Tate – SL KI
- *Pultenaea viscidula* Tate, nom.nud. (1883)

* **Retama raetam** (Forssk.) Webb & Berthel – FR?e EP* NL* MU* YP* SL* SE*
- *Genista raetam* Forssk.
- *Retama duriaei* (Spach) Webb

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Rhynchosia australis Benth. – NW FR EA
- *Rhynchosia minima* auct.non (L.) DC.: J.Z.Weber(1986), partly

Rhynchosia minima (L.) DC. – NW LE FR
- *Dolichos minimus* L.

* **Robinia pseudoacacia** L. – FR* NL* MU* SL* SE*
- *Robinia pseudacacia* L.

Senna artemisioides (Gaudich. ex DC.) Randell ssp. **alicia** Randell – NW LE FR EA
- *Cassia nemophila* A.Cunn. ex Vogel var. *coriacea* auct.non (F.Muell.) Symon: Symon(1966), partly
- *Cassia oligophylla* auct.non F.Muell.: Symon(1966), partly
- *Senna* form taxon *'alicia'* Randell & Barlow

Senna artemisioides (Gaudich. ex DC.) Randell ssp.× **artemisioides**
– NW LE NU GT FR EA EP NL MU
- *Senna* form taxon *'artemisioides'* Randell & Barlow

Senna artemisioides (Gaudich. ex DC.) Randell ssp.× **coriacea** (Benth.) Randell
– NW LE NU GT FR EA EP NL MU YP SL
- *Cassia sturtii* R.Br. var.× *coriacea* Benth.
- *Senna* form taxon *'coriacea'* Randell & Barlow

Senna artemisioides (Gaudich. ex DC.) Randell ssp. **filifolia** Randell
– NW LE NU GT FR EA EP NL MU YP SL
- *Cassia eremophila* A.Cunn. ex Vogel var. *eremophila* auct.non Benth.: J.M.Black(1948), partly
- *Cassia nemophila* auct.non A.Cunn. ex Vogel: Symon(1966)
- *Cassia nemophila* A.Cunn. ex Vogel var. *nemophila* auct.non Benth.: Symon(1966), partly
- *Senna* form taxon *'filifolia'* Randell & Barlow

Senna artemisioides (Gaudich. ex DC.) Randell ssp. **helmsii** (Symon) Randell – NW LE GT FR EA
- *Cassia desolata* F.Muell. var. *involucrata* (J.M.Black) J.M.Black
- *Cassia helmsii* Symon
- *Cassia sturtii* R.Br. var. *involucrata* J.M.Black
- *Cassia sturtii* R.Br. var. *tomentosa* Benth.
- *Senna* form taxon *'helmsii'* Randell & Barlow

Senna artemisioides (Gaudich. ex DC.) Randell ssp. **oligophylla** (F.Muell.) Randell
– NW LE GT FR EA
- *Cassia oligophylla* F.Muell.
- *Senna* form taxon *'oligophylla'* Randell & Barlow

Senna artemisioides (Gaudich. ex DC.) Randell ssp.× **petiolaris** Randell
– NW LE NU GT FR EA EP NL MU YP SL
- *Cassia desolata* F.Muell. var. *planipes* (J.M.Black) Symon
- *Cassia eremophila* A.Cunn. ex Vogel var. *platypoda* auct.non (R.Br.) Benth.: J.M.Black(1948)
- *Cassia nemophila* A.Cunn. ex Vogel var. *platypoda* (R.Br.) Benth.
- *Cassia platypoda* R.Br.
- *Cassia sturtii* R.Br. var. *planipes* J.M.Black
- *Senna* form taxon *'petiolaris'* Randell & Barlow

Senna artemisioides (Gaudich. ex DC.) Randell ssp. **quadrifolia** Randell – NW LE NU GT FR EA
- *Cassia nemophila* A.Cunn. ex Vogel var. *zygophylla* auct.non (Benth.) Benth.: Symon(1966), partly
- *Senna* form taxon *'quadrifolia'* Randell & Barlow

Senna artemisioides (Gaudich. ex DC.) Randell ssp.× **sturtii** (R.Br) Randell – NW LE NU GT FR EA
- *Cassia sturtii* R.Br.
- *Senna* form taxon *'sturtii'* Randell & Barlow

Senna artemisioides (Gaudich. ex DC.) Randell ssp. **zygophylla** (Benth.) Randell – LE EA MU[?id] SL[?id]
- *Cassia nemophila* A.Cunn. ex Vogel var. *zygophylla* (Benth.) Benth.
- *Cassia zygophylla* Benth.
- *Senna* form taxon *'zygophylla'* Randell & Barlow

* **Senna barclayana** (Sweet) Randell – FR[?e] NL* SL[?e]
- *Cassia barclayana* Sweet

Senna cardiosperma (F.Muell.) Randell ssp. **cardiosperma** – NU EP
- *Cassia cardiosperma* F.Muell.
- *Senna cardiosperma* (F.Muell.) Randell

Senna cardiosperma (F.Muell.) Randell ssp. **gawlerensis** Randell – NW LE NU GT FR EA EP MU
- *Cassia nemophila* A.Cunn. ex Vogel var. *coriacea* auct.non (Benth.) Symon: Symon(1966), partly
- *Cassia sturtii* R.Br. var. *coriacea* auct.non Benth.: Symon(1966), partly
- *Senna* form taxon *'gawlerensis'* Randell & Barlow

Senna cardiosperma (F.Muell.) Randell ssp. **microphylla** Randell – NW LE NU GT FR EP
- *Senna* form taxon *'microphylla'* Randell & Barlow

Senna glutinosa (Gaudich. ex DC.) Randell ssp. **chatelainiana** (Gaudich.) Randell – LE
- *Cassia chatelainiana* Gaudich.
- *Senna* form taxon *'chatelainiana'* Randell & Barlow

Senna glutinosa (Gaudich. ex DC.) Randell ssp. **glutinosa** – NW
- *Cassia glutinosa* Gaudich. ex DC.
- *Senna* form taxon *'glutinosa'* Randell & Barlow

Senna glutinosa (Gaudich. ex DC.) Randell ssp. **pruinosa** (F.Muell.) Randell – NW LE GT FR
- *Cassia pruinosa* F.Muell.
- *Senna* form taxon *'pruinosa'* Randell & Barlow

?n **Senna hamersleyensis** (Symon) Randell – NW?n
- *Cassia hamersleyensis* Symon
- *Senna artemisioides* (Gaudich. ex DC.) Randell ssp. *hamersleyensis* (Symon) Randell

* **Senna multiglandulosa** (Jacq.) Irwin & Barneby – SE*
- *Cassia multiglandulosa* Jacq.

Senna notabilis (F.Muell.) Randell – LE
- *Cassia notabilis* F.Muell.

?n **Senna occidentalis** (L.) Link – LE?n
- *Cassia occidentalis* L.

Senna phyllodinea (R.Br.) Symon – LE GT FR EA
- *Cassia phyllodinea* R.Br.
- *Senna artemisioides* (Gaudich. ex DC.) Randell ssp. *petiolaris* auct.non Randell: Randell(1989), partly

Senna planitiicola (Domin) Randell – NW LE GT FR?e EP?e
- *Cassia planitiicola* Domin
- *Cassia sophera* auct.non L.: J.M.Black(1948)

Senna pleurocarpa (F.Muell.) Randell var. **pleurocarpa** – NW LE NU GT EP
- *Cassia pleurocarpa* F.Muell.

Sesbania cannabina (Retz.) Poir. var. **cannabina** – LE SL?e
- *Aeschynomene cannabina* Retz.
- *Sesbania aculeata* auct.non (Schreb.) Poir.: J.M.Black(1924, 1948)

* **Spartium junceum** L. – EP* NL* YP* SL* SE*

Sphaerolobium minus Labill. (Rare status in SA) – EP MU SL KI SE
- *Sphaerolobium vimineum* auct.non Sm.: J.Z.Weber(1986)

Swainsona acuticarinata (A.T.Lee) Joy Thomps. – NW NU EP
- *Swainsona burkei* F.Muell. ex Benth. ssp. *acuticarinata* A.T.Lee

Swainsona adenophylla J.M.Black – NW LE GT FR
- *Swainsona microcalyx* J.M.Black ssp. *adenophylla* (J.M.Black) A.T.Lee
- *Swainsona microcalyx* J.M.Black var. *adenophylla* (J.M.Black) J.M.Black

Swainsona affinis (A.T.Lee) Joy Thomps. – NW LE GT
- *Swainsona microphylla* A.Gray ssp. *affinis* A.T.Lee
- *Swainsona microphylla* A.Gray ssp. *glabrescens* A.T.Lee
- *Swainsona microphylla* A.Gray ssp. *pallescens* A.T.Lee
- *Swainsona microphylla* A.Gray var. *affinis* J.M.Black

Swainsona behriana F.Muell. ex J.M.Black (Vulnerable status in SA) – FR NL MU SL SE
- *Swainsona oroboides* auct.non F.Muell. ex Benth.: J.Z.Weber(1986), partly
- *Swainsona oroboides* F.Muell. ex Benth. ssp. *hirsuta* (J.M.Black) A.T.Lee
- *Swainsona oroboides* F.Muell. ex Benth. var. *hirsuta* J.M.Black
- *Swainsona sericea* auct.non (A.T.Lee) H.Eichler: Thompson(1993), partly

Swainsona burkittii F.Muell. ex Benth. – FR EA

Swainsona campestris J.M.Black – NU

Swainsona campylantha F.Muell. – NW LE GT FR

Swainsona canescens (Benth.) F.Muell. – NW LE NU GT FR EP
- *Cyclogyne canescens* Benth.
- *Swainsona canescens* (Benth.) F.Muell. var. *horniana* J.M.Black

Swainsona colutoides F.Muell. – NU GT EA EP MU

Swainsona dictyocarpa J.M.Black (Vulnerable status in SA) – GT

Swainsona disjuncta Joy Thomps. – NW EP

Swainsona eremaea Joy Thomps. – LE GT

Swainsona extrajacens Joy Thomps. – LE EA

Swainsona fissimontana J.M.Black – LE FR EA
- *Swainsona fissimontana* J.M.Black var. *coarctata* J.M.Black
- *Swainsona murrayana* auct.non Wawra: Barker et al.(2005), partly

Swainsona flavicarinata J.M.Black – NW LE NU GT FR EA

Swainsona formosa (G.Don) Joy Thomps. – NW LE NU GT FR EA EP NL
- *Clianthus dampieri* A.Cunn.
- *Clianthus dampieri* A.Cunn. var. *marginata* Dombrain
- *Clianthus formosus* (G.Don) Ford & Vickery
- *Clianthus oxleyi* A.Cunn.
- *Clianthus speciosus* (G.Don) Asch. & Graebn.
- *Clianthus speciosus* (G.Don) Asch. & Graebn. ssp. *marginata* (Dombrain) Asch. & Graebn.
- *Colutea novaehollandiae* Ray
- *Donia formosa* G.Don
- *Donia speciosa* G.Don
- *Willdampia formosa* (G.Don) A.S.George

Swainsona fuscoviridis Joy Thomps. (Rare status in SA) – GT EA NL YP

Swainsona greyana Lindl. – MU

Swainsona kingii F.Muell. (Vulnerable status in SA) – NW

Swainsona laxa R.Br. – LE EP
- *Swainsona laxa* R.Br. var. *rigida* Benth.
- *Swainsona rigida* (Benth.) J.M.Black

Swainsona leeana J.Z.Weber (Rare status in SA) – LE FR EP

Swainsona lessertiifolia DC. – GT EP MU YP SL KI SE

Swainsona microcalyx J.M.Black (Rare status in SA) – NW GT EP

Swainsona microphylla A.Gray – NW LE NU GT EP MU
- *Swainsona microphylla* A.Gray ssp. *minima* A.T.Lee
- *Swainsona microphylla* A.Gray ssp. *tomentosa* A.T.Lee
- *Swainsona microphylla* A.Gray var. *minima* J.M.Black
- *Swainsona microphylla* A.Gray var. *tomentosa* J.M.Black

Swainsona minutiflora A.T.Lee (Vulnerable status in SA) – NW LE ?FR

Swainsona murrayana Wawra (Vulnerable status in SA, Vulnerable status in Australia) – EA
- *Swainsona morrisiana* J.M.Black
- *Swainsona murrayana* Wawra ssp. *eciliata* A.T.Lee

Swainsona oligophylla F.Muell. ex Benth. (Rare status in SA) – NW LE GT EA
- *Swainsona concinna* F.M.Bailey

Swainsona oliveri F.Muell. – NW LE NU GT FR EP

Swainsona oroboides F.Muell. ex Benth. – NW LE GT EP MU

Swainsona phacoides Benth. – NW LE GT FR EA EP MU
- *Swainsona phacoides* Benth. var. *argyrophylla* J.M.Black
- *Swainsona phacoides* Benth. var. *oocarpa* J.M.Black
- *Swainsona phacoides* Benth. var. *parviflora* Benth.
- *Swainsona uniflora* J.M.Black

Swainsona procumbens (F.Muell.) F.Muell. (Vulnerable status in SA) – FR EA NL SE
- *Cyclogyne procumbens* F.Muell.
- *Swainsona procumbens* (F.Muell.) F.Muell. var. *parvifolia* J.M.Black

Swainsona purpurea (A.T.Lee) Joy Thomps. – NW LE NU GT FR EA MU
- *Swainsona stipularis* F.Muell. var. *longialata* A.T.Lee
- *Swainsona stipularis* F.Muell. var. *purpurea* A.T.Lee

Swainsona pyrophila Joy Thomps. (Rare status in SA, Vulnerable status in Australia) – EA EP MU YP
- *Swainsona laxa* auct.non R.Br.: J.Z.Weber(1986)

Swainsona reticulata J.M.Black – MU
- *Swainsona oroboides* auct.non F.Muell. ex Benth.: J.Z.Weber(1986), partly
- *Swainsona oroboides* F.Muell. ex Benth. ssp. *reticulata* (J.M.Black) A.T.Lee

Swainsona sericea (A.T.Lee) H.Eichler (Endangered* status in SA) – NL$^{?id}$
- *Swainsona oroboides* auct.non F.Muell. ex Benth.: J.Z.Weber(1986), partly
- *Swainsona oroboides* F.Muell. ex Benth. ssp. *sericea* A.T.Lee

Swainsona stipularis F.Muell. – LE GT FR EA EP NL MU YP$^{?id}$ SL
- *Swainsona phacifolia* F.Muell., nom.nud. & inval.
- *Swainsona phacifolia* F.Muell. ex Benth., nom.illeg.
- *Swainsona stipularis* F.Muell. var. *geniculata* J.M.Black, nom.inval.

Swainsona swainsonioides (Benth.) A.T.Lee ex J.M.Black – NW LE EA
- *Cyclogyne swainsonioides* Benth.
- *Swainsona oncinotropis* F.Muell.
- *Swainsona procumbens* (F.Muell.) F.Muell. var. *minor* Benth.

Swainsona tenuis E.Pritz. – NW LE NU GT EP
- *Swainsona oroboides* auct.non F.Muell. ex Benth.: J.Z.Weber(1986), partly

Swainsona tephrotricha F.Muell. – LE FR EA EP NL MU
- *Swainsona lessertiifolia* DC. var. *tephrotricha* (F.Muell.) Benth., partly

Swainsona unifoliolata F.Muell. – NW

Swainsona vestita Joy Thomps. (Vulnerable status in SA) – LE

Swainsona villosa J.M.Black – NW LE NU GT

Swainsona viridis J.M.Black (Vulnerable status in SA) – FR EA

Templetonia aculeata (F.Muell.) Benth. – FR EA EP NL MU
- *Bossiaea aculeata* F.Muell.

Templetonia battii F.Muell. (Rare status in SA) – NU EP
- *Bossiaea battii* (F.Muell.) Tate

Templetonia egena (F.Muell.) Benth. – NW LE GT FR EA EP NL MU
- *Daviesia egena* F.Muell.

Templetonia incrassata I.Thomps. – NW NU GT EP
- *Templetonia egena* auct.non (F.Muell.) Benth.: Jessop(1986), partly

Templetonia retusa (Vent.) R.Br. – NU FR EP NL YP KI SE[?id]
- *Rafnia retusa* Vent.

Templetonia rossii (F.Muell.) I.Thomps. – EP NL MU YP
- *Templetonia sulcata* auct.non (Meisn.) Benth.: Jessop(1986), partly

Templetonia stenophylla (F.Muell.) J.M.Black (Vulnerable status in SA) – MU SE
- *Bossiaea stenophylla* F.Muell.
- *Templetonia muelleri* Benth.

Tephrosia sabulosa R.Butcher – LE[?id]

Tephrosia sp. Balcanoona Creek (K.Alcock AQ457802) Qld Herbarium – FR
- *Tephrosia sp. Granite (P.K.Latz 12116)* Cowie

Tephrosia sp. Central (P.K.Latz 17037) WA Herbarium – LE
- *Tephrosia supina* auct.non Domin: SA Census online (18/05/2011-30/05/2022), as to LE, partly

* **Tephrosia sp. deserts (J.R.Maconochie 1403)** WA Herbarium – NW*
- *Tephrosia purpurea* auct.non (L.) Pers.: J.M.Black(1948)
- *Tephrosia supina* auct.non Domin: J.Z.Weber in Jessop & Toelken (1986), partly

Tephrosia sphaerospora F.Muell. – NW LE GT FR EA

* **Trifolium angustifolium** L. – FR* EP* NL* MU* YP* SL* KI* SE*

* **Trifolium arvense** L. var. **arvense** – FR* EP* NL* MU* YP* SL* KI* SE*
- *Trifolium arvense* L. var. *glabrum* Vis.

* **Trifolium campestre** Schreb. – FR* EP* NL* MU* YP* SL* KI* SE*
- *Trifolium procumbens* auct.non L.: J.M.Black(1948)

* **Trifolium cernuum** Brot. – SL* KI* SE[?e]

* **Trifolium cherleri** L. – NL* MU* SL*

* **Trifolium dubium** Sibth. – FR* EP* NL* MU* SL* KI* SE*
- *Trifolium minus* Sm.

* **Trifolium fragiferum** L. var. **fragiferum** – FR* EP* MU* YP* SL* SE*

* **Trifolium fragiferum** L. var. **pulchellum** Lange – ?SL*

* **Trifolium glomeratum** L. – LE* FR* EP* NL* MU* YP* SL* KI* SE*

* **Trifolium hirtum** All. – FR* EP* NL* MU* SL* SE*

* **Trifolium incarnatum** L. var. **incarnatum** – SL* SE*

* **Trifolium lappaceum** L. – SL* SE*

* **Trifolium micranthum** Viv. – SL*
- *Trifolium filiforme* L.

* **Trifolium nigrescens** Viv. – NL* SL*

* **Trifolium ornithopodioides** L. – FR* NL* MU* SL* KI* SE*
- *Trigonella ornithopodioides* (L.) DC.

* **Trifolium pilulare** Boiss. – FR*

* **Trifolium pratense** L. – EP* SL* SE*
- *Trifolium pratense* L. var. *pratense*

* **Trifolium repens** L. – MU* SL* SE*

* **Trifolium resupinatum** L. var. **majus** Boiss. – SL*

. . . [?e], questionably established. [n*], native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

* **Trifolium resupinatum** L. var. **resupinatum** – EP* NL* YP* SL* KI* SE*
- *Trifolium clusii* Godr. & Gren.
- *Trifolium resupinatum* L. var. *minus* Boiss.

* **Trifolium rubens** L. – SL*
* **Trifolium scabrum** L. – FR* EP* NL* MU* YP* SL* KI* SE*
* **Trifolium squamosum** L. – EP* SL*
* **Trifolium stellatum** L. – KI* SE*
* **Trifolium striatum** L. – NL* MU* SL* SE*
* **Trifolium strictum** L. – SL*
- *Trifolium laevigatum* Poir.

* **Trifolium subterraneum** L. – FR* EP* NL* MU* YP* SL* KI* SE*
* **Trifolium suffocatum** L. – EP* YP* SL* SE*
* **Trifolium tomentosum** L. – GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
* **Trifolium vesiculosum** Savi var. **vesiculosum** – SL* SE*
* **Trigonella monspeliaca** L. – NL* MU* YP* SL*
- *Medicago monspeliaca* (L.) Trautv.

Trigonella suavissima Lindl. – NW LE GT FR EA EP MU
* **Ulex europaeus** L. (Declared SA plant) – NL* MU* YP* SL* KI* SE*
* **Vachellia farnesiana** (L.) Wight & Arn. – LE* EA*
- *Acacia farnesiana* (L.) Willd.
- *Acacia lenticellata* F.Muell.
- *Mimosa farnesiana* L.

* **Vachellia nilotica** (L.) Delile ssp. **indica** (Benth.) Kyal. & Boatwr. – LE* EP?e
- *Acacia arabica* (Lam.) Willd. var. *indica* Benth.
- *Acacia nilotica* (L.) Delile, partly
- *Acacia nilotica* (L.) Delile ssp. *indica* (Benth.) Brenan
- *Acacia nilotica* (L.) Delile var. *indica* (Benth.) A.F.Hill
- *Mimosa nilotica* L., partly
- *Vachellia nilotica* (L.) P.J.Hurter & Mabb., partly

* **Vicia cracca** L. – FR* EP* NL* YP* SL* SE*
* **Vicia hirsuta** (L.) Gray – FR* NL* MU* SL* SE*
- *Ervum hirsutum* L.

* **Vicia monantha** Retz. ssp. **monantha** – NW* LE?e GT* FR* EA* EP* MU* YP* SL*
- *Vicia calcarata* auct.non Desf.: J.M.Black(1948)

* **Vicia monantha** Retz. ssp. **triflora** (Ten.) B.L.Burtt & P.Lewis
– LE* FR* EA* EP* NL* MU* YP* SL* SE*
- *Vicia triflora* Ten.

* **Vicia sativa** L. ssp. **cordata** (Wulfen ex Hoppe) Batt. – NL* YP* SL* KI*
- *Vicia angustifolia* L. ssp. *cordata* (Wulfen ex Hoppe) Arcang.
- *Vicia angustifolia* L. var. *cordata* (Wulfen ex Hoppe) Boiss.
- *Vicia cordata* Wulfen ex Hoppe

* **Vicia sativa** L. ssp. **nigra** (L.) Ehrh. – NL* MU* SL* KI* SE*
- *Vicia angustifolia* L.
- *Vicia sativa* L. var. *angustifolia* (L.) Ser.
- *Vicia sativa* L. var. *nigra* L.

* **Vicia sativa** L. ssp. **sativa** – EP* NL* YP* SL* SE*
* **Vicia tetrasperma** (L.) Schreb. – EP* SL* SE*
- *Ervum tetraspermum* L.

* **Vicia villosa** Roth ssp. **eriocarpa** (Hausskn.) P.W.Ball – MU* SL* KI* SE*
Vigna lanceolata Benth. var. **latifolia** C.T.White – LE FR
Viminaria juncea (Schrad. & J.C.Wendl.) Hoffmanns. (Rare status in SA) – NL SL KI SE
- *Daviesia denudata* Vent.
- *Sophora juncea* Schrad. & J.C.Wendl.
- *Viminaria denudata* (Vent.) Sm.

* **Wisteria sinensis** (Sims) DC. – MU*
- *Glycine sinensis* Sims
- *Wisteria chinensis* (Sims) DC.

POLYGALACEAE 100.142
Comesperma calymega Labill. – EP MU SL KI SE
- *Bredemeyera calymega* (Labill.) Anon.

Comesperma polygaloides F.Muell. – EP MU SL KI SE
- *Bredemeyera polygaloides* (F.Muell.) Chodat ex Anon.

Comesperma scoparium J.Drumm. – FR EP MU YP SE
- *Bredemeyera scoparia* (J.Drumm.) Chodat ex Anon.

Comesperma viscidulum F.Muell. – NW GT EP

Comesperma volubile Labill. – NU EP NL MU YP SL KI SE
- *Bredemeyera ciliata* auct.non (Steetz) Steenis: J.M.Black(1948)
- *Bredemeyera volubilis* (Labill.) Chodat ex Anon.
- *Comesperma ciliatum* auct.non Steetz: J.M.Black(1948)

* **Muraltia heisteria** (L.) DC. – MU* SL*
- *Polygala heisteria* L.

Polygala glaucifolia R.A.Kerrigan – NW LE
- *Polygala chinensis* L. var. *squarrosa* auct.non (Benth.) Domin: Eichler(1965)
- *Polygala isingii* auct.non Pedley: Barker et al.(2005), partly

* **Polygala monspeliaca** L. – SE*

* **Polygala myrtifolia** L. – EP* YP* SL* KI* SE*

Polygala triflora L. – LE
- *Polygala isingii* auct.non Pedley: Barker et al.(2005), partly

* **Polygala virgata** Thunb. – EP?e SL* SE*

ROSACEAE 100.143

Acaena × anserovina Orchard – SL SE
- *Acaena × ovina* auct.non A.Cunn.: J.M.Black(1948), partly

Acaena echinata Nees – FR EP NL MU YP SL KI SE
- *Acaena behriana* Schltdl.
- *Acaena echinata* Nees var. *retrorsumpilosa* (Bitter) Orchard
- *Acaena echinata* Nees var. *robusta* Orchard
- *Acaena echinata* Nees var. *subglabricalyx* (Bitter) Orchard
- *Acaena echinata* Nees var. *tylacantha* Orchard
- *Acaena ovina* auct.non A.Cunn.: J.M.Black(1948), partly
- *Acaena ovina* A.Cunn. ssp. *capitulata* Bitter
- *Acaena ovina* A.Cunn. ssp. *maxima* Bitter
- *Acaena ovina* A.Cunn. var. *retrorsumpilosa* Bitter
- *Acaena ovina* A.Cunn. var. *subglabricalyx* Bitter

Acaena novae-zelandiae Kirk – EP MU YP SL KI SE
- *Acaena anserinifolia* auct.non Druce: H.Eichler(1965)
- *Acaena sanguisorbae* (L.f.) Vahl
- *Ancistrum anserinaefolium* J.R.Forst. & G.Forst.
- *Ancistrum sanguisorbae* L.f.

Acaena ovina A.Cunn. – NL MU SL SE
- *Acaena agnipila* Gand.
- *Acaena agnipila* Gand. var. *aequispina* Orchard
- *Acaena agnipila* Gand. var. *protenta* Orchard
- *Acaena agnipila* Gand. var. *tenuispica* (Bitter) Orchard
- *Acaena ovina* A.Cunn. ssp. *monochaena* Bitter
- *Acaena ovina* A.Cunn. var. *tenuispica* Bitter
- *Acaena ovina* A.Cunn. var. *velutina* Orchard

?e **Amelanchier laevis** Wiegand – SL?e

* **Aphanes arvensis** L. – SL* KI* SE*
- *Alchemilla arvensis* (L.) Scop.

Aphanes australiana (Rothm.) Rothm. – FR EP NL MU YP SL KI SE
- *Alchemilla arvensis* auct.non (L.) Scop.: J.M.Black(1948)
- *Alchemilla australiana* Rothm.

* **Aphanes inexspectata** W.Lippert – SL*
- *Aphanes microcarpa* auct.non (Boiss.& Reut.) Rothm.: Jessop(1986)

* **Aphanes microcarpa** (Boiss. & Reut.) Rothm. – ?SL* ?SE*

Aphanes pumila Rothm. – FR NL
- *Aphanes australiana* auct.non (Rothm.) Rothm.: Jessop(1993), partly

?n **Argentina anserina** (L.) Rydb. – SL?n SE?n
- *Potentilla anserina* L.

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

* **Chaenomeles speciosa** (Sweet) Nakai – SL*
- *Cydonia speciosa* Sweet

?e **Cotoneaster coriaceus** Franch. – SL?e SE?e
- *Cotoneaster lacteus* W.W.Sm.

* **Cotoneaster dammeri** C.K.Schneid. – SL*

?e **Cotoneaster frigidus** Wall. ex Lindl. – SL?e SE?e

* **Cotoneaster glaucophyllus** Franch. – EP* SL* KI?e SE*
- *Cotoneaster glaucophylla, orth.var.(orig.)*

?e **Cotoneaster horizontalis** Decne. – SL?e SE?e

?e **Cotoneaster microphyllus** Lindl. – SL?e
- *Cotoneaster microphylla* Lindl., orth.var.(orig.)

* **Cotoneaster pannosus** Franch. – EP* NL* SL* KI?e SE*

* **Cotoneaster simonsii** Baker – SL*
- *Cotoneaster symondsii* auct.non. T.Moore: Barker et al.(2005)
- *Cotoneaster symondsii* auct.non. T.Moore: Symon in Jessop & Toelken(1986)

* **Cotoneaster** × **watereri** Excell – SL*

* **Crataegus azarolus** L. – NL* SL*

* **Crataegus crus-galli** L. – SL?e SE*

* **Crataegus monogyna** Jacq. (Declared SA plant) – NL* SL* SE*
- *Crataegus oxyacantha* L.
- *Mespilus monogyna* (Jacq.) All.

* **Crataegus phaenopyrum** (L.f.) Medik. – SL*
- *Mespilus phaenopyrum* L.f.

* **Crataegus** × **sinaica** Boiss. (Declared SA plant) – NL* SL*
- *Crataegus azarolus* L. var. *sinaica* (Boiss.) Lange

* **Cydonia oblonga** Mill. – NL* SL*
- *Cydonia vulgaris* Pers.

?e **Eriobotrya japonica** (Thunb.) Lindl. – SL?e

* **Fragaria** × **ananassa** (Weston) Duchesne ex Rozier – SL*
- *Fragaria chiloensis* L. var. *ananassa* Weston
- *Potentilla ananassa* (Weston) Mabb.

* **Malus pumila** Mill. – FR* EA* EP* NL* MU* SL* SE*
- *Malus domestica* Borkh.
- *Malus sylvestris* auct.non (L.) Mill.: Symon(1986)

* **Photinia serratifolia** (Desf.) Kalkman – NL*

?e **Potentilla argentea** L. – SL?e
- *Potentilla crantzii* auct.non (Crantz) Beck ex Fritsch: SA Census online(27/02/06-09/11/15)

?e **Potentilla indica** (Andrews) Th.Wolf – SL?e
- *Duchesnea indica* (Andrews) Focke

Potentilla nanopetala A.R.Bean – LE
- *Potentilla supina* auct.non L.: Barker et al.(2005)

?e **Potentilla reptans** L. – SL?e

* **Prunus armeniaca** L. – FR* EP?e NL* MU* SL* SE?e

* **Prunus avium** (L.) L. – SL*
- *Prunus cerasifera* auct.non Ehrh.: Jessop(1993), partly

* **Prunus cerasifera** Ehrh. – FR* NL* MU* SL* SE*

* **Prunus cerasus** L. – SL*

* **Prunus domestica** L. ssp. **domestica** – FR* NL* SL*

* **Prunus domestica** L. ssp. **insititia** (L.) Bonnier & Layens – NL* SL*
- *Prunus insititia* L.

* **Prunus dulcis** (Mill.) D.A. Webb – GT?e FR* EP* NL* SL* SE?e
- *Amygdalus dulcis* Mill.
- *Prunus amygdalus* Batsch

* **Prunus laurocerasus** L. – SL*
- *Prunus laurocerasus* auct.non L.: Symon(1986), partly

* **Prunus lusitanica** L. – SL*

* **Prunus mahaleb** L. – SL*

?e **Prunus persica** (L.) Batsch var. **nucipersica** (Suckow) C.K.Schneid. – FR?e EP?e NL?e MU?e SL?e SE?e
- *Amygdalus persica* L. var. *nectarina* Aiton
- *Prunus persica* (L.) Batsch ssp. *nucipersica* (L.) Dippel
- *Prunus persica* (L.) Batsch var. *nectarina* (Aiton) Maxim.

* **Prunus persica** (L.) Batsch var. **persica** – FR* EP?e NL* MU?e SL*
- *Amygdalus persica* L.

* **Prunus salicina** Lindl. – SL*

* **Pyracantha angustifolia** (Franch.) C.K.Schneid. – SL?e SE*

* **Pyracantha coccinea** M.Roem. – NL?e SL*

* **Pyracantha koidzumii** (Hayata) Rehder – NL?e SL*
- *Cotoneaster koidzumii* Hayata

?e **Pyracantha rogersiana** (A.B.Jacks.) Bean – SL?e
- *Pyracantha crenulata* (D.Don) M.Roem. var. *rogersiana* A.B.Jacks.

?e **Pyrus amygdaliformis** Vill. – SL?e

* **Pyrus calleryana** Decne. – SL*

* **Pyrus communis** L. – FR* EP* NL* MU* SL* SE*

?e **Rhaphiolepis umbellata** (Thunb.) Makino – SL?e
- *Laurus umbellata* Thunb.
- *Rhaphiolepis indica* (L.) Lindl. var. *umbellata* (Thunb. ex Murray) H.Ohashi

?e **Rosa × bifera** Poir. – SL?e
- *Rosa × centifolia* L. var. *bifera* Poir.

* **Rosa bracteata** J.C.Wendl. – SL*

* **Rosa canina** L. (Declared SA plant) – FR* EP* NL* MU* SL* KI?e SE*

?e **Rosa chinensis** Jacq. – SL?e

* **Rosa gallica** L. – SL*

* **Rosa indica** L. – NL* SL?e

* **Rosa luciae** Franch. & Rochebr. ex Crep. – SL*
- *Rosa wichuraiana* Crep., orth.var.(orig.)
- *Rosa wichurana* Crep., orth.var.
- *Rosa wichuriana* Crep., orth.var.(misspelling in SA Census)

?e **Rosa × odorata** (Andrews) Sweet – SL?e
- *Rosa × indica* L. var. *odorata* Andrews

* **Rosa rubiginosa** L. (Declared SA plant) – FR* EP* NL* MU* SL* KI* SE*

* **Rubus anglocandicans** A.Newton (Declared SA plant) – FR* EP* NL* SL* KI* SE*
- *Rubus aff. armeniacus Focke* : Evans & Weber(2003)
- *Rubus discolor* auct.non Wiehe & Nees: Symon(1993)
- *Rubus fruticosus* auct.non L.: Jessop(1993), partly
- *Rubus procerus* auct.non P.J.Mull. ex Boulay: H.Eichler(1965)

* **Rubus erythrops** Edees & A.Newton (Declared SA plant) – NL* SL* SE*
- *Rubus fruticosus* auct.non.L.: Jessop(1993), partly
- *Rubus koehleri* auct.non Weihe & Nees: Symon(1993)

?e **Rubus idaeus** L. – SL?e

* **Rubus laciniatus** Willd. (Declared SA plant) – SL*
- *Rubus fruticosus* auct.non L.: Jessop(1993), partly

* **Rubus leucostachys** Schleich. ex Sm. (Declared SA plant) – FR?e EP* NL* SL* KI?e
- *Rubus fruticosus* auct.non L.: J.M.Black(1948), partly
- *Rubus ulmifolius* auct.non Schott: Symon(1993), partly

* **Rubus × loganobaccus** L.H.Bailey – EP* NL* SL* KI* SE*

* **Rubus moluccanus** L. – SL*?id
- *Rubus hillii* F.Muell.

Rubus parvifolius L. – MU SL KI SE
- *Rubus triphyllus* Thunb.

* **Rubus phaeocarpus** W.C.R.Watson (Declared SA plant) – SL*
- *Rubus fruticosus* auct.non L.: Jessop(1993), partly

* **Rubus riddelsdellii** Rilstone (Declared SA plant) – SL*
- *Rubus fruticosus* auct.non L.: Jessop(1993), partly

* **Rubus rubritinctus** W.C.R.Watson (Declared SA plant) – SL*
- *Rubus fruticosus* auct.non L.: Jessop(1993), partly

* **Rubus rugosus** Sm. – SL*
- *Rubus hillii* auct.non F.Muell.: H.Eichler(1965)
- *Rubus moluccanus* auct.non L.: J.M.Black(1948)

* **Rubus sp. Scott Creek (D.E.Symon 16054)** Symon – SL*

* **Rubus ulmifolius** Schott var. **anoplothyrsus** Sudre (Declared SA plant) – EP* MU* SL* SE*
- *Rubus inermis* auct.non Pourret: European authors
- *Rubus ulmifolius* Schott cv. *inermis*

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

* **Rubus ulmifolius** Schott var. **ulmifolius** (Declared SA plant) – NL* SL* KI*
- *Rubus fruticosus* auct.non L.: J.M.Black(1948), partly

* **Rubus vestitus** Weihe & Nees (Declared SA plant) – SL*
- *Rubus aff. fuscus Weihe* : H.Eichler(1965)
- *Rubus aff. mucronulatus Boreau* : Symon(1986)
- *Rubus fruticosus auct.non L.: J.M.Black(1948)*, partly

* **Sanguisorba minor** Scop. – FR* EP* NL* MU* YP* SL* SE*
- *Poterium polygamum* Waldst. & Kit.
- *Poterium sanguisorba* auct.non L.: J.M.Black(1948)
- *Sanguisorba minor* Scop. ssp. *muricata* Briq.

?e **Sorbus aucuparia** L. – SL?e

?e **Spiraea cantoniensis** Lour. – SL?e
- *Spiraea prunifolia* auct.non Siebold & Zucc.: SA Census online(2006)

* **Spiraea × sanssouciana** K.Koch – SL*
- *Spiraea douglasii* auct.non Hook.: SA Census online(2006)

?e **Spiraea vanhouttei** (Briot) Zabel – NL?e
- *Spiraea aquilegiifolia* Pall. var. *vanhouttei* Briot

RHAMNACEAE 100.147

?e **Ceanothus thyrsiflorus** Eschsch. – NL?e

Cryptandra aridicola Rye – NW

Cryptandra campanulata Schltdl. (Rare status in SA) – FR EA NL MU
- *Cryptandra amara* Sm. var. *longiflora* F.Muell. ex Maiden & Betche, partly
- *Cryptandra sp. Long hypanthium (C.R.Alcock 10626)* W.R.Barker

Cryptandra hispidula Reissek & F.Muell. – SL KI

Cryptandra myriantha Diels – EP YP SE
- *Cryptandra sp. Simple-haired calyx (D.E. Symon 8875)* W.R.Barker
- *Cryptandra tomentosa* auct.non Lindl.: E.M.Canning(1986), partly
- *Cryptandra tomentosa* Lindl. var. *2* N.G.Walsh & F.Udovicic(1999)

Cryptandra propinqua A.Cunn. ex Fenzl – NW GT FR EP MU ?SE

Cryptandra sabulicola Kellermann – EP MU
- *Cryptandra amara* Sm. var. *floribunda* auct.non Maiden & Betche: Black(1952), partly
- *Cryptandra sp. Floriferous (W.R.Barker 4131)* W.R.Barker, partly
- *Cryptandra tomentosa* auct.non Lindl.: Jessop & Toelken(1986), partly

Cryptandra setifera Kellermann – FR EP
- *Cryptandra amara* auct.non Sm.: Black(1952), partly
- *Cryptandra amara* Sm. var. *floribunda* auct.non Maiden & Betche: Black(1952), partly
- *Cryptandra sp. Floriferous (W.R.Barker 4131)* auct.non W.R.Barker: Barker et al.(2005), partly
- *Cryptandra sp. Hiltaba (Anon. NPGA-8100)* Kellermann

Cryptandra sp. Floriferous (W.R.Barker 4131) W.R.Barker – EA EP NL MU YP SE
- *Cryptandra amara* auct.non Sm.: Black(1952), partly
- *Cryptandra amara* Sm. var. *amara* auct.non Maiden & Betche: Black(1952), partly
- *Cryptandra amara* Sm. var. *floribunda* auct.non Maiden & Betche: Black(1952), partly
- *Cryptandra sp. Floriferous (W.R.Barker 4131)* W.R.Barker, partly
- *Cryptandra tomentosa* Lindl. var. *2* N.G.Walsh & F.Udovicic(1999)

Cryptandra tomentosa Lindl. – EP MU YP SL KI SE
- *Cryptandra tomentosa* Lindl. var. *1* N.G.Walsh & F.Udovicic(1999)

* **Noltea africana** (L.) Endl. – SL*
- *Ceanothus africanus* L.

?e **Pomaderris aspera** Sieber ex DC. – NL?e SL?e
- *Pomaderris apetala* auct.non Labill.: J.M.Black(1952)

Pomaderris flabellaris (F.Muell. ex Reissek) J.M.Black – EP
- *Pomaderris flabellare* (F.Muell.ex Reissek) J.M.Black
- *Trymalium flabellare* F.Muell.ex Reissek

Pomaderris forrestiana F.Muell. (Rare status in SA) – NU

Pomaderris halmaturina J.M.Black ssp. **continentis** N.G.Walsh (Vulnerable status in SA) – SE

Pomaderris halmaturina J.M.Black ssp. **halmaturina** (Vulnerable status in SA, Vulnerable status in Australia) – KI SE

* **Pomaderris lanigera** (Andrews) Sims – SL*
- *Ceanothus laniger* Andrews

Pomaderris obcordata Fenzl – EP MU YP SL KI SE
- *Pomaderris biauritum* (Reissek) F.Muell.
- *Trymalium biauritum* Reissek

Pomaderris paniculosa F.Muell. ex Reissek ssp. **paniculosa** – FR EP NL MU YP SL KI SE
- *Pomaderris oraria* auct.non F.Muell. ex Reissek: Jessop(1986), partly
- *Pomaderris racemosa* auct.non Hook.: J.M.Black(1952), partly

Pomaderris paniculosa F.Muell. ex Reissek ssp. **paralia** N.G.Walsh – EP YP KI SE
- *Pomaderris oraria* auct.non F.Muell. ex Reissek: Jessop(1986), partly
- *Pomaderris racemosa* auct.non Hook.: J.M.Black(1926), partly

Pomaderris racemosa Hook. – SE

* **Rhamnus alaternus** L. (Declared SA plant) – FR* EP* NL* MU* YP* SL* KI* SE*

Spyridium bifidum (F.Muell.) F.Muell. ex Benth. ssp. **bifidum** (Vulnerable status in SA) – EP
- *Spyridium bifidum* (F.Muell.) F.Muell. ex Benth. var. *bifidum*, partly
- *Spyridium bifidum* (F.Muell.) F.Muell. ex Benth. var. *Marble Range (W.R.Barker 7601)* W.R.Barker
- *Trymalium bifidum* F.Muell.

Spyridium bifidum (F.Muell.) F.Muell. ex Benth. ssp. **wanillae** Kellermann & W.R.Barker (Vulnerable status in SA) – EP
- *Spyridium bifidum* (F.Muell.) F.Muell. ex Benth. var. *integrifolium* J.M.Black
- *Spyridium bifidum* (F.Muell.) F.Muell. ex Benth. var. *Wanilla (K.Clipstone 88)* W.R.Barker

Spyridium bracteatum Kellermann & W.R.Barker – KI
- *Spyridium thymifolium* auct.non Reissek: SA Census online(Aug. 2015), partly

Spyridium coactilifolium Reissek (Vulnerable status in SA, Vulnerable status in Australia) – SL
- *Cryptandra coactilifolia* (Reissek) F.Muell.
- *Pomaderris coactilifolia* F.Muell. ex Reissek, nom.inval. pro syn.
- *Spyridium bifidum* auct.non (F.Muell.) F.Muell. ex Benth.: F.Muell.(1875), partly
- *Spyridium coactilifolium* Reissek var. *coactilifolium*

Spyridium coalitum Kellermann & W.R.Barker (Rare status in SA) – KI
- *Spyridium halmaturinum* (F.Muell.) F.Muell. ex Benth. var. *integrifolium* J.M.Black

Spyridium daphnoides (Reissek) Kellermann (Rare status in SA) – EP SL KI SE
- *Cryptandra obovata* auct.non Hook.f: Tate(1890), partly
- *Cryptandra spathulata* F.Muell., nom. illeg.
- *Pomaderris spathulata* Reissek, nom. inval. pro syn.
- *Spyridium spathulatum* F.Muell. ex Benth., nom. superfl. & illeg.
- *Trymalium daphnoides* Reissek
- *Trymalium spathulatum* F.Muell., nom. illeg.

Spyridium eriocephalum Fenzl – NL MU YP SL KI SE
- *Spyridium eriocephalum* Fenzl var. *eriocephalum*, partly

Spyridium erymnocladum W.R.Barker (Rare status in SA) – EP

Spyridium fontis-woodii (F.Muell.) Kellermannn & W.R.Barker (Endangered status in SA, Critically Endangered status in Australia) – SE
- *Spyridium coactilifolium* auct.non Reissek: W.R.Barker(1993), partly
- *Spyridium halmaturinum* var. *halmaturinum* auct.non (F.Muell) F.Muell. ex Benth.: Canning(1986), Barker(2005), partly

Spyridium glabrisepalum (J.M.Black) Kellermann & C.Clowes (Endangered* status in SA, Vulnerable* status in Australia) – KI
- *Spyridium eriocephalum* Fenzl var. *glabrisepalum*

Spyridium halmaturinum (F.Muell.) F.Muell. ex Benth. – KI
- *Cryptandra halmaturina* (F.Muell.) F.Muell.
- *Spyridium bifidum* auct.non (F.Muell.) F.Muell. ex Benth.: F.Muell.(1875), partly
- *Spyridium halmaturinum* (F.Muell.) F.Muell. ex Benth. var. *halmaturinum*
- *Trymalium halmaturinum* F.Muell.

Spyridium latifolium Kellermann – SL
- *Spyridium eriocephalum* var. *eriocephalum* auct.non Fenzl: Barker et. al (2005), partly
- *Spyridium sp. Finniss (J. Kellermann 653 & F. Nge)* Kellermann in Clowes et al.(2022)

Spyridium leucopogon (F.Muell. ex Reissek) F.Muell. (Rare status in SA) – EP
- *Spyridium eriocephalum* Fenzl var. *adpressum* J.M.Black
- *Trymalium leucopogon* F.Muell. ex Reissek

Spyridium nitidum N.A.Wakef. – EP SL KI SE
- *Spyridium spathulatum* auct.non (F.Muell.) Benth.: J.Willis(1973)
- *Spyridium spathulatum* (F.Muell.) F.Muell. ex Benth. var. *microphyllum* Benth.

Spyridium parvifolium (Hook.) Benth. ex F.Muell. – FR EA EP NL MU SL ?KI SE
- *Cryptandra hookeri* F.Muell.
- *Cryptandra parvifolia* (Hook.) Hook.f.
- *Pomaderris parvifolia* Hook.
- *Trymalium parvifolium* (Hook.) F.Muell. ex Reissek

Spyridium phlebophyllum (F.Muell.) F.Muell. – FR EA EP NL ?SL
- *Cryptandra phlebophylla* (F.Muell.) F.Muell.
- *Trymalium phlebophyllum* F.Muell.

Spyridium phylicoides Reissek – ?NU[?id] EP MU YP SL KI SE
- *Cryptandra vexillifera* auct.non Hook.: Benth.(1863), partly

Spyridium scabridum (Tate) Kellermann & W.R.Barker (Rare status in SA) – KI
- *Cryptandra scabrida* Tate
- *Spyridium halmaturinum* (F.Muell.) F.Muell. ex Benth. var. *scabridum* (Tate) J.M.Black
- *Spyridium scabridum* Tate, nom.inval. pro syn.

Spyridium stenophyllum (Reissek) Kellermann & W.R.Barker ssp. **renovatum** Kellermann & W.R.Barker – GT EP NL MU
- *Cryptandra bifida* auct.non (F.Muell.) F.Muell.: Tate(1890), partly
- *Spyridium bifidum* auct.non (F.Muell.) F.Muell. ex Benth.: Bentham(1863), partly
- *Spyridium bifidum* var. *bifidum* auct.non (F.Muell.) F.Muell. ex Benth.: J.M.Black(1926), partly

Spyridium stenophyllum (Reissek) Kellermann & W.R.Barker ssp. **stenophyllum** – EP
- *Cryptandra bifida* auct.non (F.Muell.) F.Muell.: Tate(1890), partly
- *Spyridium bifidum* auct.non (F.Muell.) F.Muell. ex Benth.: Bentham(1863), partly
- *Spyridium bifidum* var. *bifidum* auct.non (F.Muell.) F.Muell. ex Benth.: J.M.Black(1926), partly
- *Trymalium stenophyllum* Reissek

Spyridium subochreatum (F.Muell) Reissek – ?FR EP NL MU YP SL SE
- *Cryptandra subochreata* (F.Muell.) F.Muell.
- *Pomaderris subochreata* F.Muell. ex Reissek
- *Spyridium subochreatum* (F.Muell.) Reissek var. *laxiusculum* J.M.Black
- *Spyridium subochreatum* (F.Muell.) Reissek var. *subochreatum*
- *Trymalium behrii* F.Muell. ex Reissek

Spyridium thymifolium Reissek – SL KI
- *Cryptandra obovata* auct.non (Hook.) Hook.f.: Tate(1890)
- *Spyridium coactilifolium* Reissek var. *integrifolium* Benth.
- *Spyridium stuartii* Reissek & F.Muell. ex Reissek
- *Spyridium thymifolium* Reissek, partly
- *Trymalium stuartii* F.Muell. ex Reissek, nom.inval. pro syn.

Spyridium tricolor W.R.Barker & Rye (Vulnerable status in SA) – ?NU EP
- *Spyridium sp.* W.R.Barker(1984)

Spyridium vexilliferum (Hook.) Reissek – EP NL SL KI SE
- *Cryptandra vexillifera* Hook.
- *Spyridium eriocephalum* Fenzl var. *vexilliferum* (Hook.) F.Muell.
- *Spyridium vexilliferum* (Hook.) Reissek var. *latifolium* Benth.
- *Spyridium vexilliferum* (Hook.) Reissek var. *vexilliferum*

Spyridium waterhousei F.Muell. – KI
- *Cryptandra waterhousei* (F.Muell.) F.Muell.
- *Cryptandra waterhousii* (F.Muell.) F.Muell., orth.var.
- *Spyridium waterhousii* F.Muell., orth.var.
- *Stenanthemum waterhousei* (F.Muell.) Benth.
- *Stenanthemum waterhousii* (F.Muell.) Benth., orth.var.

Stenanthemum arens K.Thiele (Rare status in SA) – EP
- *Stenanthemum sp. Gawler Ranges (J.Carrick 2457)* K.Thiele

Stenanthemum leucophractum (Schltdl.) Reissek – FR EP NL MU YP SL KI SE
- *Cryptandra leucophracta* Schltdl.
- *Spyridium leucophractum* (Schltdl.) F.Muell.
- *Trymalium leucophractum* F.Muell. ex Reissek

Stenanthemum notiale Rye ssp. **notiale** – EP MU
- *Cryptandra tridentata* auct.non Steud.: Canning(1986)
- *Spyridium tridentatum* auct.non (Steud.) Benth.: Canning(1986)
- *Stenanthemum tridentatum* auct.non (Steud.) Reissek: Canning(1986)

Trymalium wayi F.Muell. & Tate – EP NL MU SL KI SE
- *Cryptandra wayae* (F.Muell. & Tate) F.Muell.

- *Pomaderris vacciniifolia* Reissek
- *Trymalium wayae* F.Muell. & Tate, orth.var.
- *Trymalium wayii* F.Muell. & Tate, orth.var.

ULMACEAE 100.148
* **Ulmus × hollandica** Mill. – NL* SL* KI?e SE*
- *Ulmus procera* auct.non Salib.: Barker et al.(2005), partly
* **Ulmus minor** Mill. – NL* SL* SE?e
- *Ulmus minor cv. 'Atinia'*
- *Ulmus procera* Salisb.
?e **Ulmus parvifolia** Jacq. – SL?e SE?e

CANNABACEAE 100.149
?e **Cannabis sativa** L. – GT?e EP?e MU?e SL?e
?e **Celtis australis** L. – NL?e SL?e SE?e
- *Celtis occidentalis* auct.non L.: SA Census online(Jul. 2009)
?e **Celtis occidentalis** L. – SL?e SE?e
* **Humulus lupulus** L. – SL*

MORACEAE 100.150
* **Ficus carica** L. – FR* EP* NL?e MU* YP* SL* SE*
Ficus desertorum B.C.Wilde & R.L.Barrett – NW
- *Ficus brachypoda* auct.non (Miq.) Miq.: Dixon(2003)
- *Ficus platypoda* auct.non (Miq.) A.Cunn: Jessop in Jessop & Toelken(1986)
- *Ficus platypoda* var. *minor* auct.non Benth.: Jessop(1993)
?e **Maclura pomifera** (Raf.) C.K.Schneid. – SL?e
?e **Morus alba** L. – SL?e

URTICACEAE 100.151
Parietaria australis (Nees) Blume – NW NU FR EP NL YP SL KI
- *Freirea australis* Nees
- *Parietaria debilis* auct.non G.Forst.: Chew(1989), partly
- *Parietaria debilis* G.Forst. var. *australis* (Nees) Black
Parietaria cardiostegia Greuter – NW LE GT FR EA EP NL MU YP SL KI SE
Parietaria debilis G.Forst. – NW LE NU FR EA EP NL MU YP SL KI SE
* **Parietaria judaica** L. – MU* SL* KI* SE*
- *Parietaria diffusa* Mert. & W.D.J.Koch
* **Soleirolia soleirolii** (Req.) Dandy – SL* SE*
- *Helxine soleirolii* Req.
- *Parietaria soleirolii* (Req.) Spreng.
Urtica incisa Poir. – MU SL KI SE
* **Urtica urens** L. – NW?e LE* NU* FR* EA* EP* NL* MU* YP* SL* KI* SE*

FAGACEAE 100.153
* **Quercus canariensis** Willd. – SL*
* **Quercus ilex** L. – SL* SE*
* **Quercus palustris** Muenchh. – SL*
* **Quercus robur** L. – NL* SL*

JUGLANDACEAE 100.155
* **Juglans regia** L. – NL?e MU* SL*

CASUARINACEAE 100.156
Allocasuarina decaisneana (F.Muell.) L.A.S.Johnson – NW
- *Casuarina decaisneana* F.Muell.
Allocasuarina helmsii (Ewart & M.Gordon) L.A.S.Johnson – NW GT EP
- *Casuarina helmsii* Ewart & M.Gordon
- *Casuarina humilis* auct.non Otto & A.Dietr.: J.M.Black(1948)
Allocasuarina luehmannii (R.T.Baker) L.A.S.Johnson – MU SE
- *Casuarina luehmannii* R.T.Baker

Allocasuarina mackliniana L.A.S.Johnson ssp. **mackliniana** – SL SE
- *Allocasuarina paradoxa* auct.non (Macklin) L.A.S.Johnson: L.A.S.Johnson & K.L.Wilson(1986), partly
- *Casuarina paludosa* Sieber ex Spreng. var. *robusta* auct.non Macklin: J.M.Black(1948), partly

Allocasuarina mackliniana L.A.S.Johnson ssp. **xerophila** L.A.S.Johnson – SE
- *Allocasuarina paradoxa* auct.non (Macklin) L.A.S.Johnson: L.A.S.Johnson & K.L.Wilson(1986), partly
- *Casuarina paludosa* Sieber ex Spreng. var. *robusta* auct.non Macklin: J.M.Black(1948), partly

Allocasuarina muelleriana (Miq.) L.A.S.Johnson ssp. **alticola** L.A.S.Johnson – FR

Allocasuarina muelleriana (Miq.) L.A.S.Johnson ssp. **muelleriana** – FR EA EP NL MU YP SL SE
- *Casuarina muelleriana* Miq.

Allocasuarina muelleriana (Miq.) L.A.S.Johnson ssp. **notocolpica** L.A.S.Johnson – KI

Allocasuarina paludosa (Sieber ex Spreng.) L.A.S.Johnson – SE
- *Casuarina paludosa* Sieber ex Spreng.

Allocasuarina pusilla (Macklin) L.A.S.Johnson – EP NL MU YP SL SE
- *Casuarina pusilla* Macklin

Allocasuarina robusta (Macklin) L.A.S.Johnson (Endangered status in SA, Endangered status in Australia) – SL
- *Casuarina paludosa* Sieber ex Spreng. var. *robusta* Macklin

Allocasuarina striata (Macklin) L.A.S.Johnson – SL KI
- *Casuarina striata* Macklin

Allocasuarina verticillata (Lam.) L.A.S.Johnson – FR EA EP NL MU YP SL KI SE
- *Casuarina quadrivalvis* Labill.
- *Casuarina stricta* Aiton
- *Casuarina verticillata* Lam.

* **Casuarina glauca** Sieber ex Spreng. – FR[?e] EP* NL[?e] MU[?e] YP* SL* KI* SE[?e]

Casuarina pauper F.Muell. ex L.A.S.Johnson – NW LE NU GT FR EA EP NL MU YP
- *Casuarina cristata* Miq. ssp. *pauper* (F.Muell. ex Miq.) L.A.S.Johnson
- *Casuarina lepidophloia* auct.non F.Muell.: J.M.Black(1924)
- *Casuarina obesa* auct.non Miq.: L.A.S.Johnson & K.L.Wilson(1986)

BETULACEAE 100.158

[?e] **Alnus acuminata** Kunth ssp. **glabrata** (Fernald) Furlow – SL[?e]
- *Alnus jorullensis* auct.non Kunth: SA Census online(2006)

[?e] **Alnus cordata** (Loisel.) Duby – SL[?e]
- *Betula cordata* Loisel.

[?e] **Betula pendula** Roth – SL[?e]

* **Carpinus caroliniana** Walter – SL*

CUCURBITACEAE 100.163

Austrobryonia micrantha (F.Muell.) I.Telford – LE GT EP MU SE
- *Cucumis muelleri* Naudin
- *Cucurbita micrantha* F.Muell.
- *Melothria micrantha* (F.Muell.) F.Muell. ex Cogn.
- *Melothria muelleri* (Naudin) Benth.
- *Mukia micrantha* (F.Muell.) F.Muell.
- *Zehneria micrantha* (F.Muell.) F.Muell.

* **Citrullus amarus** Schrad. – LE* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Citrullus lanatus* auct.non (Thunb.) Matsum. & Nakai: Eichler(1965), Telford(2012)
- *Citrullus vulgaris* auct.non Schrad. ex Eckl. & Zeyh.: Black(1909, 1929)

* **Citrullus colocynthis** (L.) Schrad. – NW* LE* GT* FR* EA* EP* MU*
- *Cucumis colocynthis* L.

Cucumis argenteus (Domin) P.Sebastian & I.Telford – NW LE GT FR EA
- *Cucumis maderaspatanus* auct.non L.: SA Census online(22 Mar. 2012)
- *Melothria maderaspatana* auct.non (L.) Cogn.: F.Muell.(1886), J.M.Black(1929)
- *Mukia maderaspatana* auct.non (L.) M.Roem.: Jessop & Toelken(1986)

Cucumis melo L. – NW LE MU[?id]
- *Cucumis chate* auct.non Hasselq. ex L.: J.M.Black(1957)
- *Cucumis jucundus* F.Muell.
- *Cucumis melo* L. ssp. *agrestis* (Naudin) Pangalo
- *Cucumis melo* L. var. *agrestis* Naudin
- *Cucumis pubescens* auct.non Willd.(1805): T.L.Mitchell(1848)
- *Cucumis pubescens* T.Mitch., nom.nud.

- *Cucumis pubescens* Willd.
- *Cucumis trigonus* Roxb.

* **Cucumis myriocarpus** Naudin ssp. **myriocarpus**
– NW* LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Cucumis myriocarpus* Naudin, partly

?e **Cucurbita maxima** Duchesne – LE?e

?e **Cucurbita pepo** L. – LE?e FR?e

* **Ecballium elaterium** (L.) A.Rich. – NL* MU* SL* SE*
- *Momordica elaterium* L.

Momordica balsamina L. – NW LE

CELASTRACEAE 100.168

?e **Euonymus europaeus** L. – SE?e

?e **Euonymus japonicus** Thunb. – MU?e

Macgregoria racemigera F.Muell. – LE
- *Macgregoria racemosa* Benth., orthographic error in Hooker(1877)

?e **Maytenus boaria** Molina – SL?e

Stackhousia annua W.R.Barker (Vulnerable status in SA, Vulnerable status in Australia) – EP ?MU YP

Stackhousia aspericocca Schuch. ssp. **Cylindrical inflorescence (W.R.Barker 1418)** W.R.Barker
– EP NL MU YP SL KI SE
- *Stackhousia aspericocca* Schuch. race *1* W.R.Barker(1977)
- *Stackhousia aspericocca* Schuch. ssp. *A* W.R.Barker in Jessop & Toelken (1986)
- *Stackhousia aspericocca* Schuch. ssp. *"Cylindrical inflorescence" (W.R.Barker 1418)* W.R.Barker
- *Stackhousia monogyna* auct.non Labill.: J.M.Black(1952), partly

Stackhousia aspericocca Schuch. ssp. **One-sided inflorescence (W.R.Barker 697)** W.R.Barker
– EP MU YP SL KI SE
- *Stackhousia aspericocca* Schuch. race *2* W.R.Barker(1977)
- *Stackhousia aspericocca* Schuch. ssp. *B* W.R.Barker in Jessop & Toelken(1986)
- *Stackhousia aspericocca* Schuch. ssp. *"One-sided inflorescence" (W.R.Barker 697)* W.R.Barker
- *Stackhousia monogyna* auct.non Labill.: J.M.Black(1952), partly

Stackhousia clementii Domin – NW LE GT FR
- *Stackhousia muricata* auct.non Lindl.: J.M.Black(1952), partly

Stackhousia megaloptera F.Muell. – NW NU MU

Stackhousia monogyna Labill. – FR
- *Stackhousia flava* auct.non Hook.: J.M.Black(1952), partly

Stackhousia muricata Lindl. ssp. **Annual (W.R.Barker 2172)** W.R.Barker – NW NU
- *Stackhousia muricata* Lindl. ssp. *B* W.R.Barker in Jessop & Toelken(1986)
- *Stackhousia occidentalis* Domin

Stackhousia muricata Lindl. ssp. **Perennial (W.R.Barker 3641)** W.R.Barker – NU GT FR EA EP
- *Stackhousia elata* F.Muell.
- *Stackhousia muricata* Lindl. ssp. *A* W.R.Barker in Jessop & Toelken(1986)
- *Stackhousia muricata* Lindl. ssp. *muricata*
- *Stackhousia viminea* auct.non Smith: J.M.Black(1952), partly

Stackhousia spathulata Sieber ex Spreng. – EP YP KI SE
- *Stackhousia monogyna* auct.non Labill.: Labill.(1804), partly
- *Tripterococcus spathulatus* F.Muell.

Stackhousia subterranea W.R.Barker – FR EA EP NL MU YP SL KI SE
- *Stackhousia flava* auct.non Hook.: J.M.Black(1952), partly
- *Stackhousia gunnii* Hook.f., nom.illeg.
- *Stackhousia linariifolia* A.Cunn.
- *Stackhousia monogyna* auct.non Labill.: Barker et al.(2005), partly
- *Stackhousia monogyna* auct.non Labill.: W.R.Barker in Jessop & Toelken(1986), partly
- *Stackhousia sp. 1* W.R.Barker (Fl.Vict., 1999)

OXALIDACEAE 100.171

* **Oxalis articulata** Savigny – SL* SE*

?e **Oxalis bifurca** G.Lodd. – SL?e

* **Oxalis bowiei** Ait. ex G.Don – FR* EP* NL?e MU* YP* SL*
- *Oxalis bowieana* Lodd.(1832)
- *Oxalis bowiei* Herb. ex Lindl.(1833)

* **Oxalis brasiliensis** G.Lodd. ex Drapiez – SL* SE*

?e **Oxalis caprina** Thunb. – KI?e
* **Oxalis compressa** Thunb. – EP* NL* YP* SL*
* **Oxalis corniculata** L. – NW*?id EP*?id SL* SE*
- *Oxalis corniculata* L. ssp. *corniculata*
?e **Oxalis debilis** Kunth var. **corymbosa** (DC.) Lourteig – SL?e SE?e
- *Oxalis corymbosa* DC.
- *Oxalis martiana* Zucc.
Oxalis exilis A.Cunn. – FR NL MU SL KI SE
- *Oxalis perennans* auct.non Haw.: Jaspars in Jessop & Toelken(1986), partly
* **Oxalis flava** L. – EP* MU* SL* SE*
* **Oxalis hirta** L. – EP?e NL?e MU* SL* SE?e
?e **Oxalis incarnata** L. – EP?e SL?e SE?e
* **Oxalis latifolia** Kunth – SL* SE*
Oxalis perennans Haw. – NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Oxalis exilis* A.Cunn.
- *Oxalis perennans* Haw., partly
Oxalis perennans Haw. f. **South-East (N.N.Donner 6949)** W.R.Barker – EP SE?id
* **Oxalis pes-caprae** L. (Declared SA plant) – FR* EP* NL* MU* YP* SL* KI* SE*
- *Oxalis cernua* Thunb.
* **Oxalis polyphylla** Jacq. var. **pentaphylla** (Sims) T.M.Salter – SL*
* **Oxalis purpurea** L. – EP* NL* MU* YP* SL* KI?e SE*
- *Oxalis variabilis* Jacq.
Oxalis radicosa A.Rich. – NW GT EP MU SL
* **Oxalis sp. Lyndoch (R.Bates 5906)** W.R.Barker – SL*
* **Oxalis sp. Mylor (R.Bates 3529)** W.R.Barker – SL*
?n **Oxalis thompsoniae** B.J.Conn & P.G.Richards – NL?n MU?n
- *Oxalis corniculata* L. var. *villosa* (M.Bieb.) Hohen, partly

CUNONIACEAE 100.172
Bauera rubioides Andrews (Rare status in SA) – SL?e KI
?e **Bauera sessiliflora** F.Muell. – SL?e
* **Ceratopetalum gummiferum** Sm. – SL*

ELAEOCARPACEAE 100.173
?e **Platytheca galioides** Steetz – SE?e
- *Platytheca verticillata* (Paxton) Baill.
- *Tetratheca verticillata* Paxton
Tetratheca ciliata Lindl. – SE
Tetratheca halmaturina J.M.Black – KI
- *Tetratheca ericifolia* Sm. var. *aphylla* Tate, nom.illeg.
Tetratheca insularis Joy Thomps. – KI
- *Tetratheca ericifolia* auct.non Sm.: J.M.Black(1948)
- *Tetratheca ericifolia* Sm. var. *pilosa* Tate
Tetratheca pilosa Labill. – MU YP SL SE
- *Tetratheca pilosa* Labill. ssp. *pilosa*

HYPERICACEAE 100.186
?e **Hypericum androsaemum** L. – SL?e
* **Hypericum calycinum** L. – SL*
?e **Hypericum canariense** L. – SL?e
Hypericum gramineum G.Forst. – NW LE FR EP NL MU SL KI SE
* **Hypericum grandifolium** Choisy – KI?e SE*
Hypericum japonicum Thunb. (Rare status in SA) – SL KI SE
* **Hypericum perforatum** L. ssp. **veronense** (Schrank) H.Lindb. – FR* EP* NL* MU* SL* SE*
- *Hypericum perforatum* L., partly
- *Hypericum perforatum* L. var. *angustifolium* DC.
- *Hypericum veronense* Schrank

ELATINACEAE 100.191
Bergia ammannioides Roxb. – LE
- *Bergia ammannioides* Roth

Bergia diacheiron Verdon ex G.J.Leach – LE
Bergia occultipetala G.J.Leach (Vulnerable status in SA) – NW LE
Bergia pedicellaris (F.Muell.) F.Muell. ex Benth. – LE
- *Elatine pedicellaris* F.Muell.
Bergia perennis (F.Muell) F.Muell. ex Benth. ssp. **exigua** G.J.Leach – LE
- *Bergia sp. aff. pedicellaris (F.Muell.)F.Muell. ex Benth.* : Jessop(1986)
Bergia perennis (F.Muell.) F.Muell. ex Benth. ssp. **obtusifolia** G.J.Leach – NW GT
Bergia trimera Fisch. & C.A.Mey. – NW LE GT EA EP MU
- *Bergia ammannioides* Roxb. var. *triandra* Wight
- *Bergia ammannioides* Roxb. var. *trimera* (Fisch. & C.A.Mey.) Benth.
- *Bergia tripetala* F.Muell.
Elatine gratioloides A.Cunn. (Rare status in SA) – NW LE FR EP NL MU SL SE
- *Elatine americana* (Pursh) Arn. var. *australiensis* Benth.

VIOLACEAE 100.200
Melicytus angustifolius (DC.) Garn.-Jones ssp. **divaricatus** Stajsic & R.Douglas – FR EP NL MU SL SE
- *Hymenanthera angustifolia* auct.non DC.: J.M.Black(1926, 1952)
- *Hymenanthera dentata* auct.non DC.: R.D.Seppelt in Jessop & Toelken(1986)
- *Melicytus dentatus* auct.non (DC.) Molloy & Mabb.: SA Census online(Sep. 2006)
Pigea aurantiaca (F.Muell. ex Benth.) P.I.Forst. – NW LE
- *Hybanthus aurantiacus* (F.Muell. ex Benth.) F.Muell.
- *Hybanthus enneaspermus* auct.non (L.) F.Muell.: J.M.Black(1952)
- *Hybanthus enneaspermus* (L.) F.Muell. var. *aurantiacus* (F.Muell. ex Benth.) F.Muell.
- *Hybanthus miniatus* F.Muell. & Tate
- *Ionidium aurantiacum* F.Muell. ex Benth.
Pigea floribunda Lindl. – GT FR EP NL MU YP SL KI SE
- *Clelandia convallis* J.M.Black
- *Hybanthus floribundus* (Lindl.) F.Muell. ssp. *floribundus*
- *Ionidium australasiae* Behr
- *Ionidium floribundum* (Lindl.) Walp.
Pigea monopetala (Schult.) Ging. ex DC. – NW GT FR EA EP NL MU
- *Hybanthus monopetalus* (Schult.) Domin
- *Hybanthus tatei* F.Muell.
- *Ionidium monopetalum* Schult.
- *Pigea filiformis* Ging.
Viola betonicifolia Sm. ssp. **betonicifolia** (Endangered status in SA) – SL SE
Viola betonicifolia Sm. ssp. **novaguineensis** D.Moore – SE
Viola cleistogamoides (L.G.Adams) Seppelt – SL SE
- *Viola hederacea* Labill. ssp. *cleistogamoides* L.G.Adams
Viola eminens K.R.Thiele & Prober – MU SL KI
- *Viola hederacea* auct.non Labill.: Seppelt(1986), partly
Viola hederacea Labill. – ?NL[?id] SL ?KI SE
- *Erpetion hederaceum* (Labill.) G.Don, nom.inval. (isonym)
- *Erpetion hederaceum* (Labill.) Sweet
* **Viola odorata** L. – FR* EA[?e] NL* SL* SE*
Viola sieberiana Spreng. – MU SL KI SE
- *Erpetion spathulatum* G.Don, nom.illeg.
- *Viola hederacea* Labill. ssp. *seppeltiana* L.G.Adams
- *Viola hederacea* Labill. ssp. *sieberiana* (Spreng.) L.G.Adams
- *Viola hederacea* Labill. var. *sieberi* (Hook.) Hook.f.
- *Viola sieberi* Hook.
[?e] **Viola × wittrockiana** Gams. – SL[?e]
- *Viola arvensis* auct.non Murray: SA Census online(Jul. 2008)

PASSIFLORACEAE 100.202
[?e] **Passiflora caerulea** L. – LE[?e] FR[?e] MU[?e] SL[?e] KI[?e]
[?e] **Passiflora edulis** Sims – FR[?e]
[?e] **Passiflora tarminiana** Coppens & V.Barney – EP[?e] SL[?e] SE[?e]
- *Passiflora mollissima* auct.non (Kunth) L.H.Bailey: Satterthwait(1982)

SALICACEAE 100.204

?e **Dovyalis afra** (Hook.f. & Harv.) Warb. – EP?e NL?e SL?e
- *Dovyalis caffra* (Hook.f. & Harv.) Warb., orth.var., Art. 61.6, ICN (Madrid)

* **Populus alba** L. – NL* MU* SL* KI* SE*

?e **Populus × canescens** (Aiton) Sm. – SE?e
- *Populus alba* L. var. *canescens* Aiton

* **Populus nigra** L. – FR* EP* NL* SL* KI?e SE*

?e **Populus tremula** L. – SL?e

?e **Salix alba** L. (Declared SA plant) – SL?e

* **Salix babylonica** L. – FR* NL* MU* SL* SE*
- *Salix babylonica* L., partly

?e **Salix × calodendron** Wimm. (Declared SA plant) – NL?e
- *Salix cinerea* auct.non L.: Jessop(1986), partly

* **Salix cinerea** L. (Declared SA plant) – SL*
- *Salix cf. caprea L.* : H.Eichler(1965)

* **Salix × fragilis** L. (Declared SA plant) – NL*?id MU* SL*
- *Salix × rubens* auct.non Schrank: Jessop(1986), partly

?e **Salix matsudana** Koidz. cv. **Tortuosa** (Declared SA plant) – SL?e SE?e

?e **Salix × pendulina** Winder (Declared SA plant) – SL?e
- *Salix babylonica* auct.non L.: Jessop(1986), partly

* **Salix × reichardtii** A.Kern. (Declared SA plant) – SL?e SE*
- *Salix cinerea* auct.non L.: Jessop(1986), partly

* **Salix × rubens** Schrank (Declared SA plant) – SL*
- *Salix × rubens* Schrank, partly

* **Salix × sepulcralis** Simonk. var. **chrysocoma** (Dode) Meikle (Declared SA plant) – MU* SL*
- *Salix babylonica* auct.non L.: Jessop(1986), partly

* **Salix × sepulcralis** Simonk. var. **sepulcralis** (Declared SA plant) – FR?e NL* MU* SL*
- *Salix babylonica* auct.non L.: Jessop(1986), partly

EUPHORBIACEAE 100.207

Adriana quadripartita (Labill.) Mull.Arg. – GT FR EA EP NL MU YP SL KI SE
- *Adriana klotzschii* (F.Muell.) Mull.Arg.
- *Croton quadripartitus* Labill.
- *Trachycaryon klotzschii* F.Muell.

Adriana tomentosa Gaudich. var. **hookeri** (F.Muell.) C.L.Gross & M.A.Whalen – NW LE NU EP MU
- *Adriana hookeri* (F.Muell.) Mull.Arg.
- *Adriana urticoides* (A.Cunn.) Guymer var. *hookeri* (F.Muell.) Guymer
- *Croton urticoides* auct.non A.Cunn.: G.Guymer(2003)
- *Trachycaryon hookeri* F.Muell.

Amperea xiphoclada (Sieber ex Spreng.) Druce var. **xiphoclada** – SL SE
- *Amperea spartioides* Brongn.
- *Leptomeria xiphoclada* Sieber ex Spreng.

Bertya rotundifolia F.Muell. – KI

Bertya tasmanica (Sond. & F.Muell.) Mull.Arg. ssp. **vestita** Halford & R.J.F.Hend. – EA EP NL MU SL SE
- *Bertya mitchellii* auct.non (Sond.) Mull.Arg.: J.Z.Weber in Jessop & Toelken(1986)
- *Bertya mitchellii* (Sond.) Mull.Arg. var. *vestita* Gruning

Beyeria lechenaultii (DC.) Baill. – NU FR EA EP NL MU YP SL KI SE
- *Beyeria latifolia* auct.non (Mull.Arg.) Baill.: J.Z.Weber in Jessop & Toelken(1986)
- *Beyeria lechenaultii* (DC.) Baill. var. *latifolia* Gruning
- *Beyeria lechenaultii* (DC.) Baill. var. *ledifolia* (Klotzsch) Gruning
- *Beyeria lechenaultii* (DC.) Baill. var. *rosmarinoides* (Baill.) Gruning
- *Beyeria lechenaultii* (DC.) Baill. f. *eloeagnoides*
- *Beyeria lechenaultii* (DC.) Baill. f. *pernettioides* Baill.
- *Beyeria leschenaultii* (DC.) Baill., orth.var.(orig.)
- *Beyeria opaca* F.Muell. var. *linearis* Benth.
- *Beyeria viscosa* auct.non (Labill) Miq.: Tate(1890)
- *Beyeriopsis latifolia* auct.non Mull.Arg.: J.Z.Weber in Jessop & Toelken(1986)
- *Calyptrostigma ledifolium* Klotzsch
- *Hemistema lechenaultii* DC.

Beyeria opaca F.Muell. – LE NU GT EP MU YP ?SL?id
- *Beyeria opaca* F.Muell. var. *latifolia* J.M.Black

Beyeria subtecta J.M.Black (Endangered status in SA, Vulnerable status in Australia) – KI

* **Chrozophora tinctoria** (L.) A.Juss. – FR* EP* NL* YP* SL*
- *Croton tinctorium* L.

* **Croton setiger** Hook. – NL* MU* YP* SL?e
- *Croton setigerus* Hook.
- *Eremocarpus setigerus* (Hook.) Benth.

Euphorbia australis Boiss. var. **erythrantha** (F.Muell.) Benth. – NW LE GT FR EA EP NL MU
- *Chamaesyce australis* auct.non (Boiss.) D.C.Hassall: Barker et al.(2005), partly
- *Euphorbia australis* auct.non Boiss.: J.Z.Weber in Jessop & Toelken (1986), partly
- *Euphorbia erythrantha* F.Muell.

Euphorbia australis Boiss. var. **subtomentosa** Domin – GT

Euphorbia biconvexa Domin – NW LE
- *Chamaesyce coghlanii* auct.non (F.M.Bailey) D.C.Hassall ex P.I.Forst. & R.J.F.Hend., : Barker et al.(2005), partly
- *Euphorbia alsiniflora* auct.non Baill.: SA Census online(May 2015), partly
- *Euphorbia coghlanii* auct.non F.M.Bailey: J.Z.Weber in Jessop & Toelken(1986)

Euphorbia centralis B.G.Thomson – NW LE GT
- *Chamaesyce centralis* (B.G.Thomson) P.I.Forst. & R.J.F.Hend.
- *Euphorbia australis* auct.non Boiss.: J.Z.Weber in Jessop & Toelken(1986), partly

?e **Euphorbia clandestina** Jacq. – EP?e

?e **Euphorbia cyathophora** Murray – EP?e YP?e

* **Euphorbia cyparissias** L. – SL*

Euphorbia dallachyana Baill. – LE NU?e FR EA EPn* NL MU YP SL SE
- *Chamaesyce dallachyana* (Baill.) D.C.Hassall
- *Euphorbia drummondii* auct.non Boiss.: J.Z.Weber in Jessop & Toelken(1986), partly
- *Euphorbia drummondii* auct.non Boiss.: Jessop(1993), partly

* **Euphorbia davidii** Subils – FR* NL*

* **Euphorbia dendroides** L. – FR* EP* MU* YP* SL* KI* SE?e

Euphorbia drummondii Boiss. – NW
- *Euphorbia drummondii s.str.* Boiss.: SA Census online(13/8/15-7/10/2022)

* **Euphorbia exigua** L. – EP* SL* SE*

* **Euphorbia falcata** L. – YP?e SL*

Euphorbia ferdinandi Baill. var. **appendiculata** Halford & W.K.Harris – NW LE GT FR
- *Chamaesyce drummondii* auct.non (Boiss.) D.C.Hassall: Barker et al.(2005), partly
- *Euphorbia drummondii* auct.non Boiss.: J.Z.Weber in Jessop & Toelken(1986), partly

Euphorbia ferdinandi Baill. var. **ferdinandi** – NW LE NU GT FR EA
- *Chamaesyce drummondii* auct.non (Boiss.) D.C.Hassall: Barker et al.(2005), partly
- *Euphorbia drummondii* auct.non Boiss.: J.Z.Weber in Jessop & Toelken(1986), partly

Euphorbia ferdinandi Baill. var. **saxosiplaniticola** Halford & W.K.Harris – LE GT
- *Chamaesyce drummondii* auct.non (Boiss.) D.C.Hassall: Barker et al.(2005), partly
- *Euphorbia drummondii* auct.non Boiss.: J.Z.Weber in Jessop & Toelken(1986), partly

Euphorbia flindersica Halford & W.K.Harris – LE FR EA
- *Chamaesyce sp. Papillose plants (D.E.Symon 14628)* R.M.Barker
- *Euphorbia drummondii* auct.non Boiss.: J.Z.Weber in Jessop & Toelken(1986), partly
- *Euphorbia inappendiculata* auct.non Domin: J.Z.Weber in Jessop & Toelken(1986), partly

* **Euphorbia helioscopia** L. – EP* NL* YP* SL*

?e **Euphorbia heterophylla** L. – NL?e MU?e

?e **Euphorbia hirta** L. – SL?e
- *Chamaesyce hirta* (L.) Millsp.

* **Euphorbia hyssopifolia** L. – SL*
- *Chamaesyce hyssopifolia* (L.) Small

Euphorbia inappendiculata Domin var. **queenslandica** Domin – LE GT FR EA
- *Chamaesyce drummondii* auct.non (Boiss.) D.C.Hassall: Barker et al.(2005), partly
- *Chamaesyce mitchelliana* auct.non (Boiss.) D.C.Hassall: Barker et al.(2005), partly
- *Chamaesyce sp. B* James & Harden, Fl. N.S.Wales(1990)
- *Chamaesyce sp. Marree (F.J.Badman 776)* W.R.Barker
- *Euphorbia drummondii* auct.non Boiss.: J.Z.Weber in Jessop & Toelken(1986), partly
- *Euphorbia "Marree"(F.J.Badman 776)* W.R.Barker(1993)
- *Euphorbia mitchelliana* auct.non Boiss.: W.R.Barker in Jessop (1993), partly
- *Euphorbia sp. Clay soil (C.Materne 04/07/2000)* NT Herbarium

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

* **Euphorbia lathyris** L. – NL* SL* SE*
- *Euphorbia lathyrus* L.

* **Euphorbia maculata** L. – NW?e EP* NL* MU* YP* SL* KI?e
- *Chamaesyce maculata* (L.) Small

?e **Euphorbia marginata** Pursh – MU?e

Euphorbia multifaria Halford & W.K.Harris – NW LE NU GT FR EA EP NL MU YP
- *Chamaesyce drummondii* auct.non (Boiss.) D.C.Hassall: Barker et al.(2005), partly
- *Euphorbia drummondii* auct.non Boiss.: J.Z.Weber in Jessop & Toelken(1986), partly

?e **Euphorbia oblongata** Griseb. – NL?e MU?e SL?e SE?e

Euphorbia papillata Halford & W.K.Harris var. **papillata** – NW
- *Chamaesyce drummondii* auct.non (Boiss.) D.C.Hassall: Barker et al.(2005), partly
- *Chamaesyce inappendiculata* auct.non (Domin) D.C.Hassall: Barker et al.(2005), partly
- *Chamaesyce sp. Pathungra (A.Gunness AG2118)* Qld Herbarium
- *Euphorbia inappendiculata* auct.non Domin: J.Z.Weber in Jessop & Toelken(1986), partly
- *Euphorbia sp. Pathungra (A.Gunness AG2118)* Australian National Herbarium

* **Euphorbia paralias** L. – NU* EP* YP* SL* KI* SE*

Euphorbia parvicaruncula D.C.Hassall – NW LE GT FR EA MU SL?n

* **Euphorbia peplus** L. – FR* EP* MU* YP* SL* KI* SE*

Euphorbia porcata Halford & W.K.Harris – NW LE NU GT FR EA MU
- *Chamaesyce drummondii* auct.non (Boiss.) D.C.Hassall: Barker et al.(2005), partly
- *Euphorbia drummondii* auct.non Boiss.: J.Z.Weber in Jessop & Toelken(1986), partly

* **Euphorbia prostrata** Aiton – FR* EP* SL*
- *Chamaesyce prostrata* (Aiton) Small

* **Euphorbia segetalis** L. – SL*

* **Euphorbia serpens** Kunth – EP* NL* YP* SL*
- *Chamaesyce dallachyana* auct.non (Baill.) D.C.Hassall.: Barker et al.(2005), partly
- *Chamaesyce drummondii* auct.non (Boiss.) D.C.Hassall: Barker et al.(2005), partly
- *Euphorbia drummondii* auct.non Boiss.: J.Z.Weber in Jessop & Toelken(1986), partly

Euphorbia sp. Damparanie Creek (F.J.Badman 6660) W.R. Barker – LE

Euphorbia sp. Tomkinson Ranges (D.J.E.Whibley 6741) P.J.Lang – NW
- *Chamaesyce schultzii* auct.non (Benth.) D.C.Hassall: Barker et al.(2005)
- *Euphorbia schultzii* auct.non Benth.: J.Z.Weber in Jessop & Toelken(1986)

Euphorbia stevenii F.M.Bailey – LE GT FR EA
- *Euphorbia murrayana* J.M.Black

Euphorbia tannensis Spreng. ssp. **eremophila** (A.Cunn.) D.C.Hassall – NW LE NU GT FR EA EP NL MU YP SL
- *Euphorbia clutioides* auct.non (G.Forst.) C.A.Gardner: Black(1948), nom. inval.
- *Euphorbia deserticola* F.Muell.
- *Euphorbia eremocarpus* Pharm. ex Wehmer
- *Euphorbia eremophila* A.Cunn.
- *Euphorbia finlaysonii* J.M.Black
- *Euphorbia planiticola* auct.non D.C.Hassall: J.Z.Weber in Jessop & Toelken(1986)
- *Euphorbia tannensis* Spreng. ssp. *eremophila* (A.Cunn.) D.C.Hassall var. *finlaysonii* (J.M.Black) D.C.Hassall

* **Euphorbia terracina** L. (Declared SA plant) – NU* FR* EP* NL* MU* YP* SL* KI* SE*

Euphorbia thelephora Halford & W.K.Harris var. **australis** Halford & W.K.Harris – LE GT FR EA EP
- *Chamaesyce australis* auct.non (Boiss.) D.C.Hassall: Barker et al.(2005), partly
- *Euphorbia australis* auct.non Boiss.: J.Z.Weber in Jessop & Toelken (1986), partly

Euphorbia thelephora Halford & W.K.Harris var. **rugosa** Halford & W.K.Harris – LE
- *Chamaesyce australis* auct.non (Boiss.) D.C.Hassall: Barker et al.(2005), partly
- *Euphorbia australis* auct.non Boiss.: J.Z.Weber in Jessop & Toelken (1986), partly

Euphorbia thelephora Halford & W.K.Harris var. **thelephora** – LE FR
- *Chamaesyce inappendiculata* auct.non (Domin) D.C.Hassall: Barker et al.(2005), partly
- *Chamaesyce sp. Beddome Range (D.E.Albrecht 5656)* Halford
- *Euphorbia inappendiculata* auct.non Domin: J.Z.Weber in Jessop & Toelken(1986), partly
- *Euphorbia sp. Beddome Range (D.E.Albrecht 5656)* NT Herbarium

Euphorbia trigonosperma Halford & W.K.Harris – LE
- *Chamaesyce coghlanii* auct.non(F.M.Bailey) D.C.Hassall ex P.I.Forst. & R.J.F.Hend., : Barker et al.(2005), partly
- *Euphorbia alsiniflora* auct.non Baill.: SA Census online(May 2015), partly

Euphorbia verrucitesta Halford & W.K.Harris – NU GT EA EP MU
- *Chamaesyce drummondii* auct.non (Boiss.) D.C.Hassall: Barker et al.(2005), partly
- *Euphorbia drummondii* auct.non Boiss.: J.Z.Weber in Jessop & Toelken(1986), partly

Euphorbia victoriensis Halford & W.K.Harris – NW
- *Chamaesyce drummondii* auct.non (Boiss.) D.C.Hassall: Barker et al.(2005), partly
- *Euphorbia drummondii* auct.non Boiss.: J.Z.Weber in Jessop & Toelken(1986), partly

Euphorbia wheeleri Baill. – NW LE GT ?FR
- *Chamaesyce mitchelliana* auct.non (Boiss.) D.C.Hassall: Barker et al.(2005), partly
- *Chamaesyce myrtoides* (Boiss.) D.C.Hassall
- *Chamaesyce wheeleri* (Baill.) D.C.Hassall
- *Euphorbia mitchelliana* var. *mitchelliana* auct.non Boiss.: J.Z.Weber in Jessop & Toelken(1986), questionably
- *Euphorbia myrtoides* Boiss.
- *Euphorbia myrtoides* Boiss. ssp. *wheeleri* (Baill.) B.G.Thomson ms, questionably

?e **Homalanthus populifolius** Graham – SL?e KI?e

Monotaxis luteiflora F.Muell. – NW

* **Ricinus communis** L. – NW* LE* FR* EA* EP* NL* MU* ?YP* SL* KI* SE*

LINACEAE 100.208

Linum marginale A.Cunn. – FR EA EP NL MU YP SL SE

* **Linum strictum** L. ssp. **strictum** – EP* NL* YP* SL* KI*

* **Linum trigynum** L. – LE* FR* ?NL* YP* SL* KI* SE*
- *Linum gallicum* L.

* **Linum usitatissimum** L. – NL?e SL* SE?e

PICRODENDRACEAE 100.210

Pseudanthus micranthus Benth. (Rare status in SA) – ?NL SL KI
- *Micrantheum tatei* (F.Muell.) J.M.Black
- *Phyllanthus tatei* F.Muell.

PHYLLANTHACEAE 100.211

Cathetus virgatus (G.Forst.) R.W.Bouman – LE
- *Phyllanthus virgatus* G.Forst.

Dendrophyllanthus erwinii (J.T.Hunter & J.J.Bruhl) R.W.Bouman – NW
- *Phyllanthus erwinii* J.T.Hunter & J.J.Bruhl
- *Phyllanthus lacunarius* auct.non F.Muell.: Kalotas(1981)
- *Phyllanthus lacunarius* F.Muell. var. *deuterocalyx* Gauba
- *Phyllanthus lacunellus* auct.non Airy Shaw: Airy Shaw(1981)

Dendrophyllanthus lacunarius (F.Muell.) R.W.Bouman – LE MU
- *Phyllanthus lacunarius* F.Muell.

Dendrophyllanthus lacunellus (Airy Shaw) R.W.Bouman – LE GT FR EA EP MU
- *Phyllanthus lacunarius* auct.non F.Muell.: J.Z.Weber in Jessop & Toelken(1986), partly
- *Phyllanthus lacunarius* F.Muell. var. *deuterocalyx* auct.non Gauba: Gauba(1948), partly
- *Phyllanthus lacunellus* Airy Shaw

Lysiandra calycina (Labill.) R.W.Bouman (Rare status in SA) – EP YP SL
- *Phyllanthus calycinus* Labill.

Lysiandra fuernrohrii (F.Muell.) R.W.Bouman – LE NU GT FR EP MU
- *Phyllanthus fuernrohrii* F.Muell.

Lysiandra oblanceolata (J.T.Hunter & J.J.Bruhl) R.W.Bouman – NW FR EA EP
- *Phyllanthus australis* auct.non Hook.: J.Z.Weber in Jessop & Toelken(1986), partly
- *Phyllanthus oblanceolatus* J.T.Hunter & J.J.Bruhl
- *Phyllanthus sp. aff. lacunarius F.Muell.* : Jessop(1989)

Lysiandra saxosa (F.Muell.) R.W.Bouman – GT FR EA EP NL MU SL KI SE
- *Phyllanthus gunnii* Hook.f. var. *saxosus* (F.Muell.) Benth.
- *Phyllanthus saxosus* F.Muell.

Micrantheum demissum F.Muell. – EP SL KI
- *Allenia blackiana* Ewart, Jean White & B.Rees
- *Allenia blackiana* Ewart & B.Rees var. *microphylla* Ewart, Jean White & B.Rees
- *Micrantheum demissum* F.Muell. var. *microphyllum* (Ewart, Jean White & B.Rees) Gruning

Nellica maderaspatensis (L.) Raf. – LE FR
- *Phyllanthus australis* auct.non Hook.f.: Airy Shaw(1981), questionably, partly
- *Phyllanthus maderaspatanus* L. var. *angustifolius* Benth., orth.var.
- *Phyllanthus maderaspatensis* L.
- *Phyllanthus maderaspatensis* L. var. *angustifolius*

Phyllanthus striaticaulis J.T.Hunter & J.J.Bruhl – YP SL KI
- *Phyllanthus australis* auct.non Hook.: J.Z.Weber in Jessop & Toelken(1986), partly

Poranthera huegelii Klotzsch – EP SL KI
- *Poranthera ericoides* auct.non Klotzsch: J.Z.Weber in Jessop & Toelken(1986), partly

Poranthera leiosperma Halford & R.J.F.Hend. – NW NU GT FR EP MU SE
- *Poranthera microphylla* auct.non Brongn.: J.Z.Weber in Jessop & Toelken(1986), partly

Poranthera microphylla Brongn. – FR EP NL MU YP SL KI SE
- *Poranthera microphylla* Brongn. var. *diffusa* Mull.Arg.

Poranthera triandra J.M.Black – EP NL MU YP SL KI SE

Synostemon ramosissimus F.Muell. (Rare status in SA) – NW LE EA
- *Glochidion thesioides* auct.non H.Eichler: H.Eichler(1965)
- *Phyllanthus ramosissimus* (F.Muell.) Mull.Arg.
- *Phyllanthus thesioides* auct.non (Benth.) Airy Shaw: J.M.Black(1948), partly
- *Sauropus ramosissimus* (F.Muell.) Airy Shaw
- *Synostemon thesioides* auct.non (Benth.) Airy Shaw: Airy Shaw(1981), partly

Synostemon rhytidospermus (F.Muell. ex Mull.Arg.) I.Telford & Pruesapan – NW LE GT FR EA
- *Glochidion rhytidospermum* (Mull.Arg.) H.Eichler
- *Phyllanthus rhytidospermus* F.Muell. ex Mull.Arg.
- *Sauropus trachyspermus* auct.non (F.Muell.) Airy Shaw: J.Z.Weber in Jessop & Toelken(1986)
- *Synostemon thesioides* auct.non (Benth.) Airy Shaw: Airy Shaw(1981), partly

Synostemon rigens (F.Muell.) Airy Shaw – LE GT FR EA MU
- *Glochidion rigens* (F.Muell.) H.Eichler
- *Phyllanthus rigens* (F.Muell.) Mull.Arg.
- *Sauropus rigens* (F.Muell.) Airy Shaw

Synostemon trachyspermus (F.Muell.) I.Telford & Pruesapan – LE MU
- *Glochidion trachyspermum* (F.Muell.) H.Eichler
- *Phyllanthus trachyspermus* F.Muell.
- *Sauropus trachyspermus s.str.* (F.Muell.) Airy Shaw: SA Census online(20/08/2015-20/12/2016)
- *Synostemon trachyspermus* (F.Muell.) Airy Shaw, nom.inval.

GERANIACEAE 100.212

* **Erodium aureum** Carolin – NW* LE* NU* GT* FR* EA* EP* MU*
- *Erodium moschatum* auct.non Nees: J.M.Black(1948)

* **Erodium botrys** (Cav.) Bertol. – FR* EP* NL* MU* YP* SL* KI* SE*
- *Erodium pauciflorum* Turcz.
- *Geranium botrys* Cav.

* **Erodium brachycarpum** (Godr.) Thell. – NL* MU* SL*
- *Erodium botrys* (Cav.) Bertol. var. *brachycarpum* Godr.
- *Erodium botrys* (Cav.) Bertol. var. *obtusiplicatum* Maire, Weiller & Wilczek
- *Erodium obtusiplicatum* (Maire, Weiller & Wilczek) J.T.Howell

Erodium carolinianum Aldasoro, Aedo, C.Navarro & L.Saez – NW LE NU GT FR EA EP NL
- *Erodium cygnorum* Nees ssp. *glandulosum* Carolin, partly
- *Erodium malacoides* auct.non (L.) Willd.: Carolin(1986), partly

* **Erodium cicutarium** (L.) L'Her. – LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Erodium cicutarium* (L.) L'Her. var. *maculatum* J.M.Black
- *Erodium cicutarium* (L.) L'Her. var. *stellatum* (Delile) Graebn.
- *Erodium stellatum* Delile
- *Geranium cicutarium* L.

Erodium crinitum Carolin – NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Erodium cygnorum* auct.non Nees: J.M.Black(1948), partly

Erodium cygnorum Nees – NW LE NU GT EP
- *Erodium angustilobum* Carolin
- *Erodium cygnorum* Nees ssp. *cygnorum*

Erodium janszii Alarcon, Aldasoro, C.Navarro & Aedo – FR EA EP
- *Erodium cygnorum* Nees ssp. *glandulosum* Carolin, partly

* **Erodium malacoides** (L.) Willd. – YP*
- *Geranium malacoides* L.

* **Erodium moschatum** (L.) L'Her. – FR* EP* NL* MU* YP* SL* KI* SE*
- *Geranium moschatum* L.

Erodium sp. Blesing (J.R.Wheeler 471) W.R.Barker (Rare status in SA) – EP

* **Geranium dissectum** L. – SL*

?n **Geranium homeanum** Turcz. – FR?n?id MU?n SL?n
?e **Geranium incanum** Burm.f. – SL?e
* **Geranium molle** L. – EP* NL?e MU* YP* SL* KI* SE*
- *Geranium molle* L. var. *molle*
?e **Geranium nepalense** Sweet – SL?e
- *Geranium sibiricum* auct.non L.: Barker et al.(2005)
Geranium potentilloides L'Her. ex DC. var. **potentilloides** – FR EP NL MU YP SL KI SE
- *Geranium dissectum* L. var. *australe* Benth.
- *Geranium microphyllum* Hook.f.
- *Geranium philonothum* DC.
- *Geranium pilosum* Willd. var. *potentilloides* (L'Her. ex DC.) Ewart
- *Geranium potentilloides* L'Her. ex DC.
* **Geranium purpureum** Vill. – MU* SL*
- *Geranium robertianum* L. ssp. *purpureum* (Vill.) Nyman
?e **Geranium pyrenaicum** Burm.f. ssp. **pyrenaicum** – SL?e
Geranium retrorsum L'Her. ex DC. – FR EP NL MU YP SL KI SE
- *Geranium australe* Nees, non (Willd.) Poiret(1812)
- *Geranium neesianum* Carolin
- *Geranium pilosum* auct.non G.Forst.: Tate(1890), partly
- *Geranium pilosum* G.Forst. var. *australe (Nees)Ostenf.*
- *Geranium pilosum* G.Forst. var. *retrorsum* (L'Her. ex DC.) Jeps.
- *Geranium sp. Linear segments (K.Preiss 128)* W.R.Barker, partly
- *Geranium sp.:* Jessop(1984)
?e **Geranium sanguineum** L. – SL?e
Geranium solanderi Carolin – GT FR EA EP NL MU YP SL KI SE
- *Geranium dissectum* L. var. *australe* Benth.
- *Geranium gardneri* de Lange
- *Geranium pilosum* G.Forst., nom.nud.
- *Geranium pilosum* Sol. ex Willd., nom.illeg., non Cav.(1788)
- *Geranium solanderi* Carolin var. *solanderi*
- *Geranium sp. 2* L.P.Smith (Fl.Vict., 1999)
- *Geranium sp. 4* L.P.Smith (Fl.Vict., 1999)
- *Geranium sp. Linear segments (K.Preiss 128)* W.R.Barker, partly
- *Geranium sp. Pale pink flowers (M.Gray 5847)* Vic. Herbarium
* **Geranium yeoi** Aedo & Munoz Garm. – SL*
- *Geranium robertianum* auct.non L.: Jessop(1989)
* **Pelargonium** × **asperum** Ehrh. ex Willd. – EP* NL* SL* KI* SE*
- *Pelargonium* × *graveolens* auct.non L'Her.: J.M.Black(1948)
Pelargonium australe Willd. – FR EA EP MU YP SL KI SE
- *Geranium glomeratum* Andrews
- *Pelargonium australe* Willd. ssp. *australe*
- *Pelargonium erodioides* Hook.f.
- *Pelargonium glomeratum* (Andrews) Jacq.
* **Pelargonium capitatum** (L.) L'Her. – SL?e KI* SE?e
?e **Pelargonium crispum** (P.J.Bergius) L'Her. – MU?e ?SL?e
- *Geranium crispum* P.J.Bergius
* **Pelargonium** × **domesticum** L.H.Bailey – YP* SL* KI* SE*
- *Pelargonium cucullatum* auct.non (L.) L'Her.: J.M.Black(1948)
Pelargonium drummondii Turcz. – EP YP SL KI
- *Pelargonium australe* auct.non Willd.: Barker et al.(2005), partly
- *Pelargonium australe* auct.non Willd.: J.M.Black(1924), partly
?e **Pelargonium** × **fragrans** Willd. – SL?e
?e **Pelargonium** × **hortorum** L.H.Bailey – FR?e NL?e MU?e SL?e
Pelargonium inodorum Willd. – FR SE
Pelargonium littorale Huegel ex Endl. – FR EP YP SL KI SE
- *Pelargonium australe* Willd. var. *erodioides* Benth.
- *Pelargonium crinitum* Nees
- *Pelargonium inodorum* auct.non Willd.: J.M.Black(1948)
- *Pelargonium renifolium* Swinbourne
- *Pelargonium stenanthum* Turcz.
?e **Pelargonium peltatum** (L.) L'Her. – EP?e YP?e SL?e

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

* **Pelargonium quercifolium** (L.f.) L'Her. – NL[?e] SL* KI[?e]
Pelargonium rodneyanum T.L.Mitch. ex Lindl. – SE
[?e] **Pelargonium tomentosum** Jacq. – SE[?e]

FRANCOACEAE 100.213
* **Melianthus comosus** Vahl – YP* SL* SE*
* **Melianthus major** L. – NL[?e] YP[?e] SL* SE*

LYTHRACEAE 100.215
Ammannia multiflora Roxb. – NW LE GT FR MU
- *Ammannia auriculata* auct.non Willd.: A.S.Mitchell (1976), partly
- *Ammannia australasica* F.Muell.
Lythrum hyssopifolia L. – LE GT EA EP NL MU YP SL KI SE
* **Lythrum junceum** Banks & Sol. – SL* SE*
- *Lythrum flexuosum* auct.non Lagasca: J.M.Black(1952)
- *Lythrum graefferi* Ten.
Lythrum paradoxum Koehne – NW FR
Lythrum salicaria L. (Rare status in SA) – FR MU SL SE
- *Lythrum salicarium* L., orth.var.
Lythrum wilsonii Hewson – NW LE GT FR EA EP
* **Punica granatum** L. – FR* SL*

ONAGRACEAE 100.216
Epilobium billardiereanum Ser. ssp. **billardiereanum** – EP NL MU SL KI SE
- *Epilobium billardierianum* Ser. ssp. *billardierianum*, orth.var.
- *Epilobium glabellum* auct.non G.Forst.: J.M.Black(1952), partly
Epilobium billardiereanum Ser. ssp. **cinereum** (A.Rich.) P.H.Raven & Engelhorn – FR EP SL KI SE
- *Epilobium billardierianum* Ser. ssp. *cinereum* (A.Rich.) P.H.Raven & Engelhorn, orth.var.
- *Epilobium cinereum* A.Rich.
- *Epilobium junceum* auct.non G.Forst.: J.M.Black(1952), partly
Epilobium billardiereanum Ser. ssp. **intermedium** P.H.Raven & Englehorn – FR MU YP SL KI SE
- *Epilobium billardierianum* Ser. ssp.× *intermedium* P.H.Raven & Englehorn, orth.var.
- *Epilobium glabellum* auct.non G.Forst.: J.M.Black(1952), partly
* **Epilobium ciliatum** Raf. ssp. **ciliatum** – SL* KI*
- *Epilobium adenocaulon* Hausskn.
- *Epilobium ciliatum* Raf.
Epilobium hirtigerum A.Cunn. – FR NL MU SL SE
- *Epilobium junceum* auct.non G.Forst. ex Spreng.: J.M.Black(1952), partly
- *Epilobium junceum* G.Forst. ex Spreng. var. *hirtigerum* (A.Cunn.) Hook.f.
Epilobium pallidiflorum Sol. ex A.Cunn. – MU SL SE
* **Fuchsia magellanica** Lam. – SL*
- *Fuchsia macrostema* Ruiz & Pav.
- *Fuchsia magellanica* Lam. var. *macrostema*
* **Ludwigia palustris** (L.) Bayl.Ell. – SE*
- *Isnardia palustris* L.
* **Ludwigia peploides** (Kunth) P.H.Raven ssp. **montevidensis** (Spreng.) P.H.Raven – LE* MU* SL* SE*
- *Jussiaea montevidensis* Spreng.
- *Jussiaea repens* auct.non L.: J.M.Black(1952)
[?e] **Ludwigia repens** J.R.Forst. – SL[?e]
* **Oenothera acaulis** Cav. – NL* SL* SE*
* **Oenothera affinis** Cambess. – SL*
- *Oenothera longiflora* auct.non L.: J.M.Black(1926)
[?e] **Oenothera biennis** L. – SL[?e]
[?e] **Oenothera curtiflora** W.L.Wagner & Hoch – NL[?e]
* **Oenothera drummondii** Hook. ssp. **drummondii** – SL*
- *Oenothera drummondii* Hook.
* **Oenothera glazioviana** Micheli – NL[?e] MU[?e] SL* KI* SE*
- *Oenothera erythrosepala* Borbas
* **Oenothera lindheimeri** (Engelm. & A.Gray) W.L.Wagner & Hoch – NL* SL* SE[?e]
- *Gaura lindheimeri* Engelm. & A.Gray
* **Oenothera speciosa** Nutt. – NL* MU* SL[?e]

* **Oenothera stricta** Ledeb. ex Link ssp. **stricta** – LE* GT* FR* EP* NL* MU* YP* SL* KI* SE*

MYRTACEAE 100.218

?e **Agonis flexuosa** (Willd.) Sweet var. **flexuosa** – EP?e SL?e KI?e
- *Agonis flexuosa* (Willd.) Sweet

Aluta maisonneuvei (F.Muell.) Rye & Trudgen ssp. **auriculata** (F.Muell.) Rye & Trudgen – NW LE GT
- *Thryptomene auriculata* F.Muell.
- *Thryptomene maisonneuvei* F.Muell., partly

Aluta maisonneuvei (F.Muell.) Rye & Trudgen ssp. **maisonneuvei** – NW
- *Thryptomene maisonneuvei* F.Muell., partly

* **Angophora costata** (Gaertn.) Britten ssp. **costata** – SL* KI?e
- *Angophora costata* (Gaertn.) Britten, partly
- *Eucalyptus apocynifolia* (Salisb.) Brooker
- *Metrosideros costata* Gaertn.

?e **Angophora floribunda** (Sm.) Sweet – SL?e
- *Eucalyptus florida* Brooker

Callistemon brachyandrus Lindl. (Rare status in SA) – MU
- *Melaleuca brachyandra* (Lindl.) Craven

?e **Callistemon pallidus** (Bonpl.) DC. – SE?e
- *Metrosideros pallida* Bonpl.

Callistemon rugulosus (Schltdl. ex Link) DC. – FR EP NL MU YP SL KI SE
- *Callistemon coccineus* F.Muell.
- *Callistemon macropunctatus* auct.non (Dum.Cours.) A.B.Court: H.Eichler(1965)
- *Callistemon rugulosus* Schltdl. ex Link var. *laevifolius* F.Muell. ex Miq.
- *Melaleuca rugulosa* (Schltdl. ex Link) Craven
- *Metrosideros macropunctata* auct.non Dum.Cours.: DC.(1828)
- *Metrosideros rugulosa* D.F.K.Schltdl. ex Link

Callistemon sieberi DC. – ?MU SL
- *Callistemon australis* (Benth.) Cheel in J.M.Black(1952), nom.inval. pro syn.
- *Callistemon paludosus* F.Muell.
- *Callistemon salignus* auct.non (Sm.) Sweet, O'Leary in W.R.Barker et al. (2005)
- *Callistemon salignus* (Sm.) Sweet var. *australis* Benth., partly
- *Melaleuca paludicola* Craven
- *Melaleuca paludosa* auct.non R.Br. in Ait.f.: Schltdl.(1847)

Callistemon teretifolius F.Muell. – FR EA EP NL MU SL SE?e
- *Melaleuca orophila* Craven

?e **Callistemon viminalis** (Sol. ex Gaertn.) G.Don ssp. **viminalis** – SL?e
- *Callistemon viminalis* (Sol. ex Gaertn.) G.Don: O'Leary in Barker et al.(2005)
- *Melaleuca viminalis* (Sol. ex Gaertn.) Byrnes
- *Metrosideros viminalis* Sol. ex Gaertn.

?e **Calothamnus quadrifidus** ssp. **angustifolius** (Ewart) A.S.George & N.Gibson – SL?e

Calytrix alpestris (Lindl.) Court – MU SE
- *Genetyllis alpestris* Lindl.
- *Lhotzkya alpestris* (Lindl.) Druce
- *Lhotzkya alpestris* (Lindl.) Druce var. *bracteosa* Benth.
- *Lhotzkya genetylloides* F.Muell.
- *Lhotzkya genetylloides* F.Muell. var. *bracteosa* Benth.

Calytrix carinata Craven – NW
- *Calythrix microphylla* A.Cunn. ?var. *longifolia* Benth.
- *Calytrix longiflora* auct.non (F.Muell.) Benth.: Jessop(1984)
- *Calytrix sp. D* Craven(1986)

Calytrix glaberrima (F.Muell.) Craven – SL KI
- *Calytrix sp. A* Craven(1986)
- *Lhotzkya glaberrima* F.Muell.
- *Lhotzkya glaberrima* F.Muell. var. *magnisepala* J.M.Black

Calytrix gypsophila Craven – NW NU GT EP
- *Calytrix sp. C* Craven(1986)

Calytrix involucrata J.M.Black – EP NL MU YP SL

Calytrix smeatoniana (F.Muell.) Craven (Rare status in SA) – KI
- *Calytrix sp. B* Craven(1986)
- *Lhotzkya smeatoniana* F.Muell.

Calytrix tetragona Labill. – FR EA EP NL MU YP SL KI SE
- *Calycothrix behriana* Schltdl.
- *Calycothrix leucantha* Miq.
- *Calycothrix monticola* Miq.
- *Calycothrix muelleri* Miq.
- *Calycothrix rosea* Miq.
- *Calycothrix scabra* (DC.) Schauer var. *minor* Schltdl.
- *Calycothrix schlechtendalii* Miq.

* **Chamelaucium uncinatum** Schauer – EP*
- *Chamaelaucium uncinatum* Schauer, orth.var.

* **Corymbia calophylla** (Lindl.) K.D.Hill & L.A.S.Johnson – NL* SL* SE?e
- *Eucalyptus calophylla* Lindl.

?e **Corymbia citriodora** (Hook.) K.D.Hill & L.A.S.Johnson – SL?e
- *Eucalyptus citriodora* Hook.

Corymbia eremaea (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson ssp. **eremaea** – NW
- *Corymbia eremaea* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson ssp. *eremaea*, partly
- *Corymbia eremaea* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson ssp. *oligocarpa* auct.non (Blakely & Jacobs) K.D.Hill & L.A.S.Johnson: APC(2006)
- *Eucalyptus aff. dichromophloia F.Muell.* : Boomsma(1981)
- *Eucalyptus australis* D.J.Carr & S.G.M.Carr
- *Eucalyptus centralis* auct.non D.J.Carr & S.G.M.Carr: Jessop(1993)
- *Eucalyptus connerensis* D.J.Carr & S.G.M.Carr
- *Eucalyptus dichromophloia* auct.non F.Muell.: J.M.Black(1952)
- *Eucalyptus eremaea* D.J.Carr & S.G.M.Carr ssp. *eremaea*
- *Eucalyptus lenziana* auct.non D.J.Carr & S.G.M.Carr: Carr & Carr(1985), partly
- *Eucalyptus polycarpa* F.Muell. var. *oligocarpa* auct.non Blakely & Jacobs: Chippend.(1981)
- *Eucalyptus symonii* D.J.Carr & S.G.M.Carr
- *Eucalyptus terminalis* auct.non F.Muell.: J.M.Black(1926)

* **Corymbia ficifolia** (F.Muell.) K.D.Hill & L.A.S.Johnson – SL* KI?e
- *Eucalyptus ficifolia* F.Muell.

* **Corymbia maculata** (Hook.) K.D.Hill & L.A.S.Johnson – SL* KI?e
- *Eucalyptus maculata* Hook.

Corymbia opaca (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson – NW
- *Corymbia eremaea* ssp. *eremaea* auct.non(D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson: Nicolle(1997), partly
- *Eucalyptus centralis* D.J.Carr & S.G.M.Carr
- *Eucalyptus opaca* D.J.Carr & S.G.M.Carr
- *Eucalyptus terminalis* auct.non F.Muell.: J.M.Black(1926), partly
- *Eucalyptus terminalis* auct.non F.Muell.: J.M.Black(1952)

Corymbia terminalis (F.Muell.) K.D.Hill & L.A.S.Johnson – LE
- *Corymbia tumescens* K.D.Hill & L.A.S.Johnson, partly
- *Eucalyptus centralis* auct.non D.J.Carr & S.G.M.Carr: Jessop(1993), partly
- *Eucalyptus pyrophora* Benth.
- *Eucalyptus terminalis* F.Muell.

* **Darwinia citriodora** (Endl.) Benth. – SL*

Darwinia micropetala (F.Muell.) Benth. – KI SE
- *Genethyllis micropetala* F.Muell.

Darwinia salina Craven & S.R.Jones – NW NU GT EP
- *Darwinia micropetala* auct.non (F.Muell.) Benth.: Jessop(1986), partly

Eucalyptus alatissima (Brooker & Hopper) D.Nicolle (Rare status in SA) – NW
- *Eucalyptus kingsmillii* auct.non (Maiden) Maiden & Blakely: Jessop(1986)
- *Eucalyptus kingsmillii* (Maiden) Maiden & Blakely ssp. *alatissima* Brooker & Hopper
- *Eucalyptus pachyphylla* auct.non F.Muell.: Boomsma(1972)

Eucalyptus albens Benth. (Rare status in SA) – FR NL
- *Eucalyptus albens* Benth. var. *elongata* Blakely
- *Eucalyptus hemiphloia* F.Muell. ex Benth. var. *albens* (Benth.) F.Muell. ex Maiden

Eucalyptus albopurpurea (Boomsma) D.Nicolle – EP KI
- *Eucalyptus behriana* F.Muell. var. *purpurascens* F.Muell. ex Benth.
- *Eucalyptus hemiphloia* F.Muell. ex Benth. var. *purpurascens* F.Muell. ex Benth.
- *Eucalyptus lansdowneana* auct.non F.Muell. & J.E.Br.: Boomsma(1972)
- *Eucalyptus lansdowneana* F.Muell.& J.E.Br. ssp. *albopurpurea* Boomsma

- *Eucalyptus lansdowneana* F.Muell.& J.E.Br. var. *leucantha* Blakely
- *Eucalyptus odorata* Behr ex Schltdl. var. *erythrandra* F.Muell ex Miq.
- *Eucalyptus odorata* Behr ex Schltdl. var. *purpurascens* (F.Muell. ex Benth.) Maiden

Eucalyptus angulosa Schauer – EP
- *Eucalyptus incrassata* Labill. var. *angulosa* (Schauer) Benth.

Eucalyptus arcana (D.Nicolle & Brooker) Rule (Vulnerable status in SA) – SE
- *Eucalyptus sp. 'Carpenter Rocks'* D.Nicolle(1997)
- *Eucalyptus splendens* Rule ssp. *arcana* D.Nicolle & Brooker

Eucalyptus arenacea Marginson & Ladiges – MU SE
- *Eucalyptus baxteri* auct.non (Benth.) J.M.Black: Jessop(1986), partly

Eucalyptus baxteri (Benth.) Maiden & Blakely ex J.M.Black – MU SL KI SE
- *Eucalyptus arenacea* auct.non Marginson & Ladiges: Brooker & Kleinig(1990), partly
- *Eucalyptus baxteri* (Benth.) Maiden & Blakely ex J.M.Black var. *pedicellata* Maiden & Blakely
- *Eucalyptus capitellata* auct.non Sm.: Tate(1890)
- *Eucalyptus capitellata* Sm. var. *latifolia* Benth.
- *Eucalyptus santalifolia* F.Muell. ?var. *baxteri* Benth.

Eucalyptus behriana F.Muell. (Rare status in SA) – FR EP NL MU SL SE

Eucalyptus bicostata Maiden, Blakely & Simmonds (Vulnerable status in SA) – NL SL*
- *Eucalyptus globulus* Labill. ssp. *bicostata* (Maiden, Blakely & Simmonds) J.B.Kirkp.
- *Eucalyptus globulus* Labill. var. *bicostata* (Maiden, Blakely & Simmonds) Ewart

?e **Eucalyptus botryoides** Sm. – SL?e

Eucalyptus brachycalyx Blakely – NU GT FR EA EP NL MU YP SL
- *Eucalyptus brachycalyx* Blakely var. *chindoo* Blakely
- *Eucalyptus brachycalyx* Blakely var. *protrusa* (J.M.Black) H.Eichler
- *Eucalyptus incrassata* Labill. var. *protrusa* J.M.Black
- *Eucalyptus pleurocorys* L.A.S.Johnson & K.D.Hill

?e **Eucalyptus brockwayi** C.A.Gardner – MU?e

Eucalyptus cajuputea F.Muell. ex Miq. – FR EA EP NL MU
- *Eucalyptus aff. viridis* Jessop (1993)
- *Eucalyptus fruticetorum* F.Muell. ex Miq., questionably
- *Eucalyptus odorata* auct.non Behr: D.Nicolle(2013), partly
- *Eucalyptus odorata* Behr var. *angustifolia* auct.non Blakely: Chippendale(1988), partly
- *Eucalyptus viridis* auct.non R.T.Baker: D.Nicolle(1997) ssp. *viridis*
- *Eucalyptus wimmerensis* Rule, questionably

Eucalyptus calcareana Boomsma – NU EP
- *Eucalyptus 'triangolensis'* L.A.S.Johnson ms, Euclid (2002)
- *Eucalyptus dumosa* auct.non A.Cunn. ex J.Oxley: Nicolle(1997), (only as to EP specimens), partly

Eucalyptus calycogona Turcz. ssp. **calycogona** – EP MU SL
- *Eucalyptus calycogona* Turcz. var. *calycogona*, partly

Eucalyptus calycogona Turcz. ssp. **spaffordii** D.Nicolle (Endangered status in SA) – EP
- *Eucalyptus calycogona* auct.non Turcz.: Jessop(1986), partly
- *Eucalyptus calycogona* Turcz. var. *spaffordii* Blakely, orth.var.
- *Eucalyptus calycogona* Turcz. var. *staffordii* Blakely

Eucalyptus calycogona Turcz. ssp. **trachybasis** D.Nicolle – FR NL MU YP SE
- *Eucalyptus calycogona* auct.non Turcz.: Jessop(1986), partly
- *Eucalyptus calycogona* Turcz. ssp. *'Eastern'* D.Nicolle(1997)
- *Eucalyptus calycogona* Turcz. var. *calycogona* auct.non Turcz.: Jessop(1993), partly

Eucalyptus camaldulensis Dehnh. ssp. **arida** Brooker & M.W.McDonald – NW LE GT FR EA
- *Eucalyptus camaldulensis* Dehnh. var. *obtusa* auct.non Blakely: Jessop(1986), partly
- *Eucalyptus rostrata* auct.non Schltdl.: Black(1926), partly

Eucalyptus camaldulensis Dehnh. ssp. **camaldulensis** – EP NL MU YP SL KI SE
- *Eucalyptus camaldulensis* Dehnh. var. *camaldulensis*, partly
- *Eucalyptus longirostris* F.Muell. ex Miq.
- *Eucalyptus mcintyrensis* Maiden
- *Eucalyptus rostrata* Schltdl.(1847), non Cav.(1797)

Eucalyptus camaldulensis Dehnh. ssp. **minima** Brooker & M.W.McDonald – FR ?EA ?EP ?NL
- *Eucalyptus camaldulensis* Dehnh. var. *camaldulensis* auct.non Dehnh.: Jessop(1986), partly
- *Eucalyptus camaldulensis* Dehnh. var. *obtusa* auct.non Blakely: Jessop(1986), partly
- *Eucalyptus rostrata* auct.non Schltdl.: Black(1926), partly

?e **Eucalyptus campaspe** S.Moore – NL?e

Eucalyptus canescens D.Nicolle ssp. **beadellii** D.Nicolle (Rare status in SA) – NW
- *Eucalyptus concinna* auct.non Maiden & Blakely: Jessop(1986), partly
- *Eucalyptus pimpiniana* auct.non Maiden: Jessop(1986), partly
- *Eucalyptus striaticalyx* auct.non W.Fitzg.: Jessop(1986), partly

Eucalyptus canescens D.Nicolle ssp. **canescens** – NW NU
- *Eucalyptus concinna* auct.non Maiden & Blakely: Jessop(1986), partly
- *Eucalyptus striaticalyx* auct.non W.Fitzg.: Jessop(1986), partly

Eucalyptus capitanea L.A.S.Johnson & K.D.Hill – NU EP
- *Eucalyptus ceratocorys* auct.non L.A.S.Johnson & K.D.Hill: Nicolle(1997)

* **Eucalyptus cinerea** F.Muell. ex Benth. – SL* SE?e
- *Eucalyptus cinerea* F.Muell. ex Benth. ssp. *cinerea*
- *Eucalyptus cinerea* F.Muell. ex Benth. ssp. *triplex* (L.A.S.Johnson & K.D.Hill) Brooker, Slee & J.D.Briggs
- *Eucalyptus triplex* L.A.S.Johnson & K.D.Hill

Eucalyptus cladocalyx F.Muell. ssp. **cladocalyx** – EP
- *Eucalyptus cladocalyx* F.Muell.
- *Eucalyptus corynocalyx* F.Muell.

Eucalyptus cladocalyx F.Muell. ssp. **crassa** D.Nicolle – KI
- *Eucalyptus cladocalyx* auct.non F.Muell.: D.Nicolle(1997), partly

Eucalyptus cladocalyx F.Muell. ssp. **petila** D.Nicolle – FR EP NL
- *Eucalyptus cladocalyx* auct.non F.Muell.: D.Nicolle(1997), partly
- *Eucalyptus langii* Maiden & Blakely

Eucalyptus cneorifolia DC. – SL KI

Eucalyptus concinna Maiden & Blakely – NW NU GT EP
- *Eucalyptus ochrophylla* Maiden & Blakely

* **Eucalyptus conferruminata** D.J.Carr & S.G.M.Carr ssp. **recherche** D.Nicolle & M.E.French – SL* KI?e
- *Eucalyptus conferruminata* ssp. *conferruminata* auct.non D.J.Carr & S.G.M.Carr: SA Census online(2009)
- *Eucalyptus lehmannii* auct.non (Schauer) Benth.: Hort.lit.

Eucalyptus conglobata (R.Br. ex Benth.) Maiden ssp. **conglobata** (Rare* status in SA) – EP SL
- *Eucalyptus anceps* auct.non (Maiden) Blakely: Boomsma(1981), partly
- *Eucalyptus dumosa* A.Cunn. ex J.Oxley var. *conglobata* R.Br. ex Benth.
- *Eucalyptus incrassata* Labill. ssp. *conglobata* (R.Br. ex Benth.) Maiden

Eucalyptus coolabah Blakely & Jacobs – NW LE GT EA
- *Eucalyptus brachypoda* auct.non Turcz.: Benth.(1867), partly
- *Eucalyptus coolabah* Blakely & Jacobs ssp. *arida* (Blakely) L.A.S.Johnson & K.D.Hill, partly
- *Eucalyptus coolabah* Blakely & Jacobs ssp. *excerata* L.A.S.Johnson & K.D.Hill
- *Eucalyptus coolabah* Blakely & Jacobs var. *arida* Blakely
- *Eucalyptus microtheca* auct.non F.Muell.: Jessop(1986), partly

?e **Eucalyptus cornuta** Labill. – NL?e

Eucalyptus cosmophylla F.Muell. – SL KI
- *Eucalyptus cosmophylla* F.Muell. var. *leprosula* (Miq.) F.Muell. ex Maiden
- *Eucalyptus cosmophylla* F.Muell. var. *rostrigera* F.Muell. ex Maiden
- *Eucalyptus cosmophylla* F.Muell. f. *leprosula* Miq.

Eucalyptus cretata P.J.Lang & Brooker (Rare status in SA) – EP
- *Eucalyptus sp. V* Brooker & Kleinig(1990)

Eucalyptus cyanophylla Brooker – MU
- *Eucalyptus dumosa* auct.non A.Cunn. ex Oxley: Boomsma(1972), partly
- *Eucalyptus pileata* auct.non Blakely: J.M.Black(1952), partly

Eucalyptus dalrympleana Maiden ssp. **dalrympleana** (Rare status in SA) – SL
- *Eucalyptus gunnii* Hook.f. var. *rubida* auct.non (H.Deane & Maiden) Maiden: J.M.Black(1926)
- *Eucalyptus rubida* auct.non H.Deane & Maiden: Jessop(1986)
- *Eucalyptus stuartiana* auct.non F.Muell. ex Miq.: Tate(1890), partly
- *Eucalyptus viminalis* auct.non Labill.: Benth.(1867), partly
- *Eucalyptus viminalis* Labill. var. *microcarpa* auct.non Miq.: J.M.Black(1926)

* **Eucalyptus densa** Brooker & Hopper ssp. **densa** – MU*

Eucalyptus diversifolia Bonpl. ssp. **diversifolia** – EP NL MU YP SL KI SE
- *Eucalyptus diversifolia* Bonpl. ssp. *megacarpa* I.J.Wright & Ladiges
- *Eucalyptus santalifolia* F.Muell.
- *Eucalyptus viminalis* auct.non Labill.: Benth(1866), partly

Eucalyptus diversifolia Bonpl. ssp. **hesperia** I.J.Wright & Ladiges (Rare status in SA) – NU
- *Eucalyptus diversifolia* auct.non Labill.: Jessop(1986), partly

Eucalyptus dumosa A.Cunn. ex J.Oxley – FR EA NL MU YP SL SE
- *Eucalyptus anceps* auct.non (Maiden) Blakely: Boomsma(1981), partly
- *Eucalyptus incrassata* Labill. var. *dumosa* (A.Cunn. ex J.Oxley) Maiden
- *Eucalyptus lamprocarpa* F.Muell. ex Miq.
- *Eucalyptus muelleri* Miq.

?e **Eucalyptus dundasii** Maiden – NL?e MU?e

Eucalyptus eremicola Boomsma ssp. **eremicola** – NW NU GT
- *Eucalyptus eremicola* Boomsma, partly

Eucalyptus eremicola Boomsma ssp. **peeneri** (Blakely) D.Nicolle – NW NU GT
- *Eucalyptus oleosa* F.Muell. ex Miq. var. *peeneri* Blakely
- *Eucalyptus peeneri* (Blakely) L.D.Pryor & L.A.S.Johnson ex Boomsma
- *Eucalyptus sp. N* Brooker & Kleinig(1990), questionably
- *Eucalyptus sp. O* Brooker & Kleinig (1990)
- *Eucalyptus sp. PP* Brooker & Kleinig (1994)
- *Eucalyptus sublucida* L.A.S.Johnson & K.D.Hill

?e **Eucalyptus eremophila** (Diels) Maiden ssp. **eremophila** – MU?e

Eucalyptus falciformis (Newnham, Ladiges & Whiffin) K.Rule – SE
- *Eucalyptus amygdalina* auct.non Labill: Tate(1890), partly
- *Eucalyptus nitida* auct.non Hook.f.: Boomsma(1981)
- *Eucalyptus virgata* auct.non Sieber ex Spreng.: Benth.(1867), partly
- *Eucalyptus vitrea* auct.non R.T.Baker: J.M.Black(1952)
- *Eucalyptus willisii* Ladiges, Humphries & Brooker ssp. *falciformis* Newnham, Ladiges & Whiffin
- *Eucalyptus willisii* Ladiges, Humphries & Brooker ssp. *willisii* auct.non Newnham, Ladiges & Whiffin: Jessop(1993)

Eucalyptus fasciculosa F.Muell. (Rare status in SA) – MU SL KI SE
- *Eucalyptus paniculata* Sm. var. *fasciculosa* (F.Muell.) Benth.

Eucalyptus flindersii Boomsma – FR EA EP
- *Eucalyptus morrisii* auct.non R.T.Baker: J.M.Black(1952), partly

?e **Eucalyptus forrestiana** Diels – MU?e

Eucalyptus gamophylla F.Muell. – NW

?e **Eucalyptus gardneri** Maiden ssp. **gardneri** – MU?e
- *Eucalyptus gardneri* Maiden

Eucalyptus gillenii Ewart & L.R.Kerr (Rare status in SA) – NW
- *Eucalyptus incurva* Boomsma

Eucalyptus gillii Maiden – LE FR EA
- *Eucalyptus gillii* Maiden var. *petiolaris* Maiden

* **Eucalyptus globulus** Labill. – NL* SL* KI* SE*
- *Eucalyptus gigantea* Desf.
- *Eucalyptus globulus* Labill. ssp. *globulus*

Eucalyptus glomerosa Brooker & Hopper – NW
- *Eucalyptus ewartiana* auct.non Maiden: Jessop(1986)
- *Eucalyptus oldfieldii* auct.non F.Muell.: J.M.Black(1926)

* **Eucalyptus gomphocephala** DC. – EP* YP* SL* KI*

Eucalyptus gongylocarpa Blakely – NW
- *Eucalyptus eudesmioides* auct.non F.Muell.: J.M.Black(1952)

Eucalyptus goniocalyx F.Muell. ex Miq. ssp. **exposa** D.Nicolle (Vulnerable status in SA) – FR
- *Eucalyptus goniocalyx* F.Muell. ex Miq., partly

Eucalyptus goniocalyx F.Muell. ex Miq. ssp. **goniocalyx** – FR NL MU SL SE?id
- *Eucalyptus elaeophora* F.Muell.
- *Eucalyptus goniocalyx* F.Muell. ex Miq., partly

Eucalyptus gracilis F.Muell. – NW NU GT FR EA EP NL MU YP SL KI SE
- *Eucalyptus calycogona* Turcz. var. *gracilis* (F.Muell.) Maiden
- *Eucalyptus gracilis* F.Muell. var. *breviflora* Benth.
- *Eucalyptus gracilis* F.Muell. var. *erecta* Blakely

Eucalyptus gypsophila D.Nicolle – NW LE NU GT EP
- *Eucalyptus helmsii* auct.non Maiden & Blakely ex Maiden: H.Eichler(1965)
- *Eucalyptus pileata* auct.non Blakely: J.M.Black(1952), partly
- *Eucalyptus striaticalyx* auct.non W.Fitzg.: Jessop(1986), partly

Eucalyptus incrassata Labill. – EP NL MU YP SL SE
- *Eucalyptus angulosa* auct.non Schauer: Barker et al.(2005), partly
- *Eucalyptus costata* F.Muell. & Behr ex F.Muell.

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

- *Eucalyptus costata* F.Muell. & Behr ex F.Muell. ssp. *murrayana* L.A.S.Johnson & K.D.Hill
- *Eucalyptus incrassata* Labill. ssp. *costata* (F.Muell. & Behr ex F.Muell.) F.C.Johnstone & Hallam
- *Eucalyptus incrassata* Labill. var. *angulosa* auct.non (Schauer) Benth.: Jessop(1986), partly
- *Eucalyptus incrassata* Labill. var. *costata* (F.Muell. & Behr ex F.Muell.) N.T.Burb.

Eucalyptus intertexta R.T.Baker – NW LE GT FR EA EP MU*
- *Eucalyptus intertexta* R.T.Baker var. *diminuta* Blakely
- *Eucalyptus intertexta* R.T.Baker var. *fruticosa* Blakely & Jacobs

Eucalyptus intertexta R.T.Baker × **Eucalyptus sideroxylon** A.Cunn. ex Woolls ssp. **sideroxylon** – EA

Eucalyptus × **kalangadooensis** Maiden & Blakely – SE

Eucalyptus lansdowneana F.Muell. & J.E.Br. – EP

Eucalyptus largiflorens F.Muell. – LE FR EA NL MU SL SE
- *Eucalyptus bicolor* A.Cunn. ex T.Mitch., ?nom. nud., questionably

Eucalyptus leptophylla F.Muell. ex Miq. – ?NU FR EA EP NL MU YP SL KI SE
- *Eucalyptus foecunda* auct.non Schauer: Jessop(1986), partly
- *Eucalyptus leptophylla* F.Muell. ex Miq. var. *densa* Blakely, questionably

Eucalyptus leucoxylon F.Muell. ssp. **leucoxylon** – ?FR ?EP NL MU SL KI SE
- *Eucalyptus leucoxylon* F.Muell. ssp. *megalocarpa* auct.non Boland: W.R.Barker et al.(2005), partly
- *Eucalyptus leucoxylon* F.Muell. var. *angulata* Benth.
- *Eucalyptus leucoxylon* F.Muell. var. *erythrostema* F.Muell. ex Miq.
- *Eucalyptus leucoxylon* F.Muell. var. *rostellata* F.Muell. ex Miq.
- *Eucalyptus leucoxylon* F.Muell. var. *rugulosa* F.Muell. ex Miq.

Eucalyptus leucoxylon F.Muell. ssp. **megalocarpa** Boland (Rare status in SA) – SE
- *Eucalyptus leucoxylon* F.Muell. var. *macrocarpa* J.E.Br.

Eucalyptus leucoxylon F.Muell. ssp. **pruinosa** (F.Muell. ex Miq.) Boland – FR EP NL MU SL SE
- *Eucalyptus leucoxylon* F.Muell. var. *pauperita* J.E.Br.
- *Eucalyptus leucoxylon* F.Muell. var. *pruinosa* F.Muell. ex Miq.

Eucalyptus leucoxylon F.Muell. ssp. **stephaniae** Rule – MU SE

Eucalyptus macrorhyncha F.Muell. ex Benth. ssp. **macrorhyncha** (Rare status in SA) – NL
- *Eucalyptus macrorhyncha* F.Muell. var. *minor* Blakely
- *Eucalyptus macrorrhyncha* F.Muell., orth.var.

Eucalyptus mannensis Boomsma ssp. **mannensis** – NW

Eucalyptus × **mcintyrensis** Maiden – SE

Eucalyptus microcarpa (Maiden) Maiden – FR EP NL MU SL SE
- *Eucalyptus hemiphloia* F.Muell. ex Benth. var. *microcarpa* Maiden
- *Eucalyptus microcarpa* (Maiden) Maiden *"Adelaide variant"* Nicolle(2013)
- *Eucalyptus odorata* Behr ex Schldl. var. *refracta* Blakely
- *Eucalyptus silvestris* Rule
- *Eucalyptus woollsiana* auct.non R.T.Baker: Maiden(1921)

Eucalyptus minniritchi D.Nicolle – NW
- *Eucalyptus orbifolia* auct.non F.Muell.: D.Nicolle(1997)
- *Eucalyptus websteriana* auct.non Maiden: Jessop(1986) as 'websterana'

Eucalyptus obliqua L'Her. – SL KI SE
- *Eucalyptus falcifolia* Miq.
- *Eucalyptus nervosa* F.Muell. ex Miq.(1856), non Hoffmans(1824)
- *Eucalyptus obliqua* L'Her. var. *degressa* Blakely
- *Eucalyptus obliqua* L'Her. var. *megacarpa* Blakely

Eucalyptus odorata Behr – FR EA EP NL MU YP SL KI SE
- *Eucalyptus fruticetorum* F.Muell. ex Miq., questionably
- *Eucalyptus odorata* Behr var. *angustifolia* Blakely
- *Eucalyptus odorata* Behr var. *erythranda* F.Muell. ex Miq.
- *Eucalyptus polybractea* auct.non R.T.Baker: Nicolle(1997)

Eucalyptus oleosa F.Muell. ex Miq. ssp. **ampliata** L.A.S.Johnson & K.D.Hill – NU FR EP NL MU YP SL KI
- *Eucalyptus oleosa* F.Muell. ex Miq., partly
- *Eucalyptus oleosa* F.Muell. ex Miq. ssp. *"Coastal"* Nicolle(1997)
- *Eucalyptus oleosa* F.Muell. ex Miq. ssp. *victima* L.A.S.Johnson & K.D.Hill
- *Eucalyptus oleosa* F.Muell. ex Miq. ssp. *wylieana* L.A.S.Johnson & K.D.Hill
- *Eucalyptus sp. N* Brooker & Kleinig(1990), questionably

Eucalyptus oleosa F.Muell. ex Miq. ssp. **oleosa** – NW NU GT FR EA EP MU SE
- *Eucalyptus oleosa* F.Muell. ex Miq., partly
- *Eucalyptus oleosa* F.Muell. ex Miq. ssp. *"Desert"* Nicolle(1997)

- *Eucalyptus oleosa* F.Muell. ex Miq. ssp. *repleta* L.A.S.Johnson & K.D.Hill
- *Eucalyptus oleosa* F.Muell. ex Miq. var. *angustifolia* Maiden
- *Eucalyptus sp. N* Brooker & Kleinig(1990), questionably

Eucalyptus omissa D.Nicolle & M.E.French – NW NU GT EP
- *Eucalyptus foecunda* auct.non Schauer: Jessop(1986), partly
- *Eucalyptus leptophylla* auct.non F.Muell. ex Miq.: Nicolle(1997), partly
- *Eucalyptus sp. Great Victoria Desert (D.Nicolle 3877)* D.Nicolle, (p.p. max.), partly
- *Eucalyptus sp. Great Victoria Desert* D.Nicolle

Eucalyptus ovata Labill. ssp. **grandiflora** (Maiden) D.Nicolle – SE
- *Eucalyptus ovata* auct.non Labill.: J.M.Black(1926), partly
- *Eucalyptus ovata* Labill. var. *grandiflora* Maiden

Eucalyptus ovata Labill. ssp. **ovata** – SL KI SE
- *Eucalyptus acervula* auct.non Sieber ex DC.: Hook.f.(1856)
- *Eucalyptus gunnii* auct.non Hook.f.: F.Muell.(1860), partly
- *Eucalyptus gunnii* Hook.f. var. *ovata* (Labill.) H.Deane & Maiden, nom.illeg.
- *Eucalyptus ovata* Labill., partly
- *Eucalyptus ovata* Labill. var. *ovata*
- *Eucalyptus paludosa* R.T.Baker
- *Eucalyptus stuartiana* F.Muell. ex Miq., partly

Eucalyptus oxymitra Blakely – NW

Eucalyptus × **paludicola** D.Nicolle (Endangered status in SA, Endangered status in Australia) – SL KI
- *Eucalyptus viminalis* auct.non Labill: Black(1952), partly
- *Eucalyptus viminalis* Labill ssp. *cygnetensis* auct.non Boomsma: Jessop(1986), partly

Eucalyptus pauciflora Sieber ex Spreng. ssp. **pauciflora** (Vulnerable status in SA) – SL* SE
- *Eucalyptus coriacea* A.Cunn.
- *Eucalyptus pauciflora* Sieber ex Spreng, ssp. *parvifructa* Rule
- *Eucalyptus phlebophylla* F.Muell. ex Miq.
- *Eucalyptus submultiplinervis* Miq.

Eucalyptus peninsularis D.Nicolle – EP
- *Eucalyptus flocktoniae* auct.non (Maiden) Maiden: Jessop(1986)

Eucalyptus percostata Brooker & P.J.Lang (Rare status in SA) – FR EP NL
- *Eucalyptus dumosa* auct.non A.Cunn. ex Schauer.: Jessop(1986), partly

Eucalyptus petiolaris (Boland) Rule – EP
- *Eucalyptus leucoxylon* auct.non F.Muell.: Black(1952)
- *Eucalyptus leucoxylon* F.Muell. ssp. *petiolaris* Boland

Eucalyptus phenax Brooker & Slee ssp. **compressa** D.Nicolle (Rare status in SA) – SL KI
- *Eucalyptus anceps* auct.non (R.Br. ex Maiden) Blakely: Boomsma(1981), partly
- *Eucalyptus phenax* Brooker & Slee ssp. *'Kangaroo Island'* D.Nicolle(1997)

Eucalyptus phenax Brooker & Slee ssp. **phenax** – EP NL MU YP SL SE
- *Eucalyptus 'anceps'* auct.non (R.Br. ex Maiden) Blakely: Brooker & Kleinig(1990)
- *Eucalyptus anceps* auct.non (R.Br. ex Maiden) Blakely: Boomsma(1981), partly
- *Eucalyptus phenax* Brooker & Slee ssp. *phenax 'Hills Variant',* Nicolle(2013)

Eucalyptus pileata Blakely – NU[?id] EP
- *Eucalyptus "triangolensis"* L.A.S.Johnson ms

Eucalyptus pimpiniana Maiden – NW NU
- *Eucalyptus isingiana* Maiden

[?e] **Eucalyptus platypus** Hook. ssp. **platypus** – MU[?e]

Eucalyptus polybractea R.T.Baker – FR EA EP NL MU
- *Eucalyptus 'Flinders Ranges'* Nicolle(1997)
- *Eucalyptus "illucens"* L.A.S.Johnson ex Brooker et al.(2002), as manuscript name
- *Eucalyptus sp. Flinders Ranges (D.Nicolle 562)* D.Nicolle
- *Eucalyptus sp. Y* Brooker & Kleinig(1990)

Eucalyptus porosa F.Muell. ex Miq. – GT FR EA EP NL MU YP SL KI SE
- *Eucalyptus calcicultrix* (F.Muell.ex Miq.) F.Muell.ex Blakely
- *Eucalyptus calcicultrix* (F.Muell.ex Miq.) F.Muell.ex Blakely var. *porosa* (F.Muell. ex Miq.) Blakely
- *Eucalyptus leucoxylon* F.Muell. var. *pluriflora* F.Muell. ex Miq.
- *Eucalyptus odorata* Behr ex Schltdl. var. *calcicultrix* F.Muell. ex Miq.

[?e] **Eucalyptus ravida** L.A.S.Johnson & K.D.Hill – FR[?e]
- *Eucalyptus salubris* F.Muell. var. *glauca* Maiden

Eucalyptus remota Blakely – KI

Eucalyptus repullulans D.Nicolle – NW

. . . [?e], questionably established. [n*], native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Eucalyptus rugosa R.Br. ex Blakely – EP MU YP SL KI SE
- *Eucalyptus anceps* (R.Br. ex Maiden) Blakely
- *Eucalyptus conglobata* (Benth.) R.Br. ex Maiden var. *anceps* Maiden

* **Eucalyptus saligna** Sm. – SL*

* **Eucalyptus salubris** F.Muell. – MU*
- *Eucalyptus salubris* F.Muell. var. *salubris*

?e **Eucalyptus sideroxylon** A.Cunn. ex Woolls ssp. **sideroxylon** – EA?e SL?e
- *Eucalyptus sideroxylon* A.Cunn. ex Woolls

Eucalyptus socialis F.Muell. ex Miq. ssp. **eucentrica** (L.A.S.Johnson & K.D.Hill) Nicolle – NW ?LE ?NU GT
- *Eucalyptus eucentrica* L.A.S.Johnson & K.D.Hill
- *Eucalyptus socialis* auct.non F.Muell. ex Miq.: Jessop(1986), partly

Eucalyptus socialis F.Muell. ex Miq. ssp. **socialis** – LE GT FR EA EP NL MU YP SL KI?id SE
- *Eucalyptus oleosa* F.Muell. ex Miq. var. *glauca* auct.non Maiden: J.M.Black(1952), partly
- *Eucalyptus socialis* auct.non F.Muell. ex Miq.: Jessop(1986), partly
- *Eucalyptus transcontinentalis* auct.non Maiden: Blakely(1965), partly
- *Eucalyptus turbinata* Behr & F.Muell. ex Miq.

Eucalyptus socialis F.Muell. ex Miq. ssp. **victoriensis** D.Nicolle – NW LE NU GT EP
- *Eucalyptus eucentrica* auct.non L.A.S.Johnson & K.D.Hill: Barker et al.(2005), partly
- *Eucalyptus socialis* auct.non F.Muell. ex Miq.: Jessop(1986), partly
- *Eucalyptus socialis* F.Muell. ex Miq. ssp. *South Great Victoria Desert (D.Nicolle 2667)* D.Nicolle
- *Eucalyptus sp. aff. socialis (southern GVD)* Brooker et al.(2002)
- *Eucalyptus transcontinentalis* auct.non Maiden: Blakely(1965), partly
- *Eucalyptus yumbarrana* auct.non Boomsma: Nicolle(1997), partly

Eucalyptus socialis F.Muell. ex Miq. ssp. **viridans** D.Nicolle – EP NL MU YP SL KI SE
- *Eucalyptus oleosa* F.Muell. ex Miq. var. *glauca* auct.non Maiden: J.M.Black(1952), partly
- *Eucalyptus socialis* auct.non F.Muell. ex Miq.: Jessop(1986), partly
- *Eucalyptus socialis* F.Muell. ex Miq. ssp. *Glossy green (P.J.Lang 804)* D.Nicolle
- *Eucalyptus socialis* F.Muell. ex Miq. ssp. *"glossy leaves"* Brooker et al. (Euclid 2, 2002)
- *Eucalyptus transcontinentalis* auct.non Maiden: Blakely(1965), partly

Eucalyptus sparsa Boomsma – NW
- *Eucalyptus bicolor* A.Cunn. ex T.Mitch. var. *xanthophylla* auct.non Blakely: J.M.Black(1952), partly
- *Eucalyptus intertexta* auct.non R.T.Baker: Boomsma(1972), partly

?e **Eucalyptus spathulata** Hook. ssp. **spathulata** – NL?e MU?e

?e **Eucalyptus steedmanii** C.A.Gardner × **Eucalyptus sp.** – MU?e

?e **Eucalyptus stoatei** C.A.Gardner – MU?e

?e **Eucalyptus stricklandii** Maiden – NL?e MU?e

?e **Eucalyptus torquata** Luehm. – FR?e EA?e EP?e MU?e SL?e

?e **Eucalyptus torquata** Luehm. × **Eucalyptus woodwardii** Maiden – MU?e

?e **Eucalyptus tricarpa** (L.A.S.Johnson) L.A.S.Johnson & K.D.Hill ssp. **tricarpa** – SL?e

Eucalyptus trivalva Blakely – NW GT EP
- *Eucalyptus trivalvis* Blakely, orth.var.

?e **Eucalyptus urna** D.Nicolle – NL?e

?e **Eucalyptus utilis** Brooker & Hopper – MU?e SE?e
- *Eucalyptus platypus* Hook. var. *heterophylla* auct.non Blakely: Chippendale(1988).

Eucalyptus viminalis Labill. ssp. **cygnetensis** Boomsma – EP NL?n MU SL KI SE
- *Eucalyptus aromaphloia* auct.non Pryor & Willis: H.Eichler(1965)
- *Eucalyptus huberiana* auct.non Naudin: Boomsma(1972)
- *Eucalyptus pryoriana* auct.non L.A.S.Johnson: Johnson in H.Eichler(1965), partly
- *Eucalyptus viminalis* Labill. var. *huberiana* (Naudin) N.T.Burb.
- *Eucalyptus viminalis* Labill. var. *racemosa* auct.non (F.Muell.) Blakely: J.M.Black(1952)

Eucalyptus viminalis Labill. ssp. **viminalis** (Rare status in SA) – ?FR SL ?SE

Eucalyptus vokesensis D.Nicolle & L.A.S.Johnson – NW
- *Eucalyptus yumbarrana* auct.non Boomsma ssp.× *striata* Boomsma, [= E. canescens ssp. canescens x E. vokesensis]

Eucalyptus wimmerensis Rule (Rare status in SA) – SE
- *Eucalyptus viridis* R.T.Baker ssp. *wimmerensis* (Rule) Brooker & Slee

?e **Eucalyptus woodwardii** Maiden – NL?e MU?e

Eucalyptus wyolensis Boomsma (Rare status in SA) – NW

Eucalyptus yalatensis Boomsma – NU EP MU YP

Eucalyptus youngiana F.Muell. – NW NU GT EP
- *Eucalyptus erythrocalyx* auct.non Oldfield & F.Muell.: H.Eichler(1965)
- *Eucalyptus pyriformis* auct.non Turcz.: J.M.Black(1952), partly
- *Eucalyptus pyriformis* Turcz. ssp. *youngiana* (F.Muell.) Boomsma

Eucalyptus yumbarrana Boomsma – NU GT EP
- *Eucalyptus yumbarrana* Boomsma ssp. *yumbarrana*

Euryomyrtus ramosissima (A.Cunn.) Trudgen ssp. **ramosissima** – SL KI SE
- *Baeckea diffusa* Sieber ex DC.
- *Baeckea ramosissima* A.Cunn. ssp. *ramosissima*

Homoranthus homoranthoides (F.Muell.) Craven & S.R.Jones – EP
- *Chamaelaucium schuermanni* F.Muell.
- *Darwinia homoranthoides* (F.Muell.) J.M.Black
- *Darwinia schuermannii* (F.Muell.) Benth.
- *Genethyllis schuermannii* F.Muell.
- *Schuermannia homoranthoides* F.Muell.

Homoranthus wilhelmii (F.Muell.) Cheel – NU GT EP YP
- *Verticordia wilhelmii* F.Muell.

Hysterobaeckea behrii (Schltdl.) Rye – EP MU SL SE
- *Babingtonia behrii* (Schltdl.) A.R.Bean
- *Baeckea behrii* (Schltdl.) F.Muell.
- *Camphoromyrtus behrii* Schltdl.

Hysterobaeckea tuberculata (Trudgen) Rye – NW
- *Baeckea sp.* A.S.George & Trudgen(1981)
- *Baeckea tuberculata* Trudgen

* **Kunzea ambigua** (Sm.) Druce – SL*
- *Leptospermum ambiguum* Sm.

* **Kunzea ericoides** (A.Rich.) Joy Thomps. – SL*?id

Kunzea pomifera F.Muell. – MU YP SL KI SE

Leptospermum continentale Joy Thomps. – MU SL KI SE
- *Leptospermum juniperinum* auct.non Sm: J.M.Black(1952)
- *Leptospermum sp. A* Jessop(1989)
- *Leptospermum sp.* Joy Thomps.(1986)

Leptospermum coriaceum (F.Muell.) Cheel – NU GT FR EP NL MU YP SL SE
- *Fabricia coriacea* F.Muell. ex Miq.
- *Leptospermum laevigatum* (Gaertn.) F.Muell. var. *minus* F.Muell. ex Benth.

Leptospermum fastigiatum S.Moore – NW
- *Leptospermum roei* auct.non Benth.: A.S.George(1981)

* **Leptospermum grandifolium** Sm. – SL*

* **Leptospermum laevigatum** (Gaertn.) F.Muell. – EP?e NL* YP?e SL* KI* SE*
- *Fabricia laevigata* Gaertn.

Leptospermum lanigerum (Sol. ex Aiton) Sm. – MU SL KI SE
- *Leptospermum lanigerum* (Aiton) Sm. var. *pubescens* Hook.f., nom.illeg.
- *Leptospermum pubescens* Lam., doubtful synoym
- *Leptospermum pubescens* Willd., nom.illeg.
- *Philadelphia laniger* Sol. ex Aiton: O'Leary in Barker et al.(2005), orth.var.
- *Philadelphus laniger* Sol. ex Aiton

Leptospermum myrsinoides Schltdl. – NL MU SL KI SE
- *Leptospermum myrsinoides* Schltdl. var. *angustifolium* Miq
- *Leptospermum myrsinoides* Schltdl. var. *latifolium* Miq.

Melaleuca acuminata F.Muell. ssp. **acuminata** – FR EP NL MU YP SL KI SE
- *Melaleuca acuminata* F.Muell.

Melaleuca armillaris (Sol. ex Gaertn.) Sm. ssp. **akineta** F.C.Quinn (Rare status in SA) – GT EP
- *Melaleuca hamulosa* auct.non Turcz: Ising(1958)
- *Melaleuca rhaphiophylla* auct.non Schauer: Barlow(1986), partly

Melaleuca armillaris (Sol. ex Gaertn.) Sm. ssp. **armillaris** – EP?e MU SL* KI* SE*
- *Melaleuca armillaris* (Sol. ex Gaertn.) Sm.
- *Metrosideros armillaris* Sol. ex Gaertn.

Melaleuca bracteata F.Muell. – NW FR
- *Melaleuca daleana* Blakely
- *Melaleuca genistifolia* Sm. var. *coriacea* Ewart, L.R.Kerr & Derrick
- *Melaleuca glaucocalyx* Gand.

- *Melaleuca monticola* J.M.Black
Melaleuca brevifolia Turcz. – EP NL MU SL KI SE
- *Melaleuca ericifolia* auct.non Sm.: Tate(1890)
- *Melaleuca fasciculiflora* Benth.
- *Melaleuca neglecta* Ewart & B.Wood
- *Melaleuca oraria* J.M.Black
Melaleuca cuticularis Labill. (Endangered status in SA) – KI
Melaleuca decussata R.Br. – EP YP SL KI SE
- *Melaleuca decussata* R.Br. var. *ovoidea* J.M.Black
- *Melaleuca elegans* Hornsch.
- *Melaleuca parviflora* Otto ex Rchb., nom.illeg.
- *Melaleuca tetragona* Lodd. ex Otto
?e **Melaleuca diosmifolia** Andrews – EP?e KI?e
- *Melaleuca chlorantha* Bonpl.
- *Melaleuca diosmaefolia* Andrews, orth. var.
Melaleuca dissitiflora F.Muell. – NW LE FR EA
- *Melaleuca linophylla* auct.non F.Muell: H.Eichler(1965)
- *Melaleuca trichostachya* auct.non Lindl.: Tate(1890), partly
Melaleuca eleuterostachya F.Muell. – NU GT EP
- *Melaleuca adnata* auct.non Turcz.: Carrick & Chorney(1979)
- *Melaleuca eleutherostachya* F.Muell.
Melaleuca fulgens R.Br. ssp. **corrugata** (J.M.Black ex Eardley) K.J.Cowley (Rare status in SA) – NW
- *Melaleuca corrugata* J.M.Black ex Eardley
Melaleuca gibbosa Labill. – EP YP KI SE
Melaleuca glomerata F.Muell. – NW LE GT FR EA
- *Melaleuca hakeoides* F.Muell. ex Benth.
Melaleuca halmaturorum F.Muell. ex Miq. – EP MU YP SL KI SE
- *Melaleuca halmaturorum* F.Muell. ex Miq. ssp. *halmaturorum*, partly
- *Melaleuca pustulata* auct.non Hook.f.: Benth.(1867)
* **Melaleuca hypericifolia** Sm. – SL* KI?e
- *Metrosideros hypericifolia* Salisb.
Melaleuca interioris Craven & Lepschi – NW LE GT FR
- *Melaleuca uncinata* auct.non R.Br.: Jessop(1993), partly
Melaleuca lanceolata Otto – LE NU GT FR EA EP NL MU YP SL KI SE
- *Cajuputi pubescens* (Schauer) Skeels
- *Melaleuca curvifolia* Schltdl.
- *Melaleuca lanceolata* Otto ssp. *lanceolata*
- *Melaleuca lanceolata* Otto ssp. *thaeroides* Barlow, partly
- *Melaleuca parviflora* auct.non Lindl.(1839), non Otto(1822): Tate(1890)
- *Melaleuca pubescens* Schauer
Melaleuca leiocarpa F.Muell. (Rare status in SA) – NU GT EP
* **Melaleuca microphylla** Sm. – FR* SL* SE*
Melaleuca nanophylla Carrick (Rare status in SA) – NW
* **Melaleuca nesophila** F.Muell. – EP* SL* KI?e SE*
Melaleuca oxyphylla Carrick (Rare status in SA) – EP
Melaleuca pauperiflora F.Muell. ssp. **mutica** Barlow – NU GT FR EP NL MU YP
- *Melaleuca pauperiflora* auct.non F.Muell.: Barlow(1986), partly
- *Melaleuca sheathiana* auct.non W.Fitzg.: Barlow(1986), partly
Melaleuca quadrifaria F.Muell. – NU
Melaleuca sheathiana W.Fitzg. – Distribution not available
Melaleuca squamea Labill. (Rare status in SA) – SL KI SE
- *Melaleuca ottonis* Schauer
- *Melaleuca squamea* Labill. var. *glabra* Cheel
Melaleuca squarrosa Donn ex Sm. (Rare status in SA) – SE
- *Melaleuca myrtifolia* Vent.
Melaleuca trichostachya Lindl. – LE
- *Melaleuca linariifolia* auct.non Sm.: Carrick & Chorney(1979)
- *Melaleuca linariifolia* Sm. var. *trichostachya* (Lindl.) Benth.
- *Metrosideros stricta* Hort. ex Dum.Cours.
Melaleuca uncinata R.Br. – NW LE NU GT FR EP NL MU YP SL KI SE
Melaleuca wilsonii F.Muell. (Rare status in SA) – SL?e KI SE

Melaleuca xerophila Barlow – NW LE GT MU
- *Melaleuca pauperiflora* auct.non F.Muell.: Barlow(1986), partly

Micromyrtus ciliata (Sm.) Druce (Rare status in SA) – MU SE
- *Baeckea microphylla* Sieber ex Spreng.
- *Baeckea plicata* F.Muell.
- *Imbricaria ciliata* Sm.
- *Micromyrtus microphylla* (Sieber ex Spreng.) Benth.
- *Thryptomene ciliata* (Sm.) F.Muell. ex Woolls
- *Thryptomene plicata* (F.Muell.) F.Muell.

Micromyrtus fimbrisepala J.W.Green – NW

Micromyrtus flaviflora (F.Muell.) F.Muell. ex J.M.Black – NW
- *Micromyrtus trachycalyx* (F.Muell.) C.A.Gardner
- *Thryptomene flaviflora* F.Muell.

* **Myrtus communis** L. – SL* SE?e

Rinzia ericaea (F.Muell. ex Benth.) Rye ssp. **ericaea** – MU SE
- *Baeckea ericaea* F.Muell. ex Benth., partly
- *Baeckea microphylla* Sieber ex Spreng. var. *ericaea* J.H.Willis, nom.inval., pro syn.
- *Rinzia ericea* (F.Muell. ex Benth.) Rye ssp. *ericea*

Rinzia ericaea (F.Muell. ex Benth.) Rye ssp. **insularis** Rye – KI
- *Baeckea ericaea* F.Muell. ex Benth., partly
- *Baeckea microphylla* Sieber ex Spreng. var. *ericaea* J.H.Willis, nom.inval., pro syn.
- *Rinzia ericea* (F.Muell. ex Benth.) Rye ssp. *insularis* Rye

Rinzia orientalis Rye – FR EP NL MU YP SL KI SE
- *Baeckea crassifolia* Lindl.
- *Baeckea crassifolia* Lindl. var. *pentamera* J.M.Black

?e **Syzygium australe** (H.L.Wendl. ex Link) B.Hyland – SL?e

Thryptomene biseriata J.W.Green – NW NU
- *Thryptomene urceolaris* auct.non F.Muell.: Jessop(1984)

Thryptomene calycina (Lindl.) Stapf – ?MU ?SE
- *Baeckea calycina* Lindl.
- *Paryphantha mitchelliana* Schauer
- *Thryptomene mitchelliana* (Schauer) F.Muell.

Thryptomene elliottii F.Muell. – NW NU GT EP
- *Thryptomene whiteae* J.M.Black

Thryptomene ericaea F.Muell. – EP ?YP?id KI

Thryptomene longifolia J.W.Green – NW

Thryptomene micrantha Hook.f. – EP YP SL
- *Thryptomene miqueliana* F.Muell.

Thryptomene urceolaris F.Muell. – NW

NITRARIACEAE 100.236

Nitraria billardierei DC. – ?NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Nitraria schoberi* auct.non L.: J.M.Black(1948)
- *Nitraria schoberi* L. var. *billardierei* (DC.) Kom.
- *Zygophyllum australasicum* Miq.

* **Peganum harmala** L. (Declared SA plant) – GT* FR* EA* EP* NL* MU* SL* SE*

ANACARDIACEAE 100.239

?e **Rhus typhina** L. – SL?e

* **Schinus molle** L. – NU* GT* FR* EA* EP* NL* MU* YP* SL* SE*
- *Schinus areira* L.
- *Schinus molle* L. var. *areira* (L.) DC.

SAPINDACEAE 100.240

?e **Acer campestre** L. – SL?e

* **Acer negundo** L. – SL* SE?e

* **Acer pseudoplatanus** L. – SL* SE*

?e **Aesculus hippocastanum** L. – SL?e

Alectryon oleifolius (Desf.) S.T.Reynolds ssp. **canescens** S.T.Reynolds – NW LE NU GT FR EA EP NL MU YP SL
- *Heterodendrum microcalyx* Radlk.

- *Heterodendrum oleifolium* Desf. var. *macrocalyx* (Radlk.) Domin
- *Heterodendrum oleifolium* Desf. var. *microcalyx* auct.non (Radlk.) Domin: J.G.West(1986)

Atalaya hemiglauca (F.Muell.) F.Muell. ex Benth. – LE EA
- *Thouinia hemiglauca* F.Muell.

* **Cardiospermum grandiflorum** Sw. – SL*

Dodonaea baueri Endl. – FR EA EP NL MU YP SL KI
- *Dodonaea deflexa* F.Muell.

Dodonaea bursariifolia F.Muell. – GT FR?id EP MU YP SL SE

Dodonaea hexandra F.Muell. – EP NL MU YP SL KI SE

Dodonaea hexandra F.Muell. × **Dodonaea humilis** Endl. – EP KI SE

Dodonaea humilis Endl. – EP MU YP SL KI SE
- *Dodonaea boroniifolia* auct.non G.Don: Tate(1890)

Dodonaea intricata J.G.West – GT EP
- *Dodonaea sp. A* Jessop(1984)

Dodonaea lobulata F.Muell. – NW LE NU GT FR EA EP NL MU YP

Dodonaea lobulata F.Muell. × **Dodonaea microzyga** F.Muell. var. **microzyga** – NU GT FR

Dodonaea microzyga F.Muell. var. **microzyga** – NW LE NU GT FR EA EP

Dodonaea petiolaris F.Muell. – LE

Dodonaea procumbens F.Muell. (Vulnerable status in SA, Vulnerable status in Australia) – EP NL MU SE

Dodonaea procumbens × **Dodonaea viscosa** ssp. – NL

Dodonaea stenozyga F.Muell. – NW NU GT FR EP NL MU YP SL

Dodonaea subglandulifera J.G.West (Endangered status in SA, Endangered status in Australia) – FR NL MU YP
- *Dodonaea adenophora* Miq. var. *ovata* Ewart
- *Dodonaea sp. B* Jessop(1984)
- *Dodonaea tenuifolia* auct.non Lindl.: J.M.Black(1952)

Dodonaea × **tepperi** F.Muell. ex Tepper – FR EP MU YP SL
- *Dodonaea baueri* Endl. × *Dodonaea hexandra* F.Muell.

Dodonaea viscosa Jacq. ssp. **angustissima** (DC.) J.G.West – NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Dodonaea angustissima* DC.
- *Dodonaea attenuata* A.Cunn.
- *Dodonaea attenuata* A.Cunn. var. *linearis* Benth.

Dodonaea viscosa Jacq. ssp. **cuneata** (Sm.) J.G.West – NL MU SL SE
- *Dodonaea cuneata* Sm.
- *Dodonaea cuneata* Sm. var. *coriacea* Benth.

Dodonaea viscosa Jacq. ssp. **mucronata** J.G.West – NW
- *Dodonaea petiolaris* auct.non F.Muell.: J.M.Black(1952)
- *Dodonaea viscosa* Jacq. var. *spatulata* auct.non (Sm.) Benth.: Benth.(1863)

Dodonaea viscosa Jacq. ssp. **spatulata** (Sm.) J.G.West – NW LE FR EP NL MU YP SL KI SE
- *Dodonaea spatulata* Sm.
- *Dodonaea viscosa* Jacq. var. *spatulata* (Sm.) Benth.

?e **Koelreuteria paniculata** Laxm. – NL?e SL?e

RUTACEAE 100.241

?e **Agathosma crenulata** (L.) Pillans – SL?e

Asterolasia muricata J.M.Black (Rare status in SA) – SL KI
- *Asterolasia asteriscophora* auct.non (F.Muell.) Druce: Barker et al.(2005) ssp. *asteriscophora*
- *Urocarpus muricatus* (J.M.Black) Paul G.Wilson

Asterolasia phebalioides F.Muell. (Vulnerable status in SA, Vulnerable status in Australia) – KI
- *Pleurandropsis phebalioides* (F.Muell.) Baill.

Boronia coerulescens F.Muell. ssp. **coerulescens** – NU EP NL MU YP SL KI SE
- *Boronia caerulescens* F.Muell.(1854)
- *Boronia coerulescens* F.Muell.

Boronia edwardsii Benth. – MU SL KI

Boronia filifolia F.Muell. – EP SL KI SE

Boronia inornata Turcz. ssp. **leptophylla** (Turcz.) Burgman – EP NL MU YP SL SE
- *Boronia clavellifolia* F.Muell.
- *Boronia leptophylla* Turcz.

Boronia nana Hook. var. **hyssopifolia** Melville (Rare status in SA) – SL
- *Boronia nana* Hook., partly
- *Boronia oppositifolia* (Pers.) Cheel, partly
- *Boronia polygalifolia* auct.non.Sm.: Black(1924), partly
- *Boronia polygalifolia* Sm. var. *oppositifolia* (Pers.) J.M.Black, partly
- *Boronia tetrathecoides* DC., partly
- *Tetratheca oppositifolia* Pers., partly

Boronia nana Hook. var. **nana** – SL SE
- *Boronia nana* Hook., partly
- *Boronia oppositifolia* (Pers.) Cheel, partly
- *Boronia polygalifolia* auct.non.Sm.:Black(1924), partly
- *Boronia polygalifolia* Sm. var. *oppositifolia* (Pers.) J.M.Black, partly
- *Boronia tetrathecoides* DC., partly
- *Tetratheca oppositifolia* Pers., partly

Boronia nana Hook. var. **pubescens** (Benth.) J.H.Willis (Rare status in SA) – SE
- *Boronia nana* Hook., partly
- *Boronia polygalifolia* Sm. var. *pubescens* Benth.

Boronia parviflora Sm. (Rare status in SA) – SL KI SE
- *Boronia palustris* Maiden & J.M.Black

Boronia pilosa Labill. ssp. **torquata** Duretto (Rare status in SA) – EP SE

* **Choisya ternata** Kunth – ?SL*

Citrus glauca (Lindl.) Burkill (Vulnerable status in SA) – GT FR EP
- *Atalantia glauca* (Lindl.) Benth.
- *Eremocitrus glauca* (Lindl.) Swingle
- *Triphasia glauca* Lindl.

* **Coleonema pulchellum** I.Williams – EP* YP* SL* KI* SE*

Correa aemula (Lindl.) F.Muell. (Rare status in SA) – MU SL KI
- *Correa affinis* Ashby
- *Didimeria aemula* Lindl.

Correa alba Andrews var. **pannosa** Paul G.Wilson (Rare status in SA) – SL SE
- *Correa alba* Andrews var. *rotundifolia* (Lindl.) Benth.
- *Correa rotundifolia* Lindl.

Correa backhouseana Hook. var. **coriacea** (Paul G.Wilson) Paul G.Wilson – NU GT EP NL YP SL
- *Correa reflexa* (Labill.) Vent. var. *coriacea* Paul G.Wilson

Correa backhouseana Hook. var. **orbicularis** Paul G.Wilson (Rare status in SA) – KI
- *Correa rubra* Sm. var. *orbicularis* J.M.Black

Correa calycina J.M.Black var. **calycina** (Vulnerable status in SA, Vulnerable* status in Australia) – SL

Correa calycina J.M.Black var. **halmaturorum** Paul G. Wilson (Endangered status in SA, Vulnerable* status in Australia) – KI

Correa decumbens F.Muell. – SL KI

Correa eburnea Paul G.Wilson (Vulnerable status in SA, Endangered status in Australia) – SL
- *Correa reflexa* auct.non (Labill.) Vent.: J.M.Black(1948)
- *Correa sp. aff. calycina J.M.Black* : R.Anderson(1986)

Correa glabra Lindl. var. **leucoclada** (Lindl.) Paul G.Wilson (Rare status in SA) – SL
- *Correa rubra* Sm. var. *megacalyx* J.M.Black

Correa glabra Lindl. var. **turnbullii** (Ashby) Paul G.Wilson – FR EA NL MU SL SE
- *Correa rubra* Sm. var. *turnbullii* (Ashby) J.M.Black
- *Correa schlechtendalii* auct.non Behr: R.J.Anderson(1986)
- *Correa turnbullii* Ashby

Correa pulchella J.Mackay ex Sweet – EP YP SL KI SE
- *Correa minor* (Ashby) J.M.Black
- *Correa neglecta* Ashby
- *Correa neglecta* Ashby var. *minor* Ashby
- *Correa rubra* Sm. var. *pulchella* (Sweet) J.M.Black

Correa reflexa (Labill.) Vent. var. **insularis** Paul G.Wilson – KI
- *Correa reflexa* (Labill.) Vent. var. *nummulariifolia* auct.non (Hook.f.) Paul G.Wilson

Correa reflexa (Labill.) Vent. var. **reflexa** – SE

Correa reflexa (Labill.) Vent. var. **scabridula** Paul G.Wilson – MU SL SE

?e **Crowea exalata** F.Muell. ssp. **exalata** – SL?e
- *Crowea exalata* F.Muell.

Geijera linearifolia (DC.) J.M.Black – NU GT FR EP NL MU YP SL KI
- *Eriostemon linearifolius* DC.
- *Geijera parviflora* Lindl. var. *crassifolia* Benth.
- *Zanthoxylum australasicum* A.Juss.

Geijera parviflora Lindl. (Rare status in SA) – FR EA MU

Leionema equestre (D.A.Cooke) Paul G.Wilson (Endangered status in SA, Endangered status in Australia) – KI
- *Phebalium equestre* D.A.Cooke

Leionema hillebrandii (J.H.Willis) Paul G.Wilson (Rare status in SA) – SL
- *Eriostemon hillebrandii* F.Muell.(1854), partly
- *Phebalium bilobum* auct.non Lindl.: J.M.Black(1948)
- *Phebalium hillebrandii* J.H.Willis

Leionema microphyllum (F.Muell.) Paul G.Wilson (Rare status in SA) – MU YP SE
- *Eriostemon brachyphyllus* (Benth.) Tate
- *Eriostemon microphyllus* F.Muell.
- *Phebalium brachyphyllum* Benth.

Microcybe multiflora Turcz. ssp. **baccharoides** (F.Muell.) Paul G.Wilson – NU EP ?NL MU ?YP
- *Eriostemon capitatus* F.Muell. var. *baccharoides* F.Muell.
- *Microcybe multiflora* Turcz. var. *baccharoides* (F.Muell.) Ewart & Tovey

Microcybe multiflora Turcz. ssp. **multiflora** – GT EP ?NL MU ?YP
- *Eriostemon capitatus* F.Muell. var. *capitatus*

Microcybe pauciflora Turcz. ssp. **pauciflora** – EP ?NL MU YP ?SL KI ?SE
- *Eriostemon capitatus* F.Muell.

Phebalium bullatum J.M.Black – EP MU YP SE
- *Phebalium sedifolium* F.Muell., partly

Phebalium calcicola S.Dema & I.Telford (Endangered* status in SA) – SE
- *Phebalium squamulosum* auct.non Vent.: Jessop(1989), partly
- *Phebalium squamulosum* auct.non Vent.:Barker et al.(2005) ssp. *squamulosum*, partly

Phebalium glandulosum Hook. ssp. **macrocalyx** R.L.Giles (Endangered* status in SA) – ?EP NL MU YP
- *Eriostemon sediflorus* F.Muell.
- *Phebalium glandulosum* auct.non. Hook.: J.M.Black(1948)
- *Phebalium glandulosum* ssp. *glandulosum* auct.non Hook.: J.A.Armstr. & I.Telford in Jessop & Toelken(1986)

Phebalium lowanense J.H.Willis (Vulnerable status in SA, Vulnerable status in Australia) – SE

Phebalium stenophyllum (Benth.) Maiden & Betche – SE
- *Phebalium squamulosum* Vent. var. *stenophyllum* Benth.

Philotheca angustifolia (Paul G.Wilson) Paul G.Wilson ssp. **angustifolia** (Rare status in SA) – FR EP NL MU YP SL KI SE
- *Eriostemon angustifolius* Paul G.Wilson ssp. *angustifolius*
- *Eriostemon brevifolius* auct.non Endl.: J.M.Black(1948)
- *Eriostemon difformis* A.Cunn. ex Endl. var. *teretifolius* Benth.

Philotheca difformis (A.Cunn. ex Endl.) Paul G.Wilson ssp. **difformis** (Vulnerable status in SA) – FR EA
- *Eriostemon difformis* A.Cunn. ex Endl. ssp. *difformis*

Philotheca linearis (A.Cunn. ex Endl.) Paul G.Wilson – NW GT FR EA EP
- *Eriostemon halmaturorum* F.Muell., orth.var.(orig.)
- *Eriostemon halmaturorus* F.Muell.
- *Eriostemon linearis* A.Cunn. ex Endl.

Philotheca pungens (Lindl.) Paul G.Wilson – EP MU YP SL KI SE
- *Eriostemon pungens* Lindl.
- *Phebalium pungens* (Lindl.) Benth.

Philotheca verrucosa (A.Rich.) Paul G.Wilson (Vulnerable status in SA) – NL
- *Eriostemon obovalis* auct.non A.Cunn.: J.M.Black(1948)
- *Eriostemon verrucosus* A.Rich.

?e **Ruta chalepensis** L. – SL?e
- *Ruta chalapensis* L.

* **Ruta graveolens** L. – ?SE*

Zieria veronicea (F.Muell.) Benth. ssp. **insularis** J.A.Armstr. (Rare status in SA) – KI
- *Zieria veronicea* (F.Muell.) Benth., partly

Zieria veronicea (F.Muell.) Benth. ssp. **veronicea** (Rare status in SA) – MU SL SE
- *Boronia veronicea* F.Muell.
- *Zieria veronicea* (F.Muell.) Benth., partly

SIMAROUBACEAE 100.242
* **Ailanthus altissima** (Mill.) Swingle – NL* MU?e SL* KI?e SE?e
- *Toxicodendron altissimum* Mill.

MELIACEAE 100.243
?e **Melia azedarach** L. – FR?e EP?e NL?e MU?e SL?e SE?e
- *Melia australasica* A.Juss.
- *Melia azedarach* L. var. *australasica* (A.Juss.) C.DC
- *Melia composita* auct.non Willd.: Benth.(1863)
Owenia acidula F.Muell. – LE EP

NEURADACEAE 100.246
* **Neurada procumbens** L. – LE*

MALVACEAE 100.247
Abutilon cryptopetalum (F.Muell.) F.Muell. ex Benth. ssp. **Grey leaves (R.Bates 3115)** R.M.Barker – NW
- *Abutilon cryptopetalum* (F.Muell.) F.Muell. ex Benth., partly
Abutilon cryptopetalum (F.Muell.) F.Muell. ex Benth. – NW LE NU GT FR EP
- *Abutilon cryptopetalum* (F.Muell.) F.Muell. ex Benth. ssp. *cryptopetalum*, nom.inval. (no subsp. exist)
- *Sida cryptopetala* F.Muell.
Abutilon fraseri (Hook.) Hook. ex Walp. ssp. **diplotrichum** (F.Muell. ex Schltdl.) R.M.Barker – NW LE GT FR EA EP NL MU
- *Abutilon diplotrichum* F.Muell. ex Schltdl.
- *Abutilon fraseri* (Hook.) Hook. ex Walp., partly
- *Sida diplotricha* (F.Muell. ex Schltdl.) F.Muell.
Abutilon fraseri (Hook.) Hook. ex Walp. ssp. **fraseri** – NW LE GT EA EP
- *Abutilon fraseri* (Hook.) Hook. ex Walp., partly
- *Sida fraseri* Hook.
?e **Abutilon grandifolium** (Willd.) Sweet – SL?e
- *Sida grandifolia* Willd.
Abutilon halophilum F.Muell. ex Schltdl. – NW LE GT FR EA EP
- *Abutilon fraseri* (Hook.) Hook. ex Walp. var. *halophilum* (F.Muell. ex Schltdl.) Benth.
- *Sida cardiophylla* auct.non F.Muell.: J.M.Black(1952), partly
- *Sida halophila* (F.Muell. ex Schltdl.) F.Muell.
Abutilon leucopetalum (F.Muell.) F.Muell. ex Benth. – NW LE NU GT FR EA EP
- *Abutilon mitchellii* Benth.
- *Sida leucopetala* F.Muell.
- *Sida tubulosa* auct.non A.Cunn.ex Hook.: F.Muell.(1859), partly
Abutilon macrum F.Muell. – NW LE GT EP
- *Abutilon arenarium* C.T.White
Abutilon malvifolium (Benth.) J.M.Black – NW LE NU GT FR EA EP MU
- *Abutilon malvaefolium* (Benth.) J.M.Black, orth.var.
- *Abutilon oxycarpum* (F.Muell.) F.Muell. ex Benth. var. *malvaefolium* Benth., orth.var.
- *Abutilon oxycarpum* (F.Muell.) F.Muell. ex Benth. var. *malvifolium* Benth.
Abutilon otocarpum F.Muell. – NW LE NU GT FR EA EP NL MU
- *Kochia decaptera* F.Muell.
- *Kochia triptera* Benth. var. *pentaptera* J.M.Black
Abutilon oxycarpum (F.Muell.) F.Muell. ex Benth. ssp. **Prostrate (A.A.Mitchell PRP 1266)** WA Herbarium (Rare* status in SA) – NW NU EP
- *Abutilon oxycarpum* (F.Muell.) F.Muell. ex Benth. var. *incanum* auct.non (Benth.) J.M.Black: Barker et al.(2005)
?e **Abutilon pictum** (Gillies ex Hook. & Arn.) Walp. – SL?e
- *Callianthe picta* (Gillies ex Hook. & Arn.) Donnell
- *Sida picta* Gillies ex Hook. & Arn.
Abutilon sp. Sentinel Hill (Lang & Canty BS23-28020) R.M.Barker – NW
* **Abutilon theophrasti** Medik. – LE* FR* EP* NL* MU* SL* SE*
- *Abutilon avicennae* Gaertn.
- *Abutilon behrianum* F.Muell.
- *Sida abutilon* L.
* **Alcea rosea** L. – NL?e MU?e YP?e SL*
- *Althaea rosea* (L.) Cav.

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Althaea australis W.R.Barker (Vulnerable status in SA) – LE
Alyogyne hakeifolia (Giord.) Alef. – NU FR EP
- *Alyogyne hakeaefolia* (Giord.) Alef.
- *Alyogyne lilacina* (Lindl.) Newton
- *Cienfuegosia hakeifolia* (Giord.) Hochr.
- *Fugosia hakeaefolia* (Giord.) Hook.
- *Hibiscus hakeaefolius* Giord.
- *Hibiscus multifidus* Paxton

?n **Alyogyne huegelii** (Endl.) Fryxell – EP?n* SL*
- *Alyogyne huegelii*, sensu Barker et al.(2005), partly
- *Alyogyne sp. Walkers Rocks (M.L.Evans 259)* P.J.Lang
- *Hibiscus huegelii* Endl. var. *glabrescens* Benth.

Alyogyne leptochlamys (Benth.) P.J.Lang – EP NL
- *Alyogyne huegelii* auct.non (Endl.) Fryxell: Barker et al.(2005), partly
- *Alyogyne pinoniana* (Gaudich.) Fryxell var. *microandra* Fryxell
- *Alyogyne sp. Great Victoria Desert (D.J.Edinger 6212)* WA Herbarium
- *Alyogyne sp. Shark Bay (D.J.Edinger 6212)* WA Herbarium
- *Hibiscus drummondii* auct.non Turcz.: J.M.Black(1952)
- *Hibiscus huegelii* Endl. var. *leptochlamys* Benth.
- *Hibiscus pinonianus* Gaudich. var. *drummondii* auct.non (Turcz.) J.M.Black: J.M.Black(1926)

Alyogyne pinoniana (Gaudich.) Fryxell – NW LE NU FR
- *Alyogyne pinoniana* (Gaudich.) Fryxell var. *pinoniana*
- *Hibiscus pinonianus* Gaudich.

Alyogyne sp. Hutt River (B.J.Lepschi & T.R.Lally 2310) WA Herbarium – FR EP NL YP
- *Alyogyne huegelii* auct.non (Endl.) Fryxell: Barker et al.(2005), partly
- *Hibiscus huegelii* auct.non. Endl.: Black(1952), partly
- *Hibiscus huegelii* Endl. var. *wrayae* Benth.
- *Hibiscus wrayae* Lindl., partly

Androcalva loxophylla (F.Muell.) C.F.Wilkins & Whitlock – NW LE GT MU
- *Commersonia kempeana* F.Muell.
- *Commersonia loxophylla* (F.Muell.) F.Muell.
- *Rulingia kempeana* (F.Muell.) F.Muell. ex J.M.Black
- *Rulingia loxophylla* F.Muell.

Androcalva multiloba (C.F.Wilkins & Whitlock) C.F.Wilkins & Whitlock (Endangered status in SA) – EP
- *Commersonia multiloba* C.F.Wilkins & Whitlock
- *Commersonia tatei* auct.non F.Muell. ex Tate: Jessop & Toelken(1986), partly
- *Commersonia tatei* F.Muell. ex Tate f. *larger-leaved* : Jessop & Toelken (1986)

Androcalva tatei (F.Muell. ex Tate) C.F.Wilkins & Whitlock – EP
- *Commersonia tatei* F.Muell. ex Tate

?e **Anisodontea scabrosa** (L.) D.M.Bates – SL?e?id
Brachychiton gregorii F.Muell. – NW
- *Sterculia diversifolia* G.Don var. *(?)occidentalis* Benth.

* **Brachychiton populneus** (Schott & Endl.) R.Br. ssp. **populneus** – FR?e NL?e MU* SL* SE*
- *Brachychiton populneus* (Schott & Endl.) R.Br.
- *Poecilodermis populnea* Schott & Endl.

Commersonia craurophylla (F.Muell.) F.Muell. (Vulnerable status in SA) – EP
- *Rulingia craurophylla* F.Muell.

Commersonia magniflora (F.Muell.) F.Muell. ssp. **magniflora** – NW
- *Rulingia magniflora* F.Muell.

Corchorus walcottii F.Muell. – NW
- *Corchorus sp. A* A.S.Mitchell(1981)

Gilesia biniflora F.Muell. (Rare status in SA) – NW LE GT EA
- *Corchorus longipes* Tate
- *Hermannia gilesii* F.Muell.
- *Hymenocapsa longipes* (Tate) J.M.Black

Gossypium sturtianum J.H.Willis var. **sturtianum** – NW LE GT FR EA EP NL?e
- *Cienfuegosia gossypioides* (R.Br.) Hochr.
- *Gossypium australiense* Tod.
- *Gossypium gossypioides* (R.Br.) C.A.Gardner
- *Gossypium sturtii* F.Muell.
- *Sturtia gossypioides* R.Br.

Gynatrix pulchella (Willd.) Alef. – ?SE
- *Abutilon pulchellum* Sweet
- *Plagianthus pulchellus* (Willd.) Hook.f.
- *Sida pulchella* Willd.

Hannafordia bissillii F.Muell. ssp. **bissillii** – NW ?LE NU GT
- *Hannafordia bissellii* F.Muell.

Hibiscus brachychlaenus F.Muell. – NW

Hibiscus brachysiphonius F.Muell. – NW LE GT FR EA

Hibiscus burtonii F.M.Bailey – NW

Hibiscus krichauffianus F.Muell. – NW LE NU GT FR EA EP MU
- *Hibiscus krichauffii* F.Muell.

Hibiscus solanifolius F.Muell. – NW
- *Hibiscus intraterraneus* J.M.Black

Hibiscus sturtii Hook. var. **grandiflorus** Benth. – NW LE GT FR EA EP

Hibiscus sturtii Hook. var. **muelleri** Benth. – NW GT

Hibiscus sturtii Hook. var. **sturtii** – NW LE

Hibiscus sturtii Hook. var. **truncatus** Fryxell – NW

* **Hibiscus tridactylites** Lindl. – FR* EP* NL* MU* SL* SE*
- *Hibiscus trionum* L. var. *trionum* auct.non L.: Barker et al.(2005)

?n **Hibiscus verdcourtii** Craven – NW?n LE?n
- *Hibiscus trionum* auct.non L.: J.M.Black(1926), partly
- *Hibiscus trionum* L. var. *vesicarius* auct.non (Cav.) Hochr.: Barker et al.(2005)

?e **Hoheria populnea** A.Cunn. – SL?e

Howittia trilocularis F.Muell. – ?SE

Keraudrenia exastia C.F.Wilkins – NW
- *Keraudrenia integrifolia* auct.non Steud.: Jessop(1986), partly
- *Keraudrenia sp. North West (J.Z.Weber 6475)* C.F.Wilkins
- *Seringia elliptica* C.F.Wilkins
- *Seringia exastia* (C.F.Wilkins) C.F.Wilkins & Whitlock

Keraudrenia nephrosperma (F.Muell.) F.Muell. – LE
- *Keraudrenia integrifolia* auct.non Steud.: Jessop(1986), partly
- *Seringia nephrosperma* F.Muell.

* **Lagunaria patersonia** (Andrews) G.Don – EP* SL* KI?e
- *Hibiscus patersonius* Andrews (original spelling)
- *Lagunaria patersonii* (Andrews) G.Don, orth.var.

Lasiopetalum baueri Steetz – FR EP NL MU YP SL KI SE

Lasiopetalum behrii F.Muell. – FR EA EP NL MU YP SL KI SE

Lasiopetalum discolor Hook. – NU EP YP SL KI SE

Lasiopetalum schulzenii (F.Muell.) Benth. – EP YP SL KI SE
- *Corethrostylis schulzenii* F.Muell.

Lasiopetalum sp. Cordate-leaved (H.P.Vonow 810) Haegi & P.S.Short – EP KI

Lasiopetalum × tepperi F.Muell. – EP YP SE

Lawrencia berthae (F.Muell.) Melville (Rare status in SA) – EP MU YP
- *Plagianthus berthae* F.Muell.

Lawrencia glomerata Hook. – NW LE NU GT FR EA EP MU YP SL KI SE
- *Plagianthus glomeratus* (Hook.) Benth.
- *Plagianthus spicatus* (Hook.) Benth. var. *pubescens* Benth.

Lawrencia spicata Hook. – NW EP NL YP SL KI SE
- *Plagianthus spicatus* (Hook.) Benth.

Lawrencia squamata Nees – NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Halothamnus microphyllus* (F.Muell.) F.Muell.
- *Lawrencia incana* (J.M.Black) Melville
- *Plagianthus incanus* J.M.Black
- *Plagianthus microphyllus* F.Muell.
- *Plagianthus squamatus* (Nees) Benth.
- *Selenothamnus squamatus* (Nees) Melville

* **Malva arborea** (L.) Webb & Berthel. – EP* NL* MU* YP* SL* KI* SE*
- *Lavatera arborea* L.
- *Malva dendromorpha* M.F.Ray
- *Malva eriocalyx* (Steudel) Molero & J.M.Montserrat

?e **Malva assurgentiflora** (Kellogg) M.F.Ray – SE?e
- *Althaea assurgentifolia* (Kellogg) Kuntze, orth.var.
- *Lavatera assurgentiflora* Kellogg
- *Savinonia assurgentiflora* (Kellogg) E.Greene

?e **Malva neglecta** Wallr. – SE?e

* **Malva nicaeensis** All. – FR* NL* SL* KI?e SE*

* **Malva parviflora** L. – NW* LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Malva pusilla* auct.non Sm.: H.Eichler(1965)
- *Malva rotundifolia* auct.non L.: Tepper(1880)
- *Malva verticillata* auct.non L.: J.M.Black(1952)

Malva preissiana Miq. – LE EP YP?id SL
- *Lavatera australis* Schrad. ex Colla, nom.nud.
- *Lavatera behriana* auct.non (Schltdl.) Schltdl.: J.M.Black(1926), partly
- *Lavatera plebeia* auct.non Sims: W.R.Barker in Jessop & Toelken(1986), partly
- *Lavatera plebeia* Sims var. *eremaea* auct.non J.M.Black: J.M.Black(1926), as to Franklin Islands collection, partly
- *Lavatera plebeja* auct.non Sims: J.M.Black(1926), orth.var., partly
- *Lavatera plebeja* Sims var. *tomentosa* Hook.f., partly
- *Malva behriana* auct.non Schltdl.: Barker et al.(2005), partly
- *Malva preissiana* auct.non Miq.: SA Census online (9/2/2007-3/6/2014), partly

* **Malva pseudolavatera** Webb & Berthel. – EP* SL* SE*
- *Althaea cretica* (L.) Kuntze, nom.illeg.
- *Lavatera cretica* L., nom.illeg, & superfl.
- *Malva linnaei* M.F.Ray

Malva weinmanniana (Besser ex Rchb.) Conran
– NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Althaea plebeia* (Sims) Schult. ex Steud., partly
- *Lavatera australis* A.Cunn. ex Hook.f., nom.nud.
- *Lavatera behriana* (Schltdl.) Schltdl.
- *Lavatera plebeia* Sims, nom.illeg., non M. plebeja Stev., partly
- *Lavatera plebeia* Sims var. *eremaea* J.M.Black, partly
- *Lavatera plebeja* Sims: J.M.Black(1926), orth.var., partly
- *Malva australiana* M.F.Ray, partly
- *Malva behriana* Schltdl.
- *Malva preissiana* auct.non Miq.: SA Census online (9/2/2007-3/6/2014), partly

?n **Malvastrum americanum** (L.) Torr. var. **americanum** – NW?n LE?n NU?n GT?n FR?n EA?n EP?n NL?n
- *Malva americana* L.
- *Malva brachystachya* F.Muell.
- *Malva spicata* L.
- *Malvastrum spicatum* (L.) A.Gray

?e **Malvaviscus arboreus** Cav. – SL?e

* **Malvella leprosa** (Ortega) Krapov. (Declared SA plant) – NL* MU* YP?e
- *Malva hederacea* Douglas ex Hook.
- *Malva leprosa* Ortega
- *Malvella leprosa* (Ortega) Krapov. var. *hederacea* (Douglas ex Hook.) K.Schum.
- *Sida hederacea* (Douglas ex Hook.) Torr. ex A.Gray
- *Sida leprosa* (Ortega) K.Schum.
- *Sida leprosa* (Ortega) K.Schum. var. *hederacea* (Douglas ex Hook.) K.Schum.

Melhania oblongifolia F.Muell. – NW LE FR EA
- *Melhania incana* auct.non Heyne: J.M.Black(1952)

* **Modiola caroliniana** (L.) G.Don – MU* SL* SE*
- *Malva caroliniana* L.
- *Modiola multifida* Moench

?e **Pavonia coccinea** Cav. – SL?e

* **Pavonia hastata** Cav. – FR?e MU?e SL*

Radyera farragei (F.Muell.) Fryxell & S.H.Hashmi – NW LE GT FR EP NL MU YP
- *Hibiscus farragei* F.Muell.

Sida ammophila F.Muell. ex J.H. Willis – NW LE NU GT FR EA EP MU
- *Sida sp. D* : A.S.Mitchell(1981), partly
- *Sida virgata* auct.non F.Muell.ex J.H.Willis: J.M.Black(1952)

Sida argillacea A.E.Holland & S.T.Reynolds – LE
- *Sida sp. C* A.S.Mitchell(1981)

- *Sida sp. C* W.R.Barker(1989)
Sida calyxhymenia J.Gay ex DC. – NW LE NU GT EP
Sida cardiophylla (Benth.) F.Muell. – NW
Sida corrugata Lindl. var. **angustifolia** Benth. – ?FR ?EA EP NL MU YP SL SE
- *Sida humillima* Benth.
Sida corrugata Lindl. var. **corrugata** – FR EA NL MU YP SL
- *Sida corrugata* Lindl. var. *orbicularis* Benth.
Sida cunninghamii C.T.White – NW LE FR
- *Sida corrugata* Lindl. var. *ovata* Benth.
- *Sida corrugata* Lindl. var. *pedunculata* J.M.Black
- *Sida pedunculata* (J.M.Black) J.M.Black
Sida everistiana A.E.Holland & S.T.Reynolds – NW LE FR
- *Sida sp. K* W.R.Barker(1989)
Sida fibulifera Lindl. – NW LE NU GT FR EA EP NL MU
- *Sida corrugata* Lindl. var. *nematopoda* (F.Muell.) J.M.Black
- *Sida corrugata* Lindl. var. *ovata* Benth., partly
- *Sida nematopoda* F.Muell.
Sida goniocarpa (F.Muell. ex Benth.) Domin. – NW LE FR
- *Sida corrugata* Lindl. var. *goniocarpa* F.Muell. ex Benth.
Sida intricata F.Muell. – NW LE NU GT FR EA EP NL MU ?YP SL
- *Sida corrugata* Lindl. var. *intricata* (F.Muell.) F.Muell.
- *Sida intricata* Lindl. var. *subspinosa* Domin, partly
Sida petrophila F.Muell. – NW LE GT FR EA EP NL MU YP SL
- *Sida calyxhymenia* auct.non J.Gay ex DC.: W.R.Barker(1986)
Sida phaeotricha F.Muell. – NW FR EA EP
- *Sida cryphiopetala* F.Muell.
- *Sida virgata* Hook. var. *phaeotricha* (F.Muell.) Benth.
Sida platycalyx F.Muell. ex Benth. – NW[?n] ?LE
- *Sida inclusa* Benth.
- *Sida podopetala* F.Muell. & Tate
Sida rohlenae Domin ssp. **rohlenae** – NW LE
- *Sida rhombifolia* L. var. *(?)incana* Benth.
Sida sp. B (C.Dunlop 1739) W.R.Barker – NW LE
- *Sida paredra* W.R.Barker ms
Sida sp. Everard Ranges (D.J.Whibley 1085) W.R.Barker – NW
Sida sp. Excedentifolia (J.L.Egan 1925) WA Herbarium – NW LE GT FR
- *Sida filiformis* auct.non A.Cunn.: Barker et al.(2005), partly
Sida sp. F (Latz 7459) W.R.Barker – LE
Sida sp. Golden calyces glabrous fruit (H.N.Foote 32) R.M.Barker – NW GT
- *Sida sp. golden calyces (H.N.Foote 32)* R.M.Barker
Sida sp. Huckitta (P.K.Latz 12592) R.M.Barker – LE
- *Sida sp. B* A.S.Mitchell(1981), partly
- *Sida sp. G (J.Reid 1413)* W.R.Barker
Sida sp. L (A.M.Ashby 4202) W.R.Barker – NW
- *Sida sp. verrucose glands (F.H.Mollemans 2423)* WA Herbarium
Sida sp. M (J.Z.Weber 831) W.R.Barker – NW FR
Sida sp. Mitrata (R.E.Winkworth 798) R.M.Barker – LE
Sida sp. Musselbrook (M.B.Thomas+ MRS437) Qld Herbarium – FR
- *Sida filiformis* auct.non A.Cunn.: Barker et al.(2005), partly
Sida sp. Paringa (R.Bates 13800) W.R.Barker – MU
- *Sida sp. aff. subspicata F.Muell.* R.M.Barker, as syn.
Sida sp. R (P.Copley 1390) W.R. Barker – NW
Sida sp. Rabbit Flat (R.B.Major 158) W.R.Barker – NW LE
Sida sp. Wakaya Desert (C.Dunlop 1984) W.R.Barker (Rare status in SA) – NW
- *Sida sp. N* W.R.Barker
Sida sp. Watarrka (D.E.Albrecht 8672) NT Herbarium – NW
Sida spodochroma F.Muell. – NW LE NU GT EA EP NL MU
- *Sida cardiophylla* auct.non F.Muell.: J.M.Black(1952), partly
- *Sida corrugata* auct.non Lindl.: J.M.Black(1926)
- *Sida corrugata* Lindl. var. *A (N.N.Donner 7573)* : W.R.Barker

. . . [?e], questionably established. [n*], native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Sida trichopoda F.Muell. – NW LE GT FR EA EP MU
- *Sida corrugata* Lindl. var. *trichopoda* (F.Muell.) Benth.

Thomasia petalocalyx F.Muell. – EP NL MU YP SL KI SE
- *Thomasia macrocalyx* auct.non Steud.: D.F.K.Schltdl.(1847)

* **Tilia europaea** L. – ?SL*

THYMELAEACEAE 100.249

Pimelea ammocharis F.Muell. – NW

Pimelea curviflora R.Br. ssp. **gracilis** (R.Br.) Threlfall – FR EP?id NL YP SL
- *Calyptrostegia gracilis* (R.Br.) C.A.Mey., nom.
- *Calyptrostegia gracilis* (R.Br.) Endl.
- *Pimelea curviflora* R.Br. var. *gracilis* (R.Br.) Threlfall
- *Pimelea gracilis* (R.Br.) C.A.Mey., nom.inval.

Pimelea curviflora R.Br. ssp. **planiticola** N.G.Walsh & E.M.Schulz – SE?id
- *Pimelea curviflora* R.Br. var. *gracilis* auct.non (R.Br.) Threlfall: Threlfall in Jessop & Toelken(1986), partly
- *Pimelea curviflora* R.Br. var. *subglabrata* auct.non Threlfall: Barker et al. (2005), partly

Pimelea curviflora R.Br. ssp. **sericea** (Benth.) N.G.Walsh – NL YP SL
- *Pimelea curviflora* R.Br. var. *sericea* Benth.
- *Pimelea muelleri* Meisn.

Pimelea elongata Threlfall – LE FR

* **Pimelea ferruginea** Labill. – EP?e SL*

Pimelea flava R.Br. ssp. **dichotoma** (Schltdl.) Threlfall – FR EP MU YP SL KI SE
- *Pimelea dichotoma* Schltdl.

Pimelea flava R.Br. ssp. **flava** – EP SL KI SE

Pimelea glauca R.Br. – EP NL MU YP SL KI SE

Pimelea hewardiana Meisn. (Vulnerable status in SA) – SE
- *Pimelea elachantha* F.Muell.
- *Pimelea hewardiana* Meisn. var. *elachantha* F.Muell. ex. Meisn.

Pimelea humilis R.Br. – FR EP NL MU YP SL SE

Pimelea imbricata R.Br. var. **petraea** (Meisn.) Rye – FR EP NL MU YP SL
- *Pimelea octophylla* R.Br. ssp. *petraea* (Meisn.) Threlfall
- *Pimelea petraea* Meisn.

Pimelea ligustrina Labill. ssp. **ligustrina** (Endangered status in SA) – SE

Pimelea linifolia Sm. ssp. **linifolia** – ?FR SL SE
- *Pimelea spathulata* Labill.

Pimelea macrostegia (Benth.) J.M.Black – KI
- *Pimelea ligustrina* Labill. var. *macrostegia* Benth.

Pimelea micrantha F.Muell. ex Meisn. – NU FR EA EP NL MU YP SL KI SE
- *Pimelea curviflora* R.Br. ssp. *micrantha* (F.Muell. ex Meisn.) Threlfall
- *Pimelea curviflora* R.Br. var. *micrantha* (F.Muell. ex Meisn.) Benth.

Pimelea microcephala R.Br. ssp. **glabra** (F.Muell. & Tate ex J.M.Black) Threlfall – NW
- *Pimelea glabra* (F.Muell. & Tate ex J.M.Black) Carolin
- *Pimelea microcephala* R.Br. var. *glabra* F.Muell. & Tate ex J.M.Black

Pimelea microcephala R.Br. ssp. **microcephala** – NW LE NU GT FR EA EP NL MU YP
- *Pimelea microcephala* R.Br. var. *elongata* Meisn.

Pimelea octophylla R.Br. – FR EP MU ?YP?id SL KI SE
- *Pimelea octophylla* R.Br. ssp. *octophylla*

Pimelea penicillaris F.Muell. (Rare status in SA) – LE EP
- *Pimelea ammocharis* auct.non F.Muell.: J.M.Black(1952)
- *Pimelea dioica* C.T.White

Pimelea petrophila F.Muell. – FR EA EP NL SL?id

Pimelea phylicoides Meisn. – EP MU SL KI SE
- *Pimelea husseyana* F.Muell. ex Ewart
- *Pimelea phylicoides* F.Muell. ex Ewart var. *husseyana* (F.Muell. ex Ewart) Ewart

Pimelea serpyllifolia R.Br. ssp. **serpyllifolia** – NU EP NL MU YP SL KI SE

Pimelea simplex F.Muell. ssp. **continua** (J.M.Black) Threlfall – NW LE GT FR EA EP NL MU
- *Pimelea continua* J.M.Black

Pimelea simplex F.Muell. ssp. **simplex** – LE NU GT FR EA EP MU

Pimelea stricta Meisn. – FR EA EP NL MU SL KI SE

Pimelea subvillifera (Threlfall) Rye – EP YP
- *Pimelea octophylla* R.Br. ssp. *subvillifera* Threlfall

- *Pimelea villifera* auct.non Meisn.: J.M.Black(1952)

Pimelea trichostachya Lindl. – NW LE GT FR EA EP MU

Pimelea williamsonii J.M.Black (Rare status in SA) – EP MU SE

* **Thymelaea passerina** (L.) Coss. & Germ. – NL* MU* SL* SE*

- *Passerina annua* (Salisb.) Wikstr.
- *Stellera annua* Salisb.
- *Stellera passerina* L.

CISTACEAE 100.251

* **Cistus inflatus** Pourr. ex Demoly – SL*

- *Cistus hirsutus* auct.non Lam.(1786), non 1778: J.M.Black(1952)
- *Cistus psilosepalus* auct.non Sweet: Jessop(1986)

?e **Cistus ladanifer** L. – SL?e

* **Cistus salviifolius** L. – SL*

TROPAEOLACEAE 100.255

* **Tropaeolum majus** L. – FR* SL* KI*

GYROSTEMONACEAE 100.266

Codonocarpus cotinifolius (Desf.) F.Muell. – NW LE NU GT EP NL MU

- *Gyrostemon cotinifolius* Desf.

Codonocarpus pyramidalis (F.Muell.) F.Muell. (Endangered status in SA, Vulnerable status in Australia) – LE FR EA EP NL MU

- *Gyrostemon pyramidalis* F.Muell.

Gyrostemon australasicus (Moq.) Heimerl – FR EP MU YP SL KI SE

- *Cyclotheca australasica* Moq.

Gyrostemon ramulosus Desf. – NW LE NU GT FR EP

Gyrostemon tepperi (F.Muell. ex H.Walter) A.S.George – NW LE

- *Didymotheca cupressiformis* H.Walter
- *Didymotheca tepperi* F.Muell. ex H.Walter

Gyrostemon thesioides (Hook.f.) A.S.George – FR EP MU YP KI SE

- *Didymotheca thesioides* Hook.f.
- *Didymotheca veroniciformis* F.Muell.

RESEDACEAE 100.267

* **Reseda alba** L. – SL* SE*

* **Reseda lutea** L. (Declared SA plant) – GT* EA* EP* NL* MU* YP* SL* SE*

* **Reseda luteola** L. – FR* EA* EP* NL* MU* YP* SL* SE*

* **Reseda odorata** L. – EP* NL* YP* SL*

* **Reseda phyteuma** L. (Declared SA plant) – NL*

CAPPARACEAE 100.268

Capparis mitchellii Lindl. – LE FR EA EP

- *Busbeckea mitchellii* (Lindl.) F.Muell.
- *Capparis spinosa* L. var. *nummularia* auct.non F.M.Bailey: J.M.Black(1948)

CLEOMACEAE 100.269

Arivela viscosa (L.) Raf. – NW LE FR

- *Cleome viscosa* L.
- *Polanisia viscosa* (L.) DC. var. *grandiflora* Benth.

BRASSICACEAE 100.270

* **Alyssum alyssoides** (L.) L. – SE*

- *Alyssum calycinum* L.
- *Clypeola alyssoides* L.
- *Clypeola campestris* L.

* **Alyssum linifolium** Stephan ex Willd. – LE* GT* FR* EA* EP* NL* MU* YP*

- *Alyssum minimum* Pall.
- *Meniocus australasicus* Turcz.
- *Meniocus linifolius* (Stephan ex Willd.) DC.

Arabidella eremigena (F.Muell.) E.A.Shaw – LE MU
- *Blennodia eremigena* (F.Muell.) Benth.
- *Micromystria eremigena* (F.Muell.) O.E.Schulz
- *Sisymbrium eremigenum* F.Muell.

Arabidella filifolia (F.Muell.) E.A.Shaw – LE GT FR EA EP NL MU
- *Blennodia filifolia* (F.Muell.) Benth.
- *Erysimum filifolium* F.Muell.
- *Pseudoarabidella filifolia* (F.Muell.) O.E.Schulz
- *Sisymbrium filifolium* (F.Muell.) F.Muell.

Arabidella glaucescens E.A.Shaw – NW LE NU GT FR EA
- *Arabidella trisecta* (F.Muell.) O.E.Schulz var. *brachycarpa* (Benth.) O.E.Schulz
- *Blennodia trisecta* (F.Muell.) Benth. var. *brachycarpa* Benth.

Arabidella nasturtium (F.Muell.) E.A.Shaw – LE GT FR EA EP MU SE
- *Blennodia nasturtioides* (F.Muell.) Benth.
- *Blennodia nasturtium* (F.Muell.) Druce
- *Erysimum nasturtium* F.Muell.
- *Micromystria nasturtium* (F.Muell.) O.E.Schulz
- *Sisymbrium nasturtioides* F.Muell.

Arabidella procumbens (Tate) E.A.Shaw – NW LE FR EA MU
- *Blennodia nasturtioides* (F.Muell.) Benth. var. *pinnatifida* Benth.
- *Blennodia procumbens* (Tate) Tate
- *Lemphoria procumbens* (Tate) O.E.Schulz
- *Micromystria nasturtium* (F.Muell.) O.E.Schulz var. *pinnatifida* (Benth.) O.E.Schulz
- *Sisymbrium procumbens* Tate

Arabidella trisecta (F.Muell.) O.E.Schulz – NW LE NU GT FR EA EP NL MU KI
- *Arabidella trisecta* (F.Muell.) O.E.Schulz var. *hybophora* O.E.Schulz
- *Blennodia trisecta* (F.Muell.) Benth.
- *Erysimum trisectum* F.Muell.
- *Sisymbrium trisectum* (F.Muell.) F.Muell.

* **Barbarea verna** (Mill.) Asch. – SL*
- *Barbarea praecox* (Sm.) R.Br.
- *Erysimum praecox* Sm.
- *Erysimum vernum* Mill.

Blennodia canescens R.Br. – NW LE NU GT FR EA EP
- *Erysimum blennodia* (F.Muell.) F.Muell.
- *Sisymbrium blennodia* F.Muell.

Blennodia pterosperma (J.M.Black) J.M.Black – LE GT FR EA
- *Blennodia canescens* R.Br. var. *pterosperma* J.M.Black

* **Brassica elongata** Ehrh. – NL* MU*

* **Brassica fruticulosa** Cirillo – SL*

* **Brassica × juncea** (L.) Czern. – NL* SL* SE*
- *Sinapis juncea* L.

* **Brassica × napus** L. – EP* NL* MU* SL* SE*
- *Brassica × campestris* L. ssp. *napus* (L.) Hook.f.

* **Brassica nigra** (L.) S.Kohl ex W.D.J.Koch – FR* SL* SE*
- *Sinapis nigra* L.

* **Brassica oleracea** L. – NL* MU* YP* SL* SE*

* **Brassica rapa** L. ssp. **oleifera** (DC.) Metzg. – SL*
- *Brassica rapa* auct.non L.: Jessop(1986), partly
- *Brassica rapa* L. ssp. *silvestris* (L.) Janch., nom.inval., nom.nud.
- *Brassica rapa* L. ssp. *sylvestris* (L.) Janch., orth.var.

* **Brassica rapa** L. ssp. **rapa** – EP* SL* SE*
- *Brassica campestris* L.

* **Brassica tournefortii** Gouan – NW* LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* SE*

* **Cakile edentula** (Bigelow) Hook. – NU* EP* YP* SL* KI* SE*
- *Bunias edentula* Bigelow
- *Cakile californica* A.Heller
- *Cakile edentula* (Bigelow) Hook. ssp. *californica* (A.Heller) Hulten
- *Cakile lanceolata* (Willd.) O.E.Schulz var. *australiensis* Thell.

Cakile maritima Scop. ssp. **maritima** – NU EP* NL* MU* YP* SL* KI* SE*

* **Calepina irregularis** (Asso) Thell. – YP*
- *Myagrum irregularis* Asso

* **Camelina alyssum** (Mill.) Thell. – SL* SE*
- *Camelina dentata* (Willd.) Pers.
- *Camelina sativa* (L.) Crantz ssp. *alyssum* (Mill.) Em.Schmid
- *Myagrum alyssum* Mill.
- *Myagrum dentatum* Willd.

* **Camelina sativa** (L.) Crantz – SL*
- *Myagrum sativum* L.

* **Capsella bursa-pastoris** (L.) Medik. – NW* LE* NU* FR* EP* NL* MU* YP* SL* KI* SE*
- *Capsella bursapastoris* (L.) Medik., orth.var.
- *Thlaspi bursa-pastoris* L.

* **Cardamine flexuosa** With. – NL* MU* SL* SE*

Cardamine gunnii Hewson (Vulnerable status in SA) – SL SE
- *Cardamine debilis* auct.non DC.: J.H.Willis(1973)
- *Cardamine heterophylla* Hook.
- *Cardamine hirsuta* L. var. *heterophylla* (Hook.) Hook.f.

* **Cardamine hirsuta** L. – EP* SL* KI* SE*
- *Cardamine hirsuta* L. var. *reniformis* J.M.Black

Cardamine lineariloba I.Thomps. – SL SE
- *Cardamine paucijuga* auct.non Turcz.: Hewson(1986), partly

Cardamine microthrix I.Thomps. – SL
- *Cardamine paucijuga* auct.non Turcz.: Hewson(1986), partly

Cardamine moirensis I.Thomps. – MU
- *Cardamine paucijuga* auct.non Turcz.: Hewson(1986), partly

Cardamine papillata I.Thomps. – SL KI SE
- *Cardamine paucijuga* auct.non Turcz.: Hewson(1986)

Cardamine paucijuga Turcz. (Rare status in SA) – SL KI
- *Cardamine intermedia* Hornem. ssp. *antipodum* O.E.Schulz

Cardamine tenuifolia Hook. (Rare status in SA) – SE
- *Cardamine finitima* O.E.Schulz
- *Cardamine hirsuta* L. var. *tenuifolia* (Hook.) Rodway
- *Cardamine pratensis* L. var. *tenuifolia* (Hook.) Hook.f.

Carinavalva glauca Ising – LE

* **Carrichtera annua** (L.) DC. – NW* LE* NU* GT* FR* EA* EP* NL* MU* YP* SL*
- *Vella annua* L.

* **Conringia orientalis** (L.) C.Presl – NL* SL* SE*
- *Brassica orientalis* L.
- *Erysimum orientale* (L.) Mill.
- *Erysimum perfoliatum* Crantz

Cuphonotus andraeanus (F.Muell.) E.A.Shaw – NW LE
- *Capsella andraeana* F.Muell.
- *Cuphonotus humistratus* (F.Muell.) O.E.Schulz var. *papillosus* O.E.Schulz
- *Phlegmatospermum andraeanum* (F.Muell.) O.E.Schulz

Cuphonotus humistratus (F.Muell.) O.E.Schulz – LE GT
- *Capsella humistrata* F.Muell.
- *Hutchinsia humistrata* (F.Muell.) J.M.Black

* **Descurainia sophia** (L.) Webb ex Prantl – SL*
- *Sisymbrium sophia* L.

* **Diplotaxis muralis** (L.) DC. – NU* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Brassica muralis* (L.) Huds.
- *Diplotaxis muralis* (L.) DC. var. *muralis*
- *Sisymbrium murale* L.

* **Diplotaxis tenuifolia** (L.) DC. (Declared SA plant)
– NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Brassica tenuifolia* (L.) Fr.
- *Sisymbrium tenuifolium* L.

* **Erophila verna** (L.) Chevall. ssp. **praecox** (Steven) Walters – EP* MU* SL* SE*
- *Draba praecox* Steven

* **Erophila verna** (L.) Chevall. ssp. **verna** – NL* MU* SL* SE*
- *Draba verna* L.

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

- *Erophila vulgaris* DC.

* **Eruca sativa** Mill. – FR[?e] EP* NL* MU* SL* KI* SE*
- *Eruca vesicaria* (L.) Cav. ssp. *sativa* (Mill.) Thell.

* **Erysimum × cheiri** (L.) Crantz – YP*
- *Cheiranthus cheiri* L.

[?e] **Erysimum repandum** L. – YP[?e]

[?e] **Erysimum suffruticosum** Spreng. – NL[?e]

* **Euclidium syriacum** (L.) W.T.Aiton – YP*
- *Anastatica syriaca* L.

Geococcus pusillus J.L.Drumm. ex Harvey – FR EA EP NL MU YP
- *Geococcus fiedleri* Scheuerm.

Harmsiodoxa blennodioides (F.Muell.) O.E.Schulz – NW LE FR EA EP MU
- *Blennodia blennodioides* (F.Muell.) Druce
- *Blennodia cunninghamii* Benth.
- *Blennodia lasiocarpa* F.Muell.
- *Erysimum blennodioides* F.Muell.
- *Erysimum cunninghamii* (Benth.) F.Muell.
- *Erysimum lasiocarpum* (F.Muell.) F.Muell.
- *Harmsiodoxa cunninghamii* (Benth.) O.E.Schulz
- *Sisymbrium lasiocarpum* F.Muell.

Harmsiodoxa brevipes (F.Muell.) O.E.Schulz var. **brevipes** – NW LE FR EA EP MU YP
- *Blennodia brevipes* (F.Muell.) F.Muell.
- *Erysimum brevipes* F.Muell.
- *Harmsiodoxa brevipes* (F.Muell.) O.E.Schulz, partly
- *Sisymbrium brachypodum* F.Muell.
- *Sisymbrium brevipes* (F.Muell.) F.Muell.

Harmsiodoxa brevipes (F.Muell.) O.E.Schulz var. **major** E.A.Shaw – LE FR
- *Harmsiodoxa brevipes* (F.Muell.) O.E.Schulz, partly

Harmsiodoxa puberula E.A.Shaw – NW LE FR

* **Heliophila pusilla** L.f. – KI*

* **Hirschfeldia incana** (L.) Lagr.-Foss. (Declared SA plant) – FR[?e] EP* MU* SL* KI* SE*
- *Brassica adpressa* (Moench) Boiss.
- *Brassica geniculata* (Desf.) Benth.
- *Brassica incana* (L.) Meigen
- *Hirschfeldia adpressa* Moench
- *Sinapis geniculata* Desf.
- *Sinapis incana* L.

* **Hornungia procumbens** (L.) Hayek – NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Capsella australasica* F.Muell. ex Hannaford
- *Capsella elliptica* C.A.Mey.
- *Capsella procumbens* (L.) Fr.
- *Capsella procumbens* (L.) Fr. var. *integrifolia* (DC.) Rupr.
- *Hutchinsia procumbens* (L.) Desv.
- *Hutchinsia procumbens* (L.) Desv. var. *integrifolia* DC.
- *Hymenolobus procumbens* (L.) Nutt. ex Schinz & Thell.
- *Lepidium procumbens* L.
- *Stenopetalum incisifolium* Hook.f.

* **Iberis crenata** Lam. – EP* SL*

Irenepharsus phasmatodes Hewson (Rare status in SA) – KI

* **Lepidium africanum** (Burm.f.) DC. – NU* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Lepidium hyssopifolium* auct.non Desv.: J.M.Black(1948), partly
- *Thlaspi africanus* Burm.f.

Lepidium ambiguum F.Muell. (Endangered* status in Australia) – SL
- *Lepidium dubium* auct.non Thell.: Black(1948), partly
- *Lepidium hyssopifolium* auct.non Desv.: Hewson in Jessop & Toelken(1986), partly
- *Lepidium ruderale* auct.non L.: Tate(1890), partly

[?e] **Lepidium appelianum** Al-Shehbaz – NL[?e]

* **Lepidium bonariense** L. – NL* MU* SE*

* **Lepidium coronopus** (L.) Al-Shehbaz – SE*
- *Cochlearia coronopus* L.
- *Coronopus procumbens* Gilib.

- *Coronopus ruellii* All.
- *Coronopus squamatus* (Forssk.) Asch.
- *Coronopus verrucarius* (Garsault) Muschl. & Thell.
- *Coronopus verrucarius* (Garsault) Muschl. & Thell. ssp. *euverrucarius* Muschl., nom.inval.
- *Lepidium squamatum* Forssk.
- *Nasturtium verrucarium* Garsault
- *Senebiera coronopus* (L.) Poir.

Lepidium desvauxii Thell. (Rare status in SA) – KI SE
- *Lepidium desvauxii* Thell. var. *typicum* Thell.
- *Lepidium halmaturinum* J.M.Black
- *Lepidium hyssopifolium* Desv. var. *desvauxii* (Thell.) Domin
- *Lepidium hyssopifolium* Desv. f. *intercedens* Domin
- *Lepidium praetervisum* Domin
- *Lepidium ruderale* L. var. *robusta* Hook.f.

* **Lepidium didymum** L. – FR* EP* MU* YP* SL* KI* SE*
- *Coronopus didymus* (L.) Sm.
- *Coronopus didymus* (L.) Sm. var. *incisa* (Willd.) Hook.
- *Senebiera didyma* (L.) Pers.
- *Senebiera incisa* Willd.
- *Senebiera pinnatifida* DC.

* **Lepidium draba** L. (Declared SA plant) – NU* FR* EP* NL* MU* YP* SL* KI* SE*
- *Cardaria draba* (L.) Desv.

Lepidium fasciculatum Thell. – LE NU GT FR EA EP NL MU YP
- *Lepidium ruderale* auct.non L.: F.Muell.(1882)
- *Lepidium ruderale* Thell. var. *simplicissimum* F.Muell.
- *Lepidium sagittulatum* Thell. var. *fasciculatum* (Thell.) Domin

Lepidium foliosum Desv. – EP YP KI SE
- *Lepidium chrysanthemifolium* Domin
- *Lepidium crispum* Desv.
- *Lepidium cuneifolium* DC.
- *Lepidium foliosum* Desv. var. *crispum* (Desv.) Thell.
- *Lepidium foliosum* Desv. var. *cuneifolium* (DC.) Thell.
- *Lepidium foliosum* Desv. var. *fruticulosum* (Desv.) Thell.
- *Lepidium foliosum* Desv. var. *typicum* Thell.
- *Lepidium fruticulosum* Desv.
- *Lepidium impressum* Bunge
- *Lepidium novae-hollandiae* Desv.

Lepidium hypenantion Hewson – MU

* **Lepidium latifolium** L. – SL*

Lepidium leptopetalum (F.Muell.) F.Muell. – LE FR EA EP NL MU
- *Monoploca leptopetala* F.Muell.
- *Nasturtium leptopetalum* (F.Muell.) Kuntze

Lepidium monoplocoides F.Muell. (Endangered* status in SA, Endangered status in Australia) – MU
- *Nasturtium monoplocoides* (F.Muell.) Kuntze

Lepidium muelleri-ferdinandi Thell. – NW LE GT FR EA
- *Lepidium papillosum* F.Muell. var. *pubescens* F.Muell.

Lepidium oxytrichum Sprague – NW LE NU GT FR EA EP MU
- *Lepidium papillosum* F.Muell. var. *normale* Domin
- *Lepidium papillosum* F.Muell. f. *purpureum* Domin

Lepidium papillosum F.Muell. – LE GT FR EA EP NL MU

* **Lepidium perfoliatum** L. – SL*

Lepidium phlebopetalum (F.Muell.) F.Muell. – NW LE NU GT FR EA EP NL MU
- *Lepidium eraemeum* Domin, orth.var.
- *Lepidium eremaeum* Domin
- *Lepidium rotundum* auct.non (Desv.) DC.: J.M.Black(1924,1948), partly
- *Lepidium rotundum* (Desv.) DC. var. *phlebopetalum* (F.Muell.) Maiden & Betche
- *Monoploca phlebopetala* F.Muell.
- *Nasturtium phlebopetalum* (F.Muell.) Kuntze

Lepidium pseudohyssopifolium Hewson – NL MU YP SL SE
- *Lepidium hyssopifolium* Desv. var. *epilosum* Domin
- *Lepidium peregrinum* Thell. var. *glabripes* Thell.

Lepidium pseudopapillosum Thell. (Endangered status in SA, Vulnerable status in Australia) – FR
Lepidium pseudoruderale Thell. (Rare status in SA) – LE NU FR MU
Lepidium pseudotasmanicum Thell. (Vulnerable status in SA) – FR EA NL MU
Lepidium rotundum (Desv.) DC. – NU EP NL MU YP
- *Lepia rotunda* Desv.
Lepidium sagittulatum Thell. – LE NU GT FR EA ?NL MU SL
- *Lepidium sagittulatum* Thell. var. *genuinum* Domin
* **Lepidium sativum** L. – NL* SL* SE*
* **Lepidium strictum** (S.Watson) Rattan – ?NL*?id
- *Lepidium pubescens* auct.non Desv.: Hewson(1982)
Lepidium strongylophyllum F.Muell. ex Benth. – LE FR EA
- *Nasturtium strongyllophyllum* (F.Muell. ex Benth.) Kuntze
* **Lobularia maritima** (L.) Desv. – EP?e NL?e MU?e YP* SL* KI* SE*
- *Alyssum maritimum* (L.) Lam.
- *Alyssum minimum* L.
- *Clypeola maritima* L.
- *Koniga maritima* (L.) R.Br.
* **Lunaria annua** L. – SL*
* **Malcolmia africana** (L.) R.Br. ex W.T.Aiton – FR*
?e **Malcolmia flexuosa** (Sibth. & Sm.) Sibth. & Sm. – EP?e MU?e
- *Cheiranthus flexuosus* Sibth. & Sm.
* **Matthiola incana** (L.) Aiton – EP* YP* SL* KI* SE*
- *Cheiranthus incanus* L.
* **Matthiola longipetala** (Vent.) DC. ssp. **bicornis** (Sibth. & Sm.) P.W.Ball (Declared SA plant) – NL* YP* SL*
- *Cheiranthus bicornis* Sibth. & Sm.
- *Matthiola bicornis* (Sibth. & Sm.) DC.
Menkea australis Lehm. – NW LE NU GT FR EA EP MU SE
- *Menkea coolgardiensis* S.Moore
- *Menkea procumbens* (Hook.) F.Muell.
- *Stenopetalum procumbens* Hook.
Menkea crassa E.A.Shaw – NW LE GT FR EA EP
Menkea lutea E.A.Shaw (Rare status in SA) – NW
Menkea sphaerocarpa F.Muell. – NW LE
Menkea villosula (F.Muell. & Tate) J.M.Black – NW LE NU GT
- *Capsella villosula* F.Muell. & Tate
- *Menkea hispidula* J.M.Black
- *Phlegmatospermum villosulum* (F.Muell. & Tate) O.E.Schulz
Microlepidium alatum (J.M.Black) E.A.Shaw (Vulnerable status in SA, Vulnerable status in Australia) – EP
- *Hymenolobus alatus* J.M.Black
Microlepidium pilosulum F.Muell. (Rare status in SA) – EP MU YP KI
- *Bursa pilosula* (F.Muell.) Kuntze
- *Capsella pilosula* (F.Muell.) F.Muell.
* **Myagrum perfoliatum** L. (Declared SA plant) – EP* NL* YP*
* **Neslia paniculata** (L.) Desv. – FR* EP* NL* YP* SL* SE*
- *Myagrum paniculatum* L.
Pachymitus cardaminoides (F.Muell.) O.E.Schulz – FR EA EP MU YP SE
- *Blennodia cardaminoides* (F.Muell.) Benth.
- *Blennodia lucae* (F.Muell.) Maiden & Betche
- *Erysimum cardaminoides* (F.Muell.) F.Muell.
- *Erysimum lucae* F.Muell.
- *Pachymitus cardaminoides* (F.Muell.) O.E.Schulz var. *dasycarpus* O.E.Schulz
- *Pachymitus lucae* (F.Muell.) O.E.Schulz
- *Sisymbrium cardaminoides* F.Muell.
- *Sisymbrium lucae* (F.Muell.) F.Muell.
Phlegmatospermum cochlearinum (F.Muell.) O.E.Schulz – LE NU GT FR EA EP
- *Capsella cochlearina* (F.Muell.) F.Muell.
- *Capsella cochlearina* (F.Muell.) F.Muell. var. *ochrantha* (F.Muell. ex Benth.) Maiden & Betche
- *Capsella ochrantha* (F.Muell. ex Benth.) F.Muell.
- *Eunomia cochlearina* F.Muell.
- *Hutchinsia cochlearina* (F.Muell.) J.M.Black

- *Hutchinsia ochrantha* (F.Muell. ex Benth.) J.M.Black
- *Phlegmatospermum cochlearinum* (F.Muell.) O.E.Schulz var. *ochranthum* (F.Muell. ex Benth.) J.M.Black
- *Phlegmatospermum ochranthum* (F.Muell.ex Benth.) O.E.Schulz
- *Thlaspi cochlearinum* (F.Muell.) F.Muell.
- *Thlaspi cochlearinum* (F.Muell.) F.Muell. var. *ochrantha* (F.Muell. ex Benth.) F.Turner
- *Thlaspi ochrantha* F.Muell. ex Benth.

Phlegmatospermum eremaeum (J.M.Black) E.A.Shaw (Rare status in SA) – LE NU EP NL MU YP
- *Hutchinsia eremaea* J.M.Black
- *Phlegmatospermum cochlearinum* (F.Muell.) O.E.Schulz var. *eremaeum* (J.M.Black) J.M.Black

Phlegmatospermum richardsii (F.Muell.) E.A.Shaw (Vulnerable status in SA) – NU EP
- *Blennodia richardsii* (F.Muell.) J.M.Black
- *Erysimum richardsii* F.Muell.
- *Scambopus richardsii* (F.Muell.) O.E.Schulz
- *Sisymbrium richardsii* (F.Muell.) F.Muell.

* **Raphanus raphanistrum** L. – LE* FR* EP* NL* MU* YP* SL* KI* SE*

* **Raphanus sativus** L. – SL*

* **Rapistrum rugosum** (L.) All. ssp. **rugosum** – LE* NU* FR* EP* NL* MU* YP* SL* KI* SE*
- *Myagrum rugosum* L.

Rorippa dictyosperma (Hook.) L.A.S.Johnson (Rare status in SA) – SL SE
- *Cardamine dictyosperma* Hook.

Rorippa eustylis (F.Muell.) L.A.S.Johnson – LE MU SL
- *Cardamine eustylis* F.Muell.
- *Nasturtium eustyle* (F.Muell.) Kuntze

Rorippa gigantea (Hook.f.) Garn.-Jones – SL
- *Arabis gigantea* Hook.f.

Rorippa laciniata (F.Muell.) L.A.S.Johnson (Rare status in SA) – MU SL SE
- *Cardamine laciniata* F.Muell.
- *Nasturtium laciniatum* (F.Muell.) O.E.Schulz

* **Rorippa microphylla** (Boenn. ex Rchb.) Hyl. – MU* SL* SE*
- *Nasturtium microphyllum* Boenn. ex Rchb.

* **Rorippa nasturtium-aquaticum** (L.) Hayek – FR* EP* NL* MU* SL* SE*
- *Nasturtium officinale* R.Br.
- *Sisymbrium nasturtium-aquaticum* L.

* **Rorippa palustris** (L.) Besser – MU* SL* SE*
- *Cardamine palustris* (Wimm. & Grab.) Peterm. f. *barbareaefolia* (Delile) Kuntze
- *Nasturtium palustre* (L.) DC.
- *Nasturtium semipinnatifidum* Hook.
- *Nasturtium terrestre* (With.) R.Br.
- *Nasturtium terrestre* (With.) R.Br. var. *semipinnatifidum* (Hook.) Hook.f.
- *Rorippa islandica* auct.non (Oeder) Borbas: W.M.Curtis(1956)
- *Sisymbrium amphibium* L. var. *palustre* L.
- *Sisymbrium barbareaefolium* Delile
- *Sisymbrium palustre* (L.) Leyss.
- *Sisymbrium terrestre* With.

* **Rorippa sylvestris** (L.) Besser – SL*
- *Rorippa sylvestris* (L.) Besser ssp. *sylvestris*
- *Sisymbrium sylvestre* L.

Scambopus curvipes (F.Muell.) O.E.Schulz – GT FR EP NL
- *Blennodia curvipes* (F.Muell.) F.Muell.
- *Erysimum curvipes* F.Muell.
- *Sisymbrium curvipes* (F.Muell.) O.E.Schulz

* **Sinapis arvensis** L. – NL* SL* KI*?id SE*
- *Brassica sinapis* Vis.
- *Brassica sinapistrum* Boiss.

* **Sisymbrium erysimoides** Desf. – NW* LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* SE*

* **Sisymbrium irio** L. – LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* SE*

* **Sisymbrium officinale** (L.) Scop. – EP* SL* SE*
- *Erysimum officinale* L.

* **Sisymbrium orientale** L. – NW* LE* GT* FR* EA* EP* NL* YP* SL* KI* SE*
- *Sisymbrium columnae* Jacq.

Stenopetalum anfractum E.A.Shaw – NW LE

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Stenopetalum decipiens E.A.Shaw – NW FR?n
Stenopetalum lineare R.Br. ex DC. – NW LE NU GT FR EA EP NL MU YP SL SE
- *Stenopetalum croceum* Tate
- *Stenopetalum lineare* R.Br. ex DC. var. *canescens* Benth.
- *Stenopetalum trisectum* Tate

Stenopetalum nutans F.Muell. – NW LE EP
Stenopetalum saxatile Keighery – EP
- *Stenopetalum lineare* auct.non R.Br. ex DC.: Hewson(1986), partly

Stenopetalum sphaerocarpum F.Muell. – NW NU GT FR EP NL MU YP SL
Stenopetalum velutinum F.Muell. – NW LE NU GT FR EA
?e **Thlaspi arvense** L. – SE?e

OLACACEAE 100.273
Olax obcordata A.S.George (Rare status in SA) – EP KI
- *Olax benthamiana* auct.non Miq.: J.M.Black(1948)

SANTALACEAE 100.276
Anthobolus leptomerioides F.Muell. – ?NW
- *Anthobolus exocarpoides* F.Muell.

Choretrum chrysanthum F.Muell. (Rare status in SA) – NW NU FR EP NL MU YP SL SE
- *Choretrum chrysanthum* F.Muell. ex Miq., nom.illeg.
- *Choretrum glomeratum* auct.non R.Br.: J.M.Black(1948), partly
- *Choretrum glomeratum* auct.non R.Br.: Jessop in Jessop & Toelken(1986), as to FR, partly
- *Choretrum glomeratum* R.Br. var. *chrysanthum* (F.Muell.) Benth.

Choretrum glomeratum R.Br. – EP MU YP SL KI SE
- *Choretrum chrysanthum* auct.non F.Muell.: Jessop in Jessop & Toelken(1986), as to KI, partly
- *Choretrum glomeratum* R.Br. var. *glomeratum*

Choretrum spicatum F.Muell. ssp. **continentale** Lepschi (Rare status in SA) – SE
- *Choretrum spicatum* F.Muell., partly

Choretrum spicatum F.Muell. ssp. **spicatum** (Rare status in SA, Endangered status in Australia) – KI
- *Choretrum spicatum* F.Muell., partly

Exocarpos aphyllus R.Br. – LE NU GT FR EA EP NL MU YP SL KI
- *Exocarpos aphylla* R.Br., orth.var.
- *Exocarpos leptomerioides* F.Muell. ex Miq.
- *Exocarpus aphyllus* R.Br., orth.var.
- *Xylophyllos aphyllus* (R.Br.) Kuntze

Exocarpos cupressiformis Labill. – FR EP NL MU YP SL KI SE
- *Exocarpos dasystachys* Schltdl.
- *Exocarpus cupressiformis* Labill., orth.var.
- *Xylophyllos cupressiformis* (Labill.) Kuntze

Exocarpos sparteus R.Br. – NW LE FR EP NL MU YP SL SE
- *Exocarpos glandulaceus* Miq.
- *Exocarpos spartea* R.Br., orth.var.
- *Exocarpus spartea* R.Br., orth.var.
- *Exocarpus sparteus* J.M.Black, orth.var.
- *Xylophyllos sparteus* (R.Br.) Kuntze

Exocarpos strictus R.Br. (Rare status in SA) – MU SE
- *Exocarpus stricta* R.Br., orth.var.
- *Exocarpus strictus* J.M.Black, orth.var.
- *Omphacomeria psilotoides* A.DC.
- *Xylophyllos strictus* (R.Br.) Kuntze

Exocarpos syrticola (F.Muell. ex Miq.) Stauffer – EP YP SL SE
- *Exocarpos strictus* R.Br. var. *syrticola* F.Muell. ex Miq.

Korthalsella leucothrix Barlow – NU GT FR
- *Korthalsella japonica* auct.non (Thunb.) Engl.: Eichler(1965)
- *Korthalsella japonica* f. *japonica* auct.non (Thunb.) Engl.: Barker et al.(2005)
- *Korthalsella opuntia* auct.non (Thunb.) Merr.: J.M.Black(1948)
- *Viscum articulatum* auct.non Burm.f.: J.M.Black(1924)

Leptomeria aphylla R.Br. – EP NL MU SL KI SE
- *Leptomeria pungens* F.Muell.

Leptomeria preissiana (Miq.) A.DC. (Endangered status in SA) – EP
- *Choretrum preissianum* Miq.

Santalum acuminatum (R.Br.) A.DC. – NW LE NU GT FR EA EP NL MU YP SL SE
- *Eucarya acuminata* (R.Br.) Sprague & Summerh.
- *Fusanus acuminatus* R.Br.
- *Mida acuminata* (R.Br.) Kuntze

Santalum lanceolatum R.Br. – NW LE GT FR EA EP NL MU
- *Santalum lanceolatum* R.Br. var. *angustifolium* Benth.
- *Santalum leptocladum* Gand.

Santalum murrayanum (T.L.Mitch.) C.A.Gardner – EP MU YP SL KI SE
- *Eucarya murrayana* T.Mitch.
- *Fusanus persicarius* (F.Muell.) F.Muell. ex Benth.
- *Mida persicaria* (F.Muell.) Kuntze
- *Santalum persicarium* F.Muell.

Santalum spicatum (R.Br.) A.DC. (Vulnerable status in SA) – NW NU GT FR EA EP
- *Eucarya spicata* (R.Br.) Sprague & Summerh.
- *Fusanus spicatus* R.Br.
- *Mida spicata* (R.Br.) Kuntze
- *Santalum cygnorum* Miq.

LORANTHACEAE 100.279

Amyema fitzgeraldii (Blakely) Danser – NW
- *Loranthus fitzgeraldii* Blakely

Amyema gibberula (Tate) Danser var. **gibberula** – NW LE NU GT
- *Amyema gibberulosa* Tiegh., orth.var.
- *Amyema gibberulum* (Tate) Danser: Barlow in Jessop & Toelken(1986), orth.var. var. *gibberulum*
- *Loranthus gibberulosus* Tiegh., orth.var.
- *Loranthus gibberulus* Tate

Amyema hilliana (Blakely) Danser – NW
- *Amyema hillianum* (Blakely) Danser: Barlow in Jessop & Toelken(1986), orth.var.
- *Loranthus hillianus* Blakely

Amyema linophylla (Fenzl) Tiegh. ssp. **orientalis** Barlow – FR EA EP MU SE
- *Amyema linophylla* (Fenzl) Tiegh., partly
- *Amyema linophylla* (Fenzl) Tiegh. ssp. *orientale* Barlow, orth. var.: SA Census online(18/10/2004 -31/05/2012)
- *Amyema linophyllum* (Fenzl) Tiegh.: Barlow in Jessop & Toelken(1986), orth.var ssp. *orientale* Barlow
- *Loranthus gibberulus* auct.non Tate: J.M.Black, partly
- *Loranthus linophyllus* Fenzl, partly

Amyema maidenii (Blakely) Barlow ssp. **maidenii** – NW LE NU GT FR EA EP
- *Diplatia maidenii* (Blakely) Danser
- *Loranthus maidenii* Blakely
- *Loranthus quandang* auct.non Lindl.: Tate(1890), partly

Amyema melaleucae (Lehm.ex Miq.) Tiegh. – NU FR EP NL MU YP SL KI SE
- *Amyema leschenaultii* Tiegh.
- *Loranthus melaleucae* Lehm. ex Miq.
- *Loranthus miraculosus* Miq. var. *melaleucae* (Miq.) Blakely
- *Loranthus pendulus* Sieber ex Spreng. var. *melaleucae* (Miq.) Tate
- *Loranthus pendulus* Sieber ex Spreng. var. *parviflorus* Benth., partly

Amyema miquelii (Lehm.ex Miq.) Tiegh. – NW LE NU GT FR EA EP NL MU YP SL SE
- *Amyema aurantiaca* (A.Cunn. ex Hook.) Tiegh.
- *Loranthus aurantiacus* A.Cunn. ex Hook.
- *Loranthus miquelii* Lehm. ex Miq.

Amyema miraculosa (Miq.) Tiegh. ssp. **boormanii** (Blakely) Barlow
– NW LE NU GT FR EA EP NL MU YP SE
- *Amyema miraculosa* (Miq.) Tiegh., partly
- *Amyema miraculosa* (Miq.) Tiegh. var. *boormanii* (Blakely) H.Eichler
- *Amyema miraculosum* (Miq.) Tiegh.: Barlow in Jessop & Toelken(1986), orth.var. ssp. *boormanii* (Blakely) Barlow
- *Loranthus bifurcatus* Benth. var. *queenslandicus* Domin
- *Loranthus miraculosus* Miq., partly
- *Loranthus miraculosus* Miq. var. *boormanii* Blakely
- *Loranthus miraculosus* Miq. var. *pubiger* Blakely
- *Loranthus pendulus* Sieber ex Spreng. var. *parviflorus* Benth., partly

Amyema pendula (Sieber ex Spreng.) Tiegh. ssp. **pendula** – MU SL SE
- *Amyema pendulum* (Sieber ex Spreng.) Tiegh.: Barlow in Jessop & Toelken(1986), orth.var. ssp. *pendulum*
- *Dendrophthoe pendula* (Sieber ex Spreng.) Mart.
- *Loranthus pendulus* Sieber ex Spreng.

Amyema preissii (Miq.) Tiegh. – NW LE NU GT FR EA EP NL MU YP SL SE
- *Amyema scoparia* (Miq.) Tiegh.
- *Loranthus linophyllus* Fenzl var. *preissii* (Miq.) Ostenf.
- *Loranthus preissii* Miq.
- *Loranthus scoparius* Miq.

Amyema quandang (Lindl.) Tiegh. var. **quandang** – LE NU GT EP
- *Amyema cana* (F.Muell.) Tiegh.
- *Amyema nutans* (A.Cunn. ex Hook.) Tiegh.
- *Amyema pruinosa* (A.Cunn. ex Ettingsh.) Tiegh.
- *Dendrophthoe pruinosa* (A.Cunn. ex Ettingsh.) Ettingsh.
- *Loranthus canus* F.Muell.
- *Loranthus cunninghamii* A.Gray
- *Loranthus nutans* A.Cunn. ex Hook.
- *Loranthus pendulus* Sieber ex Spreng. var. *canescens* F.Muell. & Tate
- *Loranthus pruinosus* A.Cunn. ex Ettingsh.
- *Loranthus quandang* Lindl.

Amyema sanguinea (F.Muell.) Danser var. **sanguinea** – NW
- *Amyema sanguineum* (F.Muell.) Danser: Barlow in Jessop & Toelken(1986), orth.var.
- *Amyema spathulata* (O.Schwarz) Danser
- *Loranthus sanguineus* F.Muell.
- *Loranthus spathulatus* O.Schwarz
- *Pilostigma sanguineum* (F.Muell.) Tiegh.

Diplatia grandibractea (F.Muell.) Tiegh. – LE
- *Loranthus grandibracteus* F.Muell.

Lysiana exocarpi (Behr) Tiegh. ssp. **exocarpi** – NW LE NU GT FR EA EP NL MU YP SL SE
- *Dendrophthoe angustifolia* (R.Br. ex Benth.) Tiegh.
- *Elytranthe exocarpi* (Behr) Engl.
- *Loranthus angustifolius* R.Br. ex Benth.
- *Loranthus diamantinensis* J.M.Black
- *Loranthus exocarpi* Behr
- *Loranthus exocarpi* (Behr) Tiegh. var. *flavescens* F.Muell. ex Miq.
- *Lysiana exocarpi* (Behr) Tiegh. ssp. *diamantinensis* (J.M.Black) Barlow
- *Lysiana subfalcata* auct.non (Hook.) Barlow: Barker et. al.(2005), as to NW, partly

Lysiana murrayi (F.Muell. & Tate) Tiegh. – NW LE NU GT ?FR EP
- *Elytranthe murrayi* (F.Muell. & Tate) Engl.
- *Loranthus miniatus* S.Moore
- *Loranthus murrayi* F.Muell. & Tate
- *Loranthus murrayi* F.Muell. & Tate var. *parviflora* S.Moore

Lysiana subfalcata (Hook.) Barlow – LE
- *Loranthus exocarpi* (Behr) Tiegh. var. *subfalcatus* (Hook.) Domin
- *Loranthus exocarpi* (Behr) Tiegh. var. *venulosa* Blakely
- *Loranthus subfalcatus* Hook.

Muellerina eucalyptoides (DC.) Barlow – SE
- *Dendrophthoe eucalyptoides* (DC.) Ettingsh.
- *Loranthus celastroides* auct.non Sieber ex Schult. & Schult.f.: Tate(1890)
- *Loranthus celastroides* Sieber ex Schult. & Schult.f. var. *eucalyptifolius* (Sieber ex Schult. & Schult.f.) Domin
- *Loranthus eucalyptifolius* Sieber ex Schult. & Schult.f., nom.illeg.
- *Loranthus eucalyptoides* DC.
- *Muellerina eucalyptifolia* (Sieber ex Schult. & Schult.f.) Tiegh., nom.illeg.
- *Phrygilanthus eucalyptifolius* (Sieber ex Schult. & Schult.f.) Engler, nom.illeg.
- *Phrygilanthus eucalyptoides* (DC.) Danser

FRANKENIACEAE 100.280

Frankenia cinerea A.DC. (Rare status in SA) – NW NU
- *Frankenia maidenii* Ostenf.

Frankenia cordata J.M.Black – NW
- *Frankenia speciosa* Summerh.

Frankenia crispa J.M.Black – FR EA EP
Frankenia cupularis Summerh. (Rare status in SA) – LE GT EA
- *Frankenia annua* Summerh.
- *Frankenia annua* Summerh. var. *orthotricha* J.M.Black
- *Frankenia orthotricha* (J.M.Black) J.M.Black
- *Frankenia pseudo-flabellata* Summerh.

Frankenia foliosa J.M.Black – NW LE GT FR EP MU
- *Frankenia muscosa* J.M.Black
- *Frankenia pauciflora* DC. var. *thymoides* Benth.

Frankenia pauciflora DC. var. **fruticulosa** (DC.) Summerh. – LE EP YP SL KI
- *Frankenia fruticulosa* DC.
- *Frankenia pauciflora* DC. var. *incrustata* J.M.Black
- *Frankenia pauciflora* DC. var. *trichosticha* Summerh.

Frankenia pauciflora DC. var. **gunnii** Summerh. – LE EP NL MU YP SL KI SE
Frankenia plicata Melville (Vulnerable status in SA, Endangered status in Australia) – LE GT
* **Frankenia pulverulenta** L. – NL* MU* YP* SL*
Frankenia serpyllifolia Lindl. – NW LE NU GT FR EA EP NL MU
- *Frankenia angustipetala* Summerh.
- *Frankenia connata* Sprague
- *Frankenia densa* Summerh.
- *Frankenia eremophila* (J.M.Black) Summerh.
- *Frankenia flabellata* Sprague
- *Frankenia gracilis* Summerh.
- *Frankenia hamata* Summerh.
- *Frankenia latior* Sprague & Summerh. ex Summerh.
- *Frankenia pauciflora* DC. var. *serpyllifolia* (Lindl.) Benth.
- *Frankenia planifolia* Sprague & Summerh. ex Summerh.
- *Frankenia serpyllifolia* Lindl. var. *eremophila* J.M.Black
- *Frankenia uncinata* Sprague & Summerh.

Frankenia sessilis Summerh. – EP MU YP
- *Frankenia fruticulosa* auct.non DC.: J.M.Black(1926)
- *Frankenia sessilis* Summerh. var. *major* Summerh.

Frankenia subteres Summerh. (Rare status in SA) – LE FR
- *Frankenia granulata* J.M.Black

TAMARICACEAE 100.281
* **Tamarix aphylla** (L.) H.Karst. – NW* LE* GT* FR* EA* MU*
- *Thuja aphylla* L.

* **Tamarix parviflora** DC. – FR* EP* NL* MU* YP?e SL* KI?e
- *Tamarix aphylla* auct.non (L.) Karsten: Jessop(1986), partly

* **Tamarix ramosissima** Ledeb. – LE?e FR?e EP?e NL?e MU* YP* SL* KI?e SE*
- *Tamarix aphylla* auct.non (L.) Karsten: Jessop(1986), partly

PLUMBAGINACEAE 100.282
* **Limonium binervosum** (G.E.Sm.) C.E.Salmon – FR* EP* NL* MU* SL* KI* SE*
- *Limonium occidentale* (J.Lloyd) Kuntze
- *Statice binervosa* G.E.Sm.
- *Statice occidentalis* J.Lloyd

* **Limonium companyonis** (Gren. & Billot) Kuntze – FR* EP* NL* MU* YP* SL* KI* SE*
- *Limonium psilocladon* auct.non (Boiss.) Kuntze: J.M.Black(1952), partly
- *Statice companyonis* Gren. & Billot

* **Limonium diffusum** (Pourr.) Kuntze – FR* EP* MU* YP* SL?e
- *Limonium myrianthum* (Schrenk) Kuntze
- *Myriolepis diffusa* (Pourr.) Lledo , Erben & M.B.Crespo
- *Myriolimon diffusum* (Pourr.) Lledo, Erben & M.B.Crespo
- *Statice diffusa* Pourr.

* **Limonium hyblaeum** Brullo – EP* MU* YP* SL* KI* SE*
- *Limonium psilocladon* auct.non (Boiss.) Kuntze: J.M.Black(1952), partly
- *Limonium sp.* (Toelken 1986)

* **Limonium lobatum** (L.f.) Chaz. – LE* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Limonium thouinii* (Viv.) Kuntze

- *Statice lobata* L.f.
- *Statice thouinii* Viv.

* **Limonium perezii** (Stapf) F.T.Hubb. – SL*

* **Limonium sinuatum** (L.) Mill. – GT* FR* EP* NL* MU* YP* SL* KI* SE*
- *Statice sinuata* L.

?e **Plumbago auriculata** Lam. – SL?e

POLYGONACEAE 100.283

Duma coccoloboides (J.M.Black) T.M.Schust. – LE EA
- *Muehlenbeckia coccoloboides* J.M.Black

Duma florulenta (Meisn.) T.M.Schust. – NW LE GT FR EA EP NL MU YP SL SE
- *Calycopeplus ephedroides* auct.non Planch.: Airy Shaw(1980)
- *Calycopeplus paucifolius* auct.non (Klotzsch) Baill.: J.Z.Weber(1986)
- *Muehlenbeckia cunninghamii* (Meisn.) F.Muell.
- *Muehlenbeckia florulenta* Meisn.
- *Polygonum cunninghamii* Meisn.

Duma horrida (H.Gross) T.M.Schust. ssp. **horrida** (Rare status in SA) – GT MU SE
- *Muehlenbeckia horrida* H.Gross ssp. *horrida*

* **Fallopia convolvulus** (L.) A.Love – NL?e SL* SE?e
- *Bilderdykia convolvulus* (L.) Dumort.
- *Polygonum convolvulus* L.

Muehlenbeckia adpressa (Labill.) Meisn. – EP NL MU YP SL KI SE
- *Muehlenbeckia adpressa* (Labill.) Meisn. var. *rotundifolia* Meisn.
- *Polygonum adpressum* Labill.

Muehlenbeckia diclina (F.Muell.) F.Muell. – EA EP MU SE
- *Muehlenbeckia diclina* (F.Muell.) F.Muell. ssp. *diclina*, nom.inval. (no subsp. exists)
- *Polygonum diclinum* F.Muell.

Muehlenbeckia gunnii (Hook.f.) Endl. – EP YP SL KI SE
- *Muehlenbeckia adpressa* (Labill.) Meisn. var. *hastifolia* Meisn.
- *Polygonum gunnii* Hook.f.

Persicaria attenuata (R.Br.) Sojak ssp. **attenuata** – LE
- *Polygonum articulatum* R.Br. non L.
- *Polygonum attenuatum* R.Br.

?e **Persicaria capitata** (Buch.-Ham. ex D.Don) H.Gross – MU?e SL?e
- *Polygonum capitatum* Buch.-Ham. ex D.Don

Persicaria decipiens (R.Br.) K.L.Wilson – LE FR NL MU SL SE
- *Persicaria salicifolia* (Brouss. ex Willd.) Assenov, nom.illeg.
- *Polygonum decipiens* R.Br.
- *Polygonum minus* auct.non Huds.: J.M.Black(1948)
- *Polygonum salicifolium* Brouss. ex Willd.

?e **Persicaria glabra** (Willd.) M.Gomez – LE?e
- *Polygonum glabrum* Willd.

Persicaria lapathifolia (L.) Gray – LE EA MU SL SEn*
- *Polygonum lanigerum* R.Br.
- *Polygonum lapathifolium* L.
- *Polygonum lapathifolium* L. var. *lanigerum* (R.Br.) F.Muell.

* **Persicaria maculosa** Gray – SL*
- *Polygonum salicifolium* auct.non Brouss. ex Willd.: Chorney(1986), partly

* **Persicaria orientalis** (L.) Spach – SL*
- *Polygonum orientale* L.

Persicaria praetermissa (Hook.f.) H.Hara – SL
- *Persicaria strigosa* auct.non (R.Br.) H.Gross: Vonow(1993)
- *Polygonum praetermissum* Hook.f.
- *Polygonum strigosum* auct.non R.Br.: Chorney(1986)

Persicaria prostrata (R.Br.) Sojak – LE FR EP NL MU SL KI SE
- *Polygonum prostratum* R.Br.

* **Polygonum arenastrum** Boreau – FR* NL* SL* KI* SE*
- *Polygonum aviculare* auct.non L.: Chorney(1986), partly

* **Polygonum aviculare** L. – LE* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*

* **Polygonum bellardii** All. – FR* EP* NL?e MU* YP* SL* SE*
- *Polygonum patulum* auct.non M.Bieb.: Vonow(1993)

Polygonum plebeium R.Br. – NW LE GT FR EA EP NL MU SL SE
* **Rumex acetosella** L. – EP* NL* MU* SL* KI* SE*
- *Acetosella angiocarpa* (Murb.) A.Love
- *Acetosella vulgaris* Fourr.
- *Rumex angiocarpus* Murb.

Rumex bidens R.Br. – MU SL SE
Rumex brownii Campd. – FR EA EP NL MU YP SL KI SE
- *Rumex alcockii* Rech.f.

Rumex × comaumensis Rech.f. – SE
* **Rumex conglomeratus** Murray – EP* NL* MU* SL* SE*
* **Rumex crispus** L. – GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
Rumex crystallinus Lange – NW LE GT FR EA EP MU
- *Rumex halophilus* F.Muell.

Rumex dumosus A.Cunn. ex Meisn. (Rare status in SA) – FR EA EP NL MU[?id] SL SE
- *Rumex dumosiformis* Rech.f.
- *Rumex dumosus* A.Cunn. ex Meisn. var. *dumosiformis* (Rech.f.) Rech.f.

* **Rumex hypogaeus** T.M.Schust. & Reveal
– NW[?e] LE[?e] NU[?e] GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Emex australis* Steinh.

* **Rumex obtusifolius** L. – YP* SL* SE*
* **Rumex × pratensis** Mert. & W.D.J.Koch – SL* SE*
* **Rumex pulcher** L. ssp. **pulcher** – ?FR[?e] EP* NL* SL* KI* SE*
[?e] **Rumex pulcher** L. ssp. **woodsii** (De Not.) Arcang. – EP[?e]
- *Rumex divaricatus* L.
- *Rumex pulcher* L. ssp. *divaricatus* (L.) Murb.

* **Rumex sagittatus** Thunb. – SL* SE*
- *Acetosa sagittata* (Thunb.) L.A.S.Johnson & B.G.Briggs

* **Rumex spinosus** L. – EP* YP[?e]
- *Emex spinosa* (L.) Campd.

Rumex tenax Rech.f. – NU EA EP MU SL
* **Rumex vesicarius** L. – NW* LE* NU* GT* FR* EA* EP* MU* YP* SL*
- *Acetosa vesicaria* (L.) A.Love
- *Rumex roseus* auct.non L.: J.M.Black(1948)

DROSERACEAE 100.284
Drosera aberrans (Lowrie & Carlquist) Lowrie & Conran – MU SE
- *Drosera whittakeri* auct.non Planch.: N.G.Marchant in Jessop & Toelken(1986), partly
- *Drosera whittakeri* Planch. ssp. *aberrans* Lowrie & Carlquist

Drosera auriculata Backh. ex Planch. – FR EP NL MU YP SL KI SE
- *Drosera peltata* Thunb. ssp. *auriculata* (Backh. ex Planch.) B.J.Conn
- *Drosera peltata* Thunb. var. *auriculata* (Backh. ex Planch.) Jessop, nom.inval.
- *Sondera auriculata* (Backh. ex Planch.) Chrtek & Slavikova

Drosera binata Labill. (Rare status in SA) – SL KI SE
Drosera finlaysoniana Wall. ex Arn. – NW LE
- *Drosera indica* auct.non L.:J.G.Conran & N.G.Marchant in Kellermann(2011)

Drosera glanduligera Lehm. – FR EP NL MU YP SL KI SE
Drosera hookeri R.P.Gibson, B.J.Conn & Conran – FR EP NL MU YP SL KI SE
- *Drosera foliosa* Hook.f. ex Planch.(1848), nom.illeg., non Elliott(1821)
- *Drosera peltata* auct.non Thunb.: N.G.Marchant in Jessop & Toelken(1986), partly
- *Drosera peltata* auct.non Thunb.: SA Census online(16/03/2011-20/07/2016)
- *Drosera peltata* auct.non Thunb.: N.G.Marchant(1982) ssp. *peltata*, partly

Drosera macrantha Endl. ssp. **planchonii** (Hook.f. ex Planch.) N.G.Marchant
– FR EP NL MU YP SL KI SE
- *Drosera menziesii* R.Br. var. *albiflora* Benth.
- *Drosera planchonii* Hook.f. ex Planch.
- *Sondera planchonii* (Hook.f. ex Planch.) Chrtek & Slavikova

Drosera peltata Thunb. – SL SE
- *Drosera gracilis* Planch.
- *Drosera peltata s.str.* Thunb.
- *Drosera peltata* Thunb. var. *gracilis* (Planch.) Benth.
- *Sondera peltata* (Thunb.) Chrtek & Slavikova

. . . [?e], questionably established. [n*], native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Drosera praefolia Tepper (Rare status in SA) – SL KI
- *Drosera aphylla* Tepper ex R.Bates, nom.illeg.
- *Drosera bulbosa* Hook. var. *praefolia* (Tepper) R.Hamet
- *Drosera whittakeri* Planch. ssp. *praefolia* (Tepper) Lowrie
- *Drosera whittakeri* Planch. var. *praefolia* (Tepper) J.M.Black

Drosera pygmaea DC. – EP MU SL KI SE

Drosera schmutzii Lowrie & Conran – KI
- *Drosera whittakeri* auct.non Planch.: N.G.Marchant in Jessop & Toelken(1986), partly

Drosera stricticaulis (Diels) O.H.Sarg. (Vulnerable status in SA) – EP
- *Drosera aff. stricticaulis* (Diels) O.H.Sarg.: Jessop(1993)
- *Drosera macrantha* Endl. ssp. *planchonii* auct.non (Hook.f. ex Planchon) N.G.Marchant: N.G.Marchant(1986), partly
- *Drosera macrantha* Endl. var. *stricticaulis* Diels
- *Drosera sp. Rigid (R.J.Bates 2268)* Toelken

Drosera whittakeri Planch. – NL MU YP SL KI SE
- *Drosera whittakeri* Planch. ssp. *whittakeri*
- *Sondera whittakeri* (Planch.) Chrtek & Slavikova

CARYOPHYLLACEAE 100.295

?e **Agrostemma githago** L. – SL?e

* **Arenaria leptoclados** (Rchb.) Guss. – ?EP* ?NL* MU* YP* SL* KI* SE*
- *Arenaria serpyllifolia* L. var. *leptoclados* Rchb.

* **Cerastium balearicum** F.Herm. – EP* NL* MU* YP* SL* KI* SE*
- *Cerastium semidecandrum* auct.non L.: Chorney(1986), partly

* **Cerastium diffusum** Pers. – YP* SL* KI* SE*
- *Cerastium tetrandum* Curtis

* **Cerastium glomeratum** Thuill. – FR* EP* NL* MU* YP* SL* KI* SE*
- *Cerastium viscosum* L.
- *Cerastium vulgatum* auct.non L.: J.M.Black(1909)

* **Cerastium pumilum** Curtis – EP* YP* SL* KI?e SE*
- *Cerastium semidecandrum* auct.non L.: Chorney(1986), partly

Cerastium semidecandrum L. – Distribution not available

Colobanthus apetalus (Labill.) Druce (Vulnerable status in SA) – SE
- *Spergula apetala* Labill.

?e **Gypsophila paniculata** L. – NL?e SL?e

* **Gypsophila tubulosa** (Jaub. & Spach) Boiss. – NW* GT* FR* EA* EP* NL* MU* YP* SE*
- *Dichoglottis australis* Schltdl.
- *Dichoglottis tubulosa* Jaub. & Spach
- *Gypsophila australis* (Schltdl.) A.Gray

* **Herniaria cinerea** DC. – NW* LE* GT* FR* EA* EP* NL* MU* YP* SL*
- *Herniaria hirsuta* auct.non L.: Chorney(1986)
- *Herniaria incana* auct.non Lam.: Tate(1890)

* **Moenchia erecta** (L.) Gaertn., B.Mey. & Scherb. – EP* NL* MU* SL* SE*
- *Cerastium quaternellum* Fenzl
- *Sagina erecta* L.

* **Paronychia argentea** Lam. – ?NL* MU?e

?e **Paronychia brasiliana** DC. – FR?e NL?e SL?e
- *Paronychia chilensis* auct.non DC.: Chorney(1986)

* **Petrorhagia dubia** (Rafin) G.Lopez & Romo – FR* EP* NL* MU* YP* SL* KI* SE*
- *Dianthus dubius* Rafin.
- *Dianthus velutinus* Guss.
- *Petrorhagia velutina* (Guss.) P.W.Ball & Heywood
- *Tunica velutina* (Guss.) Fisch. & C.A.Mey.

* **Petrorhagia nanteuilii** (Burnat) P.W.Ball & Heywood – SL* KI* SE*
- *Dianthus nanteuilii* Burnat
- *Petrorhagia prolifera* auct.non (L.) P.W.Ball & Heywood: H.Eichler(1965)
- *Tunica prolifera* auct.non (L.) Scop.: J.M.Black(1948)

Polycarpaea arida Pedley – NW LE
- *Polycarpaea corymbosa* auct.non (L.) Lam.: J.M.Black(1948)

Polycarpaea breviflora F.Muell. – LE
- *Polycarpaea spirostylis* F.Muell. ssp. *glabra* auct.non (C.T.White & W.D.Francis) Pedley: Chorney(1986)

- *Polycarpaea synandra* F.Muell.
- *Polycarpon breviflorum* (F.Muell.) Kuntze

* **Polycarpon tetraphyllum** (L.) L. – FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Mollugo tetraphylla* L.
- *Polycarpon diphyllum* Cav.
- *Polycarpon tetraphyllum* (L.) L. var. *diphyllum* (Cav.) DC.

* **Sabulina mediterranea** (Ledeb. ex Link) Rchb. – FR* EP* NL* MU* YP* SL* KI* SE*
- *Arenaria mediterranea* Link
- *Minuartia hybrida* auct.non (Vill.) Schischk.: Chorney(1986)
- *Minuartia mediterranea* (Link) K.Maly
- *Minuartia tenuifolia* auct.non (L.) Hiern: J.M.Black(1924)

* **Sagina apetala** Ard. – ?NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Sagina apetala* Ard. ssp. *erecta* (Hornem.) F.Herm.

?n **Sagina maritima** G.Don – EP?n MU?n YP?n SL?n KI?n SE?n

?e **Sagina procumbens** L. – NL?e MU?e YP?e SL?e SE?e

Scleranthus diander R.Br. (Endangered status in SA) – SE

Scleranthus minusculus F.Muell. – EP MU

Scleranthus pungens R.Br. – GT FR EA EP NL MU YP SL KI

?e **Silene aegyptiaca** (L.) L. – YP?e?id SL?e?id
- *Silene schafta* auct.non S.G.Gmel. ex Fisch. & C.A.Mey.: Chorney(1986), partly

* **Silene apetala** Willd. – LE* ?FR* EA* EP* NL?e MU* SE?e

?e **Silene armeria** L. – MU?e SL?e SE?e

?e **Silene atocioides** Boiss. – NL?e SL?e SE?e
- *Silene schafta* auct.non S.G.Gmel. ex Fisch. & C.A.Mey.: Chorney(1986), partly

?e **Silene conica** L. – SL?e SE?e

?e **Silene coronaria** (L.) Clairv. – SL?e
- *Agrostemma coronaria* L.
- *Lychnis coronaria* (L.) Desr.

?e **Silene dichotoma** Ehrh. – SL?e

?e **Silene dioica** (L.) Clairv. – SL?e
- *Lychnis dioica* L.
- *Lychnis dioica* L. var. *rubra* Weigel
- *Lychnis diurna* Sibth.
- *Melandrium dioicum* (L.) Coss. & Germ.
- *Melandrium diurnum* (Sibth.) Fr.
- *Melandrium rubrum* (Weigel) Garcke

* **Silene gallica** L. var. **gallica** – FR* EP* NL* MU* YP* SL* KI* SE*
- *Silene anglica* L.
- *Silene gallica* L., partly
- *Silene tridentata* Ramond ex DC.

* **Silene gallica** L. var. **quinquevulnera** (L.) W.D.J.Koch – SL* SE?e
- *Silene quinquevulnera* L.

?e **Silene latifolia** Poir. – SL?e SE?e
- *Lychnis alba* Mill.
- *Lychnis pratensis* Rafn
- *Silene alba* (Mill.) E.H.L.Krause
- *Silene pratensis* (Rafn) Godr. & Gren.

?e **Silene longicaulis** Pourr. ex Lag. – MU?e

* **Silene nocturna** L. – FR* EA* EP* NL* MU* YP* SL* KI* SE*

?e **Silene pendula** L. – SL?e

?e **Silene pseudoatocion** Desf. – FR?e YP?e SL?e SE?e

* **Silene tridentata** Desf. – FR* EP* MU* YP*

* **Silene vulgaris** (Moench) Garcke (Declared SA plant) – FR?e EP?e NL?e MU?e YP?e SL* KI?e SE*
- *Behen vulgaris* Moench
- *Cucubalus behen* L.
- *Cucubalus inflatus* Wibel
- *Silene cucubalus* Wibel
- *Silene inflata* (Salisb.) Sm.

* **Spergula arvensis** L. – NL?e MU?e SL* SE?e

* **Spergularia bocconei** (Scheele) Graebn. – LE* FR* EP* NL* MU* YP* SL* KI* SE*
- *Alsine bocconei* Scheele, as "bocconi"

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

- *Spergularia bocconii* (Scheele) Graebn., orth.var.
- *Spergularia marina* auct.non (L.) Griseb.: Chorney(1986), partly
- *Spergularia rubra* auct.non (L.) J. & C.Presl: Chorney(1986), partly

Spergularia brevifolia (Bartl.) Walp. – LE FR EA EP NL MU SL SE
- *Lepigonium brevifolia* Bartl.
- *Spergularia diandra* auct.non (Guss.) Heldr.: Chorney(1986), partly
- *Spergularia marina* auct.non (L.) Griseb.: Chorney(1986), partly
- *Spergularia rubra* (L.) J. & C.Presl var. *pinguis* auct.non Fenzl: J.M.Black(1924)
- *Spergularia sp. 3* L.G.Adams
- *Spergularia sp. Mt Mulyah (C.W.E.Moore 7046)* L.G.Adams

* **Spergularia diandra** (Guss.) Heldr.
– NW* LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* SE*
- *Arenaria diandra* Guss.

Spergularia diandroides L.G.Adams – LE GT FR EA EP
- *Spergularia diandra* auct.non (Guss.) Heldr.: Chorney(1986), partly
- *Spergularia sp. 4* L.G.Adams(Florabase)
- *Spergularia sp. Andado (A.S.Mitchell 146)* NT Herbarium
- *Spergularia sp. Densely papillose (E.N.S.Jackson 2133)* L.G.Adams

Spergularia marina (L.) Griseb. – NW LE GT FR EA EP NL MU YP SL KI SE
- *Arenaria rubra* L. var. *marina* L.
- *Spergularia salina* J.S. & C.Presl

* **Spergularia media** (L.) C.Presl – EA* EP* NL* MU* YP* KI* SE*
- *Arenaria marginata* DC., nom.illeg.
- *Arenaria media* L.
- *Spergularia marginata* Kitt.

* **Spergularia rubra** (L.) J. & C.Presl – LE* FR* EA* EP* NL* MU* YP* SL* SE*
- *Arenaria campestris* (L.) Asch.
- *Arenaria rubra* L.
- *Arenaria rubra* L. var. *campestris* L.
- *Spergularia pinguis* (Fenzl) Rouy & Foucaud
- *Spergularia rubra* (L.) J. & C.Presl var. *pinguis* Fenzl.

Spergularia tasmanica (Kindb.) L.G.Adams – EP NL MU YP SL KI SE
- *Lepigonum tasmanicum* Kindb.
- *Spergularia marginata* auct.non Kitt.: J.M.Black(1948), partly
- *Spergularia media* auct.non (L.) C.Presl: Chorney(1986), partly
- *Spergularia sp. 1* L.G.Adams(1996)
- *Spergularia sp. B* A.Doust(1990)
- *Spergularia sp. Butchers Gap (P.Gibbons 234)* L.G.Adams & J.G.West(2005)

* **Spergularia villosa** (Pers.) Cambess. – NL* SL*
- *Spergularia sp. 2* L.G.Adams

Stellaria angustifolia Hook. ssp. **angustifolia** – MU SL KI SE
- *Stellaria angustifolia* Hook., partly
- *Stellaria palustris* auct.non Ehrh. ex Retz.: Black(1924); Barker et al.(2005) var. *palustris*

Stellaria angustifolia Hook. ssp. **tenella** (Benth.) C.H.Mill. & J.G.West (Rare status in SA)
– MU SL KI[?id] SE
- *Stellaria caespitosa* Hook.f.
- *Stellaria glauca* With. var. *caespitosa* (Hook.f) Benth.
- *Stellaria glauca* With. var. *tenella* Benth.
- *Stellaria palustris* Ehrh. ex Retz. var. *caespitosa* (Hook.f.) J.M.Black
- *Stellaria palustris* Ehrh. ex Retz. var. *tenella* (Benth.) J.M.Black

Stellaria filiformis (Benth.) Mattf. – FR EA EP NL MU YP KI SE
- *Drymaria filiformis* Benth.

Stellaria flaccida Hook. – SL[?e] KI

[?e] **Stellaria graminea** L. – SL[?e]

* **Stellaria media** (L.) Vill. – FR* EA* EP* NL* MU* YP* SL* SE*
- *Alsine media* L.

Stellaria multiflora Hook. ssp. **collaris** C.H.Mill. & J.G.West (Rare status in SA) – FR MU
- *Stellaria multiflora* Hook., partly

Stellaria multiflora Hook. ssp. **multiflora** (Rare status in SA) – MU SL KI SE
- *Stellaria multiflora* Hook., partly

Stellaria multiflora Hook. ssp. **nebulosa** C.H.Mill. & J.G.West (Rare status in SA) – EP NL MU KI SE
- *Stellaria multiflora* Hook., partly

* **Stellaria pallida** (Dumort.) Crep. – FR* EP* NL* MU* YP* SL* KI* SE*
- *Alsine pallida* Dumort.

Stellaria pungens Brongn. (Rare status in SA) – SL SE

* **Vaccaria hispanica** (Mill.) Rauschert – NW* FR* EP?e NL* MU* YP?e SL* SE?e
- *Saponaria hispanica* Mill.
- *Saponaria segetalis* Neck.
- *Saponaria vaccaria* L.
- *Vaccaria parviflora* Moench
- *Vaccaria pyramidata* Medik.
- *Vaccaria segetalis* (Neck.) Asch.

AMARANTHACEAE 100.297

* **Aerva javanica** (Burm.f.) Juss. ex Schult. – LE*
- *Iresine javanica* Burm.f.

Alternanthera angustifolia R.Br. – NW LE GT EA

Alternanthera denticulata R.Br. – NW LE GT FR EA EP NL MU SL SE

Alternanthera nana R.Br. – NW LE

Alternanthera nodiflora R.Br. – NW LE GT FR MU
- *Alternanthera triandra* auct.non Lam.: F.Muell. & Tate(1896)

* **Alternanthera pungens** Kunth (Declared SA plant)
– NW* LE* GT* FR* EA* EP* NL* MU* YP* SL* KI?e SE?e
- *Achyranthes repens* L.
- *Alternanthera repens* (L.) Link

Alternanthera sp. A Flora of New South Wales (M.Gray 5187) J.Palmer – MU SL KI SE
- *Alternanthera denticulata* auct.non R.Br.: Palmer in Kellermann(2014), partly
- *Alternanthera nana* auct.non R.Br.: SA Census online(Sep. 2011), partly

* **Amaranthus albus** L. – GT* FR* EP* NL* MU* YP* SL* SE*

* **Amaranthus caudatus** L. – LE* FR* EP* NL* MU* YP* SL*

Amaranthus centralis J.Palmer & Mowatt – NW LE FR
- *Amaranthus mitchellii* auct.non Benth.: Jessop(1986), partly
- *Amaranthus sp. Todd River (G.Chippendale 482)* J.Palmer in W.R.Barker et al.(2005)

* **Amaranthus cruentus** L. – FR* EA* MU?e SL*
- *Amaranthus hybridus* L. var. *cruentus* (L.) Mansf.
- *Amaranthus paniculatus* L.
- *Amaranthus patulus* auct.non Bertol.: H.Eichler(1965)

Amaranthus cuspidifolius Domin – NW LE GT EA EP
- *Amaranthus mitchellii* auct.non Benth.: Jessop(1986), partly

* **Amaranthus deflexus** L. – EP* YP* SL*

* **Amaranthus graecizans** L. ssp. **silvestris** (Vill.) Brenan – MU* YP* SL*
- *Amaranthus angustifolius* Lam., nom. illeg.
- *Amaranthus graecizans* L. ssp. *sylvestris* (Vill.) Brenan, orth.var.
- *Amaranthus silvestris* Vill.
- *Amaranthus sylvestris* Vill., orth.var.

Amaranthus grandiflorus (J.M.Black) J.M.Black – NW LE GT FR EA EP NL MU YP
- *Amaranthus mitchellii* Benth. var. *grandiflorus* J.M.Black

* **Amaranthus hybridus** L. – SL*
- *Amaranthus patulus* Bertol.

Amaranthus interruptus R.Br. – NW LE FR

Amaranthus macrocarpus Benth. – NW LE EA MU
- *Amaranthus macrocarpus* Benth. ssp. *macrocarpus*
- *Amaranthus macrocarpus* Benth. var. *macrocarpus*
- *Amaranthus macrocarpus* Benth. var. *pallidus* Benth.

Amaranthus mitchellii Benth. – NW LE GT FR EA EP
- *Euxolus mitchellii* (Benth.) F.Muell.

* **Amaranthus muricatus** (Moq.) Hieron. – GT* EP* NL* MU* YP* SL*
- *Euxolus muricatus* Moq.

* **Amaranthus powellii** S.Watson – SL* SE*

* **Amaranthus retroflexus** L. – GT* EP* NL* YP* SL* SE*

* **Amaranthus viridis** L. – NW* LE* GT* FR* EA*[?id] EP* NL* MU* YP* SL* SE*
- *Amaranthus gracilis* Desf.

Atriplex acutibractea R.H.Anderson ssp. **acutibractea** – NW LE NU GT FR EA EP MU YP SL
- *Atriplex acutibractea* R.H.Anderson ssp. *whyallensis* Aellen, nom.illeg.
- *Atriplex leptocarpa* F.Muell. var. *acuminata* J.M.Black

Atriplex acutibractea R.H.Anderson ssp. **karoniensis** Aellen – NU FR EP NL MU YP SL
- *Atriplex fasciculiflora* Aellen
- *Atriplex spongiivalvis* Aellen

Atriplex acutiloba R.H.Anderson – LE GT FR EA EP MU
- *Atriplex acutiloba* R.H.Anderson var. *velutinelliformis* Aellen

* **Atriplex amnicola** Paul G.Wilson – SL*

Atriplex angulata Benth. – NW LE GT FR EA EP MU
- *Atriplex angulata* Benth. var. *campanulatiformis* Aellen, questionably

Atriplex australasica Moq. (Rare status in SA) – MU YP SL KI[?id] SE

Atriplex cinerea Poir. – NU EP NL YP SL KI SE
- *Atriplex cinerea* Poir. ssp. *globulosa* Aellen

Atriplex cordifolia J.M.Black – LE GT EA

Atriplex crassipes J.M.Black var. **crassipes** – LE
- *Atriplex crassipes* J.M.Black var. *inappendiculata* Aellen, nom.inval.
- *Atriplex muelleri* Benth. var. *stipitata* (F.Muell.) Aellen
- *Atriplex rosea* L. var. *stipitata* F.Muell.

Atriplex cryptocarpa Aellen – NU GT

Atriplex eardleyae Aellen – LE NU GT FR EA EP NL MU YP
- *Atriplex campanulata* auct.non J.Woods: Benth(1870)

Atriplex eichleri Aellen (Rare status in SA) – LE FR EA
- *Atriplex campanulata* Benth. var. *adnata* J.M.Black

Atriplex elachophylla F.Muell. – NW LE GT
- *Atriplex varia* Ewart & O.B.Davies

Atriplex fissivalvis F.Muell. – LE GT FR EP
- *Haloxanthium fissivalve* (F.Muell.) Ulbr.

Atriplex holocarpa F.Muell. – NW LE NU GT FR EA EP NL MU SL
- *Atriplex spongiosa* F.Muell. var. *holocarpa* (F.Muell.) J.M.Black
- *Senniella spongiosa* (F.Muell.) Aellen var. *holocarpa* (F.Muell.) Aellen
- *Senniella spongiosa* (F.Muell.) Aellen var. *xylocarpa* Aellen

Atriplex humifusa Paul G.Wilson (Vulnerable status in SA) – LE

Atriplex incrassata F.Muell. – LE GT FR
- *Atriplex cinerea* Poir. ssp. *incrassata* (F.Muell.) Aellen
- *Atriplex nummularia* Lindl. ssp. *omissa* auct.non Aellen: Barker et al.(2005)

Atriplex intermedia R.H.Anderson – LE GT EA

Atriplex kochiana Maiden (Vulnerable status in SA) – LE GT FR

Atriplex leptocarpa F.Muell. – LE NU GT EP NL MU SL
- *Atriplex leptocarpa* F.Muell. var. *armata* Aellen, nom.inval.
- *Atriplex leptocarpa* F.Muell. var. *inermis* Aellen
- *Atriplex leptocarpa* F.Muell. var. *leptocarpa*
- *Atriplex leptocarpa* F.Muell. var. *minor* (R.H.Anderson) J.M.Black
- *Atriplex leptocarpa* F.Muell. f. *minor* R.H.Anderson
- *Atriplex sturtii* S.W.L.Jacobs

Atriplex limbata Benth. – NW LE GT FR EA EP MU
- *Atriplex limbata* Benth. var. *sexifida* J.M.Black

Atriplex lindleyi Moq. ssp. **conduplicata** (F.Muell.) Paul G.Wilson – NW LE GT FR EA EP
- *Atriplex conduplicata* F.Muell.
- *Atriplex halimoides* Lindl. var. *conduplicata* (F.Muell.) F.Muell. & Tate
- *Blackiella conduplicata* (F.Muell.) Aellen
- *Blackiella conduplicata* (F.Muell.) Aellen var. *phyllocarpa* Aellen, questionably

Atriplex lindleyi Moq. ssp. **inflata** (F.Muell.) Paul G.Wilson – LE GT FR EA EP NL MU YP
- *Atriplex inflata* F.Muell.

Atriplex lindleyi Moq. ssp. **lindleyi** – LE GT FR EA EP NL MU

Atriplex lindleyi Moq. ssp. **quadripartita** Paul. G.Wilson – LE GT FR EA EP
- *Atriplex lindleyi* Moq. var. *quadripartita* J.M.Black, nom.illeg.

Atriplex lobativalvis F.Muell. – NW LE GT EA
- *Atriplex lobativalvis* F.Muell. var. *biarcuata* Aellen

Atriplex macropterocarpa (Aellen) H.Eichler – LE GT FR
- *Blackiella macropterocarpa* Aellen

Atriplex morrisii R.H.Anderson (Vulnerable status in SA) – LE NU FR
- *Morrisiella morrisii* (R.H.Anderson) Aellen

Atriplex muelleri Benth. – LE

Atriplex nessorhina S.W.L.Jacobs – GT EP

Atriplex nummularia Lindl. ssp. **nummularia** – NW LE GT FR EA NL MU YP
- *Atriplex nummularia* Lindl.
- *Atriplex nummularia* Lindl. ssp. *erosa* Aellen

Atriplex nummularia Lindl. ssp. **spathulata** Aellen – NU

Atriplex obconica Paul G.Wilson – NW LE GT FR

Atriplex paludosa R.Br. ssp. **cordata** (Benth.) Aellen – NU EP NL MU YP SL KI SE
- *Atriplex paludosa* R.Br., s.l.
- *Atriplex paludosa* R.Br. ssp. *baudinii* Aellen var. *acuticordata* Aellen
- *Atriplex paludosa* R.Br. var. *cordata* Benth.
- *Atriplex paludosa* R.Br. var. *cordivalvis* Aellen
- *Atriplex reniformis* R.Br.
- *Pachypharynx acuminata* Aellen

Atriplex paludosa R.Br. ssp. **paludosa** – SL SE
- *Atriplex paludosa* R.Br.
- *Atriplex paludosa* R.Br. var. *paludosa*

Atriplex papillata J.H.Willis (Endangered status in SA) – EA MU

* **Atriplex prostrata** Boucher ex DC. – FR* EP* NL* MU* YP* SL* KI* SE*
- *Atriplex hastata* auct.non L.: J.M.Black(1948)
- *Atriplex hastata* L. var. *salina* Wallr. ex Gren.

Atriplex pseudocampanulata Aellen – NW LE GT FR EA MU

Atriplex pumilio R.Br. – LE NU GT EP NL MU YP
- *Atriplex decumbens* R.Br. ex Schult.
- *Atriplex prostrata* R.Br., nom.illeg., non Boucher ex DC.(1805)

Atriplex quadrivalvata Diels var. **quadrivalvata** – NW LE
- *Haloxanthium quadrivalvatum* (Diels) Ulbr.

Atriplex quadrivalvata Diels var. **sessilifolia** (Ising) Ising – NW LE GT
- *Atriplex sessilifolia* Ising

Atriplex quinii F.Muell. – NW LE GT

Atriplex rhagodioides F.Muell. – MU
- *Atriplex cinerea* Poir. ssp. *rhagodioides* (F.Muell.) Aellen

Atriplex semibaccata R.Br. – LE FR EA EP NL MU YP SL KI SE

Atriplex spongiosa F.Muell. – NW?id LE NU GT FR EA EP
- *Atriplex holocarpa* F.Muell. var. *spongiosa* (F.Muell.) Maiden & Betche
- *Senniella spongiosa* (F.Muell.) Aellen
- *Senniella spongiosa* (F.Muell.) Aellen var. *amoena* Aellen

Atriplex stipitata Benth. ssp. **miscella** N.G.Walsh & Sluiter – NW FR MU
- *Atriplex stipitata* Benth., partly

Atriplex stipitata Benth. ssp. **stipitata** – NW LE NU GT FR EA EP NL MU YP SL
- *Atriplex stipitata* Benth., partly

Atriplex suberecta I.Verd. – NW LE GT FR EA EP NL MU YP SL KI SE

Atriplex turbinata (R.H.Anderson) Aellen – LE GT EA
- *Atriplex leptocarpa* F.Muell. var. *turbinata* (R.H.Anderson) J.M.Black
- *Atriplex leptocarpa* F.Muell. f. *turbinata* R.H.Anderson

?e **Atriplex undulata** (Moq.) D.Dietr. – SL?e
- *Obione undulata* Moq.

Atriplex velutinella F.Muell. – NW LE NU GT FR EA EP MU

Atriplex vesicaria Heward ex Benth. – NW LE NU GT FR EA EP NL MU YP SL
- *Atriplex paludosa* R.Br. var. *appendiculata* Benth.
- *Atriplex vesicaria* Heward ex Benth. ssp. *appendiculata* (Benth.) Parr-Smith
- *Atriplex vesicaria* Heward ex Benth. ssp. *calcicola* Parr-Smith
- *Atriplex vesicaria* Heward ex Benth. ssp. *macrocystidia* Parr-Smith
- *Atriplex vesicaria* Heward ex Benth. ssp. *sphaerocarpa* Parr-Smith
- *Atriplex vesicaria* Heward ex Benth. ssp. *variabilis* Parr-Smith

* **Bassia scoparia** (L.) A.J.Scott (Declared SA plant) – FR* EP* NL* MU*
- *Chenopodium scoparia* L.

- *Kochia scoparia* (L.) Schrad.

* **Beta vulgaris** L. ssp. **maritima** (L.) Arcang. – FR* YP* SL* KI*
- *Beta maritima* L.
- *Beta vulgaris* L. var. *maritima* (L.) Moq.

* **Chenopodium album** L. – GT* FR* EP* NL* MU* YP* SL* KI* SE*
- *Chenopodium probstii* Aellen ex Probst

Chenopodium auricomum Lindl. – NW LE GT FR EA MU

Chenopodium curvispicatum Paul G.Wilson – NW LE NU GT FR EA EP NL MU YP
- *Rhagodia spinescens* R.Br. var. *deltophylla* auct.non F.Muell.: J.M.Black(1948), partly

Chenopodium desertorum (J.M.Black) J.M.Black ssp. **anidiophyllum** (Aellen) Paul G.Wilson – NW LE NU GT FR EA EP
- *Chenopodium anidiophyllum* Aellen

Chenopodium desertorum (J.M.Black) J.M.Black ssp. **desertorum** – NW LE NU GT FR EA EP NL MU YP SL
- *Chenopodium microphyllum* F.Muell. var. *desertorum* J.M.Black

Chenopodium desertorum (J.M.Black) J.M.Black ssp. **microphyllum** Paul G.Wilson – FR EP NL MU YP SL SE
- *Chenopodium cochlearifolium* Aellen
- *Chenopodium microphyllum* F.Muell., nom.illeg., non Thunb.(1794)
- *Chenopodium pseudomicrophyllum* Aellen

Chenopodium desertorum (J.M.Black) J.M.Black ssp. **rectum** Paul G.Wilson – NW NU GT EP MU

Chenopodium erosum R.Br. (Rare status in SA) – YP KI

Chenopodium gaudichaudianum (Moq.) Paul G.Wilson – NW LE NU GT EP
- *Rhagodia gaudichaudiana* Moq.

?n **Chenopodium glaucum** L. – FR?n?e EA?n?e EP?n?e MU?n?e YP?n?e SL?n?e KI?n?e SE?n?e
- *Chenopodium ambiguum* R.Br.
- *Oxybasis glauca* (L.) S.Fuentes, Uotila & Borsch

* **Chenopodium murale** L. – NW* LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Chenopodiastrum murale* (L.) S.Fuentes, Uotila & Borsch

Chenopodium nitrariaceum (F.Muell.) F.Muell.ex Benth. – NW LE GT FR EA EP NL MU YP SL
- *Rhagodia nitrariacea* F.Muell.

* **Chenopodium opulifolium** Schrad. ex G.C.T.Koch & Ziz – NL* SE*

* **Chenopodium vulvaria** L. – SL* SE*

Dissocarpus biflorus F.Muell. var. **biflorus** – NW LE NU GT FR EA EP NL MU YP SL
- *Bassia biflora* (R.Br.) F.Muell.
- *Bassia biflora* (R.Br.) F.Muell. var. *cephalocarpa* auct.non (F.Muell.) A.J.Scott: J.M.Black(1948)
- *Dissocarpus biflorus* F.Muell. var. *cephalocarpus* auct.non (F.Muell.) A.J.Scott: Henshall(1981)
- *Sclerolaena biflora* R.Br.

Dissocarpus biflorus F.Muell. var. **villosus** (Ising) A.J.Scott – NW LE GT EP
- *Bassia biflora* (R.Br.) F.Muell. var. *villosa* Ising

Dissocarpus fontinalis Paul G.Wilson – LE GT FR EA

Dissocarpus latifolius (J.M.Black) Paul G.Wilson – LE
- *Bassia paradoxa* (R.Br.) F.Muell. var. *latifolia* J.M.Black
- *Dissocarpus paradoxus* (R.Br.) F.Muell. ex Ulbr. var. *latifolius* (J.M.Black) Ulbr.

Dissocarpus paradoxus (R.Br.) F.Muell. ex Ulbr. – NW LE NU GT FR EA EP NL MU YP
- *Bassia paradoxa* (R.Br.) F.Muell.
- *Sclerolaena paradoxa* R.Br.

* **Dysphania ambrosioides** (L.) Mosyakin & Clemants – EP* MU* SL* SE*
- *Chenopodium ambrosioides* L.
- *Chenopodium ambrosioides* L. var. *ambrosioides*
- *Dysphania ambrosioides* (L.) Mosyakin & Clemants var. *anthelminticum*
- *Dysphania anthelminticum* L.

Dysphania cristata (F.Muell.) Mosyakin & Clemants – NW LE NU GT FR EA EP NL MU YP SL
- *Blitum cristatum* F.Muell.
- *Chenopodium cristatum* (F.Muell.) F.Muell.

Dysphania glomulifera (Nees) Paul G.Wilson ssp. **eremaea** Paul G.Wilson – NW LE GT FR EA MU
- *Dysphania benthamiana* Domin
- *Dysphania littoralis* auct.non R.BR.: J.M.Black(1948)

Dysphania glomulifera (Nees) Paul G.Wilson ssp. **glomulifera** – FR EA NL MU SL KI
- *Atriplex glomulifera* Nees
- *Chenopodium myriocephalum* (Benth.) Aellen
- *Dysphania myriocephala* Benth.

Dysphania kalpari Paul G.Wilson – NW LE

Dysphania melanocarpa (J.M.Black) Mosyakin & Clemants – NW LE NU GT FR EA EP MU
- *Chenopodium carinatum* R.Br. var. *melanocarpum* J.M.Black
- *Chenopodium carinatum* R.Br. f. *leucocarpum* Aellen
- *Chenopodium cristatum* (F.Muell.) F.Muell. var. *melanocarpum* J.M.Black
- *Chenopodium melanocarpum* (J.M.Black) J.M.Black f. *leucocarpum* (Aellen) Paul G.Wilson
- *Chenopodium melanocarpum* (J.M.Black) J.M.Black f. *melanocarpum*
- *Dysphania melanocarpa* (J.M.Black) Mosyakin & Clemants f. *leucocarpa* (Aellen) Paul G.Wilson & K.A.Sheph.
- *Dysphania melanocarpa* (J.M.Black) Mosyakin & Clemants f. *melanocarpa*

* **Dysphania multifida** (L.) Mosyakin & Clemants – EP* NL* MU* YP* SL* SE*
- *Chenopodium multifidum* L.

Dysphania plantaginella F.Muell. – NW LE GT EA EP
- *Chenopodium plantaginellum* (F.Muell.) Aellen

Dysphania platycarpa Paul G.Wilson – LE NU GT EA

Dysphania pumilio (R.Br.) Mosyakin & Clemants – LE GT FR EA EP NL MU YP SL KI SE
- *Chenopodium carinatum* auct.non R.Br.: J.M.Black(1924)
- *Chenopodium pumilio* R.Br.
- *Chenopodium pumilio* R.Br. var. *oblongifolium* J.M.Black

Dysphania rhadinostachya (F.Muell.) A.J.Scott ssp. **rhadinostachya** – NW LE EP
- *Chenopodium rhadinostachyum* F.Muell.

Dysphania simulans F.Muell. & Tate – NW LE GT EA EP
- *Chenopodium osbornianum* Aellen
- *Chenopodium simulans* (F.Muell.& Tate ex Tate) F.Muell.

Dysphania truncata (Paul G.Wilson) Mosyakin & Clemants – NW LE GT FR EA MU
- *Chenopodium truncatum* Paul G.Wilson

Einadia nutans (R.Br.) A.J.Scott ssp. **eremaea** Paul G.Wilson – NW LE GT FR EA
- *Chenopodium nutans* (R.Br.) S.Fuentes & Borsch ssp. *eremaea* (Paul G.Wilson) S.Fuentes & Borsch

Einadia nutans (R.Br.) A.J.Scott ssp. **nutans** – NW LE GT FR EA EP NL MU YP SL KI SE
- *Chenopodium nutans* (R.Br.) S.Fuentes & Borsch ssp. *nutans*
- *Rhagodia nutans* R.Br.

Einadia nutans (R.Br.) A.J.Scott ssp. **oxycarpa** (Gauba) Paul G.Wilson – NW[?id] GT[?id] EA EP MU
- *Chenopodium nutans* (R.Br.) S.Fuentes & Borsch ssp. *oxycarpa* (Gauba) S.Fuentes & Borsch
- *Rhagodia nutans* R.Br. var. *oxycarpa* Gauba

[?e] **Einadia polygonoides** (Murr) Paul G.Wilson – EP[?e] SL[?e]
- *Chenopodium polygonoides* (Murr) Aellen
- *Chenopodium triangulare* R.Br. var. *angustifolium* Benth.
- *Chenopodium triangulare* R.Br. var. *polygonoides* Murr

Enchylaena tomentosa R.Br. var. **glabra** Benth. – LE GT FR

Enchylaena tomentosa R.Br. var. **tomentosa**
– NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Enchylaena tomentosa* R.Br. var. *villosa* Benth.

Eremophea spinosa (Ewart & O.B.Davies) Paul G.Wilson – NW LE
- *Bassia eremaea* Ising
- *Bassia spinosa* Ewart & O.B.Davies
- *Sclerolaena spinosa* (Ewart & O.B.Davies) A.J.Scott

Eriochiton sclerolaenoides (F.Muell.) F.Muell. ex A.J.Scott
– NW LE NU GT FR EA EP NL MU YP
- *Bassia eriochiton* Tate
- *Bassia sclerolaenoides* (F.Muell.) F.Muell.
- *Chenolea sclerolaenoides* (F.Muell.) F.Muell. ex Benth.
- *Echinopsilon sclerolaenoides* F.Muell.
- *Maireana sclerolaenoides* (F.Muell.) Paul G.Wilson

* **Gomphrena celosioides** Mart. – NW* EA* MU*

Gomphrena lanata R.Br. – NW LE
- *Alternanthera baueri* Moq.
- *Gomphrena brachystylis* auct.non F.Muell.: A.S.George(1981)
- *Gomphrena brownii* Moq., nom. illeg.

. . . [?e], questionably established. [n*], native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

* **Guilleminea densa** (Humb. & Bonpl. ex Schult.) Moq. – MU*
- *Brayulinea densa* (Humb. & Bonpl. ex Schult.) Small
- *Guilleminea illecebroides* Kunth, nom. illeg.
- *Illecebrum densum* Humb. & Bonpl. ex Schult.

Hemichroa diandra R.Br. – NW LE NU GT FR EP NL YP SL KI
- *Polycnemum diandrum* (R.Br.) F.Muell.

Hemichroa mesembryanthema F.Muell. (Vulnerable status in SA) – LE

Hemichroa pentandra R.Br. – EP MU YP SL KI SE
- *Polycnemum pentandrum* (R.Br.) F.Muell.

Maireana aphylla (R.Br.) Paul G.Wilson – NW LE GT FR EA EP NL MU YP SL
- *Kochia aphylla* R.Br.
- *Kochia villosa* Lindl. var. *aphylla* (R.Br.) Maiden & Betche
- *Salsola aphylla* (R.Br.) Spreng.

Maireana appressa (Benth.) Paul G.Wilson – NW LE NU GT FR EA EP NL MU
- *Kochia appressa* Benth.
- *Kochia tomentosa* F.Muell.
- *Kochia tomentosa* F.Muell. var. *appressa* J.M.Black

Maireana astrotricha (L.A.S.Johnson) Paul G.Wilson – NW LE GT FR EA EP MU
- *Kochia astrotricha* L.A.S.Johnson
- *Kochia sedifolia* F.Muell. var. *stellulata* J.M.Black

Maireana brevifolia (R.Br.) Paul G.Wilson – LE NU GT FR EA EP NL MU YP SL
- *Enchylaena tamariscina* (Lindl.) Druce
- *Kochia brevifolia* R.Br.
- *Kochia tamariscina* (Lindl.) J.M.Black
- *Suaeda tamariscina* Lindl.

Maireana campanulata Paul G.Wilson – NW LE NU GT FR EA

Maireana cannonii (J.M.Black) Paul G.Wilson – LE GT FR EP
- *Kochia cannonii* J.M.Black

Maireana carnosa (Moq.) Paul G.Wilson – NW LE NU FR EA MU
- *Bassia carnosa* (Moq.) F.Muell.
- *Bassia lanuginosa* C.T.White
- *Chenolea carnosa* (Moq.) Benth.
- *Echinopsilon carnosus* Moq.
- *Kochia carnosa* (Moq.) R.H.Anderson

Maireana ciliata (F.Muell.) Paul G.Wilson – NW LE GT FR EA EP
- *Kochia ciliata* F.Muell.

Maireana coronata (J.M.Black) Paul G.Wilson – NW LE GT FR EA
- *Kochia coronata* J.M.Black

Maireana decalvans (Gand.) Paul G.Wilson (Endangered status in SA) – NL MU SL
- *Enchylaena decalvans* Gand.
- *Kochia tomentosa* F.Muell. var. *tenuifolia* F.Muell.
- *Kochia villosa* Lindl. var. *tenuifolia* F.Muell. ex Benth.

Maireana enchylaenoides (F.Muell.) Paul G.Wilson – FR EP NL MU YP SL KI SE
- *Bassia enchylaenoides* F.Muell.
- *Chenolea enchylaenoides* F.Muell.
- *Chenolea villosa* (F.Muell.) Ewart
- *Duriala crassiloba* N.C.W.Beadle
- *Duriala villosa* (F.Muell.) Ulbr.
- *Enchylaena villosa* F.Muell.(1858)
- *Kochia crassiloba* R.H.Anderson

Maireana eriantha (F.Muell.) Paul G.Wilson – NW LE GT FR EP
- *Kochia concava* Ising
- *Kochia eriantha* F.Muell.

Maireana erioclada (Benth.) Paul G.Wilson – NW LE NU GT FR EA EP NL MU YP SL
- *Kochia erioclada* (Benth.) Gauba
- *Kochia triptera* Benth. var. *erioclada* Benth.

Maireana excavata (J.M.Black) Paul G.Wilson (Vulnerable status in SA) – FR EP NL MU
- *Kochia excavata* J.M.Black
- *Kochia humillima* auct.non F.Muell.: Tate(1890)
- *Kochia tomentosa* F.Muell. var. *humilis* Benth.
- *Kochia villosa* Lindl. var. *humilis* Benth.

Maireana georgei (Diels) Paul G.Wilson – NW LE NU GT FR EA EP MU
- *Kochia georgei* Diels

Maireana integra (Paul G.Wilson) Paul G.Wilson – NW LE NU GT FR EA EP MU
- *Kochia integra* Paul G.Wilson

Maireana lanosa (Lindl.) Paul G.Wilson – NW GT FR
- *Kochia lanosa* Lindl.

Maireana lobiflora (F.Muell.ex Benth.) Paul G.Wilson – NW LE NU GT FR EA EP MU
- *Kochia lobiflora* F.Muell. ex Benth.

Maireana luehmannii (F.Muell.) Paul G.Wilson – NW LE
- *Bassia luehmannii* F.Muell.

Maireana melanocarpa Paul G.Wilson (Rare status in SA) – LE FR

Maireana microcarpa (Benth.) Paul G.Wilson – LE GT FR EA EP
- *Kochia microcarpa* (Benth.) Paul G.Wilson
- *Kochia villosa* Lindl. var. *microcarpa* Benth.

Maireana oppositifolia (F.Muell.) Paul G.Wilson – NW NU GT EP NL MU YP SL KI SE
- *Kochia oppositifolia* F.Muell.

Maireana ovata (Ising) Paul G.Wilson – NW LE FR EA
- *Kochia ovata* Ising

Maireana pentagona (R.H.Anderson) Paul G.Wilson (Rare status in SA) – MU
- *Kochia pentagona* R.H.Anderson

Maireana pentatropis (Tate) Paul G.Wilson – NW LE NU GT FR EA EP NL MU YP
- *Kochia decipiens* Gauba
- *Kochia pentatropis* Tate

Maireana planifolia (F.Muell.) Paul G.Wilson – NW LE GT
- *Kochia planifolia* F.Muell.
- *Kochia tomentosa* F.Muell. var. *platyphylla* Ising

Maireana pyramidata (Benth.) Paul G.Wilson – NW LE NU GT FR EA EP NL MU YP
- *Kochia pyramidata* Benth.

Maireana radiata (Paul G.Wilson) Paul G.Wilson – NW LE NU GT FR EP NL MU YP
- *Kochia radiata* Paul G.Wilson

Maireana rohrlachii (Paul G.Wilson) Paul G.Wilson (Rare status in SA) – FR EP NL MU YP SL
- *Kochia rohrlachii* Paul G.Wilson

Maireana schistocarpa Paul G.Wilson – NW LE GT EP

Maireana scleroptera (J.M.Black) Paul G.Wilson – NW LE
- *Kochia scleroptera* J.M.Black

Maireana sedifolia (F.Muell.) Paul G.Wilson – NW LE NU GT FR EA EP NL MU YP
- *Kochia sedifolia* F.Muell.

Maireana spongiocarpa (F.Muell.) Paul G.Wilson – NW LE GT FR EA EP
- *Kochia spongiocarpa* F.Muell.

Maireana suaedifolia (Paul G.Wilson) Paul G.Wilson (Rare status in SA) – NU GT EP
- *Kochia suaedifolia* Paul G.Wilson

Maireana tomentosa Moq. ssp. **tomentosa** – NW LE NU
- *Maireana tomentosa* Moq. ssp. *urceolata* auct.non. Paul G.Wilson: Barker et at.(2005), as to NW and NU, partly

Maireana tomentosa Moq. ssp. **urceolata** Paul G.Wilson – LE FR EA

Maireana trichoptera (J.M.Black) Paul G.Wilson – NW LE NU GT FR EA EP NL MU YP SL
- *Kochia excavata* J.M.Black var. *trichoptera* J.M.Black

Maireana triptera (Benth.) Paul G.Wilson – NW LE GT FR EA EP MU
- *Kochia triptera* Benth.

Maireana turbinata Paul G.Wilson – NW LE NU GT FR EA EP NL MU YP

Maireana villosa (Lindl.) Paul G.Wilson – NW LE GT
- *Kochia villosa* Lindl.

Malacocera albolanata (Ising) Chinnock – LE GT EA
- *Bassia albolanata* Ising
- *Sclerolaena albolanata* (Ising) A.J.Scott

Malacocera biflora Ising – LE

Malacocera gracilis Chinnock (Vulnerable status in SA) – GT EA EP

Malacocera tricornis (Benth.) R.H.Anderson – LE GT FR EA EP MU
- *Bassia tricornis* (Benth.) F.Muell.
- *Chenolea tricornis* Benth.

* **Monolepis spathulata** A.Gray – ?LE*
- *Blitum spathulata* (A.Gray) S.Fuentes, Uotila & Borsch

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Neobassia proceriflora (F.Muell.) A.J.Scott – NW LE GT FR EA
- *Threlkeldia proceriflora* F.Muell.

Osteocarpum acropterum (F.Muell. & Tate) Volkens var. **acropterum** – NW LE NU GT FR EA EP MU
- *Babbagia acroptera* F.Muell. & Tate

Osteocarpum acropterum (F.Muell. & Tate) Volkens var. **deminutum** (J.M.Black) Paul G.Wilson (Rare status in SA) – LE FR MU
- *Babbagia acroptera* F.Muell. & Tate var. *deminuta* J.M.Black

Osteocarpum dipterocarpum (F.Muell.) Volkens – NW LE GT FR EA EP
- *Babbagia dipterocarpa* F.Muell.

Osteocarpum pentapterum (F.Muell. & Tate) Volkens (Endangered status in SA) – LE FR EP[?id]
- *Babbagia pentaptera* F.Muell. & Tate

Osteocarpum salsuginosum F.Muell. – NU GT FR EP NL MU YP SL
- *Bassia salsuginosa* F.Muell.
- *Chenolea salsuginosa* (F.Muell.) F.Muell.
- *Threlkeldia salsuginosa* (F.Muell.) Benth.

Ptilotus aervoides (F.Muell.) F.Muell. – NW
- *Trichinium aervoides* F.Muell.

Ptilotus angustifolius (Benl) T.Hammer (Endangered status in SA) – FR EP NL YP SL
- *Ptilotus nobilis* (Lindl.) F.Muell. ssp. *angustifolius* (Benl) Lally & W.R.Barker
- *Ptilotus nobilis* (Lindl.) F.Muell. var. *angustifolius* Benl

Ptilotus aristatus Benl ssp. **aristatus** (Rare status in SA) – LE
- *Ptilotus aristatus* Benl var. *aristatus*
- *Ptilotus aristatus* Benl var. *eichlerianus* (Benl) Benl & H.Eichler
- *Ptilotus blackii* auct.non Benl: Benl(1986), partly
- *Ptilotus eichlerianus* Benl

Ptilotus barkeri Benl (Rare status in SA) – LE GT

Ptilotus beckerianus (F.Muell.) F.Muell.ex J.M.Black (Vulnerable status in SA, Vulnerable status in Australia) – EP KI
- *Ptilotus beckeranus* Jessop(1977), orth.var.
- *Ptilotus beckeri* F.Muell., orth.var.
- *Trichinium beckerianum* F.Muell.

Ptilotus chamaecladus Diels – NW

Ptilotus chippendalei Benl – NW

Ptilotus clementii (Farmar) Benl – NW
- *Trichinium clementii* Farmar

Ptilotus decipiens (Benth.) C.A.Gardner – NW LE GT FR EA EP
- *Alternanthera decipiens* Benth.
- *Ptilotus hoodii* F.Muell.

Ptilotus disparilis Lally – FR
- *Ptilotus parvifolius* (F.Muell.) F.Muell. var. *laetus* auct.non Benl: Benl in Jessop & Toelken(1986), partly

Ptilotus durus Lally – LE
- *Ptilotus sp. Arckaringa (D.J.Duval 1958)* D.J.Duval

Ptilotus erubescens Schltdl. (Rare status in SA) – FR NL MU SL SE
- *Trichinium erubescens* (Schltdl.) Moq.
- *Trichinium linifolium* A.Cunn. ex Moq.

Ptilotus exaltatus Nees – NW LE NU GT FR EA EP NL MU
- *Ptilotus exaltatus* Nees var. *exaltatus*
- *Ptilotus exaltatus* Nees. var. *pallidus* Benl.
- *Ptilotus nobilis* ssp. *nobilis* auct.non (Lindl.) F.Muell.: Bean(2008); SA Census online(7/4/11-1/2/19), partly
- *Trichinium exaltatum* (Nees) Benth.

Ptilotus fusiformis (R.Br.) Poir – LE
- *Trichinium fusiforme* R.Br.
- *Trichinium fusiforme* R.Br. var. *typicum*, nom.inval.

Ptilotus gaudichaudii (Steud.) J.M.Black – NW LE NU GT EP
- *Ptilotus gaudichaudii* (Steud.) J.M.Black ssp. *gaudichaudii*
- *Ptilotus gaudichaudii* (Steud.) J.M.Black var. *gaudichaudii*
- *Trichinium corymbosum* Gaudich., nom.illeg., non (R.Br.)Spreng.(1824)
- *Trichinium gaudichaudii* Steud.

Ptilotus helipteroides (F.Muell.) F.Muell. – NW LE EA
- *Ptilotus helipteroides* (F.Muell.) F.Muell. var. *helipteroides*

- *Trichinium brachytrichum* F.Muell.
- *Trichinium helipteroides* F.Muell.

Ptilotus incanus (R.Br.) Poir – NW
- *Ptilotus helmsii* F.Muell. & Tate ex Ewart & J.White, nom.inval., pro syn.
- *Ptilotus incanus* (R.Br.) Poir var. *incanus*
- *Ptilotus incanus* (R.Br.) Poir. var. *parviflorus* (Ewart & J.White) Benl
- *Ptilotus obovatus* (Gaudich.) F.Muell. var. *griseus* auct.non Benl: Bean(2008), partly
- *Trichinium gnaphalodes* A.Cunn. ex Moq.
- *Trichinium incanum* R.Br.
- *Trichinium incanum* R.Br. var. *parviflorum* Ewart & J.White

Ptilotus latifolius R.Br. – NW LE GT
- *Ptilotus latifolius* R.Br. var. *latifolius*
- *Trichinium latifolium* R.Br. ex Ewart & O.B.Davies

Ptilotus macrocephalus (R.Br.) Poir. – SE
- *Ptilotus pachocephalus* (Moq.) F.Muell.
- *Trichinium angustifolium* Moq.
- *Trichinium macrocephalum* R.Br.
- *Trichinium pachocephalum* Moq.

Ptilotus modestus T.Hammer – FR EA MU
- *Hemisteirus psilotrichoides* F.Muell.
- *Ptilotus gaudichaudii* (Steud.) J.M.Black ssp. *parviflorus*
- *Ptilotus gaudichaudii* (Steud.) J.M.Black var. *parviflorus* (Benth.) Benl
- *Ptilotus hemisteirus* F.Muell., nom.illeg., based on Hemisteirus psilotrichoides F.Muell.
- *Trichinium corymbosum* Gaudich. var. *parviflorum* Benth.

Ptilotus murrayi F.Muell. – LE
- *Ptilotus murrayi* F.Muell. var. *major* J.M.Black
- *Ptilotus murrayi* F.Muell. var. *murrayi*

Ptilotus nobilis (Lindl.) F.Muell. – NW LE NU GT FR EA EP MU
- *Ptilotus nobilis* (Lindl.) F.Muell. ssp. *nobilis*, partly
- *Ptilotus nobilis* (Lindl.) F.Muell. var. *nobilis*
- *Trichinium densum* A.Cunn. ex Moq.
- *Trichinium nobile* Lindl.

Ptilotus obovatus (Gaudich.) F.Muell. – NW LE NU GT FR EA EP NL MU YP
- *Ptilotus astrolasius* auct.non F.Muell.: Benl(1986)
- *Ptilotus astrolasius* auct.non F.Muell.: Barker et al.(2005) var. *astrolasius*
- *Ptilotus obovatus* (Gaudich.) F.Muell. var. *griseus* Benl
- *Ptilotus obovatus* (Gaudich.) F.Muell. var. *obovatus*
- *Trichinium lanatum* Lindl.
- *Trichinium obovatum* Gaudich.
- *Trichinium variabile* F.Muell.

Ptilotus parvifolius (F.Muell.) F.Muell. – LE GT
- *Ptilotus parvifolius* (F.Muell.) F.Muell. var. *laetus* auct.non Benl: Benl in Jessop & Toelken(1986), partly
- *Ptilotus parvifolius* (F.Muell.) F.Muell. var. *parvifolius* auct.non Benl: Benl in Jessop & Toelken(1986), partly
- *Trichinium parvifolium* F.Muell.

Ptilotus polystachyus (Gaudich.) F.Muell. – NW LE NU GT FR EA EP MU SL
- *Ptilotus alopecuroideus* (Lindl.) F.Muell.
- *Ptilotus alopecuroideus* (Lindl.) F.Muell. var. *rubriflorus* (J.M.Black) J.M.Black
- *Ptilotus alopecuroideus* (Lindl.) F.Muell. f. *rubriflorus* (J.M.Black) Benl
- *Ptilotus polystachyus* (Gaudich.) F.Muell. var. *polystachyus*
- *Ptilotus polystachyus* (Gaudich.) F.Muell. var. *polystachyus* f. *polystachyus*
- *Ptilotus polystachyus* (Gaudich.) F.Muell. var. *polystachyus* f. *rubriflorus* (J.M.Black) Benl
- *Trichinium alopecuroideum* Lindl.
- *Trichinium alopecuroideum* Lindl. var. *rubriflorum* J.M.Black
- *Trichinium candicans* Nees
- *Trichinium pallidum* Moq.
- *Trichinium polystachyum* Gaudich.
- *Trichinium preissii* Nees

Ptilotus propinquus Lally – FR EA
- *Ptilotus parvifolius* (F.Muell.) F.Muell. var. *laetus* auct.non Benl: Benl in Jessop & Toelken(1986), partly

Ptilotus pseudohelipteroides Benl. – LE
- *Ptilotus helipteroides* (F.Muell.) F.Muell. var. *minor* J.M.Black, nom.inval.

- *Ptilotus helipteroides* (F.Muell.) F.Muell. var. *minor* (J.M.Black) Eichler
- *Trichinium helipteroides* F.Muell. var. *minor* J.M.Black

Ptilotus remotiflorus Benl – LE
- *Ptilotus parvifolius* (F.Muell.) F.Muell. var. *laetus* Benl
- *Ptilotus sp. Cordillo Downs (B.Lay 1487)* W.R.Barker

Ptilotus robynsianus Benl (Vulnerable status in SA) – FR

Ptilotus schwartzii (F.Muell.) Tate (Rare status in SA) – NW
- *Ptilotus fraseri* (A.Cunn. ex Moq.) F.Muell. var. *schwartzii* F.Muell.
- *Ptilotus schwartzii* (F.Muell.) Tate f. *schwartzii*
- *Trichinium schwartzii* (F.Muell.) Farmar

Ptilotus semilanatus (Lindl.) F.Muell. ex J.M.Black (Endangered* status in SA) – SE
- *Ptilotus exaltatus* Nees var. *semilanatus* (Lindl.) Maiden & Betche
- *Ptilotus nobilis* (Lindl.) F.Muell ssp. *semilanatus* (Lindl.) A.R.Bean
- *Trichinium pulchellum* A.Cunn. ex Moq.
- *Trichinium semilanatum* Lindl.
- *Trichinium setigerum* A.Cunn. ex Moq.

Ptilotus seminudus (J.M.Black) J.M.Black – EP NL MU YP
- *Trichinium seminudum* J.M.Black

Ptilotus sessilifolius (Lindl.) Benl – NW LE NU GT FR ?EA EP NL MU
- *Ptilotus atriplicifolius* (A.Cunn. ex Moq.) Benl
- *Ptilotus oblongifolius* Gand.
- *Ptilotus obovatus* (Gaudich.) F.Muell. var. *grandiflorus* (Benth.) Ewart & O.B.Davies
- *Ptilotus sessilifolius* (Lindl.) Benl var. *sessilifolius*
- *Trichinium atriplicifolium* A.Cunn. ex Moq.
- *Trichinium incanum* R.Br. var. *intermedium* Ewart & Jean White
- *Trichinium obovatum* Gaudich. var. *atriplicifolium* (A.Cunn. ex Moq.) Domin
- *Trichinium obovatum* Gaudich. var. *grandiflorum* Benth.
- *Trichinium sessilifolium* Lindl.
- *Trichinum incanum* R.Br. var. *grandiflorum* (Benth.) J.M.Black

Ptilotus spathulatus (R.Br.) Poir. – GT FR EA EP NL MU YP SL KI SE
- *Ptilotus spathulatus* (R.Br.) Poir. f. *angustatus* Benl
- *Ptilotus spathulatus* (R.Br.) Poir. f. *spathulatus*
- *Trichinium mucronatum* Nees
- *Trichinium spathulatum* R.Br.

Ptilotus symonii Benl (Rare status in SA) – NU

Ptilotus whitei (J.M.Black) Lally – NW LE
- *Ptilotus parvifolius* auct.non (F.Muell.) F.Muell.: J.M.Black(1948), partly
- *Ptilotus parvifolius* auct.non (F.Muell.) F.Muell. var. *parvifolius* : Benl in Jessop & Toelken(1986), partly
- *Trichinium parvifolium* auct.non F.Muell.: J.M.Black(1924), partly
- *Trichinium whitei* J.M.Black

Ptilotus xerophilus T.Hammer & R.W.Davis – NW LE
- *Ptilotus macrocephalus* auct.non (R.Br.) Poir.: Lally in Kellermann(2014), partly

Rhagodia candolleana Moq. ssp. **argentea** Paul G.Wilson – NU
- *Chenopodium candolleana* (Moq.) S.Fuentes & Borsch ssp. *argentea* (Paul G.Wilson) S.Fuentes & Borsch

Rhagodia candolleana Moq. ssp. **candolleana** – EP NL MU YP SL KI SE
- *Chenopodium candolleanum* (Moq.) S.Fuentes & Borsch ssp. *candolleanum*
- *Chenopodium furfuraceum* Moq.
- *Rhagodia baccata* auct.non (Labill.) Moq.: J.M.Black(1948)
- *Rhagodia baccata* (Labill.) Moq. var. *parvifolia* Moq.
- *Rhagodia billardieri* auct.non R.Br.: Benth.(1870), partly

Rhagodia crassifolia R.Br. – NU GT FR EP NL MU YP SL KI
- *Chenopodium crassifolium* (R.Br.) S.Fuentes & Borsch
- *Rhagodia baccata* (Labill.) Moq. var. *linearis* auct.non Benth.: J.M.Black(1948)

Rhagodia drummondii Moq. – NW
- *Chenopodium drummondii* (Moq.) S.Fuentes & Borsch

Rhagodia eremaea Paul G.Wilson – NW LE NU GT
- *Chenopodium eremaeum* (Paul G.Wilson) S.Fuentes & Borsch

Rhagodia parabolica R.Br. – NW LE NU[?id] GT FR EA EP NL MU YP SL SE[?e]
- *Chenopodium parabolicum* (R.Br.) S.Fuentes & Borsch

Rhagodia preissii Moq. ssp. **preissii** – NW NU GT FR EP NL MU YP KI
- *Chenopodium preissii* (Moq.) Diels

Rhagodia spinescens R.Br. – NW LE NU GT FR EA EP NL MU YP SL
- *Chenopodium spinescens* (R.Br.) S.Fuentes & Borsch
- *Rhagodia deltophylla* (R.Br.) A.J.Scott
- *Rhagodia spinescens* R.Br. var. *deltophylla* F.Muell.

Rhagodia ulicina (Gand.) Paul G.Wilson – LE NU GT FR EA EP MU
- *Chenopodium ulicinum* Gand.

Salicornia blackiana Ulbr. – LE NU EP NL YP SL KI SE
- *Salicornia pachystachya* J.M.Black
- *Sarcocornia blackiana* (Ulbr.) A.J.Scott

Salicornia quinqueflora Bunge ex Ung.-Sternb. ssp. **quinqueflora** – GT FR EP NL MU YP SL KI SE
- *Salicornia australis* Sol. ex Benth.
- *Salicornia quinqueflora* Bunge ex Ung.-Sternb.
- *Sarcocornia quinqueflora* (Bunge ex Ung.-Sternb.) A.J.Scott

Salsola australis R.Br. – NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Salsola australis* R.Br. ssp. *Coastal (R.J.Chinnock 10246)* Chinnock
- *Salsola australis* R.Br. ssp. *Compact (R.J.Chinnock 10176)* Chinnock
- *Salsola australis* R.Br. ssp. *Strobilifera (R.J.Chinnock 10177)* Chinnock
- *Salsola australis* R.Br. var. *strobilifera* (Benth.) Domin
- *Salsola kali* auct.non L.: Paul G.Wilson in Jessop & Toelken(1986)
- *Salsola kali* L. ssp. *austroafricana* Aellen
- *Salsola kali* L. var. *leptophylla* Benth.
- *Salsola kali* L. var. *strobilifera* Benth.
- *Salsola tragus* auct.non L.: SA Census online(Mar. 2009)

Scleroblitum atriplicinum (F.Muell.) Ulbr. – LE GT FR EA EP NL MU
- *Blitum atriplicinum* F.Muell.
- *Chenopodium atriplicinum* F.Muell.

Sclerolaena × aellenii (Ising) A.J.Scott – YP
- *Bassia × aellenii* Ising
- *Sclerolaena uniflora R.Br.*, questionably × *Threlkeldia diffusa* R.Br.

Sclerolaena anisacanthoides (F.Muell.) Domin – LE

Sclerolaena articulata (J.M.Black) A.J.Scott – LE FR EA?id
- *Bassia articulata* J.M.Black

Sclerolaena bicornis Lindl. var. **bicornis** – NW LE GT FR EA

Sclerolaena bicuspis (F.Muell.) Domin – LE FR EP
- *Anisacantha bicuspis* F.Muell.
- *Bassia bicuspis* (F.Muell.) F.Muell.
- *Chenolea bicuspis* (F.Muell.) F.Muell. ex Tate

Sclerolaena birchii (F.Muell.) Domin (Declared SA plant) – NW FR* NL* MU*
- *Anisacantha birchii* F.Muell.
- *Bassia birchii* (F.Muell.) F.Muell.

Sclerolaena blackiana (Ising) A.J.Scott (Rare status in SA) – LE
- *Bassia blackiana* Ising

Sclerolaena brachyptera (F.Muell.) S.W.L.Jacobs – NW LE GT FR EA EP NL MU
- *Bassia brachyptera* (F.Muell.) R.H.Anderson
- *Echinopsilon brachypterus* (F.Muell.) F.Muell.
- *Kochia brachyptera* (F.Muell.) Benth.
- *Sclerochlamys brachyptera* F.Muell.

Sclerolaena brevifolia (Ising) A.J.Scott – NU GT EP NL MU YP
- *Bassia brevifolia* Ising

Sclerolaena calcarata (Ising) A.J.Scott – NW LE EA
- *Bassia calcarata* Ising

Sclerolaena × caput-casuarii (J.H.Willis) A.J.Scott – EP
- *Bassia × caput-casuarii* J.H.Willis

Sclerolaena clelandii (Ising) A.J.Scott – NW LE
- *Bassia clelandii* Ising

Sclerolaena constricta (Ising) A.J.Scott – LE GT FR EA MU
- *Bassia constricta* Ising
- *Bassia uniflora* (R.Br.) F.Muell. var. *incongruens* J.M.Black

Sclerolaena convexula (R.H.Anderson) A.J.Scott – NW LE GT FR EA MU
- *Bassia convexula* R.H.Anderson

Sclerolaena cornishiana (F.Muell.) A.J.Scott – NW LE
- *Bassia cornishiana* F.Muell.

Sclerolaena costata (R.H.Anderson) A.J.Scott – NW LE
- *Bassia costata* R.H.Anderson

Sclerolaena × cristata (Ising) A.J.Scott – NW
- *Bassia × cristata* Ising

Sclerolaena cuneata Paul G.Wilson – NW LE GT FR EA EP MU

Sclerolaena decurrens (J.M.Black) A.J.Scott – NW LE GT FR EA EP MU
- *Austrobassia decurrens* (J.M.Black) Ulbr.
- *Bassia decurrens* J.M.Black

Sclerolaena deserticola Paul G.Wilson – NW LE FR EA
- *Bassia quinquecuspis* (F.Muell.) F.Muell. var. *lanata* Ising
- *Sclerolaena muricata* (Moq.) Domin var. *lanata* (Ising) A.J.Scott

Sclerolaena diacantha (Nees) Benth. – NW LE NU GT FR EA EP NL MU YP SL
- *Anisacantha diacantha* Nees
- *Bassia diacantha* (Nees) F.Muell.
- *Chenolea diacantha* (Nees) F.Muell.
- *Kentropsis diacantha* (Nees) Moq.

Sclerolaena divaricata (R.Br.) Sm. – NW LE GT FR EA EP MU
- *Anisacantha divaricata* R.Br.
- *Bassia divaricata* (R.Br.) F.Muell.
- *Bassia erinacea* Moq.

Sclerolaena eriacantha (F.Muell.) Ulbr. – NW LE GT FR EA EP
- *Bassia eriacantha* (F.Muell.) R.H.Anderson
- *Kentropsis eriacantha* F.Muell.

Sclerolaena eurotioides (F.Muell.) A.J.Scott – NW
- *Echinopsilon eurotioides* F.Muell.

Sclerolaena fontinalis Paul G.Wilson (Rare status in SA) – LE

Sclerolaena fusiformis Paul G.Wilson (Vulnerable status in SA) – NW

Sclerolaena glabra (F.Muell.) Domin – NW LE FR EA
- *Bassia andersonii* Ising
- *Bassia glabra* (F.Muell.) F.Muell.
- *Kentropsis glabra* F.Muell.
- *Sclerolaena andersonii* (Ising) A.J.Scott

Sclerolaena holtiana (Ising) A.J.Scott – NW LE NU GT FR EA EP MU
- *Bassia eichleri* Ising
- *Bassia holtiana* Ising
- *Bassia wilsonii* Ising
- *Sclerolaena eichleri* (Ising) A.J.Scott
- *Sclerolaena wilsonii* (Ising) A.J.Scott

Sclerolaena intricata (R.H.Anderson) A.J.Scott – LE GT FR EA EP MU
- *Bassia intricata* R.H.Anderson

Sclerolaena johnsonii (Ising) A.J.Scott – NW LE
- *Bassia johnsonii* Ising

Sclerolaena × lanata (Ising) A.J.Scott – LE
- *Bassia × lanata* Ising
- *Sclerolaena ventricosa (J.M.Black)A.J.Scott*, questionably × *another species* : Paul G.Wilson(1986)

Sclerolaena lanicuspis (F.Muell.) F.Muell. ex Benth. – NW LE GT FR EA EP
- *Anisacantha lanicuspis* F.Muell.
- *Bassia lanicuspis* (F.Muell.) F.Muell.

Sclerolaena limbata (J.M.Black) Ulbr. – LE GT FR EA EP YP
- *Bassia limbata* J.M.Black

Sclerolaena longicuspis (F.Muell.) A.J.Scott – NW LE GT FR EA
- *Bassia longicuspis* F.Muell.

Sclerolaena minuta (Ising) A.J.Scott – LE GT
- *Bassia minuta* Ising

Sclerolaena muricata (Moq.) Domin var. **muricata** – NW LE GT FR MU SL
- *Anisacantha muricata* Moq.
- *Anisacantha quinquecuspis* F.Muell.
- *Bassia quinquecuspis* (F.Muell.) F.Muell.
- *Chenolea quinquecuspis* (F.Muell.) F.Muell.

Sclerolaena muricata (Moq.) Domin var. **semiglabra** (Ising) A.J.Scott – NW?id FR NL MU SL
- *Bassia quinquecuspis* (F.Muell.) F.Muell. var. *semiglabra* Ising

Sclerolaena muricata (Moq.) Domin var. **villosa** (Benth.) Ulbr. (Rare status in SA) – NL MU YP SL SE
- *Anisacantha muricata* Moq. var. *villosa* Benth.
- *Bassia quinquecuspis* (F.Muell.) F.Muell. var. *villosa* (Benth.) J.M.Black

Sclerolaena × murrayae (Ising) A.J.Scott – GT
- *Bassia × echinopsila* auct.non (F.Muell.) F.Muell.: J.M.Black(1929)
- *Bassia × murrayae* Ising
- *Sclerolaena calcarata* (Ising) A.J.Scott, questionably × *another species* : Paul G.Wilson(1986)

Sclerolaena × nitida (Ising) A.J.Scott – FR
- *Bassia × nitida* Ising
- *Sclerochlamys brachyptera F.Muell.*, questionably × *another species* : Paul G.Wilson(1986)

Sclerolaena obliquicuspis (R.H.Anderson) Ulbr. – NW LE NU GT FR EA EP NL MU YP
- *Bassia obliquicuspis* Ising

Sclerolaena × oppositicuspis (Ising) A.J.Scott – EP
- *Bassia × oppositicuspis* Ising

Sclerolaena parallelicuspis (R.H.Anderson) A.J.Scott – NW LE GT FR EA
- *Austrobassia parallelicuspis* (R.H.Anderson) Ulbr.
- *Bassia parallelicuspis* R.H.Anderson

Sclerolaena parviflora (R.H.Anderson) A.J.Scott – NW LE NU GT EA EP NL MU
- *Bassia parviflora* R.H.Anderson

Sclerolaena patenticuspis (R.H.Anderson) Ulbr. – NW LE NU GT FR EA EP NL MU YP
- *Bassia patenticuspis* R.H.Anderson
- *Sclerolaena diacantha* (Nees) Benth. var. *longispina* Benth., partly

Sclerolaena sp. Yeltacowie (A.Sinel & R.Kelman CAR037) P.J.Lang – GT

Sclerolaena stelligera (F.Muell.) S.W.L.Jacobs – MU
- *Bassia stelligera* (F.Muell.) F.Muell.
- *Kochia stelligera* F.Muell.
- *Stelligera endecaspinis* A.J.Scott

Sclerolaena symoniana (Ising) A.J.Scott (Vulnerable status in SA) – NW NU GT
- *Bassia symoniana* Ising

Sclerolaena tatei (F.Muell.) A.J.Scott – LE GT FR EA
- *Austrobassia tatei* (F.Muell.) Ulbr.
- *Bassia tatei* F.Muell.

Sclerolaena tricuspis (F.Muell.) Ulbr. – LE MU
- *Anisacantha tricuspis* F.Muell.
- *Bassia tricuspis* (F.Muell.) R.H.Anderson
- *Chenolea tricuspis* (F.Muell.) F.Muell.

Sclerolaena uniflora R.Br. – NW LE NU GT FR EA EP NL MU YP SL KI
- *Bassia uniflora* (R.Br.) F.Muell.

Sclerolaena ventricosa (J.M.Black) A.J.Scott – LE GT FR EA EP
- *Bassia ventricosa* J.M.Black

* **Suaeda aegyptiaca** (Hasselq.) M.Zohary – EP* NL*
- *Chenopodium aegyptiacum* Hasselq.
- *Suaeda baccata* Forssk. ex J.F.Gmelin

Suaeda australis (R.Br.) Moq. – LE EP NL MU YP SL KI SE
- *Chenopodium australe* R.Br.
- *Chenopodium insulare* J.M.Black
- *Suaeda maritima* (L.) Dumort. var. *australis* (R.Br.) Domin

* **Suaeda baccifera** Pall. – GT* EP* NL* SL* SE*

Tecticornia arbuscula (R.Br.) K.A.Sheph. & Paul G.Wilson – EP NL YP SL KI SE
- *Arthrocnemum arbuscula* (R.Br.) Moq.
- *Salicornia arbuscula* R.Br.
- *Sclerostegia arbuscula* (R.Br.) Paul G.Wilson

Tecticornia calyptrata (Paul G.Wilson) K.A.Sheph. & Paul G.Wilson – EP
- *Halosarcia calyptrata* Paul G.Wilson

Tecticornia cupuliformis (Paul G.Wilson) K.A.Sheph. & Paul G.Wilson (Vulnerable status in SA) – LE
- *Halosarcia cupuliformis* Paul G.Wilson

Tecticornia disarticulata (Paul G.Wilson) K.A.Sheph. & Paul G.Wilson
– NW LE NU GT FR EA EP ?SL?n
- *Sclerostegia disarticulata* Paul G.Wilson

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Tecticornia flabelliformis (Paul G.Wilson) K.A.Sheph. & Paul G.Wilson (Vulnerable status in SA, Vulnerable status in Australia) – EP NL YP SL
- *Halosarcia flabelliformis* Paul G.Wilson

Tecticornia fontinalis (Paul G.Wilson) K.A.Sheph. & Paul G.Wilson – LE
- *Halosarcia fontinalis* Paul G.Wilson

Tecticornia halocnemoides (Nees) K.A.Sheph. & Paul G.Wilson ssp. **halocnemoides** – NW LE NU GT EA EP NL MU YP SL SE
- *Arthrocnemum halocnemoides* Nees
- *Halosarcia halocnemoides* (Nees) Paul G.Wilson ssp. *halocnemoides*

Tecticornia halocnemoides (Nees) K.A.Sheph. & Paul G.Wilson ssp. **longispicata** (Paul G.Wilson) K.A.Sheph. & Paul G.Wilson – NW LE GT FR EA EP NL SL
- *Halosarcia halocnemoides* (Nees) Paul G.Wilson ssp. *longispicata* Paul G.Wilson

Tecticornia halocnemoides (Nees) K.A.Sheph. & Paul G.Wilson ssp. **tenuis** (Paul G.Wilson) K.A.Sheph. & Paul G.Wilson – NW LE NL
- *Halosarcia halocnemoides* (Nees) Paul G.Wilson ssp. *tenuis* Paul G.Wilson

Tecticornia indica (Willd.) K.A.Sheph. & Paul G.Wilson ssp. **bidens** (Nees) K.A.Sheph. & Paul G.Wilson – NW LE NU GT FR[?id] EA EP MU YP SL
- *Arthrocnemum bidens* Nees
- *Halosarcia indica* (Willd.) Paul G.Wilson ssp. *bidens* (Nees) Paul G.Wilson
- *Salicornia bidens* (Nees) Benth.

Tecticornia indica (Willd.) K.A.Sheph. & Paul G.Wilson ssp. **leiostachya** (Benth.) K.A.Sheph. & Paul G.Wilson – NW LE NU GT FR EA EP NL MU YP SL SE
- *Arthrocnemum leiostachyum* (Benth.) Paulsen
- *Halosarcia indica* (Willd.) Paul G.Wilson ssp. *leiostachya* (Benth.) Paul G.Wilson
- *Salicornia leiostachya* Benth.

Tecticornia laevigata K.A.Sheph. – NW

Tecticornia lepidosperma (Paul G.Wilson) K.A.Sheph. & Paul G.Wilson (Rare status in SA) – EP YP SE
- *Halosarcia lepidosperma* Paul G.Wilson

Tecticornia lylei (Ewart & Jean White) K.A.Sheph. & Paul G.Wilson – NU GT EP
- *Arthrocnemum lylei* (Ewart & Jean White) J.M.Black
- *Halosarcia lylei* (Ewart & Jean White) Paul G.Wilson
- *Salicornia lylei* Ewart & Jean White

Tecticornia medullosa (Paul G.Wilson) K.A.Sheph. & Paul G.Wilson – LE GT FR EP
- *Sclerostegia medullosa* Paul G.Wilson

* **Tecticornia moniliformis** (Paul G.Wilson) K.A.Sheph. & Paul G.Wilson – EP NL* YP
- *Sclerostegia moniliformis* Paul G.Wilson

Tecticornia nitida (Paul G.Wilson) K.A.Sheph. & Paul G.Wilson – LE GT EA EP
- *Halosarcia nitida* Paul G.Wilson

Tecticornia pergranulata (J.M.Black) K.A.Sheph. & Paul G.Wilson ssp. **divaricata** (Paul G.Wilson) K.A.Sheph. & Paul G.Wilson – NW[?id] LE GT FR EA EP NL[?id] MU YP[?id]
- *Halosarcia pergranulata* (J.M.Black) Paul G.Wilson ssp. *divaricata* Paul G.Wilson

Tecticornia pergranulata (J.M.Black) K.A.Sheph. & Paul G.Wilson ssp. **elongata** (Paul G.Wilson) K.A.Sheph. & Paul G.Wilson – NW LE GT
- *Halosarcia pergranulata* (J.M.Black) Paul G.Wilson ssp. *elongata* Paul G.Wilson

Tecticornia pergranulata (J.M.Black) K.A.Sheph. & Paul G.Wilson ssp. **pergranulata** – NW LE NU GT EA EP NL MU YP SL KI SE
- *Arthrocnemum halocnemoides* Nees var. *pergranulatum* J.M.Black
- *Halosarcia pergranulata* (J.M.Black) Paul G.Wilson ssp. *pergranulata*

Tecticornia pluriflora (Paul G.Wilson) K.A. Sheph. & Paul G.Wilson – LE GT FR EA EP
- *Halosarcia pluriflora* Paul G.Wilson

Tecticornia pruinosa (Paulsen) K.A. Sheph. & Paul G.Wilson – NW LE NU GT EP NL YP SL SE
- *Arthrocnemum pruinosum* Paulsen
- *Halosarcia pruinosa* (Paulsen) Paul G.Wilson

Tecticornia pterygosperma (J.M.Black) K.A.Sheph. & Paul G.Wilson ssp. **denticulata** (Paul G.Wilson) K.A.Sheph. & Paul G.Wilson – NW

Tecticornia pterygosperma (J.M.Black) K.A.Sheph. & Paul G.Wilson ssp. **pterygosperma** – LE NU FR EA EP NL MU YP
- *Arthrocnemum halocnemoides* Nees var. *pterygospermum* J.M.Black
- *Halosarcia pterygosperma* (J.M.Black) Paul G.Wilson ssp. *pterygosperma*

Tecticornia sp. Dennys Crossing (K.A.Sheph. & J.English KS552) WA Herbarium – NU GT EA EP NL

Tecticornia syncarpa (Paul G.Wilson) K.A.Sheph. & Paul G.Wilson – EP MU YP SL KI SE
- *Halosarcia syncarpa* Paul G.Wilson

Tecticornia tenuis (Benth.) K.A.Sheph. & Paul G.Wilson – NW LE NU GT FR EA EP MU ?SL[?n]
- *Pachycornia tenuis* (Benth.) J.M.Black
- *Salicornia tenuis* Benth.
- *Sclerostegia tenuis* (Benth.) Paul G.Wilson

Tecticornia triandra (F.Muell.) K.A.Sheph. & Paul G.Wilson – NW EP MU
- *Arthrocnemum triandrum* F.Muell.
- *Pachycornia robusta* (F.Muell.) Hook.f.
- *Pachycornia triandra* (F.Muell.) J.M.Black
- *Salicornia robusta* F.Muell.
- *Salicornia triandra* (F.Muell.) Druce

Tecticornia undulata (Paul G.Wilson) K.A.Sheph. & Paul G.Wilson – LE
- *Halosarcia undulata* Paul G.Wilson

Tecticornia verrucosa Paul G.Wilson – NW

Threlkeldia diffusa R.Br. – NU FR EP NL MU YP SL KI SE

Threlkeldia inchoata (J.M.Black) J.M.Black – NW LE
- *Bassia inchoata* J.M.Black
- *Threlkeldia obliqua* J.M.Black

AIZOACEAE 100.304

* **Aizoon pubescens** Eckl. & Zeyh. – LE* FR* EA* EP* NL* MU* YP* SL* KI[?e] SE[?e]
- *Galenia pubescens* (Eckl. & Zeyh.) Druce var. *pubescens*
- *Galenia secunda* auct.non (L.f.) Sond.: J.M.Black(1948)

* **Aizoon secundum** L.f. – NU[?e] EP* NL* MU* YP* SL*
- *Galenia secunda* (L.f.) Sond.

* **Carpobrotus chilensis** (Molina) N.E.Br. – SL*
- *Carpobrotus aequilaterus* auct.non (Haw.) N.E.Br.: H.Eichler(1965), partly
- *Mesembryanthemum chilense* Molina

* **Carpobrotus edulis** (L.) N.E.Br. ssp. **edulis** – NL* SL* KI* SE*
- *Carpobrotus acinaciformis* auct.non (L.) L.Bolus: H.Eichler(1965)
- *Carpobrotus edulis* (L.) N.E.Br.
- *Mesembryanthemum acinaciforme* auct.non L.: J.M.Black(1909)
- *Mesembryanthemum edule* L.

Carpobrotus modestus S.T.Blake – EP NL MU SL KI SE

Carpobrotus rossii (Haw.) Schwantes – NU FR EP NL YP SL KI SE
- *Carpobrotus aequilaterus* auct.non (Haw.) N.E.Br.: J.M.Black(1948), partly
- *Mesembryanthemum rossii* Haw.

Carpobrotus sp. Short calyx (S.T.Blake 20451) Toelken – EP NL MU YP SL
- *Carpobrotus rossii* auct.non (Haw.) Schwantes: Toelken(1993), partly

* **Cleretum bellidiforme** (Burm.f.) G.D.Rowley – SL*
- *Dorotheanthus bellidiformis* (Burm.f.) N.E.Br.
- *Mesembryanthemum bellidiforme* Burm.f.

* **Cleretum papulosum** (L.f.) L.Bolus ssp. **papulosum** – EP* MU*
- *Mesembryanthemum papulosum* L.f.
- *Micropterum papulosum* (L.f.) Schwantes

Disphyma crassifolium (L.) L.Bolus ssp. **clavellatum** (Haw.) Chinnock – NW NU GT FR EA EP NL MU YP SL KI SE
- *Disphyma australe* auct.non (Aiton) N.E.Br.: J.M.Black(1948)
- *Disphyma blackii* Chinnock
- *Disphyma clavellatum* (Haw.) Chinnock
- *Mesembryanthemum clavellatum* Haw.
- *Mesembryanthemum crassifolium* L.

* **Drosanthemum candens** (Haw.) Schwantes – SL*
- *Drosanthemum floribundum* auct.non (Haw.) Schwantes: J.M.Black(1948)
- *Mesembryanthemum candens* Haw.

Gunniopsis calcarea Chinnock – NU

Gunniopsis calva Chinnock – GT EP

Gunniopsis kochii (R.Wagner) Chinnock – LE GT FR
- *Aizoon kochii* R.Wagner

Gunniopsis papillata Chinnock – NW LE GT FR EA
- *Aizoon zygophylloides* auct.non F.Muell.: J.M.Black(1948), partly

Gunniopsis quadrifida (F.Muell.) Pax – NW LE NU GT FR EA EP
- *Aizoon quadrifidum* (F.Muell.) F.Muell.
- *Gunniopsis quadrifaria* : Ewart(1907), orth.var.
- *Sesuvium quadrifidum* F.Muell.

Gunniopsis septifraga (F.Muell.) Chinnock – NW LE NU GT EP NL SL
- *Gunnia septifraga* F.Muell.
- *Neogunnia septifraga* (F.Muell.) Pax & Hoffm.

Gunniopsis tenuifolia Chinnock – LE FR

Gunniopsis zygophylloides (F.Muell.) Diels – LE GT
- *Aizoon zygophylloides* F.Muell.

* **Lampranthus glaucus** (L.) N.E.Br. – SL*

* **Malephora crocea** (Jacq.) Schwantes – EP* NL* MU*
- *Mesembryanthemum croceum* Jacq.

* **Mesembryanthemum aitonis** Jacq. – NU* GT* FR* EP* NL* MU* YP* SL*
- *Cryophytum aitonis* (Jacq.) N.E.Br.
- *Gasoul aitonis* (Jacq.) H.Eichler
- *Mesembryanthemum angulatum* Thunb.

?e **Mesembryanthemum cordifolium** L.f. – NW?e NL?e
- *Aptenia cordifolia* (L.f.) Schwantes
- *Litocarpus cordifolius* (L.f.) L.Bolus

?e **Mesembryanthemum cordifolium** L.f. × **Mesembryanthemum haeckelianum** A.Berger – SL?e
- *Aptenia cordifolia* auct.non: (L.f.) Schwantes: SA Census online(30 Apr. 2019), partly
- *Aptenia cordifolia* (L.f.) Schwantes × *Mesembryanthemum haeckelianum* A.Berger

* **Mesembryanthemum crystallinum** L. – NU* GT* EP* NL* MU* YP* SL* KI* SE*
- *Cryophytum crystallinum* (L.) N.E.Br. ex E.Phillips
- *Gasoul crystallinum* (L.) Rothm.

* **Mesembryanthemum granulicaule** Haw. – FR* EA* EP* NL* MU*
- *Psilocaulon granulicaule* (Haw.) Schwantes
- *Psilocaulon tenue* auct.non (Haw.) Schwantes: Jessop(1986)

* **Mesembryanthemum guerichianum** Pax – MU*

* **Mesembryanthemum nodiflorum** L. – NW* NU* GT* FR* EA* EP* NL* MU* YP* SL* SE*
- *Cryophytum nodiflorum* (L.) L.Bolus
- *Gasoul nodiflorum* (L.) Rothm.
- *Psilocaulon caducum* auct.non (Sol.) N.E.Br.: J.M.Black(1948), partly

* **Ruschia tumidula** (Haw.) Schwantes – MU* SL*
- *Mesembryanthemum laxum* auct.non Willd.: Ewart(1931)
- *Mesembryanthemum tumidulum* Haw.

Sarcozona bicarinata S.T.Blake (Vulnerable status in SA) – EP YP SL

Sarcozona praecox (F.Muell.) S.T.Blake – NW LE NU GT FR EA EP NL MU SE
- *Carpobrotus pulleinei* J.M.Black
- *Mesembryanthemum praecox* F.Muell.
- *Sarcozona pulleinei* (J.M.Black) J.M.Black

* **Tetragonia decumbens** Mill. – SL* SE*
- *Tetragonia zeyheri* Fenzl

Tetragonia eremaea Ostenf. – NW LE NU GT FR EA EP NL MU YP

Tetragonia implexicoma (Miq.) Hook.f. – NU EP NL MU YP SL KI SE
- *Tetragonella implexicoma* Miq.
- *Tetragonia amplexicoma* (Miq.) Hook.f.
- *Trianthema maidenii* S.Moore
- *Trianthema turgidifolia* auct.non F.Muell.: J.M.Black(1948)

Tetragonia moorei M.Gray – LE GT FR EA EP MU
- *Tetragonia tetragonioides* auct.non (Pall.) Kuntze: Jessop(1986), partly

Tetragonia tetragonoides (Pall.) Kuntze – LE GT FR EA EP NL MU YP SL SE
- *Demidovia tetragonoides* Pall.
- *Tetragonia expansa* Murray, nom.illeg., nom.superfl.
- *Tetragonia inermis* F.Muell.
- *Tetragonia tetragonioides* (Pall.) Kuntze, orth.var.

Trianthema pilosum F.Muell. – LE
- *Trianthema pilosa* F.Muell., orth.var.

Trianthema triquetrum Willd. – NW LE GT FR EA EP SL
- *Trianthema crystallina* auct.non (Forssk.) Vahl: J.M.Black(1948)
- *Trianthema crystallina* (Forssk.) Vahl var. *clavata* J.M.Black, orth.var.
- *Trianthema glaucifolia* F.Muell.
- *Trianthema triquetra* Willd.
- *Trianthema triquetra* Willd. var. *clavata* (J.M.Black) H.Eichler
- *Trianthema ufoensis* H.E.K.Hartmann & Liede

Zaleya galericulata (Melville) H.Eichler ssp. **australis** (Melville) S.W.L.Jacobs – NW LE GT FR EP NL MU SL
- *Trianthema australis* Melville
- *Trianthema decandra* auct.non L.: J.M.Black(1948)
- *Trianthema galericulata* Melville
- *Zaleya decandra* auct.non Burm.f.: Tate(1890)
- *Zaleya galericulata* (Melville) H.Eichler

PHYTOLACCACEAE 100.305

?e **Phytolacca americana** L. – SL?e

?e **Phytolacca octandra** L. – SL?e

NYCTAGINACEAE 100.308

Boerhavia burbidgeana Hewson – NW LE GT FR
- *Boerhavia diffusa* auct.non L.: J.M.Black(1948), partly
- *Boerhavia dominii* auct.non Meikle & Hewson: Jessop in Jessop & Toelken(1986), partly
- *Boerhavia schomburgkiana* auct.non Oliv.: Jessop in Jessop & Toelken(1986), partly

Boerhavia coccinea Mill. – NW LE GT FR EA EP NL MU
- *Boerhavia diffusa* auct.non L.: J.M.Black(1948), partly
- *Boerhavia mutabilis* R.Br., partly
- *Boerhavia pubescens* R.Br.
- *Boerhavia repens* L. var. *pubescens* (R.Br.) Fosberg

Boerhavia dominii Meikle & Hewson – NW LE GT FR EA EP NL MU YP SL
- *Boerhavia diffusa* auct.non L.: J.M.Black(1948), partly

Boerhavia repleta Hewson – NW LE FR

Boerhavia schomburgkiana Oliv. – NW LE GT FR EA MU
- *Boerhavia diffusa* auct.non L.: J.M.Black(1948), partly

Commicarpus australis Meikle – NW LE FR EA
- *Boerhavia repanda* auct.non Willd.: J.M.Black(1948)
- *Commicarpus chinensis* auct.non (L.) Heimerl: Pedley(1981)

* **Mirabilis jalapa** L. – FR* NL?e SL* SE*

MOLLUGINACEAE 100.309

Glinus lotoides L. – LE GT FR EA EP MU
- *Mollugo glinus* A.Rich., nom.illeg.
- *Mollugo hirta* Thunb.

Glinus oppositifolius (L.) Aug.DC. – NW LE EA MU
- *Glinus oppositifolia* (L.) A.DC., orth.var.
- *Glinus spergula* (L.) Steud.
- *Mollugo oppositifolia* L.
- *Mollugo spergula* L.

Glinus orygioides F.Muell. – LE
- *Mollugo orygioides* (F.Muell.) F.Muell. ex Benth.

Hypertelis cerviana (L.) Thulin – NW LE GT FR EA EP
- *Mollugo cerviana* (L.) Ser.
- *Pharnaceum cervianum* L.

MONTIACEAE 100.310

Calandrinia balonensis Lindl. – NW LE
- *Parakeelya balonensis* (Lindl.) Hershk.

Calandrinia brevipedata F.Muell. – EP SL KI SE
- *Calandrinia cygnorum* Diels
- *Parakeelya brevipedata* (F.Muell.) Hershk.

Calandrinia calyptrata Hook.f. – LE FR EP NL MU YP SL KI SE
- *Calandrinia dipetala* J.M.Black
- *Parakeelya calyptrata* (Hook.f) Hershk.

* **Calandrinia ciliata** (Ruiz & Pav.) DC. – ?MU?e SL* SE?e
- *Calandrinia caulescens* Kunth var. *menziesii* (Hook.) A.Gray
- *Calandrinia menziesii* (Hook.) Torr. & A.Gray
- *Talinum ciliatum* Ruiz & Pav.
- *Talinum menziesii* Hook.

Calandrinia corrigioloides F.Muell. ex Benth. – NW LE EP MU YP SL KI
- *Claytonia corrigiolacea* F.Muell.
- *Parakeelya corrigioloides* (F.Muell.ex Benth) Hershk.

Calandrinia disperma J.M.Black – NW NU GT EP
- *Parakeelya disperma* (J.M.Black) Hershk.

Calandrinia eremaea Ewart – NW LE NU GT FR EA EP NL MU YP SL SE
- *Calandrinia pusilla* Lindl.
- *Calandrinia volubilis* auct.non Benth.: J.M.Black(1948)
- *Parakeelya eremaea* (Ewart) Hershk.

Calandrinia granulifera Benth. – EP NL MU SL KI SE
- *Calandrinia neesiana* H.Eichler
- *Calandrinia pygmaea* F.Muell.
- *Parakeelya granulifera* (Benth.) Hershk.
- *Talinum nanum* Nees

Calandrinia polyandra Benth. – NW LE NU GT
- *Calandrinia polyandra* Benth. var. *polyandra*
- *Parakeelya polyandra* (Benth.) Hershk.
- *Talinum polyandrum* Hook.(1855), non Ruiz & Pavon(1798)

Calandrinia ptychosperma F.Muell. – NW LE GT FR EA
- *Calandrinia maryonii* S.Moore
- *Calandrinia morrisiae* Goy
- *Parakeelya ptychosperma* (F.Muell.) Hershk.

Calandrinia pumila (Benth.) F.Muell. – NW LE
- *Calandrinia calyptrata* Hook.f. var. *pumila* Benth.
- *Parakeelya pumila* (Benth.) Hershk.

Calandrinia remota J.M.Black – NW LE NU GT FR
- *Calandrinia polyandra* Benth. var. *leptophylla* Benth.
- *Parakeelya remota* (J.M.Black) Hershk.

Calandrinia reticulata Syeda – NW GT
- *Parakeelya reticulata* (Syeda) Hershk.

Calandrinia sphaerophylla J.M.Black (Rare status in SA) – EP
- *Parakeelya sphaerophylla* (J.M.Black) Hershk.

Calandrinia stagnensis J.M.Black (Rare status in SA) – LE
- *Parakeelya stagnensis* (J.M.Black) Hershk.

Calandrinia volubilis Benth. – GT FR EA EP MU SL
- *Parakeelya volubilis* (Benth.) Hershk.

Montia australasica (Hook.f.) Pax & K.Hoffm. (Rare status in SA) – NL MU SL KI SE
- *Claytonia australasica* Hook.f.
- *Neopaxia australasica* (Hook.f.) O.Nilsson
- *Paxia australasica* (Hook.f.) O.Nilsson

Montia fontana L. ssp. **chondrosperma** (Fenzl) Walters (Vulnerable status in SA) – MU SL
- *Montia fontana* L. var. *chondrosperma* Fenzl

DIDIEREACEAE 100.311

?e **Portulacaria afra** (L.) Jacq. – EA?e EP?e NL?e SL?e
- *Crassula portulacaria* L.

BASELLACEAE 100.312

* **Anredera cordifolia** (Ten.) Steenis – SL* SE*
- *Andredera cordifolia* (Ten.) Steenis, orth.var.
- *Boussingaultia cordifolia* Ten.

PORTULACACEAE 100.315

* **Claytonia perfoliata** Donn ex Willd. – ?SL*

Portulaca filifolia F.Muell. – NW LE

- *Portulaca pilosa* auct.non L.: Toelken(1981)

Portulaca intraterranea J.M.Black – LE

- *Portulaca oleracea* L. var. *grandiflora* Benth.

Portulaca oleracea L. – NW LE GT FR EA EP MU SL KI

* **Talinum paniculatum** (Jacq.) Gaertn. – SL*

- *Portulaca paniculata* Jacq.

ANACAMPSEROTACEAE 100.316

Anacampseros australiana J.M.Black – GT FR

- *Grahamia australiana* (J.M.Black) G.D.Rowley

CACTACEAE 100.317

* **Austrocylindropuntia cylindrica** (Lam.) Backeb. (Declared SA plant) – FR* EP* NL* MU* YP* SL*

- *Cactus cylindricus* Lam.
- *Opuntia cylindrica* (Lam.) DC.

* **Austrocylindropuntia subulata** (Muehlenpf.) Backeb. (Declared SA plant) – FR* EP* NL* MU*

- *Opuntia subulata* (Muehlenpf.) Engelm.
- *Peireskia subulata* Muehlenpf.
- *Pereskia subulata* Muehlenpf.

* **Cylindropuntia fulgida** (Engelm.) F.M.Knuth var. **mamillata** (A.Schott ex Engelm.) Backeb. (Declared SA plant) – LE* GT* FR* EA* EP* YP?e

- *Opuntia fulgida* Engelm. var. *mamillata* (A.Schott) J.M.Coulter
- *Opuntia mamillata* A.Schott
- *Opuntia pachypus* auct.non K.Schum.(1904): Jessop & Toelken(1986)

* **Cylindropuntia imbricata** (Haw.) F.M.Knuth (Declared SA plant) – LE* GT* FR* EP* NL* MU* YP?e SL*

- *Cereus imbricatus* Haw.
- *Cylindropuntia rosea* (DC.) Backeb.
- *Opuntia arborescens* Engelm.
- *Opuntia decipiens* DC.
- *Opuntia imbricata* (Haw.) DC.
- *Opuntia rosea* DC.

?e **Cylindropuntia kleiniae** (DC.) F.M.Knuth (Declared SA plant) – MU?e

- *Cylindropuntia leptocaulis* auct.non (DC.) F.M.Knuth: Barker et al.(2005)
- *Opuntia kleiniae* DC.
- *Opuntia leptocaulis* auct.non DC.: Jessop & Toelken(1986)

* **Cylindropuntia pallida** (Rose) F.M.Knuth (Declared SA plant) – NU?e FR* EP* MU* SL?e

- *Cylindropuntia rosea* auct.non (DC.) Backeb.: S.B.Johnson et al.(2009)
- *Opuntia pallida* Rose

* **Cylindropuntia prolifera** (Engelm.) F.M.Knuth (Declared SA plant) – FR* EP*

- *Opuntia prolifera* Engelm.

* **Cylindropuntia spinosior** (Engelm.) F.M.Knuth (Declared SA plant) – FR* MU*

- *Opuntia whipplei* Engelm. & J.M.Bigelow var. *spinosior* Engelm.

* **Cylindropuntia tunicata** (Lehm.) F.M.Knuth (Declared SA plant) – MU*

- *Cactus tunicatus* Lehm.
- *Opuntia tunicata* (Lehm.) Link & Otto

?e **Echinopsis huascha** (F.A.C.Weber) H.Friedrich & G.D.Rowley – EP?e YP?e

- *Cereus huascha* F.A.C.Weber

?e **Echinopsis oxygona** Pfeiff. & Otto – EP?e NL?e MU?e

* **Echinopsis spachiana** (Lem.) Friedrich & G.D.Rowley – FR?e EP?e NL* MU?e

- *Cereus spachianus* Lem.
- *Trichocereus spachianus* (Lem.) Riccob.

?e **Lophocereus marginatus** (DC.) S.Arias & Terrazas – NL?e

- *Cereus marginatus* DC.
- *Lemaireocereus marginatus* (DC.) A.Berger
- *Marginatocereus marginatus* (DC.) Backeb.
- *Pachycereus marginatus* (DC.) Britton & Rose
- *Stenocereus marginatus* (DC.) A.Berger & Buxb.

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

* **Opuntia aurantiaca** Lindl. (Declared SA plant) – NL*
- *Cactus aurantiacus* Gillies ex Lindl., ms only

Opuntia elata Salm-Dyck (Declared SA plant) – NW?e GT* EP* NL MU* SL* SE*
- *Opuntia paraguayensis* auct.non K.Schum.: Jessop & Toelken(1986)

* **Opuntia elatior** Mill. (Declared SA plant) – LE* NU?e GT* FR* EA* EP* MU* YP* SL?e
* **Opuntia engelmannii** Salm-Dyck ex Engelm. (Declared SA plant) – GT* FR* EA* EP* MU*
- *Opuntia lindheimeri* Engelm. var. *lindheimeri*
- *Opuntia phaeacantha* Engelm. var. *discata* (Griffiths) L.D.Benson & Walk.

* **Opuntia ficus-indica** (L.) Mill. – NU?e GT* FR* EA?e EP* NL* MU* YP?e SL*
- *Cactus ficus-indica* L.
- *Opuntia engelmannii* Salm-Dyck
- *Opuntia megacantha* Salm-Dyck

* **Opuntia leoglossa** Font & M.Kohler (Declared SA plant) – EP?e SL*
- *Opuntia schickendantzii* auct.non F.A.C.Weber

* **Opuntia leucotricha** DC. – FR* MU*
* **Opuntia linguiformis** Griffiths (Declared SA plant) – FR?e MU*
- *Opuntia lindheimeri* Engelm. var. *linguiformis* (Griffiths) L.D.Benson

* **Opuntia microdasys** (Lehm.) Pfeiff. (Declared SA plant) – FR* EP* NL?e MU*
- *Cactus microdasys* Lehm.

* **Opuntia monacantha** Haw. (Declared SA plant) – GT* EA* EP* MU* SL* KI?e
- *Cactus monacanthus* Willd.
- *Opuntia monacantha* (Willd.) Haw.
- *Opuntia vulgaris* auct.non Mill.: Jessop & Toelken(1986)

* **Opuntia polyacantha** Haw. var. **erinacea** (Engelm. & Bigelow) B.D.Parfitt (Declared SA plant) – EP* MU* SL*
- *Opuntia erinacea* Engelm. & Bigelow var. *utahensis* (Engelm.) L.D.Benson
- *Opuntia polyacantha* Haw.
- *Opuntia rhodantha* Schuman
- *Opuntia utahensis* Engelm.

* **Opuntia polyacantha** Haw. var. **hystricina** (Engelm. & Bigelow) B.D.Parfitt (Declared SA plant) – GT*
- *Opuntia hystricina* Engelm. & Bigelow

* **Opuntia puberula** Pfeiff. (Declared SA plant) – LE?e FR* EP* NL* MU* YP* SL* SE*
- *Opuntia lubrica* Griffiths

Opuntia robusta H.L.Wendl. ex Pfeiff. (Declared SA plant) – FR* EA* EP* NL* MU* YP* SL
?e **Opuntia rufida** Engelm. – FR?e
* **Opuntia sp. A (C.Schrank s.n. AD98351226)** Jessop(1993) (Declared SA plant) – MU*
- *Opuntia sp. A* Jessop(1989)

* **Opuntia streptacantha** Lem. (Declared SA plant) – MU*
- *Opuntia engelmannii* auct.non Salm-Dyck ex Engelm.: SA Census online(Jul. 2008), partly
- *Opuntia phaeacantha* Engelm. var. *discata* (Griffiths) L.D.Benson & Walk.

* **Opuntia stricta** (Haw.) Haw. (Declared SA plant) – GT* FR* EP* NL* MU* YP* SL*
- *Opuntia stricta* (Haw.) Haw. var. *stricta*

* **Opuntia tomentosa** Salm-Dyck (Declared SA plant) – FR* EP* MU* SL*
* **Tephrocactus articulatus** (Pfeiff.) Backeb. (Declared SA plant) – FR* YP*
- *Cereus articulatus* Pfeiff.
- *Opuntia articulata* (Pfeiff.) D.R.Hunt

HYDRANGEACEAE 100.320
?e **Hydrangea macrophylla** (Thunb.) Ser. – SL?e

POLEMONIACEAE 100.329
* **Gilia tricolor** Benth. – SL*
* **Navarretia squarrosa** (Eschsch.) Hook. & Arn. – SL*
- *Gilia squarrosa* (Eschsch.) Hook. & Arn.
- *Hoitzia squarrosa* Eschsch.

PRIMULACEAE 100.335
* **Lysimachia arvensis** (L.) U.Manns & Anderb. – LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Anagallis arvensis* L.
- *Anagallis arvensis* L. var. *caerulea* (L.) Gouan

- *Anagallis femina* in error: J.M.Black(1952)

* **Lysimachia linum-stellatum** L. – MU* YP* SE*
- *Asterolinon linum-stellatum* (L.) Duby

* **Lysimachia minima** (L.) U.Manns & Anderb. – FR* NL* MU* SE*
- *Anagallis minima* (L.) E.H.L.Krause
- *Centunculus minimus* L.

Samolus eremaeus S.W.L.Jacobs (Rare status in SA) – NW
- *Samolus valerandi* auct.non L.: J.M.Black(1952)

Samolus repens (J.R.Forst. & G.Forst.) Pers. – LE NU FR EA EP NL MU YP SL KI SE
- *Sheffieldia repens* J.R.Forst. & G.Forst.

ERICACEAE 100.345

Acrotriche affinis DC. – EP NL MU YP SL KI SE
- *Acrotriche patula* auct.non R.Br.: Hook.f.(1857)

Acrotriche cordata (Labill.) R.Br. – EP MU YP SL KI SE
- *Acrotriche ovalifolia* R.Br.
- *Acrotriche subcordata* DC., nom.illeg.
- *Styphelia cordata* Labill.
- *Styphelia ovalifolia* (R.Br.) Spreng.

Acrotriche depressa R.Br. – MU SL KI SE
- *Styphelia depressa* (R.Br.) Spreng.

Acrotriche fasciculiflora (Regel) Benth. – SL KI
- *Acrotriche ramiflora* auct.non R.Br.: Sonder(1854)
- *Froebelia fasciculiflora* Regel
- *Styphelia fasciculiflora* (Regel) F.Muell.

Acrotriche halmaturina B.R.Paterson – KI
- *Acrotriche fasciculiflora* auct.non (Regel) Benth.: J.B.Cleland & J.M.Black(1941)

Acrotriche patula R.Br. – NU EA EP NL MU YP SL KI SE
- *Styphelia patula* (R.Br.) Spreng.

Acrotriche serrulata R.Br. – MU SL SE
- *Styphelia serrulata* Labill.

* **Arbutus unedo** L. – SL*

Brachyloma ciliatum (R.Br.) Benth. – SL SE
- *Lissanthe ciliata* R.Br.
- *Styphelia ciliata* (R.Br.) F.Muell.

Brachyloma daphnoides (Sm.) Benth. – MU SE
- *Styphelia daphnoides* Sm.

Brachyloma ericoides (Schltdl.) Sond. ssp. **bicolor** R.J.Bates – KI

Brachyloma ericoides (Schltdl.) Sond. ssp. **ericoides** – NL MU SL SE

* **Daboecia cantabrica** (Hudson) K.Koch – SL*

Epacris impressa Labill. – SL KI SE
- *Epacris ceriflora* Graham

Epacris obtusifolia Sm. – ?SE

?e **Erica afra** L. – SL?e
- *Erica caffra* L., orth.var., Art. 61.6, ICN (Madrid)

* **Erica arborea** L. – EP* SL*
- *Erica stricta* auct.non Donn ex Willd.: J.M.Black(1952)

* **Erica baccans** L. – SL* SE*

* **Erica canaliculata** Andrews – SL*

* **Erica cinerea** L. – SL*

* **Erica cruenta** Aiton – SL*

?e **Erica × darleyensis** Bean – SL?e

* **Erica discolor** Andrews – SL*

* **Erica glandulosa** Thunb. – SL*

?e **Erica hirta** Thunb. – SL?e
- *Erica sphaeroidea* Dulfer

* **Erica hirtiflora** Curt. – SL*

* **Erica lusitanica** Rudolphi – SL* SE*
- *Erica lusitanica* Rudolphi var. *cantabrica* Fagundez & Izco

* **Erica mauritanica** L. – SL*

?e **Erica melanthera** Thunb. – SL?e

* **Erica nivalis** Lodd. – SL*
- *Erica peziza* Lodd., nom.inval. & nud.

* **Erica quadrangularis** Salisb. – SL*

* **Erica simulans** Dulfer – SL*

* **Erica subulata** J.C.Wendl. – SL*

* **Erica vestita** Thunb. – SL*

Leucopogon affinis R.Br. – SL KI SE
- *Leucopogon australis* auct.non R.Br.: J.M.Black(1952)
- *Leucopogon lanceolatus* (Sm.) R.Br., nom.illeg.
- *Leucopogon lanceolatus* (Sm.) R.Br. var. *lanceolatus*, nom.illeg.
- *Styphelia australis* auct.non (R.Br.) F.Muell.: Tate(1880)
- *Styphelia lanceolata* Sm., nom.illeg.

Leucopogon concurvus F.Muell. – SL KI
- *Leucopogon apiculatus* auct.non R.Br.: Sonder(1853)
- *Styphelia concurva* (F.Muell.) F.Muell.

Leucopogon costatus (F.Muell.) F.Muell.ex J.M.Black – MU SL KI SE
- *Styphelia costata* F.Muell.

Leucopogon glacialis Lindl. – ?NL SE
- *Leucopogon collinus* auct.non (Labill.) R.Br.: J.M.Black(1952)

Leucopogon hirsutus Sond. (Rare status in SA) – SL KI
- *Styphelia hirsuta* (Sond.) F.Muell.

Leucopogon obovatus (Labill.) R.Br. ssp. **obovatus** (Rare status in SA) – EP
- *Leucopogon revolutus* auct.non R.Br.: Barker et al.(2005)
- *Styphelia obovata* Labill.

Leucopogon parviflorus (Andrews) Lindl. – EP YP SL KI SE
- *Leucopogon richei* (Labill.) R.Br.
- *Styphelia parviflora* Andrews
- *Styphelia richei* Labill.

?e **Leucopogon verticillatus** R.Br. – SL?e

Leucopogon virgatus (Labill.) R.Br. var. **brevifolius** Benth. – SE

Leucopogon virgatus (Labill.) R.Br. var. **virgatus** – FR EP NL MU YP SL SE
- *Styphelia virgata* Labill.

Lissanthe strigosa (Sm.) R.Br. ssp. **subulata** (R.Br.) J.M.Powell – EP NL MU SL KI SE
- *Lissanthe strigosa* auct.non (Sm.) R.Br.: J.M.Powell et al.(1986)
- *Lissanthe subulata* R.Br.

Monotoca scoparia (Sm.) R.Br. – SE
- *Styphelia scoparia* Sm.

?e **Rhododendron ponticum** L. – SL?e

Sprengelia incarnata Sm. (Rare status in SA) – SL KI SE

Stenanthera conostephioides Sond. – EP NL MU YP SL KI SE
- *Astroloma conostephioides* (Sond.) F.Muell. ex Benth.
- *Pentataphrus behrii* Schltdl.
- *Styphelia behrii* (Schltdl.) Sleumer
- *Styphelia sonderi* F.Muell., nom.illeg.

Styphelia adscendens R.Br. – SL?e SE

Styphelia clelandii (Cheel) J.H.Willis (Rare status in SA) – EP MU YP SL KI SE
- *Leucopogon clelandii* Cheel

Styphelia cordifolia (Lindl.) F.Muell. – GT EP NL MU YP SL SE
- *Leucopogon cordifolius* Lindl.
- *Leucopogon rotundifolius* Sond.(1845), non R.Br.
- *Styphelia rotundifolia* (Sond.) F.Muell.

Styphelia ericoides Sm. – MU SE
- *Leucopogon ericoides* (Sm.) R.Br.

Styphelia exarrhena (F.Muell.) F.Muell. – FR?id ?EP MU SL KI SE
- *Leucopogon exarrhenus* F.Muell.
- *Leucopogon hirtellus* F.Muell. ex Benth.
- *Leucopogon hirtellus* F.Muell. ex Benth. var. *glabrifolius* J.M.Black
- *Leucopogon intermedius* Cheel
- *Styphelia exarrhena* (F.Muell.) F.Muell. var. *hirtella* (F.Muell.ex Benth.) J.M.Black
- *Styphelia hirtella* (F.Muell.ex Benth.) F.Muell.ex Tate
- *Styphelia pusilliflora* F.Muell.

?e **Styphelia foliosa** (Sond.) Hislop, Crayn & Puente-Lel. – SL?e
- *Astroloma foliosum* Sond.

Styphelia humifusa (Cav.) Pers. – FR EA EP NL MU YP SL KI SE
- *Astroloma denticulatum* R.Br.
- *Astroloma humifusum* (Cav.) R.Br.
- *Astroloma humifusum* (Cav.) R.Br. var. *denticulatum* (R.Br.) J.M.Black
- *Astroloma pallidum* auct.non R.Br.: Sonder(1853)
- *Ventenatia humifusa* Cav.

Styphelia rufa (Lindl.) F.Muell. – EP MU SL KI SE
- *Leucopogon astrolomioides* F.Muell. ex Sond.
- *Leucopogon rufus* Lindl.

Styphelia woodsii (F.Muell.) F.Muell. – EP MU YP SL KI SE
- *Conostephium halmaturinum* J.M.Black
- *Leucopogon woodsii* F.Muell.

RUBIACEAE 100.352

?e **Asperula arvensis** L. – NL?e

Asperula conferta Hook.f. – FR EA EP NL MU YP SL KI SE
- *Asperula oligantha* F.Muell., nom.illeg., partly
- *Asperula scoparia* auct.non Hook.f.: J.M.Black(1957)

Asperula gemella Airy Shaw & Turrill – LE FR EP MU SL
- *Asperula geminifolia* auct.non F.Muell.: Tate(1890)
- *Galium geminifolium* F.Muell.(1855)

Asperula oblanceolata I.Thomps. (Rare status in SA) – SE
- *Asperula subsimplex* auct.non Hook.f.: Barker et al.(2005), partly

Asperula sp. A (A.B.Cashmore September 1933) Toelken (Endangered* status in SA) – KI
- *Asperula pusilla* auct.non Hook.f: Jessop & Toelken(1986)

Asperula subsimplex Hook.f. (Rare status in SA) – SE
- *Asperula conferta* auct.non Hook.f.: Toelken(1986), partly
- *Asperula gunnii* auct.non Hook.f.: Toelken(1986), questionably
- *Asperula scoparia* auct.non Hook.f.: J.M.Black(1957), partly

Asperula syrticola (Miq.) Toelken (Rare status in SA) – FR EP NL MU
- *Asperula lissocarpa* Airy Shaw & Turrill
- *Rubia syrticola* Miq.

Asperula tetraphylla (Airy Shaw & Turrill) I.Thomps. (Vulnerable status in SA) – KI
- *Asperula euryphylla* Airy Shaw & Turrill var. *tetraphylla* Airy Shaw & Turrill
- *Asperula gunnii* auct.non Hook.f.: J.M.Black(1929)
- *Asperula oligantha* F.Muell., nom.illeg., partly

Asperula wimmerana Airy Shaw & Turrill – MU SE
- *Asperula conferta* auct.non Hook.f.: Toelken(1986), partly
- *Asperula oligantha* F.Muell., nom.illeg., partly

* **Coprosma repens** A.Rich. – EP* MU* YP* SL* KI* SE*

Dentella pulvinata Airy Shaw – LE
- *Dentella pulvinata* Airy Shaw var. *repanda* Airy Shaw
- *Dentella repens* auct.non J.R.Forst. & G.Forst. J.M.Black(1929)

?e **Galium album** Mill. – SE?e

* **Galium aparine** L. – NL* SL* KI?e SE*

Galium australe DC. – ?KI SE

Galium bulliformis I.Thomps. – GT FR EA EP MU
- *Galium binifolium* auct.non N..A.Wakef.: Barker et al.(2005), partly
- *Galium migrans* auct.non Ehrend. & McGill.: Barker et al.(2005), partly

Galium ciliare Hook.f. ssp. **ciliare** – ?SL SE

Galium compactum Ehrend. & McGill. – EP NL MU YP SL KI SE
- *Galium ciliare* auct.non Hook.f.: J.M.Black(1929)
- *Galium gaudichaudii* auct.non DC.: Barker et al.(2005), partly

Galium curvihirtum Ehrend. & McGill. (Rare status in SA) – ?SL?n ?KI?n SE
- *Galium australe* auct.non DC.: J.M.Black(1929), partly

Galium densum Hook.f. – SE

* **Galium divaricatum** Pourret ex Lam. – FR* NL* MU* SL* KI* SE*
- *Galium parisiense* L. var. *australe* Ewart & Jean White

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Galium gaudichaudii DC. ssp. **gaudichaudii** – FR EP NL MU SL KI SE
- *Galium axiflorum* F.Muell. ex Miq. f. *laxe-ramosum* Miq.
- *Galium axiflorum* F.Muell. ex Miq. f. *minor* Miq.
- *Galium gaudichaudii* auct.non DC.: Barker et al.(2005), partly

Galium gaudichaudii DC. ssp. **parviflorum** I.Thomps. – FR SL
- *Galium gaudichaudii* auct.non DC.: Barker et al.(2005), partly

Galium leptogonium I.Thomps. – NU FR EA EP NL MU ?YP SL KI SE
- *Galium australe* auct.non DC.: Barker et al.(2005), partly
- *Galium binifolium* auct.non N.A.Wakef.: Jessop(1983), partly
- *Galium erythrorrhizum* F.Muell. ex Miq., nom illeg., non Boiss & Reut.(1852), partly
- *Galium gaudichaudii* DC. var. *muriculatum* Benth.
- *Galium migrans* auct.non Ehrend. & McGill.: Toelken(1986), partly

Galium microlobum I.Thomps. – GT FR EA EP NL
- *Asperula conferta* auct.non Hook.f.: J.M.Black(1957), partly
- *Galium gaudichaudii* auct.non DC.: Barker et al.(2005), partly

Galium migrans Ehrend. & McGill. ssp. **inversum** I.Thomps. – FR EA
- *Galium migrans* auct.non Ehrend. & McGill.: Toelken(1986), partly

Galium migrans Ehrend. & McGill. ssp. **migrans** – FR EA NL MU SL KI
- *Galium binifolium* auct.non N..A.Wakef.: Toelken et al.(1986), partly
- *Galium erythrorrhizum* F.Muell. ex Miq.„ nom.illeg., non Boiss. & Reut.(1852), partly
- *Galium migrans* auct.non Ehrend. & McGill.: Toelken(1986), partly

Galium migrans Ehrend. & McGill. ssp. **trichogynum** I.Thomps. – FR
- *Galium migrans* auct.non Ehrend. & McGill.: Toelken(1986), partly

* **Galium murale** (L.) All. – NU* FR* EP* NL* MU* YP* SL* KI* SE*
- *Sherardia muralis* L.

* **Galium palustre** L. – SL*

?e **Galium propinquum** A.Cunn. (Endangered* status in SA) – SL?e

* **Galium spurium** L. – GT* FR* EA* EP* NL* MU* YP* SL* SE*
- *Galium ibicinum* Boiss. & Hausskn. ex Boiss.
- *Galium spurium* L. ssp. *ibicinum* (Boiss. & Hausskn. ex Boiss.) Ehrend.
- *Galium tenerum* auct.non Schleicher: E.L.Robertson in J.M.Black(1957)

* **Galium tricornutum** Dandy (Declared SA plant) – EA* EP?e NL* YP* SL* KI?e SE*
- *Galium tricorne* Stokes

Leptostigma reptans (F.Muell.) Fosberg (Rare status in SA) – SE
- *Diodia reptans* F.Muell.
- *Nertera reptans* (F.Muell.) Benth.

Nertera granadensis (L.f.) Druce (Endangered status in SA) – SE
- *Gomozia granadensis* Mutis ex L.f.
- *Nertera depressa* Banks & Sol. ex Gaertn.

Opercularia ovata Hook.f. – MU SL SE

Opercularia scabrida Schltdl. – EP NL MU SL KI SE

Opercularia turpis F.Muell. ex J.M.Black – FR EA EP NL MU YP SL KI SE
- *Opercularia turpis* F.Muell. ex Miq., nom.inval.
- *Opercularia varia* Hook.f. var. *rigidior* Benth.

Opercularia varia Hook.f. – SL KI SE

Pomax umbellata (Gaertn.) Sol. ex A.Rich. – NW LE NU GT FR EA EP
- *Opercularia umbellata* Gaertn.
- *Pomax glabra* DC.
- *Pomax hirta* DC.

Psydrax ammophila (S.Moore) S.T.Reynolds & R.J.F.Hend. – NW LE
- *Canthium attenuatum* auct.non R.Br.ex Benth.: Toelken(1986), partly
- *Canthium latifolium* auct.non F.Muell.ex Benth.: Toelken(1986), partly

Psydrax latifolia (F.Muell. ex Benth.) S.T.Reynolds & R.J.F.Hend. – NW LE
- *Canthium latifolium* F.Muell. ex Benth.
- *Plectronia latifolia* (F.Muell. ex Benth.) J.M.Black

Psydrax suaveolens (S.Moore) S.T.Reynolds – NW
- *Canthium lineare* E.Pritz.
- *Canthium suaveolens* S.Moore
- *Plectronia linearis* (E.Pritz.) J.M.Black

* **Sherardia arvensis** L. – FR* EP* NL* MU* YP* SL* KI* SE*

Synaptantha tillaeacea (F.Muell.) Hook.f. var. **hispidula** Halford – NW LE GT FR EA EP
- *Synaptantha tillaeacea* auct.non (F.Muell.) Hook.f.: Toelken(1986), partly

Synaptantha tillaeacea (F.Muell.) Hook.f. var. **tillaeacea** – NW LE GT FR EA EP
- *Hedyotis elatinoides* Benth.
- *Hedyotis tillaeacea* F.Muell.
- *Oldenlandia tillaeacea* (F.Muell.) F.Muell.
- *Synaptantha tillaeacea* (F.Muell.) Hook.f., partly

GENTIANACEAE 100.353

* **Blackstonia perfoliata** (L.) Huds. – EP* SE*
- *Chlora perfoliata* (L.) L.
- *Gentiana perfoliata* L.

* **Centaurium erythraea** Rafn – NU* FR* EP* SL* KI* SE*
- *Centaurium littorale* auct.non (Turner) Gilmour: H.Eichler(1965), partly
- *Centaurium minus* Garsault, nom inval.
- *Erythraea centaurium* (L.) Borkh.

* **Centaurium erythraea** Rafn × **Centaurium tenuiflorum** (Hoffmanns. & Link) Fritsch – EP* MU* SL* KI* SE*

* **Centaurium maritimum** (L.) Fritsch ex Janch. – YP* SL* KI* SE*
- *Erythraea maritima* (L.) Pers.
- *Gentiana maritima* L.

* **Centaurium pulchellum** (Sw.) Druce – EP* MU* YP* SL* KI* SE*
- *Gentiana pulchella* Sw.

* **Centaurium tenuiflorum** (Hoffmanns. & Link) Fritsch – FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Centaurium pulchellum* auct.non (Sw.) Druce: H.Eichler(1965)
- *Erythraea tenuiflora* Hoffmanns. & Link

* **Cicendia filiformis** (L.) Delarbre – MU* SL* SE*
- *Gentiana filiformis* L.
- *Microcala filiformis* (L.) Hoffmanns. & Link

* **Cicendia quadrangularis** (Dombey ex Lam.) Griseb. – NL* SL* SE*
- *Gentiana quadrangularis* Dombey ex Lam.
- *Microcala quadrangularis* (Dombey ex Lam.) A.DC.

Gentianella clelandii (L.G.Adams) Glenny (Endangered* status in SA) – SE
- *Chionogentias clelandii* L.G.Adams

Gentianella gunniana (L.G.Adams) Glenny (Vulnerable status in SA) – SE
- *Chionogentias gunniana* L.G.Adams
- *Gentiana diemensis* auct.non Griseb.: E.L.Robertson(1957)
- *Gentiana pleurogynoides* auct.non Griseb.: Toelken(1986)
- *Gentiana saxosa* auct.non Forst.f.: Tate(1890)
- *Gentianella diemensis* auct.non (Griseb.) J.H.Willis: Toelken(1986)

Schenkia australis (R.Br.) G.Mans. – NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Centaurium australe* (R.Br.) Druce
- *Centaurium littorale* auct.non (Turner) Gilmour: H.Eichler(1965), partly
- *Centaurium spicatum* auct.non (L.) Fritsch ex Janch.: Jessop & Toelken(1986)
- *Erythraea australis* R.Br.
- *Erythraea spicata* auct.non (L.) Pers.: Tate(1890)

Schenkia australis (R.Br.) G.Mans. × **Schenkia clementii** (Domin) G.Mans – LE EA EP
- *Centaurium spicatum* auct.non (L.) Fritsch: Jessop & Toelken(1986), partly
- *Schenkia clementii* auct.non (Domin) G.Mans.: SA Census online(6 Mar. 2012)
- *Schenkia clementii* (Domin) G.Mans. × *Schenkia australis* (R.Br.) G.Mans.

Sebaea albidiflora F.Muell. – EP YP SE

Sebaea ovata (Labill.) R.Br. – FR EA EP NL MU YP SL KI SE
- *Exacum ovatum* Labill.

LOGANIACEAE 100.354

Logania crassifolia R.Br. – EP YP SL KI

Logania insularis J.M.Black (Vulnerable status in SA, Vulnerable status in Australia) – KI

Logania linifolia Schltdl. – FR EP MU YP SL KI SE

Logania minor (J.M.Black) B.J.Conn – EP YP SL SE
- *Logania crassifolia* R.Br. var. *minor* J.M.Black

- *Logania sp. A* G.Perry(1986)

Logania ovata R.Br. – NW EP YP KI SE

Logania recurva J.M.Black – SL

- *Logania longifolia* R.Br. var. *subsessilis* Benth.

Logania saxatilis G.Perry ex B.J.Conn (Rare status in SA) – FR NL MU SL

- *Logania longifolia* auct.non R.Br.: Benth.(1868), partly
- *Logania sp. B* G.Perry(1986)
- *Logania vaginalis* auct.non (Labill.) F.Muell.: J.M.Black(1957)

Logania scabrella B.J.Conn (Rare status in SA) – KI

Mitrasacme pilosa Labill. var. **pilosa** (Vulnerable status in SA) – SE

Orianthera centralis (B.J.Conn) C.S.P.Forster & B.J.Conn – NW

- *Logania centralis* B.J.Conn

Orianthera nuda (F.Muell.) C.S.P.Forster & B.J.Conn – NU GT EP MU

- *Logania nuda* F.Muell.

Phyllangium distylis (F.Muell.) Dunlop (Rare status in SA) – EP MU SL KI SE

- *Mitrasacme distylis* F.Muell.

Phyllangium divergens (Hook.f.) Dunlop – FR EP NL MU YP SL KI SE

- *Mitrasacme divergens* Hook.f.
- *Mitrasacme paradoxa* auct.non R.Br.: G.Perry(1986), partly

Phyllangium sulcatum Dunlop (Vulnerable status in SA) – FR EP

- *Mitrasacme paradoxa* auct.non R.Br.: G.Perry(1986), partly

APOCYNACEAE 100.356

Alyxia buxifolia R.Br. – NU GT FR EP NL MU YP SL KI SE

* **Araujia sericifera** Brot. – NU[?e] SL*

- *Araujia hortorum* E.Fourn.
- *Araujia sericofera* Brot.

* **Asclepias curassavica** L. – FR* EP*

* **Calotropis procera** (Aiton) R.Br. ex W.T.Aiton – NW* LE*

- *Asclepias procera* Aiton

Carissa lanceolata R.Br. – ?LE

- *Carissa brownii* F.Muell., nom.illeg., nom.superfl., partly
- *Carissa brownii* F.Muell. var. *angustifolia* Kempe
- *Carissa brownii* F.Muell. var. *lanceolata* (R.Br.) Tate
- *Carissa spinarum* auct.non L.: SA Census online(27/02/2006-17/06/2022)

[?e] **Catharanthus roseus** (L.) G.Don – EP[?e]

- *Vinca rosea* L.

Cynanchum floribundum R.Br. – NW LE GT FR

Cynanchum viminale (L.) Bassi ssp. **australe** (R.Br.) Meve & Liede – NW LE GT FR EA EP NL MU YP SL

- *Sarcostemma australe* R.Br.
- *Sarcostemma viminale* (L.) R.Br. ssp. *australe* (R.Br.) P.I.Forst.

* **Gomphocarpus cancellatus** (Burm.f.) Bruyns – FR* MU* YP* SL* KI* SE*

- *Asclepias arborescens* L.
- *Asclepias cancellata* Burm.f.
- *Asclepias rotundifolia* Mill.
- *Gomphocarpus arborescens* (L.) R.Br.

* **Gomphocarpus fruticosus** (L.) W.T.Aiton – NU* FR* EP* NL* MU* SL* SE*

- *Asclepias fruticosa* L.
- *Gomphocarpus fruticosus* (L.) R.Br.

* **Gomphocarpus physocarpus** E.Mey. – SL[?e] SE*

- *Asclepias physocarpa* (E.Mey.) Schltr.

Leichhardtia australis R.Br. – NW LE NU GT FR EA EP MU

- *Marsdenia australis* (R.Br.) Druce
- *Marsdenia leichhardtiana* F.Muell., nom. illeg., nom. superfl.

* **Nerium oleander** L. – NU[?e] GT[?e] FR* EA* MU* SL*

* **Orbea variegata** (L.) Haw. – EP* YP[?e] SL*

- *Stapelia variegata* L.

[?e] **Stapelia gigantea** N.E.Br. – EP[?e]

* **Vinca major** L. – FR* EP* NL* MU* YP* SL* KI* SE*

?e **Vincetoxicum barbatum** (R.Br.) Kuntze – SL?e
- *Hoya barbata* (R.Br.) Spreng.
- *Tylophora barbata* R.Br.

Vincetoxicum lineare (Decne.) Meve & Liede – NW LE NU GT EP NL MU?id
- *Daemia kempeana* F.Muell., orth.var.
- *Pentatropis atropurpurea* (F.Muell.) Benth.
- *Pentatropis kempeana* F.Muell.
- *Pentatropis linearis* Decne.
- *Pentatropis quinquepartita* (F.Muell.) Benth.
- *Rhyncharrhena atropurpurea* F.Muell.
- *Rhyncharrhena linearis* (Decne.) K.L.Wilson
- *Rhyncharrhena quinquepartita* F.Muell.

BORAGINACEAE 100.357

* **Amsinckia calycina** (Moris) Chater (Declared SA plant) – FR* EP* NL* MU* SL* KI* SE*
- *Amsinckia angustifolia* Lehm., nom.inval., nom.nud.
- *Amsinckia hispida* (Ruiz & Pav.) I.M.Johnst.
- *Amsinckia lycopsoides* auct.non Lehm.: Toelken(1986)
- *Lithospermum calycinum* Moris
- *Lithospermum hispidum* Ruiz & Pav., nom.illeg.

* **Amsinckia lycopsoides** (Lehm.) Lehm. (Declared SA plant) – FR* EP* MU* ?SL* SE*

* **Anchusa arvensis** (L.) M.Bieb. – EA* MU* SE*
- *Anchusa arvensis* (L.) M.Bieb. ssp. *arvensis*
- *Lycopsis arvensis* L.

* **Anchusa capensis** Thunb. – FR* EP* SL* SE*

* **Borago officinalis** L. – NL* MU* SL* SE*

* **Buglossoides arvensis** (L.) I.M.Johnst. – LE* NU* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Lithospermum arvense* L.

Cynoglossum australe R.Br. – NW LE FR EA EP MU?id YP SL KI SE
- *Cynoglossum australe* R.Br. var. *drummondii* (Benth.) Brand
- *Cynoglossum drummondii* Benth.

* **Echium candicans** L.f – SL?e KI?e SE*

* **Echium italicum** L. – MU* YP* SL* SE*

* **Echium plantagineum** L. (Declared SA plant)
– NW* LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Echium lycopsis* L.
- *Echium violaceum* auct.non L.: Benth.(1868)

* **Echium simplex** DC. – EP?e SE*

* **Echium vulgare** L. – EA?e NL* SE*

Embadium johnstonii Ising (Rare status in SA) – LE

Embadium stagnense J.M.Black (Rare status in SA) – GT

Embadium uncinatum Ising – LE GT FR EA EP

Euploca cunninghamii (Benth.) M.W.Frohl. & M.W.Chase – LE FR
- *Heliotropium cunninghamii* Benth.
- *Heliotropium tenuifolium* auct.non R.Br.: Craven(1986), partly
- *Heliotropium tenuifolium* R.Br. var. *parviflorum* J.M.Black

Euploca filaginoides (Benth.) M.W.Frohl. & M.W.Chase – NW LE EA
- *Heliotropium filaginoides* Benth.
- *Heliotropium filaginoides* Benth. var. *filaginoides*

Euploca glabella (R.Br.) M.W.Frohl. & M.W.Chase – NW
- *Heliotropium glabellum* R.Br.

Euploca inexplicita (Craven) M.W.Frohl. & M.W.Chase – NW LE
- *Heliotropium inexplicitum* Craven

Euploca moorei (Craven) M.W.Frohl. & M.W.Chase – NW LE
- *Heliotropium moorei* Craven
- *Heliotropium tenuifolium* auct.non R.Br.: Craven(1986), partly

Euploca pachyphylla (Craven) M.W.Frohl. & M.W.Chase – LE EA
- *Heliotropium ovalifolium* auct.non Forssk.: Craven(1986), partly
- *Heliotropium ovalifolium* Forssk. var. *crassifolium* Domin
- *Heliotropium pachyphyllum* Craven
- *Heliotropium sp. Fitton Mine (R.J.Bates 9754)* Toelken

Euploca tanythrix (Craven) M.W.Frohl. & M.W.Chase – NW LE FR EA
- *Heliotropium tanythrix* Craven
- *Heliotropium tenuifolium* auct.non R.Br.: Craven(1986), partly

Hackelia suaveolens (R.Br.) Dimon & M.A.M.Renner – FR EP NL MU YP SL SE
- *Cynoglossum suaveolens* R.Br.

Halgania andromedifolia Behr & F.Muell. – NU EP NL MU YP
- *Halgania lavandulacea* auct.non Endl.: Benth.(1868)

Halgania cyanea Lindl. – NW LE NU GT FR EA EP NL MU YP SL SE
- *Halgania strigosa* Schltdl.

Halgania erecta Ewart & B.Rees – NW

Halgania glabra J.M.Black – NW

Heliotropium ammophilum Craven – LE GT
- *Heliotropium undulatum* auct.non Vahl: Craven(1986)

* **Heliotropium amplexicaule** Vahl – GT* FR* EP* MU* SL* SE*
- *Cochranea anchusaefolia* (Poir.) Gurke
- *Heliotropium anchusaefolium* Poir.
- *Tournefortia heliotropioides* Hook.

Heliotropium asperrimum R.Br. – NW LE GT FR EA EP NL MU YP SE

* **Heliotropium curassavicum** L. – LE* GT* FR* EA* EP* NL* MU* YP* SL* SE*

?n **Heliotropium europaeum** L. – LE?n NU?n GT?n FR?n EA?n EP?n NL?n MU?n YP?n SL?n KI?n SE?n
- *Heliotropium glandulosum* R.Br.

Heliotropium pleiopterum F.Muell. – NW

* **Heliotropium supinum** L. – LE* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*

?e **Myosotis arvensis** (L.) Hill – SE?e

Myosotis australis R.Br. ssp. **australis** – GT EP NL MU YP SL KI SE
- *Myosotis australis* R.Br.

* **Myosotis discolor** Pers. – NL* MU* SL* SE*
- *Myosotis arvensis* (L.) Hill var. *versicolor* Pers.
- *Myosotis discolor* Pers. ssp. *discolor*, partly

* **Myosotis sylvatica** Hoffm. – SL* SE*
- *Myosotis arvensis* (L.) Hill var. *sylvatica* (Hoffm.) Pers.

* **Neatostema apulum** (L.) I.M.Johnst. – EA* EP* NL* MU* YP* SL* SE*
- *Lithospermum apulum* (L.) Vahl
- *Myosotis apula* L.
- *Rhytispermum apulum* (L.) Rchb.

Omphalolappula concava (F.Muell.) Brand – NW LE NU GT FR EA EP NL MU YP
- *Cynoglossospermum concavum* (F.Muell.) Kuntze
- *Cynoglossum concavum* (F.Muell.) Kuntze
- *Echinospermum concavum* F.Muell.
- *Lappula concava* (F.Muell.) F.Muell.

* **Phacelia tanacetifolia** Benth. – SL* KI*

Plagiobothrys elachanthus (F.Muell.) I.M.Johnst. – EP NL MU SE
- *Eritrichium australasicum* Benth., partly
- *Heliotropium elachanthum* F.Muell.

Plagiobothrys orthostatus J.M.Black (Vulnerable status in SA) – SE

Plagiobothrys plurisepaleus (F.Muell.) I.M.Johnst. – NW LE GT FR EA EP NL MU SE
- *Allocarya plurisepalea* (F.Muell.) Brand
- *Maccoya plurisepalea* F.Muell.
- *Rochelia maccoya* F.Muell. ex Benth.
- *Rochelia plurisepalea* (F.Muell.) Druce

Trichodesma zeylanicum (Burm.f.) R.Br. var. **zeylanicum** – NW LE GT FR EA
- *Borago zeylanica* Burm.f.
- *Pollichia zeylanica* (Burm.f.) F.Muell.
- *Trichodesma sericeum* Lindl.
- *Trichodesma zeylanicum* (Burm.f.) R.Br.
- *Trichodesma zeylanicum* (Burm.f.) R.Br. var. *latisepaleum* F.Muell.
- *Trichodesma zeylanicum* (Burm.f.) R.Br. var. *sericeum* (Lindl.) Benth.

* **Wigandia urens** (Ruiz & Pav.) Kunth var. **caracasana** (Kunth) D.N.Gibson – SL*
- *Wigandia caracasana* Kunth
- *Wigandia urens* (Ruiz & Pav.) Kunth var. *caracasana* (Kunth) D.N.Gibson

CONVOLVULACEAE 100.359

Bonamia deserticola R.W.Johnson – LE

Bonamia erecta R.W.Johnson – NW

- *Bonamia rosea* auct.non (F.Muell.) Hallier f.: R.W.Johnson(1986)
- *Breweria rosea* auct.non F.Muell.: J.M.Black(1957)

Bonamia media (R.Br.) Hallier f. – LE

- *Bonamia linearis* (R.Br.) Hallier f. var. *media* (R.Br.) Hallier f.
- *Breweria media* R.Br.

Calystegia sepium (L.) R.Br. – MU SL SE

- *Calystegia sepium* (L.) R.Br. ssp. *roseata* Brummit
- *Convolvulus sepium* L.

* **Calystegia silvatica** (Kit.) Griseb. ssp. **silvatica** – SL* KI* SE*

- *Calystegia sepium* auct.non (L.) R.Br., R.W.Johnson(1986)

Convolvulus angustissimus R.Br. – EA EP NL MU YP SL KI SE

- *Convolvulus acaulis* Choisy
- *Convolvulus angustissimus* R.Br. ssp. *angustissimus*
- *Convolvulus angustissimus* R.Br. ssp. *fililobus* (Wawra) R.W.Johnson
- *Convolvulus angustissimus* R.Br. ssp. *peninsularum* R.W.Johnson
- *Convolvulus erubescens* auct.non Sims: R.W.Johnson(1986), partly

* **Convolvulus arvensis** L. (Declared SA plant) – FR* EA* EP* NL* YP* SL* KI* SE*

Convolvulus clementii Domin – NW LE NU GT FR EA EP NL MU

- *Convolvulus erubescens* auct.non Sims: Johnson(1986), partly

Convolvulus crispifolius F.Muell. – GT EP MU YP SL[?id] KI

- *Convolvulus erubescens* auct.non Sims: J.M.Black(1952), partly
- *Convolvulus sp. B* R.W.Johnson(1986), partly

Convolvulus eyreanus R.W.Johnson – LE GT FR EA MU

- *Convolvulus erubescens* auct.non Sims: J.M.Black(1952), partly
- *Convolvulus sp. B* R.W.Johnson(1986), partly

Convolvulus microsepalus R.W.Johnson – LE GT FR EA EP NL MU YP SL

- *Convolvulus sp. A* R.W.Johnson(1986)

Convolvulus recurvatus R.W.Johnson ssp. **nullarborensis** R.W.Johnson – NW NU FR EA EP NL MU SE

- *Convolvulus erubescens* auct.non Sims: R.W.Johnson(1986), partly

Convolvulus recurvatus R.W.Johnson ssp. **recurvatus** – LE GT FR EA EP NL MU YP SE

- *Convolvulus erubescens* auct.non Sims: R.W.Johnson(1986), partly

Convolvulus remotus R.Br. – NW LE NU GT FR EA EP NL MU YP SL KI SE

* **Convolvulus sabatius** Viv. ssp. **mauritanicus** (Boiss.) Mirb. – SL*

- *Convolvulus mauritanicus* Boiss.

Convolvulus tedmoorei R.W.Johnson – LE

- *Convolvulus clementii* auct.non Domin: Barker et al.(2005), partly
- *Convolvulus erubescens* auct.non Sims: Johnson(1986), partly
- *Convolvulus recurvatus* auct.non R.W.Johnson: Barker et al.(2005) ssp. *recurvatus*, partly

Cressa australis R.Br. – NW LE GT FR EA EP NL MU YP SL

- *Cressa cretica* auct.non L.: R.W.Johnson(1986)

* **Cuscuta campestris** Yunck. (Declared SA plant) – LE* MU* SL* SE*

* **Cuscuta epithymum** (L.) L. – SL* SE*

- *Cuscuta europaea* auct.non L.: Alert Weed(2011)
- *Cuscuta europaea* L. var. *epithymum* L.

* **Cuscuta planiflora** Ten. (Declared SA plant) – SE*

* **Cuscuta suaveolens** Ser. (Declared SA plant) – SE*

Cuscuta tasmanica Engelm. (Vulnerable status in SA) – SE

- *Cuscuta tasmanica* Engelm. var. *brevistyla* Yuncker

Cuscuta victoriana Yunck. – NW LE GT FR EA

- *Cuscuta australis* auct.non R.Br.: J.M.Black(1957)

Dichondra repens J.R.Forst. & G.Forst. – FR EP NL MU YP SL KI SE

Evolvulus alsinoides (L.) L. var. **decumbens** (R.Br.) Ooststr. – NW FR EA

- *Evolvulus decumbens* R.Br.

Evolvulus alsinoides L. var. **villosicalyx** Ooststr. – NW LE GT FR EA

* **Ipomoea cairica** (L.) Sweet – EP*

- *Convolvulus cairicus* L.
- *Ipomoea palmata* Forssk.

. . . [?e], questionably established. [n*], native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

* **Ipomoea carnea** Jacq. ssp. **fistulosa** (Choisy) D.F.Austin – LE*
- *Ipomoea carnea* Jacq.
- *Ipomoea fistulosa* Choisy

Ipomoea diamantinensis J.M.Black ex Eardley – LE
* **Ipomoea indica** (Burm.) Merr. – NL* MU* SL*
- *Convolvulus acuminatus* Vahl
- *Convolvulus indicus* Burm.
- *Ipomoea acuminata* (Vahl) Roem. & Schult.
- *Ipomoea congesta* R.Br.
- *Ipomoea learii* Paxton

Ipomoea lonchophylla J.M.Black – LE GT
Ipomoea muelleri Benth. – LE
* **Ipomoea pandurata** (L.) G.Mey. – MU* SL*
- *Convolvulus panduratus* L.

Ipomoea polymorpha Roem. & Schult. – LE
- *Ipomoea heterophylla* R.Br., nom.illeg., non Ortega (1800)

Ipomoea racemigera F.Muell. & Tate – LE
- *Ipomoea plebeia* auct.non R.Br: SA Census online(2006-2012)

* **Merremia dissecta** (Jacq.) Hallier f. – MU*
- *Convolvulus dissectus* Jacq.
- *Ipomoea dissecta* (Jacq.) Pursh
- *Ipomoea sinuata* Ortega

Wilsonia backhousei Hook.f. – NU EP NL YP SL KI SE
Wilsonia humilis R.Br. – NU EP NL YP SL KI SE
- *Wilsonia humilis* R.Br. var. *humilis*

Wilsonia rotundifolia Hook. – EP NL MU YP SL KI SE

SOLANACEAE 100.360
?e **Alkekengi officinarum** Moench – SL?e
- *Physalis alkekengi* L.

Anthocercis angustifolia F.Muell. (Rare status in SA) – FR NL SL
Anthocercis anisantha Endl. ssp. **anisantha** (Rare status in SA) – EP
Anthocercis anisantha Endl. ssp. **collina** Haegi – GT EP
* **Cestrum parqui** L'Her. – NL* MU* SL* KI* SE*
Cyphanthera myosotidea (F.Muell.) Haegi – GT EP MU KI
- *Anthocercis amblyantha* F.Muell.
- *Anthocercis myosotidea* F.Muell.

* **Datura ferox** L. – GT* FR* EA* EP* NL* MU* YP* SL* KI?e SE*
* **Datura innoxia** Mill. – LE* FR* EP* NL* MU* YP*
- *Datura inoxia* Mill., orth.var.
- *Datura metel* auct.non L.: J.M.Black(1957), partly
- *Datura meteloides* DC. ex Dunal

* **Datura leichhardtii** F.Muell. ex Benth. – NW* LE* GT* FR* EA* EP*
* **Datura stramonium** L. – FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Datura stramonium* L. var. *tatula* (L.) Torr.
- *Datura tatula* L.

* **Datura wrightii** Regel – FR* EA* NL* MU* SL*
- *Datura metel* auct.non L.: J.M.Black(1957), partly
- *Datura meteloides* auct.non Dunal: Everist(1974)

Duboisia hopwoodii (F.Muell.) F.Muell. – NW LE NU GT EA EP MU
- *Anthocercis hopwoodii* F.Muell.

Grammosolen dixonii (F.Muell. & Tate) Haegi – EP NL MU YP
- *Anthotroche blackii* auct.non F.Muell.: H.Eichler(1965), partly
- *Anthotroche blackii* auct.non F.Muell.: J.M.Black(1957), partly
- *Newcastelia dixonii* F.Muell. & Tate

Grammosolen truncatus (Ising) Haegi – NW NU GT EP
- *Anthotroche truncata* Ising

* **Hyoscyamus niger** L. – NL*
?e **Lycianthes rantonnetii** (Carriere) Bitter – NL?e SL?e SE?e
- *Solanum rantonnei* Carriere, orth.var.(orig.)
- *Solanum rantonnetii* Carriere

Lycium australe F.Muell. – NW LE NU GT FR EA EP NL MU YP SL
* **Lycium barbarum** L. – MU?e SL* SE?e
- *Lycium chinense* auct.non Mill.: J.M.Black(1957)
* **Lycium ferocissimum** Miers (Declared SA plant)
– LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Lycium chinense* auct.non Mill.: Benth.(1868), partly
- *Lycium macrocalyx* Domin
* **Nicandra physalodes** (L.) Gaertn. – EP* NL* SL* SE*
- *Atropa physalodes* L.
Nicotiana burbidgeae Symon (Vulnerable status in SA) – LE
- *Nicotiana burbidgei* Symon
Nicotiana excelsior (J.M.Black) J.M.Black – NW LE FR
- *Nicotiana macrocalyx* Domin
- *Nicotiana suaveolens* Lehm. var. *excelsior* J.M.Black
* **Nicotiana glauca** Graham – LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
Nicotiana goodspeedii H.-M.Wheeler – NW NU GT FR EA EP NL MU YP
Nicotiana gossei Domin – NW
Nicotiana maritima H.-M.Wheeler – FR EP NL MU YP SL KI SE
Nicotiana occidentalis H.-M.Wheeler ssp. **obliqua** N.T.Burb. – NW LE NU GT FR EP MU
Nicotiana rosulata (S.Moore) Domin ssp. **ingulba** (J.M.Black) P.Horton – NW
- *Nicotiana ingulba* J.M.Black
Nicotiana rosulata (S.Moore) Domin ssp. **rosulata** – NW LE GT EA EP
- *Nicotiana suaveolens* Lehm. var. *rosulata* S.Moore
Nicotiana simulans N.T.Burb. – NW LE GT FR EA EP
Nicotiana sp. Corunna (D.E.Symon 17088) D.E.Symon – EP
Nicotiana truncata Symon (Rare status in SA) – LE
Nicotiana velutina H.-M.Wheeler – NW LE NU GT FR EA EP NL MU
?e **Petunia × atkinsiana** (Sweet) D.Don ex W.H.Baxter – KI?e
- *Nierembergia atkinsiana* Sweet
- *Petunia × hybrida* Vilm.
* **Petunia axillaris** (Lam.) Britton, Sterns & Poggenb. – SL*
* **Physalis angulata** L. – SL*
* **Physalis hederifolia** A.Gray – NL* MU* SL* SE*
- *Physalis hederaefolia* A.Gray, orth.var.
- *Physalis viscosa* auct.non. L.: Barker et al.(2005)
- *Physalis viscosa* auct.non. L.: Symon (1981)
* **Physalis peruviana** L. – SL* SE*
?e **Physalis philadelphica** Lam. – SL?e
* **Salpichroa origanifolia** (Lam.) Thell. – MU* SL* SE*
- *Physalis origanifolia* Lam.
- *Salpichroa rhomboidea* auct.non (Hook) Miers: J.M.Black(1952)
Solanum aridicola A.R.Bean – NW LE
- *Solanum ellipticum* auct.non R.Br.: SA Census online(26 Apr. 2019), partly
- *Solanum ellipticum* R.Br. f. *b "Prickly form"* Symon(1981)
* **Solanum aviculare** G.Forst. – EP* SL*
Solanum capsiciforme (Domin) G.T.S.Baylis – NU EP NL?e MU?e YP KI
- *Solanum simile* F.Muell. var. *capsiciforme* Domin
Solanum centrale J.M.Black – NW LE NU GT
- *Solanum nemophilum* auct.non F.Muell.: J.M.Black(1957)
Solanum chenopodinum F.Muell. – LE GT FR EA EP
* **Solanum chenopodioides** Lam. – EP*?id SL*
* **Solanum cinereum** R.Br. – FR* EP* NL* SL*
Solanum cleistogamum Symon – NW LE GT EP NL MU
Solanum coactiliferum J.M.Black – NW LE NU GT FR EA EP NL MU YP
Solanum eardleyae Symon – NW LE
- *Solanum petrophilum* auct.non F.Muell.: D.E.Symon in Jessop(1981), partly
* **Solanum elaeagnifolium** Cav. (Declared SA plant) – EA* EP* NL* MU* YP* SL* KI?e SE*
Solanum emmottii A.R.Bean – NW LE
- *Solanum ellipticum* auct.non R.Br.: SA Census online(26 Apr. 2019), partly
Solanum eremophilum F.Muell. (Rare status in SA) – ?FR NL
Solanum esuriale Lindl. – LE GT FR EA NL MU SL

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Solanum ferocissimum Lindl. – NW LE EA
* **Solanum hoplopetalum** Bitter & Summerh. – SE*
Solanum hystrix R.Br. – NU GT EP
Solanum karsense Symon (Vulnerable status in Australia) – EA NL*
- *Solanum karsensis* Symon, orth.var.(orig.)
Solanum laciniatum Aiton – EP NL* MU SL KI* SE
Solanum lacunarium F.Muell. – LE GT FR MU
Solanum lasiophyllum Dunal ex Poir. – NW LE GT EP?n
?n **Solanum linearifolium** Geras. ex Symon – SL?n
* **Solanum linnaeanum** Hepper & P.-M.L.Jaeger – EP* NL* MU* SL* KI* SE*
- *Solanum hermanni* Dunal
- *Solanum sodomeum* L. var. *hermanni* (Dunal) Dunal
Solanum lithophilum F.Muell. – NW LE NU GT FR EA EP MU
- *Solanum ellipticum* auct.non R.Br.: SA Census online(26 Apr. 2019), partly
- *Solanum ellipticum* R.Br. var. *mollibaccalis* J.M.Black
Solanum lobatum A.R.Bean – NW LE*
- *Solanum petrophilum* auct.non F.Muell.: Symon in Jessop & Toelken(1986), partly
?e **Solanum lycopersicum** L. – LE?e FR?e EA?e EP?e SL?e KI?e SE?e
- *Lycopersicon esculentum* Mill.
- *Lycopersicon lycopersicum* (L.) H.Karst.ex Farw.
?e **Solanum marginatum** L.f. – NL?e MU?e SL?e SE?e
* **Solanum mauritianum** Scop. – EP?e SL*
?e **Solanum melongena** L. – MU?e
* **Solanum nigrum** L. – NW* LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
Solanum oligacanthum F.Muell. – LE GT EP?e NL* YP?e SL?e SE?e
Solanum opacum A.Braun & Bouche – MU KI*
* **Solanum orbiculatum** Dunal ex Poir. ssp. **macrophyllum** Symon – LE*
Solanum orbiculatum Dunal ex Poir. ssp. **orbiculatum** – NW LE NU GT
- *Solanum orbiculatum* Dunal ex Poir.
Solanum osteocarpum A.R.Bean – NW LE
- *Solanum petrophilum* auct.non F.Muell.: Symon in Jessop & Toelken(1986), partly
Solanum pallidifolium A.R.Bean – NW
- *Solanum petrophilum* auct.non F.Muell.: Symon in Jessop & Toelken(1986), partly
Solanum petrophilum F.Muell. – LE GT FR EA EP NL MU SL?e
* **Solanum physalifolium** Rusby var. **nitidibaccatum** (Bitter) Edmonds – MU* SL* SE*
- *Solanum nitidibaccatum* Bitter
- *Solanum sarrachoides* Sendtn.
* **Solanum pseudocapsicum** L. – EP* NL* SL* KI*
Solanum quadriloculatum F.Muell. – NW LE GT FR EA EP
- *Solanum ellipticum* R.Br. var. *duribaccalis* J.M.Black
* **Solanum retroflexum** Dunal – EP* YP*
* **Solanum rostratum** Dunal – EP* NL* MU* SL*
?e **Solanum scabrum** Mill. – SL?e
Solanum simile F.Muell. – NU FR EA EP NL MU YP KI SE
Solanum sturtianum F.Muell. – NW LE GT FR EA EP NL MU?e
- *Solanum sturtii* F.Muell.
Solanum symonii H.Eichler – NU EP YP
* **Solanum triflorum** Nutt. – NL* MU* SL* SE*
* **Solanum villosum** Mill. – SL*
* **Withania somnifera** (L.) Dunal – EP* SL* SE*
- *Physalis somnifera* L.

OLEACEAE 100.366
* **Fraxinus angustifolia** Vahl ssp. **angustifolia** – FR* EP?e?id NL* MU?e YP?e SL* KI?e SE*
- *Fraxinus angustifolia* Vahl
- *Fraxinus oxycarpa* auct.non Willd.: J.M.Black(1957)
- *Fraxinus rotundifolia* Mill. ssp. *rotundifolia*
?e **Fraxinus angustifolia** Vahl ssp. **oxycarpa** (M.Bieb. ex Willd.) Franco & Rocha Afonso – SL?e
- *Fraxinus oxycarpa* M.Bieb. ex Willd.
* **Fraxinus ornus** L. – SL* KI?e

Jasminum didymum G.Forst. ssp. **lineare** (R.Br.) P.Green – NW GT FR EA EP NL MU
- *Jasminum lineare* R.Br.

* **Jasminum mesnyi** Hance – SL*

?e **Jasminum polyanthum** Franch. – SL?e

* **Ligustrum vulgare** L. – NL* SL* SE*

* **Olea europaea** L. ssp. **cuspidata** (Wall. ex G.Don) Cif. (Declared SA plant) – SL* SE*
- *Olea africana* Mill.
- *Olea chrysophylla* Lam.
- *Olea cuspidata* Wall. ex G.Don
- *Olea europaea* L. ssp. *africana* (Mill.) P.Green

* **Olea europaea** L. ssp. **europaea** (Declared SA plant) – FR* EP* NL* MU* YP* SL* KI* SE*

PLANTAGINACEAE 100.370

* **Bacopa monnieri** (L.) Wettst. – SL* SE*
- *Lysimachia monnieri* L.

* **Callitriche brutia** Petagna var. **brutia** – MU* SE*
- *Callitriche hamulata* auct.non Kutz.: Barker et al.(2005)

Callitriche sonderi Hegelm. (Rare status in SA) – LE MU SL SE

* **Callitriche stagnalis** Scop. – FR* NL* MU* SL* SE*
- *Callitriche verna* auct.non L.: J.M.Black(1952)

Callitriche umbonata Hegelm. (Vulnerable status in SA) – NL?id MU SL SE
- *Callitriche cyclocarpa* Hegelm.

* **Cymbalaria muralis** P.Gaertn., B.Mey. & Scherb. – EP?e YP?e SL* SE?e
- *Antirrhinum cymbalaria* L.
- *Cymbalaria muralis* P.Gaertn., B.Mey. & Scherb. ssp. *muralis*
- *Linaria cymbalaria* (L.) Mill.

?e **Digitalis purpurea** L. – SL?e

Gratiola pedunculata R.Br. (Rare status in SA) – MU?id

Gratiola peruviana L. – ?NL MU SL KI SE

Gratiola pubescens R.Br. (Rare status in SA) – MU KI SE
- *Gratiola peruviana* auct.non L.: E.L.Robertson(1957), partly

Gratiola pumilo F.Muell. (Rare status in SA) – NL MU SL SE
- *Gratiola peruviana* L. var. *pumila* (F.Muell.) Benth.
- *Gratiola pumila* F.Muell., orth.var.
- *Gratiola sexdentata* R.Cunn. ex A.Cunn., questionably

* **Kickxia commutata** (Bernh. ex Rchb.) Fritsch ssp. **graeca** (Bory & Chaub.) R.Fern. – SL*
- *Antirrhinum graecum* Bory & Chaub.
- *Kickxia graeca* (Bory & Chaub.) Pau
- *Linaria commutata* Bernh. ex Rchb.
- *Linaria graeca* (Bory & Chaub.) Chav.

* **Kickxia elatine** (L.) Dumort. ssp. **crinita** (Mabille) Greuter
– LE* FR* EP* NL* MU* YP* SL* KI* SE*
- *Kickxia elatine* (L.) Dumort. ssp. *sieberi* (Rchb.) Hayek
- *Kickxia sieberi* (Rchb.) Dorfl.
- *Linaria crinita* Mabille
- *Linaria elatine* (L.) Mill. var. *lasiopoda* Vis.
- *Linaria elatine* (L.) Mill. var. *villosa* Boiss.
- *Linaria sieberi* Rchb.

* **Kickxia elatine** (L.) Dumort. ssp. **elatine** – SL* KI*
- *Antirrhinum elatine* L.
- *Linaria elatine* (L.) Mill.

* **Kickxia spuria** (L.) Dumort. ssp. **integrifolia** (Brot.) R.Fern. – NL* SL*
- *Antirrhinum spurium* L. var. *integrifolium* Brot.

Limosella australis R.Br. – LE FR EP NL MU YP SL KI SE
- *Limosella aquatica* auct.non L.: J.M.Black(1926)
- *Limosella lineata* Glueck
- *Limosella lineata* Glueck var. *brevistylis* Glueck

Limosella curdieana F.Muell. – NW LE GT FR EA EP NL MU SE
- *Limosella curdieana* F.Muell. var. *curdieana*, nom.inval. (no var. exists)

Limosella curdieana F.Muell. var. **Long-pedicelled (W.R.Barker 3577)** W.R.Barker – LE GT EA EP

Limosella granitica W.R.Barker (Vulnerable status in SA, Vulnerable status in Australia) – EP

* **Linaria incarnata** (Vent.) Spreng. – ?EP* ?SL*
* **Linaria pelisseriana** (L.) Mill. – SE*
- *Antirrhinum pelisserianum* L.
?e **Linaria sp.** – FR?e
* **Misopates orontium** (L.) Raf. – FR* EP* NL* SL* KI* SE*
- *Antirrhinum orontium* L.
?e **Plantago albicans** L. – ?EP?e?id
* **Plantago arenaria** Waldst. & Kit. – FR* EA* EP* NL* MU* YP* SL*
- *Plantago indica* L., nom.illeg.
- *Plantago psyllium* auct.non L. J.M.Black(1957)
- *Plantago scabra* Moench, nom.illeg.
* **Plantago australis** Lam. – SL*
* **Plantago bellardii** All. – FR* EP* NL* MU* SL* SE*
* **Plantago coronopus** L. ssp. **commutata** (Guss.) Pilg. – LE* EP* NL* MU* YP* SL* KI* SE*
- *Plantago commutata* Guss.
* **Plantago coronopus** L. ssp. **coronopus** – EP* NL* MU* YP* SL* KI* SE*
Plantago cunninghamii Decne. – LE FR MU SE
Plantago debilis R.Br. – SE
- *Plantago varia* auct.non R.Br.: E.L.Robertson(1957), partly
Plantago drummondii Decne. – NW LE NU GT FR EA EP MU SL
Plantago gaudichaudii Barneoud – FR EA EP NL MU YP SL SE
- *Plantago varia* auct.non R.Br.: E.L.Robertson(1957), partly
Plantago hispida R.Br. – FR EA EP NL MU YP SL KI SE
- *Plantago aff. debilis R.Br.* Toelken(1986), partly
- *Plantago varia* auct.non R.Br.: E.L.Robertson(1957), partly
* **Plantago lanceolata** L. var. **dubia** (L.) Wahlenb. – SL* SE*
- *Plantago dubia* L.
* **Plantago lanceolata** L. var. **lanceolata** – NU* FR* NL* MU* YP* SL* KI* SE*
- *Plantago lanceolata* L.
* **Plantago major** L. – NL?e MU* SL* KI* SE*
Plantago multiscapa B.G.Briggs (Vulnerable status in SA) – LE
Plantago sp. A (A.C.Robinson 704) Toelken (Rare status in SA) – NW GT EP
- *Plantago sp. A* Toelken(1986)
Plantago sp. B (R.Bates 44765) Toelken – LE FR EA EP NL MU YP SL KI SE
- *Plantago sp. B* Toelken(1986)
Plantago turrifera B.G.Briggs, Carolin & Pulley – NW LE FR EA EP MU
Plantago varia R.Br. – FR EP NL MU YP SL SE
- *Plantago aff. debilis R.Br.* Toelken(1986), partly
Stemodia florulenta W.R.Barker – NW LE GT FR EA EP NL MU SL
- *Limnophila morgania* F.Muell., partly
- *Morgania floribunda* Benth., non S.floribunda (R.Br.) Roberty
- *Morgania glabra* auct.non R.Br.: J.M.Black(1926), partly
- *Morgania glabra* R.Br. var. *floribunda* (Benth.) Maiden & E.Betche, partly
- *Stemodia morgania* (F.Muell.) F.Muell., partly
Stemodia glabella W.R.Barker – LE EA
- *Limnophila morgania* F.Muell., partly
- *Morgania glabra* R.Br., non S.glabra Oerst. & Spreng.
- *Stemodia morgania* (F.Muell.) F.Muell., partly
Stemodia sp. Haegii (J.Z.Weber 9055) W.R.Barker (Rare status in SA) – LE
Stemodia viscosa Roxb. – NW
- *Stemodia pedicellaris* F.Muell.
* **Veronica anagallis-aquatica** L. – FR* MU* SE*
- *Veronica aquatica* Bernh.
- *Veronica connata* Raf., questionably
- *Veronica salina* Schuer
* **Veronica arvensis** L. – EP* NL* SL* KI* ?SE*
Veronica calycina R.Br. – KI SE
* **Veronica catenata** Pennell – SE*
- *Veronica connata* Raf. ssp. *glaberrima*
Veronica decorosa F.Muell. (Rare status in SA) – FR EA EP NL MU
- *Derwentia decorosa* (F.Muell.) B.G.Briggs & Ehrend.

- *Parahebe decorosa* (F.Muell.) B.G.Briggs & Ehrend.

Veronica derwentiana Andrews ssp. **anisodonta** (B.G.Briggs & Ehrend.) B.G.Briggs (Rare status in SA) – SL KI

- *Derwentia derwentiana* (Andrews) B.G.Briggs & Ehrend. ssp. *anisodonta* B.G.Briggs & Ehrend.

Veronica derwentiana Andrews ssp. **derwentiana** (Endangered status in SA) – SL[?id] SE

- *Derwentia derwentiana* (Andrews) B.G.Briggs & Ehrend. ssp. *derwentiana*
- *Parahebe derwentiana* (Andrews) B.G.Briggs & Ehrend.
- *Veronica labiata* R.Br.

Veronica derwentiana Andrews ssp. **homalodonta** (B.G.Briggs & Ehrend.) B.G.Briggs (Endangered status in SA, Critically Endangered status in Australia) – SL KI

- *Derwentia derwentiana* (Andrews) B.G.Briggs & Ehrend. ssp. *homalodonta* B.G.Briggs & Ehrend.

Veronica gracilis R.Br. (Vulnerable status in SA) – MU SL SE

* **Veronica hederifolia** L. – NL* MU* SL* KI* SE*

- *Veronica hederaefolia* L.

Veronica hillebrandii F.Muell. – EP MU YP SL KI SE

- *Veronica distans* auct.non R.Br.: E.L.Robertson(1957)

Veronica parnkalliana J.M.Black (Endangered status in SA, Endangered status in Australia) – FR EP NL

[?e] **Veronica parviflora** Vahl – SL[?e]

- *Hebe parviflora* (Vahl) Andersen

* **Veronica peregrina** L. ssp. **xalapensis** (Kunth) Pennell – LE* FR* NL* MU* SL* SE*

- *Veronica xalapensis* Kunth

* **Veronica persica** Poir. – NL* YP[?e] SL* SE*

- *Veronica buxbaumii* Ten.
- *Veronica tournefortii* C.C.Gmel.

Veronica plebeia R.Br. – FR EP NL YP SL[?e]

- *Veronica plebeja* R.Br.

[?e] **Veronica speciosa** R.Cunn. ex A.Cunn. – SL[?e]

- *Hebe speciosa* (R.Cunn. ex A.Cunn.) Andersen

Veronica subtilis B.G.Briggs & Ehrend. (Vulnerable status in SA) – SE

- *Veronica sp. A* B.G.Briggs, Wiecek & A.J.Whalen(1992)
- *Veronica sp. aff. gracilis R.Br.* : B.Briggs & Ehrendorfer(1986)
- *Veronica sp. Narrow-linear leaves (B.G.Briggs 2531)* B.G.Briggs
- *Veronica "subtilis"* Ehrend.& B.G.Briggs ex B.G.Briggs, Wiecek & A.J.Whalen(1992), as manuscript name

SCROPHULARIACEAE 100.371

* **Buddleja davidii** Franch. – EP* SL* SE*

* **Buddleja dysophylla** (Benth.) Radlk. – SL*

[?e] **Buddleja globosa** Hope – SL[?e]

* **Buddleja madagascariensis** Lam. – MU[?e] SL*

- *Buddleja davidii* auct.non Franch.: Jessop(1983)
- *Nicodemia madagascariensis* (Lam.) R.Parker

* **Dischisma arenarium** E.Mey. – YP* SE*

* **Dischisma capitatum** (Thunb.) Choisy – MU* SL* SE*

- *Hebenstretia capitata* Thunb.

Eremophila alternifolia R.Br. – NW LE NU GT FR EA EP NL MU

- *Eremophila alternifolia* R.Br. var. *latifolia* Benth.
- *Stenochilus alternifolius* (R.Br.) Kraenzl.

Eremophila arachnoides Chinnock ssp. **tenera** Chinnock – NW NU GT

Eremophila arenaria R.Chinnock – NW NU

Eremophila barbata Chinnock (Rare status in SA) – EP

Eremophila battii F.Muell. – NW LE NU

- *Eremophila battii* F.Muell. var. *major* J.M.Black
- *Pholidia battii* (F.Muell.) Kraenzl.

Eremophila behriana (F.Muell.) F.Muell. – EP NL MU YP SL KI

- *Pholidia behriana* F.Muell.

Eremophila bignoniiflora (Benth.) F.Muell. – LE MU

- *Stenochilus bignoniaeflorus* Benth.

Eremophila bowmanii F.Muell. ssp. **latifolia** (L.S.Sm.) Chinnock – LE

- *Eremophila bowmanii* F.Muell. var. *latifolia* L.S.Sm.

Eremophila clarkei Oldfield & F.Muell. – NW NU

- *Eremophila goodwinii* auct.non F.Muell.: J.M.Black(1957).

Eremophila crassifolia (F.Muell.) F.Muell. – EP NL MU YP
- *Pholidia crassifolia* F.Muell.

Eremophila dalyana F.Muell. – LE
- *Pholidia dalyana* (F.Muell.) F.Muell. ex Benth.

Eremophila decipiens Ostenf. ssp. **decipiens** – NU EP
- *Eremophila decipiens* Ostenf., partly
- *Eremophila decipiens* Ostenf. var. *decipiens*, see Barker et al.(2005)
- *Eremophila denticulata* auct.non F.Muell.: J.M.Black(1957)

Eremophila decussata Chinnock – LE NU
- *Eremophila delisseri* auct.non F.Muell.: W.R.Elliot & D.Jones(1984)
- *Eremophila sp. Decussate (R.J.Chinnock 7735)* Chinnock

Eremophila delisseri F.Muell. – NU
- *Pholidia delisseri* (F.Muell.) F.Muell. ex Benth.

Eremophila dendritica Chinnock – NW NU
- *Eremophila delisseri* auct.non F.Muell.: F.Muell.(1866), partly
- *Eremophila sp. Dendritica (W.S.Reid AD98581189)* Chinnock

Eremophila deserti (A.Cunn. ex Benth.) Chinnock – NW LE NU GT FR EA EP NL MU YP SL
- *Myoporum deserti* A.Cunn. ex Benth.
- *Myoporum patens* A.Cunn.
- *Myoporum strictum* A.Cunn.

Eremophila divaricata (F.Muell.) F.Muell. ssp. **divaricata** – MU
- *Pholidia divaricata* F.Muell.
- *Sentis rhynchocarpa* F.Muell.

Eremophila duttonii F.Muell. – NW LE GT FR EA EP
- *Eremophila calycina* S.Moore
- *Stenochilus duttonii* (F.Muell.) Kraenzl.

Eremophila elderi F.Muell. – NW

Eremophila fallax Chinnock – NW LE NU FR EA EP MU
- *Eremophila sp. Fallax (D.E.Symon 12311)* Chinnock

Eremophila forrestii F.Muell. ssp. **forrestii** – NW
- *Eremophila forrestii* F.Muell., partly

Eremophila forrestii F.Muell. ssp. **viridis** Chinnock – NW
- *Eremophila forrestii* F.Muell., partly

Eremophila freelingii F.Muell. – NW LE GT FR EA

Eremophila gibbifolia (F.Muell.) F.Muell. (Rare status in SA) – EP MU SL SE
- *Duttonia gibbifolia* F.Muell.
- *Pholidia gibbifolia* (F.Muell.) F.Muell. ex Benth.

Eremophila gibsonii F.Muell. – NW NU GT

Eremophila gilesii F.Muell. ssp. **gilesii** – NW LE GT
- *Eremophila berryi* F.Muell.
- *Eremophila gilesii* F.Muell., partly
- *Eremophila goodwinii* F.Muell. var. *angustifolia* F.Muell.

Eremophila glabra (R.Br.) Ostenf. ssp. **glabra**
– NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Eremophila brownii* F.Muell.
- *Eremophila glabra* (R.Br.) Ostenf. var. *glabra*
- *Eremophila glabra* (R.Br.) Ostenf. var. *viridiflora* (F.Muell.ex Benth.) J.M.Black, partly
- *Stenochilus glaber* R.Br.

Eremophila glabra (R.Br.) Ostenf. ssp. **murrayana** Chinnock – MU
- *Eremophila glabra* (R.Br.) Ostenf. ssp. *Murray (A.G.Spooner 14470)* Chinnock

Eremophila hillii E.A.Shaw (Rare status in SA) – NU

Eremophila hygrophana Chinnock – NW
- *Eremophila sp. Hygrophana (P.J.Lang BS94-2828)* Chinnock

Eremophila interstans (S.Moore) Diels ssp. **interstans** (Rare status in SA) – EP
- *Eremophila interstans* (S.Moore) Diels var. *interstans*
- *Pholidia interstans* S.Moore

Eremophila latrobei F.Muell. ssp. **glabra** (L.S.Sm.) Chinnock – NW LE NU GT FR EP
- *Eremophila latrobei* F.Muell. var. *glabra* L.S.Sm.

Eremophila latrobei F.Muell. ssp. **latrobei** – NW LE GT EP

Eremophila longifolia (R.Br.) F.Muell. – NW LE NU GT FR EA EP NL MU YP SL
- *Stenochilus longifolius* R.Br.

Eremophila macdonnellii F.Muell. – NW LE GT FR
- *Eremophila macdonnellii* F.Muell. var. *glabriuscula* J.M.Black
- *Eremophila macdonnellii* F.Muell. var. *gracilis* J.M.Black
- *Eremophila strehlowii* E.Pritz.

Eremophila macgillivrayi J.M.Black – LE

Eremophila maculata (Ker Gawl.) F.Muell. ssp. **brevifolia** (Benth.) Chinnock – NW NU
- *Eremophila maculata* (Ker Gawl.) F.Muell. var. *brevifolia* Benth.

Eremophila maculata (Ker Gawl.) F.Muell. ssp. **maculata** – NW LE NU GT FR EA EP NL MU
- *Eremophila maculata* (Ker Gawl.) F.Muell. var. *maculata*
- *Stenochilus maculatus* Ker Gawl.

Eremophila neglecta J.M.Black – NW LE NU
- *Eremophila calycina* auct.non S.Moore: J.M.Black(1957)

Eremophila obovata L.S.Sm. ssp. **obovata** – LE
- *Eremophila obovata* L.S.Sm. var. *obovata*
- *Eremophila strongylophylla* auct.non F.Muell.: J.M.Black(1957)

Eremophila oppositifolia R.Br. ssp. **angustifolia** (S.Moore) Chinnock – NW EP
- *Eremophila oppositifolia* R.Br. var. *angustifolia* S.Moore

Eremophila oppositifolia R.Br. ssp. **oppositifolia** – LE GT FR EA EP NL MU

Eremophila paisleyi F.Muell. ssp. **glandulosa** Chinnock – NW
- *Eremophila paisleyi* F.Muell. ssp. *Glandular (F.J.Badman 6011)* Chinnock

Eremophila paisleyi F.Muell. ssp. **paisleyi** – NW LE NU GT

Eremophila parvifolia J.M.Black ssp. **parvifolia** (Rare status in SA) – NU EP
- *Eremophila parvifolia* J.M.Black

Eremophila pentaptera J.M.Black (Rare status in SA) – LE GT

Eremophila platythamnos Diels ssp. **exotrachys** (Kraenzl.) Chinnock – NW
- *Eremophila exotrachys* Kraenzl.

Eremophila platythamnos Diels ssp. **platythamnos** – NW NU

Eremophila platythamnos Diels ssp. **villosa** Chinnock – NW NU GT EP
- *Eremophila platythamnos* Diels ssp. *Villous (A.C.Robinson NPWS82)* Chinnock

Eremophila polyclada (F.Muell.) F.Muell. (Rare status in SA) – LE MU
- *Pholidia polyclada* F.Muell.

Eremophila praecox Chinnock (Rare status in SA) – EP[?id]
- *Eremophila sp. Praecox (R.H.Ashby 131)* Chinnock

Eremophila rotundifolia F.Muell. – NW LE NU GT EP

Eremophila santalina (F.Muell.) F.Muell. – FR EP
- *Pholidia santalina* (F.Muell.) F.Muell. ex Benth.
- *Pholidiopsis santalina* F.Muell.

Eremophila scoparia (R.Br.) F.Muell. – NW LE NU GT FR EA EP NL MU
- *Pholidia scoparia* R.Br.

Eremophila serrulata (A.Cunn. ex A.DC.) Druce – NW LE NU GT FR EA EP MU
- *Eremophila latifolia* F.Muell.
- *Stenochilus serrulatus* A.Cunn. ex A.DC.
- *Stenochilus serrulatus* A.Cunn. ex A.DC. var. *lyndhurstiana* Kraenzl.

Eremophila sturtii R.Br. – NW LE GT FR EA NL MU
- *Beyeria uncinata* F.Muell. ex Baill.
- *Cryptandra uncinata* (F.Muell. ex Baill.) Gruning

Eremophila subfloccosa Benth. ssp. **glandulosa** Chinnock (Rare status in SA) – FR EA NL MU YP SL
- *Eremophila glabra* (R.Br.) Ostenf. var. *viridiflora* auct.non (F.Muell.ex Benth.) Ewart: J.M.Black(1957)
- *Eremophila subfloccosa* Benth. ssp. *glandulosa* Chinnock ex Paczkowska & A.R.Chapman, nom.inval.
- *Eremophila subfloccosa* Benth. ssp. *Glandulosa (R.Bates 32961)* Chinnock

Eremophila subfloccosa Benth. ssp. **lanata** Chinnock – NW FR EP MU YP
- *Eremophila subfloccosa* Benth. ssp. *lanata* Chinnock ex Paczkowska & A.R.Chapman, nom.inval.
- *Eremophila subfloccosa* Benth. ssp. *Lanata (R.Bates 33587)* Chinnock
- *Pholidia imbricata* Benth.

Eremophila undulata Chinnock – NW

Eremophila verrucosa Chinnock ssp. **brevistellata** Chinnock – NU

Eremophila verrucosa Chinnock ssp. **verrucosa** – NW LE

Eremophila weldii F.Muell. – NU EP KI
- *Pholidia weldii* (F.Muell.) Diels ex Kraenzl.

. . . [?e], questionably established. [n*], native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Eremophila willsii F.Muell. ssp. **integrifolia** (Ewart) Chinnock – NW LE NU GT
- *Eremophila willsii* F.Muell. var. *glabriuscula* Ewart, nom.nud.
- *Eremophila willsii* F.Muell. var. *integrifolia* Ewart

Eremophila willsii F.Muell. ssp. **willsii** – NW LE GT
- *Eremophila willsii* F.Muell. var. *willsii*

Myoporum brevipes Benth. – LE NU GT FR EP NL MU YP KI SE
- *Myoporum parvifolium* auct.non R.Br.: J.M.Black(1957), partly
- *Myoporum refractum* Maiden & Betche

Myoporum insulare R.Br. – NU EA* EP NL MU* YP SL KI SE
- *Myoporum adscendens* R.Br.
- *Myoporum serratum* R.Br. var. *obovatum* Benth.

Myoporum montanum R.Br. – NW LE NU GT FR EA EP NL MU YP SL
- *Myoporum acuminatum* auct.non R.Br.: Chinnock(1986)
- *Myoporum cunninghamii* Benth.
- *Myoporum dampieri* A.Cunn.

Myoporum parvifolium R.Br. (Rare status in SA) – EP MU YP SL KI SE
- *Myoporum humile* R.Br.

Myoporum petiolatum Chinnock – FR EP NL MU YP SL KI SE
- *Myoporum sp. Petiolatum (R.Taylor 484)* Chinnock
- *Myoporum viscosum* auct.non R.Br.: Chinnock(1986), partly

Myoporum platycarpum R.Br. ssp. **perbellum** Chinnock – FR EA EP NL MU YP SL SE

Myoporum platycarpum R.Br. ssp. **platycarpum** – NW LE NU GT FR EA EP NL MU YP SE

Myoporum viscosum R.Br. – EP YP KI
- *Myoporum glandulosum* A.DC.
- *Myoporum serratum* R.Br. var. *glandulosum* (A.DC.) Benth.

?e **Nemesia cultivar** – SL?e

?e **Nemesia strumosa** Benth. – KI?e

* **Phyllopodium cordatum** (Thunb.) O.M.Hilliard – EP* NL* MU* SL*
- *Manulea heterophylla* auct.non L.f.: W.R.Barker(1986), as syn.
- *Phyllopodium heterophyllum* auct.non (L.f.) Benth.: W.R.Barker(1986), as syn.
- *Polycarena heterophylla* auct.non (L.f.) Levyns: W.R.Barker(1986)

* **Polycarena rariflora** Benth. – NL* SL*
- *Polycarena leipoldtii* Hiern

* **Scrophularia auriculata** L. – SL*

?e **Scrophularia nodosa** L. – SL?e

* **Verbascum creticum** (L.) Cav. – SL* KI*
- *Celsia cretica* L.
- *Celsia sinuata* Cav.

* **Verbascum thapsus** L. ssp. **thapsus** – FR* NL* SE*

* **Verbascum virgatum** Stokes – NU* FR* EP* ?NL* MU* SL* SE*

* **Zaluzianskya divaricata** (Thunb.) Walp. – FR* EP* NL* MU* YP* SL* KI* SE*
- *Manulea divaricata* Thunb.

MARTYNIACEAE 100.375

* **Proboscidea louisianica** (Mill.) Thell. – FR* EP* NL* MU* SL*
- *Martynia louisiana* Mill., orth.var.
- *Martynia louisianica* Mill.
- *Martynia proboscidea* Gloxin
- *Proboscidea jussieui* Keller
- *Proboscidea louiseana* (Mill.) Wooton & Standl.: Jessop(1989), orth.var.
- *Proboscidea louisiana* (Mill.) Wooton & Standl., orth.var.
- *Proboscidea louisianica* (Mill.) Wooton & Standl., isonym

PEDALIACEAE 100.376

Josephinia eugeniae F.Muell. – NW LE

ACANTHACEAE 100.377

* **Acanthus mollis** L. – SL* SE*

Avicennia marina (Forssk.) Vierh. ssp. **marina** – EP NL YP SL KI?n?e
- *Avicennia marina* (Forssk.) Vierh. var. *australasica* auct.non (Walp.) Moldenke: Duke(1991)
- *Avicennia marina* (Forssk.) Vierh. var. *resinifera* (G.Forst.) Bakh., nom.illeg.

- *Avicennia officinalis* auct.non L.: J.M.Black(1926), partly
- *Avicennia tomentosa* auct.non Jacq.: R.Br.(1810), partly

Dipteracanthus australasicus F.Muell. ssp. **australasicus** – NW LE
- *Dipteracanthus corynothecus* (F.Muell. ex Benth.) Bremek
- *Dipteracanthus corynothecus* (F.Muell. ex Benth.) Bremek. ex W.R.Barker
- *Dipteracanthus corynothecus* (F.Muell. ex Benth.) Bremek. var. *grandiflorus* Bremek.
- *Dipteracanthus primulaceus* (F.Muell. ex Benth.) Bremek.
- *Dipteracanthus sessiliflorus* Bremek.
- *Ruellia corynotheca* F.Muell. ex Benth.
- *Ruellia primulacea* F.Muell. ex Benth.

Dipteracanthus australasicus F.Muell. ssp. **glabratus** R.M.Barker – LE

Rostellularia adscendens (R.Br.) R.M.Barker var. **clementii** (Domin) R.M.Barker – LE
- *Justicia clementii* Domin

Rostellularia adscendens (R.Br.) R.M.Barker var. **latifolia** (Domin) R.M.Barker – LE
- *Justicia procumbens* L. var. *latifolia* Domin
- *Rostellularia sp. A* Jessop(1983)
- *Rostellularia sp.* R.M.Barker in Jessop(1981)

Rostellularia adscendens (R.Br.) R.M.Barker var. **pogonanthera** (F.Muell.) R.M.Barker – NW LE GT FR EA
- *Justicia procumbens* auct.non L.: E.L.Robertson(1957), partly
- *Rostellularia pogonanthera* F.Muell.

?e **Thunbergia alata** Bojer ex Sims – SL?e

Xerothamnella parvifolia C.T.White (Endangered status in SA, Vulnerable status in Australia) – FR

BIGNONIACEAE 100.378

?e **Campsis radicans** (L.) Seem. ex Bureau – SL?e

?e **Catalpa bignonioides** Walter – SL?e

?e **Jacaranda mimosifolia** D.Don – MU?e

Pandorea pandorana (Andrews) Steenis – NW SL*
- *Bignonia pandorana* Andrews
- *Pandorea australis* Spach, nom. illeg., nom. superfl.
- *Pandorea doratoxylon* (J.M.Black) J.M.Black
- *Tecoma australis* R.Br., nom.illeg., nom.superfl.
- *Tecoma doratoxylon* J.M.Black
- *Tecoma oxleyi* A.Cunn. ex A.DC.
- *Tecoma pandorana* (Andrews) Skeels

?e **Tecoma capensis** (Thunb.) Lindl. – FR?e YP?e SL?e
- *Bignonia capensis* Thunb.
- *Tecomaria capensis* (Thunb.) Spach

?e **Tecoma guarume** DC. – GT?e SL?e
- *Tecoma alata*

?e **Tecoma stans** (L.) Juss. ex Kunth – MU?e SL?e

LENTIBULARIACEAE 100.379

Utricularia australis R.Br. (Rare status in SA) – FR NL SE
- *Utricularia flexuosa* auct.non Vahl: H.Eichler(1965)

Utricularia barkeri R.W.Jobson – KI SE
- *Utricularia dichotoma* auct.non Labill.: Barker et al.(2005), partly

Utricularia beaugleholei Gassin (Vulnerable status in SA) – SE
- *Utricularia dichotoma* auct.non Labill.: P.Taylor(1989), partly

Utricularia dichotoma Labill. – SL KI SE

Utricularia fenshamii R.W.Jobson – LE ?FR
- *Utricularia dichotoma* auct.non Labill.: Barker et al.(2005), partly

* **Utricularia gibba** L. – ?SL*

Utricularia lateriflora R.Br. (Vulnerable status in SA) – SL KI SE

Utricularia tenella R.Br. – EP MU SL KI SE
- *Polypompholyx tenella* (R.Br.) Lehm.

Utricularia violacea R.Br. (Rare status in SA) – SE

VERBENACEAE 100.382

* **Aloysia citriodora** Palau – MU*
- *Aloysia triphylla* (L'Her.) Britton
- *Verbena triphylla* L'Her.

* **Glandularia aristigera** (S.Moore) Tronc. – FR* EP* NL?e MU* YP?e SL*
- *Glandularia tenuisecta* (Briq.) Small
- *Verbena aristigera* S.Moore
- *Verbena dissecta* Morong
- *Verbena erinoides* Lam.
- *Verbena tenera* Spreng.
- *Verbena tenuisecta* Briq.

* **Lantana camara** L. – FR?e EP?e YP?e SL*
- *Lantana aculeata* L.
- *Lantana camara* L. var. *aculeata* (L.) Moldenke
- *Lantana camara* L. var. *camara*

* **Phyla canescens** (Kunth) Greene – LE* FR* EA* EP?e NL* MU* YP* SL* SE?e
- *Lippia canescens* Kunth
- *Phyla nodiflora* auct.non (L.) Greene: Munir(1986)
- *Phyla nodiflora* (L.) Greene var. *canescens* (Kunth) Moldenke

* **Verbena bonariensis** L. – SL*
- *Verbena bonariensis* L. var. *conglomerata* Briq., partly

* **Verbena incompta** P.W.Michael – SL*
- *Verbena bonariensis* auct.non L.: Munir in Jessop & Toelken(1986), partly
- *Verbena bonariensis* L. var. *bonariensis* auct.non L.: Munir (2002)

* **Verbena officinalis** L. – NW* LE* GT* FR* EA* MU* SL* SE*

* **Verbena rigida** Spreng. – SL*
- *Verbena rigida* Spreng. var. *rigida*
- *Verbena scaberrima* Cham.
- *Verbena venosa* Gillies & Hook.

* **Verbena supina** L. var. **erecta** (Moldenke) Munir – LE* GT* FR* EA* EP* NL* MU* SL*
- *Verbena supina* L. f. *erecta* Moldenke

* **Verbena supina** L. var. **supina** – LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* SE*

LAMIACEAE 100.383

Ajuga australis R.Br. f. **A (A.G.Spooner 9058)** Toelken – LE FR EA EP NL MU YP SL SE
- *Ajuga australis* R.Br. f. *A* Toelken(1986)

Ajuga australis R.Br. f. **B (R.L.Taplin 972)** Toelken – SL KI SE
- *Ajuga australis* R.Br. f. *B* Toelken(1986)

* **Ajuga iva** (L.) Schreb. – MU* YP* SL*
- *Ajuga pseudo-iva* Robill. & Castagne ex DC.
- *Teucrium iva* L.

* **Calamintha nepeta** (L.) Savi ssp. **glandulosa** (Req.) P.W.Ball – SL*
- *Calamintha glandulosa* (Req.) Benth.
- *Thymus glandulosus* Req.

* **Cedronella canariensis** (L.) Webb & Berthel. – SL*
- *Dracocephalum canariense* L.

Dicrastylis beveridgei F.Muell. – NW NU GT EP
- *Dicrastylis beveridgei* F.Muell. var. *beveridgei*
- *Dicrastylis beveridgei* F.Muell. var. *lanata* Munir

Dicrastylis costelloi F.M.Bailey – NW LE
- *Dicrastylis costelloi* F.M.Bailey var. *costelloi*
- *Dicrastylis costelloi* F.M.Bailey var. *eriantha* (F.Muell.) Munir
- *Dicrastylis costelloi* F.M.Bailey var. *globulifera* Munir
- *Dicrastylis costelloi* F.M.Bailey var. *violacea* Munir
- *Dicrastylis doranii* auct.non F.Muell.: Tate(1896), partly
- *Dicrastylis doranii* auct.non F.Muell.: J.M.Black(1957)
- *Dicrastylis doranii* F.Muell. var. *eriantha* auct.non F.Muell.: J.M.Black(1957)
- *Dicrastylis doranii* F.Muell. var. *eriantha* F.Muell.

Dicrastylis exsuccosa (F.Muell.) Druce – NW
- *Dicrastylis exsuccosa* (F.Muell.) Druce var. *tomentosa*
- *Dicrastylis ochrotricha* auct.non F.Muell.: Tate(1894)

Dicrastylis gilesii F.Muell. – NW
- *Dicrastylis exsuccosa* auct.non (F.Muell.) Druce: Black(1957), partly
- *Dicrastylis gilesii* F.Muell. var. *bagotensis* Munir
- *Dicrastylis gilesii* F.Muell. var. *gilesii*
- *Dicrastylis petermannensis* Munir

Dicrastylis lewellinii (F.Muell.) F.Muell. – LE NU
- *Chloanthes lewellinii* F.Muell.
- *Dicrastylis weddii* F.M.Bailey

Dicrastylis verticillata J.M.Black – GT EP MU

* **Glechoma hederacea** L. – SL*?id

* **Lamium amplexicaule** L. var. **amplexicaule** – NW* FR* EP* NL* MU* YP* SL* SE*
- *Lamium amplexicaule* L. var. *clandestinum* Rchb.

* **Lavandula canariensis** Mill. ssp. **canariae** Upson & S.Andrews – EP* YP?e
- *Lavandula canariensis* Mill. var. *canariae* Upson & Andrews
- *Lavandula multifida* auct.non L.: Jessop(1993)

* **Lavandula dentata** L. var. **candicans** Batt. – MU* YP* SL*
- *Lavandula dentata* auct.non L.: Jessop(1993)

* **Lavandula stoechas** L. ssp. **stoechas** – NL* MU* SL*
- *Lavandula stoechas* L.

?e **Leonotis leonurus** (L.) R.Br. – SL?e KI?e

Lycopus australis R.Br. – MU SL SE

* **Marrubium vulgare** L. (Declared SA plant)
– NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*

* **Melissa officinalis** L. – NL* MU* SL*

Mentha atrolilacina B.J.Conn & D.J.Duval (Rare* status in SA) – SE
- *Mentha diemenica* auct.non Spreng.: Barker et al.(2005), partly

Mentha australis R.Br. – LE NU GT FR NL MU SL

Mentha diemenica Spreng. (Rare status in SA) – EP YP SL SE
- *Mentha diemenica* Spreng., partly
- *Mentha gracilis* R.Br.
- *Mentha serpyllifolia* Benth.

Mentha laxiflora Benth. – SE

?e **Mentha longifolia** (L.) Huds. – SL?e
- *Mentha spicata* L. var. *longifolia* L.

* **Mentha × piperita** L. var. **citrata** (Ehrh.) Briq. – NL* MU* SL* SE*
- *Mentha × citrata* Ehrh.

* **Mentha × piperita** L. var. **piperita** – SL*

* **Mentha pulegium** L. – EP?e NL* MU* SL* KI* SE*

* **Mentha × rotundifolia** (L.) Huds. – SL*
- *Mentha spicata* L. var.× *rotundifolia* L.

Mentha satureioides R.Br. (Rare status in SA) – FR EP NL YP SL SE

* **Mentha spicata** L. f. **A (R.Bates 3655)** Toelken – MU?e SL* SE?e
- *Mentha spicata* L. f. *A* Toelken(1986)

* **Mentha spicata** L. f. **B (B.Copley 1119)** Toelken – MU* YP?e SL* SE*
- *Mentha spicata* L. f. *B* Toelken(1986)

Microcorys macredieana F.Muell. (Rare status in SA) – NW
- *Microcorys macrediana* F.Muell.

?e **Moluccella laevis** L. – NL?e SL?e

?e **Nepeta cataria** L. – NL?e SL?e

Newcastelia bracteosa F.Muell. – NW
- *Newcastelia elliptica* Munir
- *Newcastelia hexarrhena* auct.non F.Muell.: Diels & E.Pritz.(1904)

Newcastelia cephalantha F.Muell. – NW LE
- *Newcastelia cephalantha* F.Muell. var. *cephalantha*
- *Newcastelia cephalantha* F.Muell. var. *oblonga* Munir
- *Newcastelia cephalantha* F.Muell. var. *queenslandica* Domin
- *Newcastelia cephalantha* F.Muell. var. *tephropepla* Munir

Newcastelia spodiotricha F.Muell. – NW LE
- *Dicrastylis doranii* auct.non F.Muell.: Tate(1896), partly

?e **Ocimum basilicum** L. – LE?e GT?e SL?e

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Pityrodia loricata (F.Muell.) E.Pritz. – NW
- *Chloanthes loricata* F.Muell.

?e **Plectranthus fruticosus** L'Her. – SL?e
Plectranthus intraterraneus S.T.Blake – NW FR EA EP
- *Plectranthus parviflorus* auct.non R.Br.: J.M.Black(1957)

Prostanthera althoferi B.J.Conn ssp. **longifolia** B.J.Conn – NW LE NU GT EP
- *Prostanthera baxteri* A.Cunn. ex Benth. var. *crassifolia* auct.non Benth.: E.L.Robertson(1957)
- *Prostanthera sp. B* B.J.Conn(1986)

Prostanthera ammophila B.J.Conn – EP
- *Prostanthera sp. A* B.J.Conn(1986)

Prostanthera aspalathoides A.Cunn. ex Benth. – EP ?NL MU YP SL KI SE
- *Prostanthera coccinea* auct.non F.Muell.: F.Muell.(1868), partly

Prostanthera behriana Schltdl. – FR EP NL MU SL KI SE
Prostanthera calycina F.Muell. ex Benth. (Vulnerable status in SA, Vulnerable status in Australia) – EP
Prostanthera chlorantha (F.Muell.) F.Muell. ex Benth. (Rare status in SA) – EP MU SL KI
- *Klanderia chlorantha* F.Muell.

Prostanthera eurybioides F.Muell. (Endangered status in SA, Endangered status in Australia) – MU ?SL SE
Prostanthera florifera B.J.Conn – EP
Prostanthera nudula J.M.Black ex E.L.Robertson (Vulnerable status in SA, Vulnerable status in Australia) – NW

?e **Prostanthera ovalifolia** R.Br. – SL?e
Prostanthera sericea (J.M.Black) B.J.Conn – NW GT
- *Prostanthera baxteri* auct.non A.Cunn. ex Benth.: Tate(1890)
- *Prostanthera baxteri* A.Cunn. ex Benth. var. *sericea* J.M.Black

Prostanthera serpyllifolia (R.Br.) Briq. ssp. **microphylla** (R.Br.) B.J.Conn – EP NL MU YP KI SE
- *Cryphia microphylla* R.Br.
- *Prostanthera coccinea* auct.non F.Muell.: F.Muell.(1855), partly
- *Prostanthera microphylla* A.Cunn. ex Benth.

Prostanthera serpyllifolia (R.Br.) Briq. ssp. **serpyllifolia** – EP YP
- *Cryphia serpyllifolia* R.Br.
- *Prostanthera coccinea* F.Muell., partly

Prostanthera spinosa F.Muell. – FR EP KI
Prostanthera striatiflora F.Muell. – NW LE GT FR EA EP NL MU
- *Prostanthera striatiflora* F.Muell. var. *sericea* Benth.

Prostanthera wilkieana F.Muell. – NW

* **Prunella vulgaris** L. – SL* SE*
- *Brunella vulgaris* L.

* **Rosmarinus officinalis** L. – MU* YP* SL*

?e **Salvia aethiopis** L. – NL?e

?e **Salvia aurea** L. – SL?e

* **Salvia reflexa** Hornem. – EA* EP* NL?e YP* SL*

* **Salvia verbenaca** L. var. **verbenaca** – NU* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Salvia horminoides* Pourr.
- *Salvia verbenaca* L. f. *A* Toelken(1986)

* **Salvia verbenaca** L. var. **vernalis** Boiss. – NW* LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* SE*
- *Salvia verbenaca* L. f. *B* Toelken(1986)

Scutellaria humilis R.Br. (Rare status in SA) – FR MU SL KI

* **Stachys arvensis** (L.) L. – FR* EP?e MU* SL* KI* SE*
- *Glechoma arvensis* L.

* **Stachys byzantina** C.Koch – SL*
- *Stachys lanata* Jacq.
- *Stachys olympica* Poir.

* **Stachys germanica** L. – SL*

Teucrium albicaule Toelken – LE ?FR EA EP MU
- *Teucrium racemosum* R.Br. var. *tripartitum* F.Muell. ex Benth.

Teucrium corymbosum R.Br. – NW NU FR EA EP NL MU
Teucrium grandiusculum F.Muell. & Tate ssp. **grandiusculum** (Vulnerable status in SA) – NW
Teucrium grandiusculum F.Muell. & Tate ssp. **pilosum** Toelken (Endangered status in SA) – NU GT
Teucrium racemosum R.Br. – NW LE GT FR EA EP NL MU YP SL SE
- *Teucrium racemosum* R.Br. var. *triflorum* J.M.Black

Teucrium reidii Toelken & D.Dean Cunn. – NW FR
- *Teucrium corymbosum* auct.non R.Br.: Toelken(1986), partly

Teucrium sessiliflorum Benth. – NU GT FR EA EP NL MU YP SL

Teucrium teucriiflorum (F.Muell.) Kattari & Salamaki – NW LE GT FR
- *Spartothamnella teucriiflora* (F.Muell.) Moldenke
- *Spartothamnus teucriiflorus* F.Muell.

?e **Thymus vulgaris** L. – SE?e

Westringia dampieri R.Br. – EP KI
- *Westringia angustifolia* auct.non R.Br.: J.M.Black(1926)
- *Westringia cinerea* R.Br.
- *Westringia grevillina* F.Muell.

Westringia eremicola A.Cunn. ex Benth. – EP NL MU YP KI SE
- *Westringia grevillina* auct.non F.Muell.: E.L.Robertson(1957), partly

Westringia rigida R.Br. – NW NU GT FR EA EP NL MU YP SL SE
- *Westringia dampiera* auct.non R.Br.: Bentham(1870), partly

MAZACEAE 100.384

Mazus pumilio R.Br. (Vulnerable status in SA) – SL?n SE

PHRYMACEAE 100.385

Elacholoma hornii F.Muell. & Tate – NW LE

Elacholoma prostrata (Benth.) W.R.Barker & Beardsley (Rare status in SA) – LE MU
- *Mimulus prostratus* Benth.

* **Erythranthe moschata** (Douglas ex Lindl.) G.L.Nesom – SL*
- *Mimulus moschatus* Douglas ex Lindl.

Glossostigma cleistanthum W.R.Barker – LE GT FR EA EP NL MU SL
- *Glossostigma sp. A* W.R.Barker(1982)
- *Glossostigma spathulatum* auct.non Wight & Arn. ex Arn.: J.M.Black(1926), partly

Glossostigma diandrum (L.) Kuntze – NW LE FR EA EP NL MU SL KI SE
- *Glossostigma spathulatum* Wight & Arn. ex Arn.
- *Limosella diandra* L.

Glossostigma drummondii Benth. – NW LE EP ?SL KI

Glossostigma elatinoides (Benth.) Benth. ex Hook.f. – EP NL MU SL SE
- *Tricholoma elatinoides* Benth.

Glossostigma sp. Long stout-pedicelled (W.R.Barker 2481) W.R.Barker (Vulnerable status in SA) – FR EP
- *Glossostigma sp. B* W.R.Barker(1982)

Mimulus gracilis R.Br. – LE SE

Peplidium aithocheilum W.R.Barker – NW LE GT
- *Peplidium humifusum* auct.non Delile: Tate(1890), partly
- *Peplidium muelleri* auct.non Benth.: W.R.Barker(1986)
- *Peplidium muelleri* Benth. ssp. *B* W.R.Barker(1981)
- *Peplidium muelleri* Benth. var. *muelleri* auct.non J.M.Black: J.M.Black(1926), partly

Peplidium foecundum W.R.Barker – NW LE GT EA ?NL MU
- *Peplidium humifusum* auct.non Delile: Tate(1890)
- *Peplidium maritimum* auct.non (L.f) Asch.: J.M.Black(1933)
- *Peplidium sp. D* W.R.Barker(1981)

Peplidium sp. Marla (W.R.Barker 3535) W.R.Barker – NW LE GT
- *Peplidium muelleri* auct.non Benth.: E.L.Robertson(1957), partly
- *Peplidium muelleri* Benth. var. *longipes* J.M.Black
- *Peplidium sp. B* W.R.Barker(1982)

Thyridia repens (R.Br.) W.R.Barker & Beardsley – LE GT FR EA EP NL MU SL KI SE
- *Mimulus repens* R.Br.

PAULOWNIACEAE 100.386

?e **Paulownia tomentosa** (Thunb.) Steud. – SL?e
- *Bignonia tomentosa* Thunb.

OROBANCHACEAE 100.387

* **Bellardia latifolia** (L.) Cuatrec. – FR* EP* NL* MU* YP* SL* KI* SE*
- *Bartschia latifolia* J.M.Black, orth.var.
- *Bartsia latifolia* (L.) Sm.

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

- *Euphrasia latifolia* L.
- *Parentucellia latifolia* (L.) Caruel

* **Bellardia trixago** (L.) All. – EP* MU* YP* SL* KI* SE*
- *Bartsia trixago* L.

* **Bellardia viscosa** (L.) Fisch. & C.A.Mey. – MU* SL* KI* SE*
- *Bartschia viscosa* L.
- *Bartsia viscosa* L.
- *Parentucellia viscosa* (L.) Caruel

Euphrasia collina R.Br. ssp. **collina** (Vulnerable status in SA) – SE
- *Euphrasia brownii* F.Muell., nom.illeg.

Euphrasia collina R.Br. ssp. **muelleri** (Wettst.) W.R.Barker (Endangered status in SA, Endangered status in Australia) – FR SL SE
- *Euphrasia brownii* F.Muell., nom.illeg., partly
- *Euphrasia collina* R.Br., partly
- *Euphrasia muelleri* Wettst., partly

Euphrasia collina R.Br. ssp. **osbornii** W.R.Barker (Endangered status in SA, Endangered status in Australia) – EP NL YP SL KI SE
- *Euphrasia brownii* F.Muell., nom.illeg., partly
- *Euphrasia collina* R.Br., partly
- *Euphrasia osbornii* Du Rietz, nom.illeg.

Euphrasia collina R.Br. ssp. **paludosa** (R.Br.) W.R.Barker (Endangered status in SA) – SL
- *Euphrasia paludosa* R.Br.

Euphrasia collina R.Br. ssp. **tetragona** (R.Br.) W.R.Barker – ?FR EP NL MU YP ?SL KI SE
- *Euphrasia brownii* F.Muell., nom.illeg., partly
- *Euphrasia tetragona* R.Br.

Euphrasia collina R.Br. ssp. **trichocalycina** (Gand.) W.R.Barker (Endangered status in SA) – SE
- *Euphrasia trichocalycina* Gand.

Euphrasia scabra R.Br. (Endangered* status in SA) – EP NL SL SE

Orobanche cernua Loefl. var. **australiana** (F.Muell. ex Tate) J.M.Black ex Beck (Rare status in SA) – LE GT FR EA EP MU YP SL
- *Orobanche australiana* F.Muell. ex Tate
- *Orobanche cernua* Loefl. f. *australiana* (F.Muell. ex Tate) Beck

* **Orobanche minor** L. (Declared SA plant) – MU* YP* SL* KI?e SE*

* **Orobanche ramosa** L. ssp. **mutelii** (F.W.Schultz) Cout. (Declared SA plant) – MU* ?SL*?id
- *Orobanche mutelii* F.W.Schultz
- *Orobanche ramosa* auct.non L.: Barker et al.(2005)
- *Phelipanche mutelii* (F. W. Schultz) Pomel

AQUIFOLIACEAE 100.392

* **Ilex aquifolium** L. – SL*

CAMPANULACEAE 100.394

Isotoma fluviatilis (R.Br.) F.Muell. ex Benth. ssp. **australis** McComb (Rare status in SA) – SL SE
- *Laurentia fluviatilis* (R.Br.) E.Wimm.
- *Lobelia fluviatilis* R.Br.
- *Lobelia inundata* R.Br.

Isotoma petraea F.Muell. – NW LE GT FR EA EP NL MU SL*
- *Laurentia petraea* (F.Muell.) E.Wimm.

Isotoma scapigera (R.Br.) G.Don (Rare status in SA) – NU EP YP
- *Laurentia scapigera* (R.Br.) Endl.
- *Lobelia scapigera* R.Br.

Lobelia anceps L.f. – FR EP NL MU SL KI SE
- *Lobelia alata* Labill.

Lobelia beaugleholei Albr. (Vulnerable status in SA) – SE
- *Pratia aff. purpurascens* (R.Br) E.Wimmer: Toelken(1986)

Lobelia browniana Schult. – KI SE
- *Lobelia gibbosa* Labill. var. *browniana* (Schult.) F.M.Bailey

Lobelia cleistogamoides N.G.Walsh & Albr. (Rare status in SA) – EP
- *Lobelia heterophylla* auct.non Labill.: Barker et al.(2005), partly

Lobelia concolor R.Br. (Rare status in SA) – NL MU SL SE
- *Pratia concolor* (R.Br.) Druce

- *Pratia erecta* Gaudich.

* **Lobelia erinus** L. – MU[?e] SL* SE*

Lobelia gibbosa Labill. – NW FR EP NL MU YP SL KI SE
- *Lobelia browniana* Roem. & Schult.
- *Lobelia gibbosa* Labill., partly
- *Lobelia microsperma* F.Muell.

Lobelia heterophylla Labill. ssp. **centralis** N.G.Walsh (Rare status in SA) – NW LE
- *Lobelia heterophylla* auct.non Labill.: Barker et al.(2005)

Lobelia irrigua R.Br. – MU SL KI SE
- *Laurentia platycalyx* F.Muell.
- *Lobelia platycalyx* (F.Muell.) F.Muell.
- *Pratia irrigua* (R.Br.) Benth.
- *Pratia platycalyx* (F.Muell.) Benth.

[?e] **Lobelia laxiflora** Kunth – SL[?e]

Lobelia pachytricha Albr. & N.G.Walsh – SL SE
- *Lobelia pedunculata* auct.non R.Br.: SA Census online(Jul. 2013-Jul. 2016)
- *Lobelia sp. South-western Victoria (A.C.Beauglehole 30495)* P.J.Lang
- *Pratia pedunculata* auct.non (R.Br.) Benth.: Black(1929)
- *Pratia sp. aff. pedunculata (South-western Victoria)* National Herbarium of Vic. in Ross(1996)

Lobelia pedunculata R.Br. (Vulnerable status in SA) – SL[?e] SE
- *Lobelia benthami* F.Muell., orth.var.
- *Lobelia benthamii* F.Muell.
- *Pratia pedunculata* (R.Br.) Benth.
- *Pratia puberula* Benth.

Lobelia pratioides Benth. (Rare status in SA) – SE

Lobelia rhombifolia de Vriese – SL KI SE

Lobelia simplicicaulis R.Br. – SE
- *Lobelia gibbosa* auct.non Labill.: E.L.Robertson(1957), partly

* **Monopsis debilis** (L.f.) C.Presl var. **depressa** (L.f.) Phillipson – KI* SE*
- *Lobelia depressa* L.f.
- *Monopsis simplex* auct.non (L.) E.Wimm.: W.R.Barker(1984)
- *Monopsis simplex* auct.non (L.) E.Wimm.: Toelken(1986) var. *simplex*

[?e] **Trachelium caeruleum** L. – SL[?e]

Wahlenbergia aridicola P.J.Sm. – NW LE GT FR EA MU
- *Wahlenbergia gracilis* auct.non (G.Forst.) A.DC.: J.M.Black(1929), partly
- *Wahlenbergia sp. A* Jessop(1981)

Wahlenbergia communis Carolin – NW LE NU GT FR EA EP NL MU YP SL SE
- *Wahlenbergia capillaris* (G.Lodd.) G.Don, nom.nud., questionably

Wahlenbergia fluminalis (J.M.Black) E.Wimm. ex H.Eichler – MU SE
- *Cephalostigma fluminale* J.M.Black

Wahlenbergia gracilenta Lothian – NW LE GT FR EA EP NL MU YP SL KI SE
- *Wahlenbergia gracilis* auct.non (G.Forst.) A.DC.: J.M.Black(1929), partly
- *Wahlenbergia quadrifida* auct.non (R.Br.) A.DC.: J.M.Black(1934)

Wahlenbergia gracilis (G.Forst.) A.DC. – SL
- *Campanula gracilis* G.Forst.
- *Wahlenbergia quadrifida* (R.Br.) A.DC.
- *Wahlenbergia sieberi* A.DC.

Wahlenbergia gymnoclada Lothian (Vulnerable status in SA) – SE

Wahlenbergia littoricola P.J.Sm. – EP NL MU YP SL SE
- *Wahlenbergia gracilis* auct.non (G.Forst.) A.DC.: J.M.Black(1929), partly
- *Wahlenbergia litticola* P.J.Sm., orth.var.(orig.)

Wahlenbergia luteola P.J.Sm. – FR EP NL MU YP SL SE
- *Wahlenbergia bicolor* Lothian

Wahlenbergia multicaulis Benth. – EP NL MU SL KI SE
- *Wahlenbergia simplicicaulis* de Vriese
- *Wahlenbergia tadgellii* Lothian

Wahlenbergia preissii de Vriese – FR EP SL

Wahlenbergia queenslandica Carolin ex P.J.Sm. – NW LE EP

Wahlenbergia stricta (R.Br.) Sweet ssp. **stricta** – GT FR EA EP NL MU YP SL KI SE
- *Campanula gracilis* G.Forst. var. *stricta* R.Br.
- *Wahlenbergia bicolor* Lothian, nom.illeg.

. . . [?e], questionably established. [n*], native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

- *Wahlenbergia consimilis* Lothian
- *Wahlenbergia gracilis* auct.non (G.Forst.) A.DC.: J.M.Black(1929), partly
- *Wahlenbergia gracilis* (G.Forst.) A.DC. var. *stricta* (R.Br.) A.DC.
- *Wahlenbergia stricta* (R.Br.) Sweet
- *Wahlenbergia trichogyna* Stearn
- *Wahlenbergia vinciflora* auct.non (Vent.) Decne.: J.M.Black(1934)

Wahlenbergia tumidifructa P.J.Sm. – NW LE NU GT FR EA EP MU
- *Wahlenbergia gracilis* auct.non (G.Forst.) A.DC.: J.M.Black(1929), partly
- *Wahlenbergia sp. B* Jessop(1984)

STYLIDIACEAE 100.396

Levenhookia dubia Sond. – FR EA EP NL MU YP SL KI SE

Levenhookia pusilla R.Br. – NL SL SE

Levenhookia sonderi (F.Muell.) F.Muell. (Vulnerable status in SA) – SE
- *Coleostylis sonderi* F.Muell.

Levenhookia stipitata (Benth.) F.Muell. (Rare status in SA) – EP
- *Coleostylis umbellulata* Sond.
- *Stylidium stipitatum* Benth.

Stylidium armeria (Labill.) Labill. ssp. **armeria** – MU SL KI SE
- *Candollea armeria* Labill.
- *Candollea graminifolia* auct.non (Sw.) F.Muell.: Tate(1890), partly
- *Stylidium graminifolium* auct.non Sw.: J.M.Black(1929), partly
- *Stylidium majus* auct.non (Sm.) Druce: E.L.Robertson(1957), partly

Stylidium beaugleholei J.H.Willis (Rare status in SA) – SL KI SE
- *Stylidium despectum* auct.non R.Br.: Jessop & Toelken(1986), partly

Stylidium calcaratum R.Br. – EP NL MU YP SL KI SE

Stylidium desertorum Carlq. (Vulnerable status in SA) – LE

Stylidium despectum R.Br. – FR EP NL MU SL KI SE
- *Stylidium inundatum* auct.non R.Br.: Jessop & Toelken(1986)

Stylidium ecorne (F.Muell. ex F.L.Erickson & J.H.Willis) P.G.Farrell & S.H.James (Rare status in SA) – SE
- *Stylidium calcaratum* R.Br. var. *ecorne* F.Muell. ex F.L.Erickson & J.H.Willis

Stylidium graminifolium Sw. – SL[?id] SE
- *Candollea graminifolia* (Sw.) F.Muell., partly
- *Stylidium majus* (Sm.) Druce
- *Ventenatia major* Sm.

Stylidium inaequipetalum J.M.Black (Vulnerable status in SA) – NW

Stylidium perpusillum Hook.f. – NL SL KI SE

Stylidium tepperianum (F.Muell.) Mildbr. (Rare status in SA) – KI
- *Candollea tepperiana* F.Muell.

MENYANTHACEAE 100.400

Nymphoides crenata (F.Muell.) Kuntze (Rare status in SA) – LE MU SL
- *Limnanthemum crenatum* F.Muell.

Nymphoides geminata (R.Br.) Kuntze (Vulnerable status in SA) – KI
- *Limnanthemum geminatum* (R.Br.) Griseb.
- *Nymphoides sp. aff. exiliflora (F.Muell.)Kuntze* : Aston(1973)
- *Villarsia geminata* R.Br.

Ornduffia reniformis (R.Br.) Tippery & Les – SL KI SE
- *Limnanthemum stygium* J.M.Black
- *Nymphoides stygia* (J.M.Black) H.Eichler
- *Villarsia exaltata* auct.non (Sims) G.Don: J.M.Black(1952)
- *Villarsia reniformis* R.Br.

Ornduffia umbricola (Aston) Tippery & Les var. **beaugleholei** (Aston) Tippery & Les (Vulnerable status in SA) – SE
- *Villarsia parnassifolia* auct.non (Labill.) R.Br.: J.M.Black & E.L.Robertson(1957), partly
- *Villarsia umbricola* Aston var. *beaugleholei* Aston

Ornduffia umbricola (Aston) Tippery & Les var. **umbricola** – NL MU SL KI SE
- *Villarsia parnassifolia* auct.non (Labill.) R.Br.: J.M.Black & E.L.Robertson(1957), partly
- *Villarsia umbricola* Aston var. *umbricola*

GOODENIACEAE 100.401

Brunonia australis Sm. – NW LE GT NL SL SE
- *Brunonia sericea* Sm. ex R.Br.

Coopernookia strophiolata (F.Muell.) Carolin – NU EP
- *Goodenia strophiolata* F.Muell.

Dampiera cinerea Ewart & O.B.Davies – NW

Dampiera dysantha (Benth.) Rajput & Carolin – FR EP NL MU SL KI SE
- *Dampiera lavandulacea* auct.non Lindl.: J.M.Black(1957)
- *Dampiera rosmarinifolia* Schltdl. var. *dysantha* Benth.

Dampiera lanceolata A.Cunn. ex DC. var. **insularis** Rajput & Carolin – KI

Dampiera lanceolata A.Cunn. ex DC. var. **intermedia** Rajput & Carolin (Endangered status in SA) – SL

Dampiera lanceolata A.Cunn. ex DC. var. **lanceolata** – NW NU GT EP NL MU

Dampiera marifolia Benth. – MU SE

Dampiera ramosa Rajput & Carolin – NW

Dampiera rosmarinifolia Schltdl. – GT FR EP NL MU YP SL SE

Dampiera roycei Rajput (Rare status in SA) – NW

Goodenia albiflora Schltdl. – FR EA EP NL MU YP SL
- *Goodenia grandiflora* Sims var. *albiflora* (Schltdl.) K.Krause
- *Picrophyta albiflora* (Schltdl.) F.Muell.

Goodenia amplexans F.Muell. – FR SL KI
- *Goodenia amplexans* F.Muell. var. *angustifolia* K.Krause

Goodenia anfracta J.M.Black (Rare status in SA) – LE FR

Goodenia arguta (R.Br.) K.A. Sheph. – NW LE NU FR EA EP NL MU YP SL
- *Antherostylis calcarata* C.A.Gardner
- *Velleia arguta* R.Br.
- *Velleia paradoxa* auct.non R.Br.: J.M.Black(1929), partly

Goodenia asteriscus P.J.Lang – NW
- *Goodenia fascicularis* auct.non F.Muell. & Tate: Symon in Barker et al.(2005), partly

Goodenia benthamiana Carolin (Rare status in SA) – EP
- *Goodenia amplexans* F.Muell. var. *parvifolia* Benth.

Goodenia berardiana (Gaudich.) Carolin – NW LE NU GT FR EA EP NL
- *Calogyne berardiana* (Gaudich.) Benth.
- *Calogyne berardiana* (Gaudich.) Benth. var. *major* E.Pritz.
- *Calogyne distylis* F.Muell.
- *Calogyne linearis* S.Moore
- *Distylis berardiana* Gaudich.
- *Goodenia glauca* F.Muell. var. *glandulosa* Benth.

Goodenia berringbinensis Carolin – LE

Goodenia blackiana Carolin – EP NL MU YP SL KI SE
- *Goodenia primulacea* auct.non Schltdl.: J.M.Black(1957)

Goodenia brunnea Carolin (Rare status in SA) – NW
- *Goodenia grandiflora* auct.non Sims: J.M.Black(1957), partly

Goodenia calcarata (F.Muell.) F.Muell. – LE GT FR EA EP NL
- *Picrophyta calcarata* F.Muell.

Goodenia capillosa K.A.Sheph. – NW GT
- *Velleia hispida* W.Fitzg.

Goodenia centralis Carolin – NW
- *Goodenia rotundifolia* auct.non R.Br.: J.M.Black(1957)

Goodenia chambersii F.Muell. (Rare status in SA) – LE
- *Goodenia grandiflora* Sims var. *chambersii* (F.Muell.) K.Krause
- *Goodenia helenae* Ising

Goodenia collaris (F.Muell.) K.A.Sheph. – NW LE NU GT FR EA EP
- *Scaevola collaris* F.Muell.
- *Scaevola decurrens* W.Fitzg.

Goodenia connata (F.Muell.) K.A.Sheph. – NW NU GT FR EP NL MU
- *Velleia connata* F.Muell.
- *Velleia helmsii* K.Krause

Goodenia cycloptera R.Br. – NW LE GT FR EA EP
- *Goodenia grandiflora* Sims var. *nicholsonii* (F.Muell.) K.Krause
- *Goodenia mitchellii* Benth.
- *Goodenia mitchellii* Benth. var. *subrotunda* Domin

- *Goodenia mitchellii* Benth. var. *typica* Domin
- *Goodenia nicholsonii* F.Muell.

Goodenia cycnopotamica (F.Muell.) K.A.Sheph. (Rare status in SA) – EP
- *Velleia cycnopotamica* F.Muell.

Goodenia elongata Labill. (Endangered status in SA) – ?SL

Goodenia fascicularis F.Muell. & Tate – NW LE GT FR EA EP NL MU
- *Goodenia glauca* F.Muell. var. *sericea* Benth.
- *Goodenia subintegra* F.Muell. ex Tate

Goodenia geniculata R.Br. – EP MU YP SL KI SE
- *Goodenia primulacea* Schltdl.

Goodenia gibbosa Carolin – NW LE

Goodenia glabra R.Br. – NW LE NU GT EP
- *Goodenia flagellifera* de Vriese
- *Goodenia unilobata* J.M.Black

Goodenia glabrata (Carolin) K.A.Sheph. – NW LE
- *Velleia glabrata* Carolin
- *Velleia paradoxa* auct.non R.Br.: J.M.Black(1929), partly

Goodenia glandulosa K.Krause (Rare status in SA) – NW EP
- *Goodenia larapinta* auct.non Tate: SA Census online (28 Nov 2006-30 Mar 2016)

Goodenia glauca F.Muell. – NW LE GT FR EA MU

Goodenia gracilis R.Br. (Vulnerable status in SA) – SE
- *Goodenia lineata* auct.non J.H.Willis:: Barker et al.(2005)

Goodenia grandiflora Sims – ?NW

Goodenia gypsicola Symon – NW

Goodenia havilandii Maiden & Betche – NW LE NU GT FR EA EP MU
- *Goodenia havilandii* Maiden & Betche var. *pauperata* J.M.Black
- *Symphyobasis alsinoides* S.Moore

Goodenia heterochila F.Muell. – NW LE
- *Goodenia hirsuta* auct.non F.Muell.: Barker et al.(2005)

Goodenia heteromera F.Muell. (Rare status in SA) – NW LE NL MU SE
- *Goodenia heteromera* F.Muell. var. *deminuta* J.M.Black

Goodenia humilis R.Br. – SL SE
- *Goodenia graminifolia* Hook.f.
- *Goodenia nana* de Vriese

Goodenia lobata Ising – LE GT

Goodenia lunata J.M.Black – NW LE GT FR EA EP
- *Goodenia argentea* J.M.Black

Goodenia micrantha Hemsley ex Carolin – KI

Goodenia modesta J.M.Black – NW LE GT
- *Goodenia erecta* Ewart & O.B.Davies

Goodenia mueckeana F.Muell. – NW

Goodenia occidentalis Carolin – NW LE NU GT

Goodenia ovata Sm. – FR EP NL MU SL KI SE
- *Goodenia acuminata* R.Br.
- *Goodenia ovata* R.Br. var. *latifolia* Schltdl.

Goodenia paradoxa (R.Br.) K.A.Sheph. – FR EA NL MU SL SE
- *Velleia paradoxa* R.Br.

Goodenia pinnatifida Schltdl. – NW LE NU GT FR EA EP NL MU YP SL SE
- *Goodenia glabriflora* K.Krause
- *Goodenia pinnatifida* Schltdl. var. *minor* F.Muell. & Tate
- *Goodenia schomburgkii* Klotzsch ex K.Krause

Goodenia pusilliflora F.Muell. – NW GT FR EA EP NL MU YP SL
- *Goodenia calogynoides* E.Pritz.

Goodenia quasilibera Carolin – EP

Goodenia radicans (Cav.) Pers. – EP NL MU SL KI SE
- *Goodenia repens* Labill.
- *Selliera herpystica* Schltdl.
- *Selliera radicans* Cav.
- *Selliera repens* (Labill.) deVriese

Goodenia ramelii F.Muell. – NW
- *Goodenia basedowii* K.Krause

Goodenia robusta (Benth.) K.Krause – GT FR EP NL MU SE
- *Goodenia geniculata* R.Br. var. *robusta* Benth.

Goodenia saccata Carolin (Rare status in SA) – FR
- *Goodenia grandiflora* auct.non Sims: J.M.Black(1957), partly

Goodenia triodiophila Carolin – NW

Goodenia valdentata P.J.Lang (Rare* status in SA) – LE
- *Goodenia saccata* auct.non Carolin: Jessop (1993), partly

Goodenia varia R.Br. – NU GT EP NL MU YP SL KI SE

Goodenia vernicosa J.M.Black – GT FR EA

Goodenia vilmoriniae F.Muell. – NW

Goodenia willisiana Carolin – LE[?id] GT EP NL MU YP SL KI[?id] SE
- *Goodenia affinis* auct.non de Vriese: Carolin & D.A.Cooke(1986)

Goodenia xanthosperma F.Muell. – NW
- *Goodenia discolor* K.Krause
- *Goodenia mooreana* K.Krause

Lechenaultia aphylla Morrison (Vulnerable status in SA) – NW GT

Lechenaultia divaricata F.Muell. – LE
- *Leschenaultia divaricata* F.Muell., orth.var.(orig.)

Lechenaultia striata F.Muell. – NW
- *Lechenaultia helmsii* K.Krause
- *Leschenaultia helmsii* K.Krause, orth.var.(orig.)
- *Leschenaultia striata* F.Muell., orth.var.(orig.)

Scaevola aemula R.Br. – EP MU SL KI SE

Scaevola albida (Sm.) Druce – FR NL MU YP SL KI SE
- *Goodenia albida* Sm.
- *Goodenia laevigata* Curtis
- *Merkusia microcarpa* (Cav.) de Vriese
- *Scaevola albida* (Sm.) Druce var. *pallida* (R.Br.) Carolin
- *Scaevola laevigata* (Curtis) Pers.
- *Scaevola microcarpa* Cav.
- *Scaevola microcarpa* Cav. var. *pallida* (R.Br.) Benth.
- *Scaevola pallida* R.Br.

Scaevola amblyanthera F.Muell. var. **centralis** Carolin – NW LE NU GT EP

Scaevola angustata Carolin – NU EP YP SL KI SE
- *Scaevola nitida* auct.non R.Br.: J.M.Black(1929)

Scaevola basedowii Carolin – NW

Scaevola bursariifolia J.M.Black – NU EP

Scaevola calendulacea (Andrews) Druce (Vulnerable status in SA) – SL SE
- *Goodenia calendulacea* Andrews
- *Merkusia suaveolens* (R.Br.) de Vriese
- *Scaevola suaveolens* R.Br.

Scaevola collina J.M.Black ex E.L.Robertson – NW LE

Scaevola crassifolia Labill. – EP YP SL KI SE
- *Merkusia crassifolia*

Scaevola depauperata R.Br. – NW LE NU GT EP MU
- *Merkusia depauperata* (R.Br.) de Vriese
- *Scaevola patens* F.Muell.

Scaevola glabrata Carolin – NW
- *Scaevola ovalifolia* R.Br. var. *glabra* R.Br.

Scaevola hookeri (de Vriese) F.Muell. ex Hook.f. (Endangered status in SA) – SE
- *Merkusia hookeri* de Vriese

Scaevola humilis R.Br. – FR EA EP NL MU YP
- *Merkusia humilis* (R.Br.) de Vriese
- *Scaevola aemula* auct.non R.Br.: Robertson(1957), partly

Scaevola linearis R.Br. ssp. **confertifolia** (J.M.Black) Carolin – EP YP SL KI SE
- *Scaevola linearis* R.Br. var. *confertifolia* J.M.Black

Scaevola linearis R.Br. ssp. **linearis** – EP YP SL

Scaevola myrtifolia (de Vriese) K.Krause (Rare status in SA) – EP
- *Merkusia myrtifolia* de Vriese
- *Scaevola groeneri* F.Muell.

Scaevola obovata Carolin (Vulnerable status in SA) – NW

Scaevola parvibarbata Carolin – LE GT FR EA MU
- *Scaevola ovalifolia* auct.non R.Br.: J.M.Black(1957)

Scaevola parvifolia F.Muell. ex Benth. ssp. **parvifolia** – NW LE
- *Scaevola aemula* auct.non R.Br.: Robertson(1957), partly
- *Scaevola daleana* Blakely
- *Scaevola parvifolia* F.Muell. ex Benth.

Scaevola spinescens R.Br. – NW LE NU GT FR EA EP NL MU YP
- *Crossotoma spinescens* (R.Br.) de Vriese
- *Pogonetes spinescens* (R.Br.) Lindl.
- *Scaevola lycioides* DC.
- *Scaevola oleoides* DC.
- *Scaevola spinescens* R.Br. var. *rufa* E.Pritz.

ASTERACEAE 100.403

Acanthocladium dockeri F.Muell. (Endangered status in SA, Critically Endangered status in Australia) – NL MU
- *Acanthocladium dockerii* F.Muell., (original spelling)
- *Helichrysum dockeri* (F.Muell.) Benth.

* **Achillea distans** Waldst. & Kit. ex Willd. – NL* SL*
- *Achillea millefolium* auct.non L.: Jessop(1986), partly

* **Achillea millefolium** L. – EP?e NL?e MU* SL* KI* SE*

?e **Achillea tomentosa** L. – NL?e MU?e SL?e KI?e

Achnophora tatei F.Muell. (Rare status in SA) – KI

Actinobole uliginosum (A.Gray) H.Eichler – NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Gnaphalodes evacina* Sond.
- *Gnaphalodes uliginosum* A.Gray

Actites megalocarpus (Hook.f.) Lander – EP YP SL KI SE
- *Actites megalocarpa* (Hook.f.) Lander, orth.var.
- *Embergeria megalocarpa* (Hook.f.) Boulos
- *Sonchus asper* (L.) Hill var. *littoralis* J.M.Black
- *Sonchus asper* (L.) Hill var. *megalocarpus* Hook.f.
- *Sonchus megalocarpus* (Hook.f.) J.M.Black

?e **Adenostemma lavenia** (L.) Kuntze – MU?e
- *Adenostemma viscosum* J.R.Forst. & G.Forst.

* **Ageratina adenophora** (Spreng.) R.M.King & H.Rob. – SL* SE?e
- *Eupatorium adenophorum* Spreng.

Allittia cardiocarpa (F.Muell.ex Benth.) P.S.Short (Rare status in SA) – SE
- *Brachycome cardiocarpa* F.Muell. ex Benth.
- *Brachyscome cardiocarpa* F.Muell. ex Benth.

Allittia uliginosa (G.L.R.Davis) P.S.Short (Rare status in SA) – KI SE
- *Brachycome uliginosa* G.L.R.Davis
- *Brachyscome uliginosa* G.L.R.Davis

* **Ambrosia artemisiifolia** L. (Declared SA plant) – MU* SL*
- *Ambrosia psilostachya* auct.non DC: Jessop & Toelken(1986)

* **Ambrosia confertiflora** DC. (Declared SA plant) – MU*

* **Ambrosia psilostachya** DC. (Declared SA plant) – MU* SL*
- *Ambrosia artemisiifolia* auct.non L.: J.M.Black(1929), partly

* **Ambrosia tenuifolia** Spreng. (Declared SA plant) – MU* SL*

* **Ammobium alatum** R.Br. – SL*

?e **Anacyclus radiatus** Loisel. – SL?e

Anemocarpa podolepidium (F.Muell.) Paul G.Wilson – NW LE GT FR EA
- *Chrysocephalum podolepidium* (F.Muell.) Anderb.
- *Helichrysum podolepidium* F.Muell.

Anemocarpa saxatilis (Paul G.Wilson) Paul G.Wilson – NW LE NU
- *Helipterum albicans* auct.non (A.Cunn.) DC.: J.M.Black(1929)
- *Helipterum incanum* F.Muell.(1880)
- *Helipterum saxatile* Paul G.Wilson

Angianthus brachypappus F.Muell. – NW LE GT FR EA EP
- *Siloxerus brachypappus* (F.Muell.) Ising
- *Styloncerus brachypappus* (F.Muell.) Kuntze

Angianthus conocephalus (J.M.Black) P.S.Short – NW NU EP
- *Angianthus brachypappus* F.Muell. var. *conocephalus* J.M.Black

Angianthus glabratus P.S.Short – GT EP

Angianthus preissianus (Steetz) Benth. – EP MU YP SL KI SE
- *Angianthus eriocephalus* (Hook.f. ex A.Gray) Benth.
- *Skirrophorus eriocephalus* Hook.f. ex A.Gray
- *Skirrophorus preissianus* Steetz
- *Styloncerus preissianus* (Steetz) Kuntze

Angianthus tomentosus J.C.Wendl. – LE NU GT FR EA EP NL MU YP SL SE
- *Cassinia aurea* R.Br.

* **Anthemis arvensis** L. – EA* SL* SE*

* **Anthemis cotula** L. – NL?e SL* SE*

Apalochlamys spectabilis (Labill.) Steud. – EP YP SL KI SE
- *Apalochlamys billardieri* DC.
- *Apalochlamys kerrii* DC.
- *Apalochlamys spectabilis* (Labill.) J.H.Willis
- *Calea spectabilis* Labill.
- *Cassinia spectabilis* (Labill.) R.Br.

Apowollastonia stirlingii (Tate) Orchard ssp. **stirlingii** – NW
- *Wedelia stirlingii* Tate
- *Wedelia verbesinoides* auct.non F.Muell. ex Benth.: J.M.Black(1957)

* **Arctotheca calendula** (L.) Levyns – NW?e LE* NU* FR* EP* NL* MU* YP* SL* KI* SE*
- *Arctotis calendula* L.
- *Arctotis calendulacea* L.
- *Cryptostemma calendula* (L.) Druce
- *Cryptostemma calendulaceum* (L.) R.Br.

* **Arctotheca populifolia** (P.J.Bergius) Norl. – NU* EP* YP* SL* SE*
- *Arctotheca nivea* (L.f.) K.Lewin
- *Arctotis populifolia* P.J.Bergius
- *Cryptostemma niveum* (L.f.) G.Nicholson

* **Arctotis stoechadifolia** P.J.Bergius – MU* YP* SL* KI* SE*

Argentipallium blandowskianum (Steetz ex Sond.) Paul G.Wilson – MU SL SE
- *Helichrysum blandowskianum* Steetz ex Sond.

Argentipallium obtusifolium (F.Muell. & Sond.) Paul G.Wilson – EP NL MU YP SL KI SE
- *Helichrysum obtusifolium* F.Muell. & Sond. ex Sond.

* **Argyranthemum frutescens** (L.) Webb ex Sch.Bip. ssp. **foeniculaceum** (Pit.) Humphries – EP* MU* YP* SL* KI* SE*
- *Argyranthemum frutescens* (L.) Webb ex Sch.Bip. var. *foeniculaceum* Pit.
- *Chrysanthemum anethifolium* auct.non (Willd.) Steud.: J.M.Black(1957)
- *Chrysanthemum foeniculaceum* auct.non (Willd.) Steud.: H.Eichler(1965)

* **Argyranthemum frutescens** (L.) Webb ex Sch.Bip. ssp. **frutescens** – EP* MU* YP* SL* SE*
- *Chrysanthemum frutescens* L.

?e **Artemisia absinthium** L. – SL?e

* **Artemisia arborescens** L. – EA?e YP* SL* KI*

?e **Artemisia pontica** L. – SL?e

Asteridea athrixioides (Sond. & F.Muell. ex Sond.) Kroner – ?NW NU GT FR EA EP NL MU YP SL
- *Asteridea athrixioides* (Sond. & F.Muell. ex Sond.) Kroner f. *athrixioides*
- *Asteridea athrixioides* (Sond. & F.Muell. ex Sond.) Kroner f. *horripes* (J.M.Black) D.A.Cooke
- *Athrixia athrixioides* (Sond. & F.Muell. ex Sond.) Druce var. *athrixioides*
- *Athrixia athrixioides* (Sond. & F.Muell. ex Sond.) Druce var. *horripes* (J.M.Black) E.L.Robertson
- *Athrixia tenella* Benth. var. *horripes* J.M.Black
- *Panaetia athrixioides* Sond. & F.Muell. ex Sond.
- *Panaetia athrixoides* Sond. & F.Muell. ex Sond., orth.var.

* **Asteriscus spinosus** (L.) Sch.Bip. – NU* FR* EP* NL* MU* YP* SL* KI* SE*
- *Buphthalmum spinosum* L.
- *Pallenis spinosa* (L.) Cass.

Basedowia tenerrima (F.Muell. & Tate) J.M.Black (Rare status in SA) – NW
- *Basedowia helichrysoides* E.Pritz.
- *Humea tenerrima* F.Muell. & Tate

* **Bellis perennis** L. – SL* SE*

* **Berkheya rigida** (Thunb.) Bolus & Wolley-Dod – EP*
- *Berkheya rigida* (Thunb.) Ewart, Jean White & B.Rees, isonym
- *Stobaea rigida* Thunb.

* **Bidens pilosa** L. – NW* EP?e MU?e SL*
- *Bidens pilosa* L. var. *minor* (Blume) Sherff
- *Bidens pilosa* L. var. *pilosa*
- *Bidens sundaica* Blume var. *minor* Blume

* **Bidens subalternans** DC. var. **simulans** Sherff – LE* MU?e SL?e
- *Bidens bipinnata* auct.non L.: SA Census online(14/5/2014-31/08/2017)

Blennospora drummondii A.Gray – LE FR EP NL MU YP SL KI SE
- *Calocephalus drummondii* (A.Gray) Benth.

Brachyscome aculeata (Labill.) Cass. ex Less. (Rare status in SA) – SE

Brachyscome blackii G.L.R.Davis – NW
- *Brachycome blackii* G.L.R.Davis

Brachyscome breviscapis C.R.Carter (Rare status in SA) – EP MU
- *Brachycome breviscapis* C.R.Carter

Brachyscome campylocarpa J.M.Black – LE GT FR EA
- *Brachycome campylocarpa* J.M.Black

Brachyscome ciliaris (Labill.) Less. var. **brachyglossa** Gauba – FR EA MU
- *Brachycome ciliaris* (Labill.) Less. var. *brachyglossa* Gauba

Brachyscome ciliaris (Labill.) Less. var. **ciliaris**
– NW LE NU GT FR EA EP NL MU YP SL SE
- *Brachycome ciliaris* (Labill.) Less. var. *ciliaris*
- *Brachycome ciliaris* (Labill.) Less. var. *grandiflora* Benth.
- *Brachycome ciliaris* (Labill.) Less. var. *subdissecta* Benth.
- *Brachycome dimorphocarpa* G.L.R.Davis

Brachyscome ciliaris (Labill.) Less. var. **lanuginosa** (Steetz) Benth.
– NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Brachycome ciliaris* (Labill.) Less. var. *glandulosa* Benth.
- *Brachycome ciliaris* (Labill.) Less. var. *lanuginosa* (Steetz) Benth.
- *Brachycome lanuginosa* Steetz

Brachyscome ciliaris (Labill.) Less. var. **lyrifolia** (J.M.Black) G.L.R.Davis – LE FR EA EP NL
- *Brachycome ciliaris* (Labill.) Less. var. *lyrifolia* (J.M.Black) G.L.R.Davis
- *Brachycome lyrifolia* J.M.Black

Brachyscome ciliaris (Labill.) Less. var. **subintegrifolia** G.L.R.Davis (Rare status in SA) – LE FR NL MU
- *Brachycome ciliaris* (Labill.) Less. var. *subintegrifolia* G.L.R.Davis

Brachyscome cuneifolia Tate – EP YP SL KI SE
- *Brachycome aculeata* auct.non (Labill.) Less.: J.M.Black(1929)
- *Brachycome cuneifolia* Tate

Brachyscome debilis Sond. – FR EA EP NL MU YP SL SE
- *Brachycome debilis* Sond.
- *Brachycome leptocarpa* F.Muell.
- *Brachyscome leptocarpa* F.Muell.

Brachyscome decipiens Hook.f. – ?SE?id
- *Brachycome decipiens* Hook.f.

Brachyscome dentata Gaudich. – LE FR EA NL MU SE
- *Brachycome calocarpa* F.Muell.
- *Brachycome chrysoglossa* F.Muell.
- *Brachycome dentata* Gaudich.
- *Brachycome heterodonta* DC.
- *Brachycome marginata* Benth.

Brachyscome dichromosomatica C.R.Carter var. **dichromosomatica** – LE GT FR EP
- *Brachycome dichromosomatica* C.R.Carter var. *dichromosomatica*
- *Brachycome lineariloba* auct.non (DC.) Druce: J.M.Black(1957)

Brachyscome diversifolia (Graham ex Hook.) Fisch. & C.A.Mey. (Endangered status in SA) – SL SE
- *Brachycome diversifolia* (Graham ex Hook.) Fisch. & C.A.Mey. var. *diversifolia*
- *Pyrethrum diversifolium* Graham ex Hook.

Brachyscome eriogona (J.M.Black) G.L.R.Davis – LE GT EA
- *Brachycome eriogona* (J.M.Black) G.L.R.Davis
- *Brachycome goniocarpa* Sond. & F.Muell. ex Sond. var. *eriogona* J.M.Black

Brachyscome exilis Sond. – GT FR EP NL MU YP SL KI SE
- *Brachycome exilis* Sond.
- *Brachycome neglecta* J.M.Black

Brachyscome gilesii P.S.Short – NW LE NU GT EP
- *Brachycome iberidifolia* auct.non Benth.: D.A.Cooke in Jessop & Toelken(1986)
- *Brachycome iberidifolia* auct.non Benth.: E.L.Robertson in Black(1965)
- *Brachycome iberidifolia* Benth. var. *glandulifera* J.M.Black
- *Brachyscome iberidifolia* auct.non Benth.: Barker et al.(2005)

Brachyscome goniocarpa Sond. & F.Muell. ex Sond. – EA EP NL MU YP SL KI SE
- *Brachycome goniocarpa* Sond. & F.Muell. ex Sond.

Brachyscome graminea (Labill.) F.Muell. (Rare status in SA) – MU SL SE
- *Bellis graminea* Labill.
- *Brachycome graminea* (Labill.) F.Muell.
- *Brachyscome angustifolia* A.Cunn. ex DC.

Brachyscome lineariloba (DC.) Druce – NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Brachycome lineariloba* (DC.) Druce
- *Brachycome pachyptera* Turcz.
- *Steiroglossa lineariloba* DC.

Brachyscome melanocarpa Sond. & F.Muell. ex Sond. ssp. **melanocarpa** (Vulnerable status in SA) – LE FR MU
- *Brachycome melanocarpa* Sond. & F.Muell. ex Sond.
- *Brachyscome melanocarpa* Sond. & F.Muell. ex Sond.

Brachyscome muelleri Sond. (Endangered status in SA, Endangered status in Australia) – EP YP SL
- *Brachycome muelleri* Sond.

Brachyscome paludicola P.S.Short (Rare* status in SA) – MU SL SE
- *Brachycome basaltica* F.Muell. var. *gracilis* Benth.
- *Brachyscome basaltica* F.Muell. var. *gracilis*

Brachyscome parvula Hook.f. (Rare status in SA) – MU SL SE
- *Brachycome lissocarpa* J.M.Black
- *Brachycome parvula* Hook.f.
- *Brachycome parvula* Hook.f. var. *lissocarpa* (J.M.Black) G.L.R.Davis

Brachyscome perpusilla (Steetz) J.M.Black – FR EA EP NL MU YP SL KI SE
- *Brachycome collina* (Sond.) Benth.
- *Brachycome perpusilla* (Steetz) J.M.Black
- *Brachycome perpusilla* (Steetz) J.M.Black var. *tenella* (Turcz.) G.L.R.Davis
- *Brachycome tenella* Turcz.
- *Silphiosperma collinum* Sond.
- *Silphiosperma perpusillum* Steetz

Brachyscome rara G.L.R.Davis – LE
- *Brachycome coongiensis* Munir
- *Brachycome rara* G.L.R.Davis
- *Brachyscome basaltica* auct.non F.Muell.: Black(1929), (excluding var. gracilis), partly

Brachyscome readeri G.L.R.Davis (Rare status in SA) – SE
- *Brachycome readeri* G.L.R.Davis

Brachyscome tatei J.M.Black (Rare status in SA) – NU
- *Brachycome tatei* J.M.Black

Brachyscome tesquorum J.M.Black – NW LE
- *Brachycome tesquorum* J.M.Black

Brachyscome trachycarpa F.Muell. – NW NU GT FR EP NL MU
- *Brachycome trachycarpa* F.Muell.
- *Brachyscome parvula* auct.non Hook.f.: Jessop(1993), partly

Brachyscome xanthocarpa D.A.Cooke (Rare status in SA) – EP
- *Brachycome xanthocarpa* D.A.Cooke

* **Calendula arvensis** L. – LE* NU* FR* EA* EP* NL* MU* SL*

* **Calendula officinalis** L. – NL?e MU* SL* SE*

Calocephalus badmanii P.S.Short – LE
- *Calocephalus dittrichii* auct.non F.Muell.: J.M.Black(1918, 1929, 1957)
- *Calocephalus multiflorus* auct.non (Turcz.) Benth.: J.M.Black(1957), partly
- *Calocephalus platycephalus* auct.non (F.Muell.) Benth.: P.S.Short in Jessop(1981), partly
- *Pachysurus platycephalus* F.Muell.

Calocephalus citreus Less. – FR EA EP NL MU YP SL SE

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Calocephalus knappii (F.Muell.) Ewart & Jean White – NW LE GT
- *Eriochlamys knappii* F.Muell.

Calocephalus lacteus Less. (Endangered status in SA) – SE

Calocephalus platycephalus (F.Muell.) Benth. – NW LE GT FR EA
- *Calocephalus multiflorus* auct.non (Turcz.) Benth.: J.M.Black(1957), partly
- *Pachysurus platycephalus* F.Muell.

Calocephalus sonderi F.Muell. (Rare status in SA) – EP MU
- *Leucophyta citrea* Sond.(1853)

Calotis ancyrocarpa J.M.Black – LE

Calotis anthemoides F.Muell. – SE

Calotis breviradiata (Ising) G.L.R.Davis – LE NU
- *Calotis multicaulis* (Turcz.) Druce var. *breviradiata* Ising

Calotis cuneifolia R.Br. – MU ?SL

Calotis cymbacantha F.Muell. – NW LE NU GT FR EA EP MU

Calotis erinacea Steetz – NW LE NU GT EA EP NL?n MU YP SL SE
- *Calotis erinacea* Steetz var. *biaristata* J.M.Black

Calotis hispidula (F.Muell.) F.Muell. – NW LE NU GT FR EA EP NL MU YP SL KI?e
- *Cheiroloma hispidulum* F.Muell.

Calotis kempei F.Muell. – NW LE

Calotis lappulacea Benth. – FR EA EP MU
- *Calotis microphylla* Benth.

Calotis latiuscula F.Muell. & Tate – NW LE GT FR EA MU

Calotis multicaulis (Turcz.) Druce – NW LE NU GT EP
- *Calotis multicaulis* (Turcz.) J.M.Black, isonym
- *Goniopogon multicaule* Turcz.

Calotis plumulifera F.Muell. – NW LE GT FR EA NL?e SL?e
- *Calotis multicaulis* auct.non (Turcz.) Druce: G.L.R.Davis(1952), partly

Calotis porphyroglossa F.Muell. ex Benth. – NW LE GT FR
- *Calotis microcephala* F.Muell. ex Benth.

Calotis scabiosifolia Sond. & F.Muell. var. **scabiosifolia** – LE FR EA EP NL MU SL SE
- *Calotis muelleri* Sond.

Calotis scapigera Hook. (Rare status in SA) – FR EA MU SL
- *Calotis scabiosifolia* Sond. & F.Muell. var. *elongata* F.Muell. ex Benth.

* **Carduus pycnocephalus** L. – FR* EP* SL* KI* SE*

* **Carduus tenuiflorus** Curtis (Declared SA plant) – FR* EA* EP* NL* MU* YP* SL* KI* SE*

* **Carthamus lanatus** L. – LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* SE*
- *Kentrophyllum lanatum* (L.) DC.

* **Carthamus leucocaulos** Sm. – KI* SE*
- *Carthamus glaucus* auct.non M.Bieb.: D.A.Cooke(1986)

?e **Carthamus tinctorius** L. – GT?e EA?e NL?e YP?e SL?e

Cassinia × adunca F.Muell. ex Sond. – SL KI
- *Cassinia complanata* J.M.Black × *Cassinia tegulata* Orchard
- *Cassinia uncata* auct.non A.Cunn. ex DC.: D.A.Cooke(1986), partly

Cassinia arcuata R.Br. – FR EP NL MU YP SL
- *Cassinia paniculata* Behr & F.Muell. ex Sond.

Cassinia complanata J.M.Black – FR EP NL MU YP SL KI SE
- *Cassinia uncata* auct.non A.Cunn. ex DC.: D.A.Cooke(1986), partly

Cassinia laevis R.Br. ssp. **laevis** – NW GT FR EA EP NL MU SL SE
- *Cassinia aculeata* (Labill.) R.Br. var. *laevis* (R.Br.) J.M.Black
- *Cassinia laevis* R.Br.

Cassinia longifolia R.Br. – SE

* **Cassinia sifton** Orchard – SL* SE*
- *Cassinia arcuata* auct.non R.Br.: Barker et al.(2005), partly

Cassinia tegulata Orchard (Endangered status in SA, Critically Endangered status in Australia) – SL SE
- *Cassinia complanata* auct.non J.M.Black: J.M.Black(1928), partly
- *Cassinia uncata* auct.non A.Cunn.ex DC.: D.A.Cooke(1986), partly

Cassinia uncata A.Cunn. ex DC. – MU

Cassinia wilsoniae Orchard – MU

* **Centaurea aspera** L. – SL*

* **Centaurea calcitrapa** L. – NU* FR* EP* NL* MU* YP* SL* SE*

?e **Centaurea cineraria** L. – NL?e YP?e SL?e

* **Centaurea eriophora** L. – MU*
* **Centaurea melitensis** L. – NW* LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
* **Centaurea × moncktonii** C.E.Britton – NL?e SL* SE*
- *Centaurea nigra* auct.non L.: D.A.Cooke(1986), partly
- *Centaurea × pratensis* Thuill., nom.illeg. non Salisb.(1796)

?e **Centaurea nigra** L. – MU?e
- *Centaurea nigrescens* ssp. *nigrescens* auct.non Willd.: Barker et al.(2005), partly

?e **Centaurea nigrescens** Willd. ssp. **nigrescens** – SE?e
- *Centaurea nigrescens* Willd.

?e **Centaurea paniculata** L. – SL?e
- *Centaurea paniculata* L. ssp. *paniculata*

* **Centaurea solstitialis** L. – FR* NL* MU* SL*
Centipeda crateriformis N.G.Walsh ssp. **compacta** N.G.Walsh – LE EP NL MU YP SL KI SE
- *Centipeda cunninghamii* auct.non (DC.) A.Braun & Asch.: D.A.Cooke in Jessop & Toelken(1986), partly
- *Centipeda minima* auct.non (L.) A.Braun & Asch.: D.A.Cooke in Jessop & Toelken(1986), partly

Centipeda crateriformis N.G.Walsh ssp. **crateriformis** – LE GT FR EA EP MU
- *Centipeda cunninghamii* auct.non (DC.) A.Braun & Asch.: D.A.Cooke in Jessop & Toelken(1986), partly
- *Centipeda minima* auct.non (L.) A.Braun & Asch.: D.A.Cooke in Jessop & Toelken(1986), partly
- *Centipeda thespidioides* auct.non F.Muell.: D.A.Cooke in Jessop & Toelken(1986), partly

Centipeda cunninghamii (DC.) A.Braun & Asch. – LE GT EA EP NL MU YP SL KI?id SE
- *Myriogyne cunninghamii* DC.

Centipeda elatinoides (Less.) Benth. & Hook. ex O.Hoffm. – SL
- *Centipeda minima* auct.non (L.) A.Braun & Asch.: D.A.Cooke in Jessop & Toelken(1986), partly
- *Myriogyne elatinoides* Less.

Centipeda minima (L.) A.Braun & Asch. ssp. **minima** – NW LE EA MU YP SE
- *Artemisia minima* L.
- *Centipeda minima* (L.) A.Braun & Asch.: D.A.Cooke in Jessop & Toelken(1986), partly
- *Centipeda orbicularis* auct.non Lour.: Tate(1890)
- *Cotula minuta* G.Forst.
- *Myriogyne minuta* (G.Forst.) Less.

Centipeda nidiformis N.G.Walsh – LE MU SE
- *Centipeda minima* auct.non (L.) A.Braun & Asch.: D.A.Cooke in Jessop & Toelken(1986), partly

Centipeda pleiocephala N.G.Walsh – NW LE GT MU
- *Centipeda cunninghamii* auct.non (DC.) A.Braun & Asch.: D.A.Cooke in Jessop & Toelken(1986), partly
- *Centipeda minima* auct.non (L.) A.Braun & Asch.: D.A.Cooke in Jessop & Toelken(1986), partly

Centipeda thespidioides F.Muell. – NW LE GT FR EA EP MU
Cephalipterum drummondii A.Gray – NW NU GT
Ceratogyne obionoides Turcz. (Rare status in SA) – GT EP
- *Diotosperma drummondii* A.Gray

* **Chamaemelum nobile** (L.) All. – SL*
- *Anthemis nobilis* L.

* **Chondrilla juncea** L. (Declared SA plant) – EA?e EP* NL* MU* SL* SE*
Chondropyxis halophila D.A.Cooke (Rare status in SA) – EP
* **Chrysanthemoides monilifera** (L.) Norl. ssp. **monilifera** (Declared SA plant)
– FR* EP* NL* MU* YP* SL* SE*
- *Chrysanthemoides monilifera* (L.) Norl.
- *Osteospermum moniliferum* L.

Chrysocephalum apiculatum (Labill.) Steetz
– NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Chrysocephalum apiculatum* (Labill.) Steetz, partly
- *Gnaphalium apiculatum* Labill.
- *Helichrysum apiculatum* (Labill.) D.Don
- *Helichrysum apiculatum* (Labill.) D.Don var. *minor* Benth.
- *Helichrysum apiculatum* (Labill.) D.Don var. *occidentale* Benth.
- *Helichrysum apiculatum* (Labill.) D.Don var. *racemosum* J.M.Black
- *Helichrysum odorum* DC. var. *arachnoideum* Domin
- *Helichrysum odorum* DC. var. *odorum*
- *Helichrysum ramosissimum* Hook.
- *Helichrysum semiamplexicaule* Domin

Chrysocephalum baxteri (A.Cunn. ex DC.) Anderb. – FR EP NL MU YP SL KI SE
- *Helichrysum baxteri* A.Cunn. ex DC.

Chrysocephalum eremaeum (Haegi) Anderb. – NW LE NU GT EP
- *Helichrysum ambiguum* Turcz. var. *paucisetum* J.M.Black
- *Helichrysum eremaeum* Haegi

Chrysocephalum pterochaetum F.Muell. – NW LE NU GT FR EA EP SE?n
- *Helichrysum pterochaetum* (F.Muell.) F.Muell.
- *Helipterum pterochaetum* (F.Muell.) Benth.

Chrysocephalum semipapposum (Labill.) Steetz – FR EA EP NL MU YP SL KI SE
- *Gnaphalium semipapposum* Labill.
- *Helichrysum semipapposum* (Labill.) DC.
- *Helichrysum semipapposum* (Labill.) DC. var. *brevifolium* (Sond.) Maiden & Betche
- *Helichrysum squarrulosum* DC. var. *brevifolium* (Sond.) Haegi, nom.nud., in error

Chrysocephalum vitellinum Sond. & F.Muell. ex Sonder – MU SL
- *Chrysocephalum apiculatum* auct.non (Labill.) Steetz:Barker et al.(2005), partly
- *Helichrysum apiculatum* auct.non (Labill.) D.Don: Haegi(1986), partly

Chthonocephalus pseudevax Steetz – NW LE NU GT FR EA EP MU SL

* **Cichorium intybus** L. – FR* NL* MU* SL* KI* SE*

* **Cirsium arvense** (L.) Scop. var. **arvense** (Declared SA plant) – SL* SE*
- *Serratula arvensis* L.

* **Cirsium vulgare** (Savi) Ten. (Declared SA plant)
– GT?e FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Carduus lanceolatus* L.
- *Carduus vulgaris* Savi
- *Cirsium lanceolatum* (L.) Scop., nom.illeg.

Coronidium adenophorum (F.Muell.) Paul G.Wilson (Rare status in SA) – MU KI SE
- *Helichrysum adenophorum* F.Muell. var. *adenophorum*

Coronidium densifolium J.M.Black ex N.G.Walsh – SL
- *Helichrysum scorpioides* auct.non Labill.: Jessop & Toelken(1986), partly

Coronidium gunnianum (Hook.) N.G.Walsh (Endangered status in SA) – MU SL SE
- *Helichrysum rutidolepis* auct.non DC.: J.M.Black(1929), Jessop & Toelken(1986)
- *Leptorhynchos linearis* auct.non Less.: Jessop(1984)

Coronidium scorpioides (Labill.) Paul G.Wilson – ?EP MU YP SL SE
- *Helichrysum scorpioides* Labill., partly

?e **Cosmos bipinnatus** Cav. – EP?e NL?e SL?e SE?e

?e **Cosmos sulphureus** Cav. – MU?e

?e **Cota tinctoria** (L.) J.Gray – NL?e SL?e
- *Anthemis tinctoria* L.
- *Anthemis tinctoria* L. ssp. *australis* (R.Fern.) Oberpr. & Greuter

Cotula australis (Sieber ex Spreng.) Hook.f. – FR EP NL MU YP SL KI SE
- *Anacyclus australis* Sieber ex Spreng.

* **Cotula bipinnata** Thunb. – NL* MU* SL* KI* SE*

* **Cotula coronopifolia** L. – LE* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Cotula integrifolia* Hook.f., nom.illeg.

Cotula vulgaris Levyns var. **australasica** J.H.Willis – EP MU YP SL KI SE
- *Cotula filifolia* auct.non Thunb.: J.M.Black(1929)

Craspedia haplorrhiza J.Everett & Doust – EP NL MU
- *Craspedia glauca* auct.non (Labill.) Spreng.: D.A.Cooke(1986), partly
- *Craspedia richea* Cass., nom.illeg., partly
- *Craspedia uniflora* auct.non G.Forst.: J.M.Black(1929)

Craspedia paludicola J.Everett & Doust (Vulnerable status in SA) – SE
- *Craspedia glauca* auct.non (Labill.) Spreng.): D.A.Cooke(1986), partly

Craspedia variabilis J.Everett & Doust – ?LE FR EA EP NL MU YP SL KI SE
- *Craspedia glauca* auct.non (Labill.) Spreng.: D.A.Cooke(1986), partly
- *Craspedia richea* Cass., nom.illeg., partly
- *Craspedia uniflora* auct.non G.Forst.: J.M.Black(1929)

Cratystylis conocephala (F.Muell.) S.Moore – NW NU GT EA EP NL MU YP
- *Aster conocephalus* (F.Muell.) F.Muell
- *Eurybia conocephala* F.Muell.
- *Olearia conocephala* (F.Muell.) F.Muell. ex Benth.
- *Pluchea conocephala* (F.Muell.) F.Muell.
- *Stera conocephala* (F.Muell.) Ewart & B.Rees

Cremnothamnus thomsonii (F.Muell.) Puttock – NW
- *Helichrysum thomsonii* F.Muell.
- *Ozothamnus thomsonii* (F.Muell.) Paul G.Wilson

* **Crepis capillaris** (L.) Wallr. – NL* MU* SL* SE*
- *Crepis virens* L.
- *Lapsana capillaris* L.

?e **Crepis dioscoridis** L. – SL?e

* **Crepis foetida** L. ssp. **foetida** – FR* NL* YP* SL* KI* SE*

* **Crepis pusilla** (Sommier) Merxm. – EP* SL* KI*
- *Melitella pusilla* Sommier

* **Crepis vesicaria** L. ssp. **taraxicifolia** (Thuill.) Thell. – KI* SE*
- *Barkhausia haenseleri* Boiss. ex DC.
- *Crepis taraxacifolia* Thuill.
- *Crepis vesicaria* L. ssp. *haenseleri* (Boiss. ex DC.) Sell
- *Crepis vesicaria* L. var. *taraxacifolia* (Thuill.) B.Bovin

?e **Crupina vulgaris** Cass. – SL?e
- *Centaurea crupina* L.
- *Serratula crupina* (L.) Vill.

Cymbonotus preissianus Steetz – FR EP NL MU YP SL KI SE
- *Cymbonotus lawsonianus* auct.non Gaudich.: J.M.Black(1929)

* **Cynara cardunculus** L. ssp. **flavescens** Wiklund (Declared SA plant) – FR* EA* NL* MU* YP* SL*

?e **Dahlia imperialis** Roezl ex Ortgies – SL?e

* **Delairea odorata** Lem. – SL* SE*
- *Senecio mikanioides* Otto ex Walp.

Dichromochlamys dentatifolia (F.Muell.) Dunlop – NW LE GT FR EA
- *Pterigeron dentatifolius* F.Muell.

Dimorphocoma minutula F.Muell. & Tate – NW LE NU GT FR EA EP

* **Dimorphotheca fruticosa** (L.) DC. – GT* YP* SL* KI*
- *Calendula fruticosa* L.
- *Osteospermum fruticosum* (L.) Norl.

* **Dimorphotheca pluvialis** (L.) Moench – EP* SL* SE*
- *Calendula pluvialis* L.
- *Dimorphotheca annua* Less.

* **Dimorphotheca sinuata** DC. – EP* NL*
- *Dimorphotheca aurantiaca* Hort.

* **Dittrichia graveolens** (L.) Greuter – NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Erigeron graveolens* L.
- *Inula graveolens* (L.) Desf.

Eclipta alatocarpa Melville – NW LE GT

Eclipta platyglossa F.Muell. ssp. **platyglossa** – FR EP NL MU SL SE
- *Eclipta platyglossa* F.Muell.
- *Wollastonia ecliptoides* F.Muell., nom.inval.

Elachanthus glaber Paul G.Wilson (Rare status in SA) – EP

Elachanthus pusillus F.Muell. – LE NU GT FR EA EP NL MU YP SL

* **Erigeron bilbaoanus** (J.Remy) Cabrera – SL*
- *Conyza bilbaoana* J.Remy

* **Erigeron bonariensis** L. – NW* LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Conyza ambigua* DC.
- *Conyza bonariensis* (L.) Cronquist
- *Erigeron crispus* Pourr.
- *Erigeron linifolius* Willd.

* **Erigeron canadensis** L. – NL?e SL* SE*
- *Conyza canadensis* (L.) Cronquist
- *Conyza canadensis* (L.) Cronquist var. *canadensis*

* **Erigeron karvinskianus** DC. – NL?e SL* SE*
- *Erigeron mucronatus* DC.

* **Erigeron sumatrensis** Retz. – NU* NL* MU* SL* SE*
- *Conyza albida* Willd. ex Spreng.
- *Conyza sumatrensis* (Retz.) E.Walker

Eriochlamys behrii Sond. & F.Muell. – GT FR EA EP NL MU YP KI

Eriochlamys cupularis N.G.Walsh – EA
- *Eriochlamys behrii* auct.non Sonder & F.Muell.: Barker et al.(2005)

Eriochlamys eremaea N.G.Walsh – NW LE GT FR
- *Eriochlamys behrii* auct.non Sond. & F.Muell.: Barker et al.(2005), partly

Erodiophyllum elderi F.Muell. – LE NU FR EA EP NL MU

Erymophyllum ramosum (A.Gray) Paul G.Wilson ssp. **ramosum** – NU
- *Helipterum tenellum* auct.non Turcz.: D.A.Cooke(1986)
- *Pteropogon ramosus* A.Gray

Ethuliopsis cunninghamii (Hook.) F.Muell. – LE EA MU
- *Epaltes cunninghamii* (Hook.) Benth.
- *Ethulia cunninghamii* Hook.
- *Ethuliopsis dioica* F.Muell., nom. illeg.

Euchiton involucratus (G.Forst.) Holub – FR EP MU SL KI SE
- *Euchiton forsteri* Cass.
- *Euchiton pulchellus* Cass.
- *Gnaphalium cephaloideum* Willd.
- *Gnaphalium involucratum* G.Forst.
- *Gnaphalium japonicum* auct.non Thunb.: Paul G.Wilson(1965), partly

Euchiton japonicus (Thunb.) Holoub – FR EP NL MU SL KI SE
- *Euchiton audax* auct.non (D.G.Drury) Holub: Jessop(1993)
- *Euchiton collinus* Cass.
- *Euchiton ensifer* auct.non (D.G.Drury) Anderb.: Jessop(1993)
- *Euchiton gymnocephalus* (DC.) Holub
- *Gnaphalium collinum* Labill.(1805), non Salisb.(1796)
- *Gnaphalium ensifer* auct.non D.G.Drury: D.A.Cooke(1986)
- *Gnaphalium gymnocephalum* DC.(1838)
- *Gnaphalium japonicum* Thunb.
- *Gnaphalium japonicum* Thunb. var. *collinum* (Labill.) Maiden & Betche, partly

?e **Euchiton limosus** (D.G.Drury) Holub – SL?e
- *Euchiton involucratus* auct.non (G.Forst.) Holub: Barker et al.(2005), partly

Euchiton sphaericus (Willd.) Holub – NW LE GT FR EA EP NL MU YP SL KI SE
- *Gnaphalium involucratum* auct.non G.Forst.: Paul G.Wilson(1965), partly
- *Gnaphalium japonicum* auct.non Thunb.: J.M.Black(1929)
- *Gnaphalium sphaericum* Willd.

* **Euryops abrotanifolius** (L.) DC. – MU?e SL*
- *Othonna abrotanifolia* L.

?e **Euryops virgineus** (L.f.) DC – SL?e
- *Othonna virginea* L.f.

?e **Felicia echinata** (Thunb.) Nees – EP?e SL?e
- *Aster echinatus* (Thunb.) Less.
- *Aster echinatus* (Thunb.) Less. var. *paralia* (DC.) Harv.
- *Felicia paralia* DC.
- *Pteronia echinata* Thunb.

?e **Felicia fruticosa** (L.) G.Nicholson – YP?e SL?e
- *Aster fruticosus* L.

* **Filago pygmaea** L. – NL* MU* YP* SE*
- *Evax pygmaea* (L.) Brot.

* **Filago pyramidata** L. – NL* MU* YP* SE*

* **Flaveria trinervia** (Spreng.) C.Mohr – ?NW* LE* GT?e FR* EA*
- *Flaveria australasica* Hook.
- *Oedera trinervia* Spreng.

?e **Gaillardia × grandiflora** Pursh – SE?e
- *Gaillardia aristata* auct.non Pursh: D.A.Cooke(1986)

* **Galinsoga parviflora** Cav. – SL*

* **Gamochaeta americana** (Mill.) Wedd. – MU?e SL*
- *Gamochaeta spicata* auct.non (Lam.) Cabrera: Vonow(1993), partly
- *Gnaphalium americanum* Mill.
- *Gnaphalium coarctatum* auct.non Willd.: Jessop(1984), partly
- *Gnaphalium spicatum* auct.non Lam.: D.A.Cooke(1986), partly

* **Gamochaeta calviceps** (Fernald) Cabrera – SL* SE*
- *Gamochaeta spicata* auct.non (Lam.) Cabrera: Vonow(1993), partly

- *Gnaphalium calviceps* Fernald
- *Gnaphalium coarctatum* auct.non Willd.: Jessop(1984), partly
- *Gnaphalium subfalcatum* auct.non Cabrera: D.A.Cooke(1986)

?e **Gamochaeta pensylvanica** (Willd.) Cabrera – SL?e
- *Gnaphalium pensylvanicum* Willd.
- *Gnaphalium subfalcatum* auct.non Cabrera: D.A.Cooke(1986), partly

?e **Gamochaeta purpurea** (L.) Cabrera – SL?e SE?e
- *Gamochaeta spicata* auct.non (Lam.) Cabrera: Vonow(1993), partly
- *Gnaphalium coarctatum* auct.non Willd.: Jessop(1984), partly
- *Gnaphalium purpureum* L.
- *Gnaphalium spicatum* auct.non Lam.: D.A.Cooke(1986), partly

* **Gazania linearis** (Thunb.) Druce – FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Gazania longiscapa* DC.
- *Gorteria linearis* Thunb.

* **Gazania rigens** (L.) Gaertn. – EP* MU* YP* SL* SE*
- *Gazania rigens* (L.) Gaertn. var. *rigens*
- *Gorteria rigens* (L.) L.

?e **Gazania serrata** DC. – SL?e
- *Gazania pavonia* auct.non R.Br.: J.M.Black(1909)

* **Glebionis coronaria** (L.) Cass. ex Spach – NL?e MU* SL*
- *Chrysanthemum coronarium* L.

Glossocardia bidens (Retz.) Veldkamp – NW LE GT FR EA
- *Bidens tenuifolia* Labill.
- *Coreopsis tannensis* G.Forst. ex Spreng.
- *Glossogyne tannensis* (G.Forst. ex Spreng.) Garn.-Jones
- *Glossogyne tenuifolia* (Labill.) Cass., nom.inval.
- *Glossogyne tenuifolia* (Labill.) Cass. ex Less.
- *Zinnia bidens* Retz.

Gnaphalium diamantinense Paul G.Wilson – LE

Gnaphalium indutum Hook.f. ssp. **indutum** – FR EP MU YP SL KI SE
- *Gnaphalium indutum* Hook.f.

* **Gnaphalium polycaulon** Pers. – LE* MU*
- *Gnaphalium indicum* auct.non L.: J.M.Black(1957)
- *Gnaphalium multicaule* Willd.
- *Gnaphalium policaulon* Pers.
- *Helichrysum indicum* auct.non (L.) Grierson: Jessop(1984)

Gnephosis arachnoidea Turcz. – NW LE GT FR EA EP MU
- *Cyathopappus gnephosioides* F.Muell.
- *Gnephosis arachnoidea* Turcz. var. *foliata* (Sond.) Benth.
- *Gnephosis cyathopappa* Benth.
- *Gnephosis foliata* (Sond.) H.Eichler
- *Gnephosis gnephosioides* (F.Muell.) Druce
- *Nematopus foliatus* Sond.

Gnephosis drummondii (A.Gray) P.S.Short – EP SE
- *Angianthus tenellus* (F.Muell.) Benth.
- *Chrysocoryne drummondii* A.Gray
- *Chrysocoryne tenella* F.Muell.
- *Siloxerus tenellus* (F.Muell.) Ostenf.
- *Styloncerus tenellus* (F.Muell.) Kuntze

Gnephosis eriocarpa (F.Muell.) Benth. – NW LE EA
- *Skirrophorus eriocarpus* F.Muell.

Gnephosis tenuissima Cass. – NW LE NU GT FR EA EP NL MU SE
- *Angianthus pusillus* (Benth.) Benth.
- *Chrysocoryne angianthoides* F.Muell.
- *Chrysocoryne huegelii* A.Gray
- *Chrysocoryne pusilla* (Benth.) Endl.
- *Crossolepis pusilla* Benth.
- *Siloxerus pusillus* (Benth.) Ising
- *Styloncerus pusillus* (Benth.) Kuntze

Gratwickia monochaeta F.Muell. (Rare status in SA) – LE NU GT EA EP
- *Helichrysum mellorianum* J.M.Black

- *Helichrysum monochaetum* (F.Muell.) H.Eichler

Haeckeria cassiniiformis F.Muell. (Rare status in SA) – EP NL
- *Haeckeria cassiniaeformis* F.Muell.
- *Humea cassiniacea* F.Muell.
- *Humea cassiniaeformis* (F.Muell.) J.M.Black

Haeckeria punctulata (F.Muell.) J.H.Willis – FR EA EP NL MU
- *Cassinia punctulata* (F.Muell.) F.Muell.& Tate ex Tate
- *Humea punctulata* F.Muell.

Haegiela tatei (F.Muell.) P.S.Short & Paul G.Wilson (Rare status in SA) – EP NL MU YP ?SL SE
- *Epaltes tatei* F.Muell.

* **Helianthus annuus** L. – LE* GT* FR* EA* EP* NL* MU* YP* SL*

* **Helianthus tuberosus** L. – SL*

Helichrysum leucopsideum DC. – NU FR EP NL MU YP SL KI SE

* **Helminthotheca echioides** (L.) Holub – EP?e NL* MU* YP* SL* SE*
- *Helmintia echioides* (L.) Gaertn.
- *Picris echioides* L.

Hyalosperma demissum (A.Gray) Paul G.Wilson – GT FR EP NL MU YP SL KI SE
- *Helipterum demissum* (A.Gray) Druce
- *Helipterum exiguum* F.Muell.
- *Pteropogon demissus* A.Gray

Hyalosperma glutinosum Steetz ssp. **glutinosum** – GT FR EA EP NL MU YP SL
- *Helipterum hyalospermum* F.Muell. ex Benth.
- *Helipterum variabile* (Sond.) Ostenf.
- *Hyalosperma glutinosum* Steetz, partly
- *Hyalosperma strictum* Steetz
- *Hyalosperma variabile* Sond.

Hyalosperma semisterile (F.Muell.) Paul G.Wilson – LE GT FR EA EP NL MU YP SL
- *Helipterum jessenii* F.Muell.
- *Helipterum semisterile* F.Muell.

Hyalosperma stoveae (D.A.Cooke) Paul G.Wilson (Rare status in SA) – MU
- *Helipterum stoveae* D.A.Cooke

* **Hypochaeris glabra** L. – LE* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Hypochoeris glabra* L.

* **Hypochaeris radicata** L. – FR* EP* NL* MU* YP* SL* KI* SE*
- *Hypochoeris radicata* L.

Iotasperma sessilifolium (F.Muell.) G.L.Nesom (Rare status in SA) – NW LE
- *Erigeron sessilifolius* F.Muell.
- *Iotasperma sessilifolia* (F.Muell.) G.L.Nesom, orth.var.

Isoetopsis graminifolia Turcz. – NW LE NU GT FR EA EP NL MU YP SL

?e **Iva axillaris** Pursh ssp. **robustior** (Hook.) Bassett – NL?e
- *Iva axillaris* Pursh: SA Census online(11 Nov 2015)
- *Iva axillaris* Pursh var. *robustior* Hook.

Ixiochlamys cuneifolia (R.Br.) F.Muell. & Sond. ex Sond. – NW LE GT FR EA EP
- *Podocoma cuneifolia* R.Br.

Ixiochlamys filicifolia Dunlop – NW LE GT FR

Ixiochlamys integerrima Dunlop – LE

Ixiochlamys nana (Ewart & Jean White) Grau – NW LE GT FR EA
- *Podocoma nana* Ewart & Jean White

Ixodia achillaeoides R.Br. ssp. **achillaeoides** – EP YP KI

Ixodia achillaeoides R.Br. ssp. **alata** (Schltdl.) Copley – EP NL MU YP SL KI SE
- *Ixodia achillaeoides* R.Br. var. *alata* (Schltdl.) Ewart
- *Ixodia alata* Schltdl.
- *Ixodia ptarmicoides* F.Muell.

Ixodia achillaeoides R.Br. ssp. **arenicola** Copley (Endangered status in SA, Vulnerable status in Australia) – SE

Ixodia flindersica Copley – FR

Kippistia suaedifolia F.Muell. – NW LE NU GT FR EA EP MU YP
- *Minuria suaedifolia* (F.Muell.) F.Muell. ex Benth.

* **Lactuca saligna** L. – LE* MU* YP?e SL* KI* SE*

?e **Lactuca serriola** L. f. **integrifolia** (Gray) S.D.Prince & R.N.Carter – EP?e MU?e SL?e
- *Lactuca scariola* L., partly

- *Lactuca virosa* L. var. *integrifolia* S.F.Gray

* **Lactuca serriola** L. f. **serriola**
– NW* LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Lactuca scariola* L., partly

Lagenophora gunniana Steetz – FR EP NL MU YP SL KI SE
- *Lagenifera huegelii* auct.non Benth.: Robertson(1957)
- *Lagenophora huegelii* auct.non Benth.: D.A.Cooke in Jessop & Toelken(1986)

Lagenophora montana Hook.f. – SL
- *Lagenifera stipitata* var. *stipitata* (Labill.) Druce auct.non: D.A.Cooke in Jessop & Toelken(1986), partly
- *Lagenophora stipitata* auct.non (Labill.) Druce: Barker et al.(2005), partly

Lagenophora stipitata (Labill.) Druce – MU SL KI SE
- *Bellis stipitata* Labill.
- *Lagenifera billardieri* Cass.
- *Lagenifera stipitata* (Labill.) Druce var. *stipitata*

Lagenophora sublyrata (Cass.) A.R.Bean & Jian Wang ter (Vulnerable* status in SA) – SL KI SE
- *Lagenifera gracilis* auct.non Steetz: D.A.Cooke in Jessop & Toelken(1986)
- *Lagenophora billardierii* auct.non Cass.: Tate(1890), partly
- *Lagenophora gracilis* auct.non Steetz: Barker et al.(2005)
- *Lagenophora stipitata* auct.non (Labill.) Druce: Robertson(1957), partly

* **Lapsana communis** L. ssp. **communis** – SL*
- *Lapsana communis* L.

Lawrencella davenportii (F.Muell.) Paul G.Wilson – NW LE NU GT EP
- *Helichrysum davenportii* F.Muell.
- *Helichrysum lawrencella* F.Muell. var. *davenportii* (F.Muell.) Benth.
- *Helichrysum roseum* (Lindl.) Druce var. *davenportii* (F.Muell.) Domin

Leiocarpa brevicompta (F.Muell.) Paul G.Wilson – LE GT
- *Ixiolaena brevicompta* F.Muell.

Leiocarpa leptolepis (DC.) Paul G.Wilson – NW LE GT FR EA EP
- *Helichrysum leptolepis* DC.
- *Ixiolaena chloroleuca* Haegi
- *Ixiolaena leptolepis* (DC.) Benth.

Leiocarpa pluriseta (Haegi) Paul G.Wilson (Rare status in SA) – NU EP MU
- *Ixiolaena pluriseta* Haegi
- *Ixiolaena tomentosa* auct.non Sond. ex F.Muell.: J.M.Black(1957)

Leiocarpa semicalva (F.Muell.) Paul G.Wilson ssp. **semicalva** – NW LE GT FR EA EP
- *Chrysocephalum ambiguum* (Benth.) Anderb.
- *Chrysocephalum semicalvum* (F.Muell.) Paul G.Wilson ssp. *semicalvum*
- *Helichrysum ambiguum* Turcz.
- *Helichrysum semicalvum* F.Muell.
- *Leptorhynchos ambiguus* Benth.

Leiocarpa semicalva (F.Muell.) Paul G.Wilson ssp. **vinacea** (Haegi) Paul G.Wilson – NW
- *Chrysocephalum semicalvum* (F.Muell.) Paul G.Wilson ssp. *vinaceum* (Haegi) P.S.Short
- *Helichrysum ambiguum* Turcz. ssp. *vinaceum* Haegi

Leiocarpa supina (F.Muell.) Paul G.Wilson – EP YP SL KI
- *Ixiolaena supina* F.Muell.

Leiocarpa tomentosa (Sond. & F.Muell. ex Sond.) Paul G.Wilson – NW LE GT FR EA EP NL MU
- *Ixiolaena tomentosa* Sond. & F.Muell. ex Sond.

Leiocarpa websteri (S.Moore) Paul G.Wilson – NW LE NU GT FR EA EP NL MU YP SL SE
- *Ixiolaena leptolepis* auct.non (DC.) Benth.: Haegi(1986), partly
- *Ixiolaena tomentosa* Sond. var. *glabrata* Sond.
- *Ixiolaena websteri* S.Moore

Lemooria burkittii (Benth.) P.S.Short – NW LE GT FR EA EP MU
- *Angianthus burkittii* (Benth.) J.M.Black
- *Angianthus whitei* J.M.Black
- *Gnephosis burkittii* Benth.

* **Leontodon rhagadioloides** (L.) Enke & Zidorn
– LE* NU* GT* FR* EP* NL* MU* YP* SL* KI* SE*
- *Hedypnois cretica* (L.) Dum.Cours.
- *Hedypnois polymorpha* DC.
- *Hedypnois polymorpha* DC.
- *Hedypnois rhagadioloides* (L.) F.W.Schmidt, partly

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

- *Hedypnois rhagadioloides* (L.) F.W.Schmidt ssp. *cretica* (L.) Hayek
- *Hedypnois rhagadioloides* (L.) F.W.Schmidt ssp. *rhagadioloides*
- *Hyoseris cretica* L.
- *Hyoseris rhagadioloides* L.

* **Leontodon saxatilis** Lam. – MU* SL* KI* SE*
- *Hyoseris taraxacoides* Vill.
- *Leontodon hirtus* auct.non L.: J.M.Black(1929)
- *Leontodon leysseri* auct.non (Wallr.) Beck: J.M.Black(1957)
- *Leontodon nudicaulis* (L.) Banks ex Lowe ssp. *taraxacoides* (Vill) Schinz & Thell., nom.inval.
- *Leontodon taraxacoides* (Vill.) Willd. ex Merat ssp. *taraxacoides*, nom.illeg.

Leptinella longipes Hook.f. – SE
- *Cotula australis* auct.non (Sieber ex Spreng.) Hook.f., partly

Leptinella reptans (Benth.) D.G.Lloyd & C.J.Webb (Rare status in SA) – SE
- *Cotula reptans* (Benth.) Benth.
- *Strongylosperma reptans* Benth.

Leptorhynchos baileyi F.Muell. – NW LE GT FR EP MU
- *Helichrysum basedowii* J.M.Black
- *Leptorhynchos tetrachaetus* (Schltdl.) J.M.Black var. *penicillatus* J.M.Black

Leptorhynchos elongatus DC. (Endangered status in SA) – FR EP NL MU YP SL

Leptorhynchos melanocarpus Paul G.Wilson (Vulnerable status in SA) – EP

Leptorhynchos orientalis Paul G.Wilson (Rare status in SA) – NL SL SE

Leptorhynchos scaber (Benth.) Haegi (Rare status in SA) – FR EP YP SL SE
- *Leptorhynchos elongatus* DC. var. *peduncularis* Benth.
- *Leptorhynchos medius* A.Cunn. ex DC.
- *Leptorhynchos rhytidanthe* DC.
- *Leptorhynchos scabrus* (Benth.) Haegi
- *Rhytidanthe scabra* Benth.

Leptorhynchos squamatus (Labill.) Less. ssp. **squamatus** – FR EP NL MU YP SL KI SE
- *Chrysocoma squamata* Labill.
- *Leptorrhynchus squamatus* (Labill.) Less.: J.M.Black(1929), orth.var.

Leptorhynchos tenuifolius F.Muell. (Rare status in SA) – SE
- *Leptorrhynchus tenuifolius* F.Muell.: J.M.Black(1929), orth.var.

Leptorhynchos tetrachaetus (Schltdl.) J.M.Black – GT FR EP NL MU YP SL SE
- *Doratolepis tetrachaeta* Schltdl.
- *Leptorhynchos pulchellus* F.Muell. ex Sond.
- *Leptorrhynchus tetrachaetus* (Schltdl.) J.M.Black: in J.M.Black(1929), orth.var.

Leptorhynchos waitzia Sond. – NU FR EP NL MU YP KI
- *Leptorrhynchus waitzia* Sond.: J.M.Black(1929), orth.var.

* **Leucanthemum × superbum** (Bergman ex J.W.Ingram) D.H.Kent – SL*
- *Leucanthemum × maximum* auct.non (Ramond) DC.: Jessop(1986)

* **Leucanthemum vulgare** Lam. – SL*
- *Chrysanthemum leucanthemum* L.

Leucochrysum molle (A.Cunn. ex DC.) Paul G.Wilson – LE GT FR EA EP NL
- *Helichrysum albicans* auct.non A.Cunn.: J.M.Black(1927), partly
- *Helichrysum molle* A.Cunn. ex DC.
- *Helipterum molle* (A.Cunn. ex DC.) Paul G.Wilson

Leucochrysum stipitatum (F.Muell.) Paul G.Wilson – NW LE GT EP
- *Helichrysum stipitatum* F.Muell.
- *Helipterum stipitatum* (F.Muell.) F.Muell. ex Benth.

Leucophyta brownii Cass. – NU EP YP SL KI SE
- *Calocephalus brownii* (Cass.) F.Muell.

* **Logfia gallica** (L.) Coss. & Germ. – SL* SE*
- *Filago gallica* L.

Lordhowea pilosicrista (I.Thomps.) Schmidt-Leb. – MU KI SE
- *Senecio magnificus* auct.non F.Muell.: M.E.Lawr. & Belcher in Jessop & Toelken(1986), partly
- *Senecio pilosicristus* I.Thomps.

* **Matricaria chamomilla** L. – SL*
- *Chamomilla recutita* (L.) Rauschert
- *Matricaria recutita* L., nom.cons.

?e **Matricaria discoidea** DC. – SL?e
- *Chamomilla suaveolens* (Pursh) Rydb.

- *Matricaria matricarioides* auct.non (Less.) Porter: J.H.Willis(1973), I.R.Thompson(2007)
- *Santolina suaveolens* Pursh

* **Mauranthemum paludosum** (Poir.) Vogt & Oberpr. – NL* MU* SL*
- *Chrysanthemum paludosum* Poir.
- *Leucanthemum vulgare* auct.non Lam.: Barker et al.(2005), partly

Microseris walteri Gand. – GT FR EA EP NL MU YP SL KI SE
- *Microseris lanceolata* auct.non (Walp.) Sch.Bip.: Cooke in Bean et al.(2014)
- *Microseris scapigera* auct.non (G.Forst.) Sch.Bip.: J.M.Black(1957)

Millotia greevesii F.Muell. ssp. **greevesii** – LE FR EA
- *Millotia greevesii* F.Muell. ssp. *kempei* (F.Muell.) Schodde
- *Millotia greevesii* F.Muell. var. *greevesii*
- *Millotia greevesii* F.Muell. var. *kempei* (F.Muell.) Schodde
- *Millotia kempei* F.Muell.

Millotia greevesii F.Muell. ssp. **helmsii** (F.Muell. & Tate) P.S.Short – NW LE NU GT FR
- *Millotia greevesii* F.Muell. var. *helmsii* (F.Muell. & Tate) Schodde
- *Millotia kempei* F.Muell. var. *helmsii* F.Muell. & Tate
- *Toxanthes whitei* J.M.Black

Millotia incurva (D.A.Cooke) P.S.Short – NW
- *Millotia greevesii* F.Muell. ssp. *helmsii* auct.non (F.Muell. & Tate) Schodde: Jessop(1984), partly
- *Scyphocoronis incurva* D.A.Cooke

Millotia macrocarpa Schodde – GT FR EA EP MU

Millotia major (Turcz.) P.S.Short – EP YP
- *Scyphocoronis major* (Turcz.) Druce
- *Scyphocoronis viscosa* A.Gray
- *Toxanthes major* Turcz.

Millotia muelleri (Sond.) P.S.Short – NW NU FR EP NL MU YP SL KI SE
- *Anthocerastes muelleri* Sond.
- *Toxanthes muelleri* (Sond.) Benth.

Millotia myosotidifolia (Benth.) Steetz – FR EP NL MU YP SL KI SE
- *Millotia glabra* Steetz
- *Millotia robusta* Steetz
- *Millotia tenuifolia* auct.non Cass.: J.M.Black(1957), partly
- *Senecio myosotidifolius* Benth.

Millotia perpusilla (Turcz.) P.S.Short – NW LE NU GT FR EA EP NL MU SL
- *Toxanthes perpusillus* Turcz.

Millotia tenuifolia Cass. var. **tenuifolia** – FR EP NL MU YP SL KI SE
- *Millotia tenuifolia* Cass. var. *nudescens* Schodde

Minuria annua (Tate) Tate ex J.M.Black – NW LE GT FR EA EP
- *Minuriella annua* Tate

Minuria cunninghamii (DC.) Benth. – NW LE NU GT FR EA EP NL MU YP
- *Elachothamnos cunninghamii* DC.
- *Eurybiopsis intricata* F.Muell.
- *Therogeron tenuifolium* Sond.

Minuria denticulata (DC.) Benth. – NW LE NU GT FR EA EP MU
- *Minuria candollei* F.Muell.(1875), partly
- *Minuria candollei* F.Muell. var. *denticulata* (DC.) Maiden & Betche
- *Therogeron denticulatum* DC.

Minuria gardneri Lander & R.Barry – EP

Minuria integerrima (DC.) Benth. – NW LE GT FR EA NL MU
- *Minuria candollei* F.Muell.(1875), partly
- *Therogeron integerrimum* DC.

Minuria leptophylla DC. – NW LE NU GT FR EA EP NL MU YP SL SE
- *Minuria asteroidea* Sond.
- *Minuria tenuissima* DC.

Minuria multiseta P.S.Short – NW NU GT
- *Minuria gardneri* auct.non Lander & R.Barry: D.A.Cooke(1986)

Minuria rigida J.M.Black – LE FR EA

* **Monoculus monstrosus** (Burm.f.) B.Nord. – NU* GT* FR* EP* NL* MU* YP* SL*
- *Calendula monstrosa* Burm.f.
- *Osteospermum clandestinum* (Less.) Norl.
- *Tripteris clandestina* Less.

Myriocephalus pluriflorus (J.M.Black) D.A.Cooke – NW LE GT FR EA EP MU
- *Myriocephalus rhizocephalus* (DC.) Benth. var. *pluriflorus* J.M.Black

Myriocephalus rhizocephalus (DC.) Benth. – FR EP NL MU SL KI SE
- *Hyalolepis rhizocephala* DC.
- *Myriocephalus rhizocephalus* (DC.) Benth. var. *rhizocephalus*

Myriocephalus rudallii (F.Muell.) Benth. – NW LE
- *Elachopappus rudallii* F.Muell.

Myriocephalus squamatus Paul G.Wilson – NW LE GT
- *Myriocephalus rudallii* auct.non (F.Muell.) Benth.: Jessop(1993), partly

Olearia adenolasia (F.Muell.) F.Muell. ex Benth. (Rare status in SA) – EP
- *Aster adenolasius* F.Muell.

Olearia arckaringensis P.J.Lang (Endangered status in SA, Endangered status in Australia) – LE
- *Olearia sp. Arckaringa (P.J.Lang BSOP-422)* P.J.Lang

Olearia arida E.Pritz. (Vulnerable status in SA) – NW LE GT

Olearia axillaris (DC.) F.Muell. ex Benth. – EP NL YP SL KI SE
- *Aster axillaris* (DC.) F.Muell.
- *Eurybia axillaris* DC.

Olearia brachyphylla (F.Muell. ex Sond.) N.A.Wakef. – GT FR EP NL MU YP SE
- *Aster exilifolius* F.Muell.
- *Eurybia brachyphylla* F.Muell. ex Sond.
- *Olearia exilifolia* (F.Muell.) Benth.
- *Olearia ramulosa* auct.non (Labill.) Benth.: J.M.Black(1929), partly

Olearia calcarea F.Muell. ex Benth. – NU FR EA EP MU
- *Aster calcareus* (F.Muell. ex Benth.) F.Muell.

Olearia ciliata (Benth.) F.Muell. ex Benth. var. **ciliata** – GT FR EP MU YP SL KI SE
- *Olearia ciliata* (Benth.) F.Muell. ex Benth., sensu Lander (2009, unpubl.), partly

Olearia ciliata (Benth.) F.Muell. ex Benth. var. **squamifolia** (F.Muell.) Benth. – KI
- *Aster huegelii* F.Muell. var. *squamifolia* F.Muell.
- *Olearia ciliata* (Benth.) F.Muell. ex Benth., sensu Lander (2009, unpubl.), partly

Olearia decurrens (DC.) Benth. – LE GT FR EA EP NL MU YP SL
- *Eurybia decurrens* DC.

Olearia erubescens (Sieber ex Spreng.) Dippel (Endangered status in SA) – SE
- *Eurybia erubescens* Sieber ex Spreng.
- *Olearia myrsinoides* (Labill.) F.Muell. var. *erubescens* (Sieber ex Spreng.) F.Muell. ex Benth.

Olearia exiguifolia (F.Muell.) F.Muell. ex Benth. – NW NU GT EP
- *Aster exiguifolius* F.Muell.

Olearia ferresii (F.Muell.) F.Muell. ex Benth. – NW
- *Aster ferresii* (F.Muell) F.Muell.
- *Eurybia ferresii* F.Muell.

Olearia floribunda (Hook.f.) Benth. – FR EA EP NL MU YP SL SE
- *Olearia floribunda* (Hook.f.) Benth. var. *floribunda*
- *Olearia microdisca* auct.non J.M.Black: J.M.Black(1928), partly

Olearia glandulosa (Labill.) Benth. (Vulnerable status in SA) – SL SE
- *Aster glandulosus* Labill.

Olearia glutinosa (Lindl.) Benth. (Endangered status in SA) – ?EP SE
- *Eurybia glutinosa* Lindl.

Olearia grandiflora Hook. – SL
- *Aster sonderi* F.Muell.

Olearia incana (D.A.Cooke) Lander – NW NU ?GT FR ?EA ?EP YP
- *Olearia pimeleoides* (DC.) Benth. ssp. *incana*

Olearia lanuginosa (J.H.Willis) N.A.Wakef. – EP NL MU YP SL SE
- *Aster microphyllus* auct.non Labill.: Tate(1890)
- *Olearia floribunda* (Hook.f.) Benth. var. *lanuginosa* J.H.Willis
- *Olearia lepidophylla* auct.non (Pers.) Benth.: J.M.Black(1957)

Olearia lepidophylla (Pers.) Benth. – GT EP MU SE
- *Aster lepidophyllus* Pers.
- *Aster microphyllus* Labill.(1806)

Olearia magniflora (F.Muell.) F.Muell. ex Benth. – NU FR EP MU YP
- *Aster magniflorus* F.Muell.

Olearia microdisca J.M.Black (Endangered status in SA, Endangered status in Australia) – KI

Olearia minor (Benth.) Lander – NU FR EA EP NL MU YP SL KI SE
- *Olearia brachyphylla* auct.non (F.Muell. ex Sond.) Wakef.: D.A.Cooke(1986), partly
- *Olearia pimeleoides* (DC.) Benth. var. *minor* Benth.

Olearia muelleri (Sond.) Benth. – NW NU GT FR EA EP NL MU YP
- *Aster muelleri* (Sond.) F.Muell.
- *Eurybia muelleri* Sond.

Olearia pannosa Hook. ssp. **cardiophylla** (F.Muell.) D.A.Cooke (Rare status in SA) – FR EP NL
- *Eurybia cardiophylla* F.Muell.
- *Steetzia muelleri* Sond.
- *Steetzia ovata* Sond.

Olearia pannosa Hook. ssp. **pannosa** (Vulnerable status in SA, Vulnerable status in Australia) – FR EP NL MU YP SL KI SE
- *Aster pannosus* (Hook.) F.Muell.
- *Eurybia pannosa* (Hook.) F.Muell.
- *Steetzia pannosa* (Hook.) Sond.

Olearia passerinoides (Turcz.) Benth. ssp. **glutescens** (Sond.) D.A.Cooke (Rare status in SA) – NL MU YP SL SE
- *Aster glutescens* (Sond.) F.Muell.
- *Eurybia glutescens* Sond.

Olearia passerinoides (Turcz.) Benth. ssp. **passerinoides** – EA EP MU
- *Diplopappus passerinoides* Turcz.

Olearia picridifolia (F.Muell.) Benth. (Rare status in SA) – FR EA EP NL MU YP SL SE
- *Eurybia picridifolia* F.Muell.

Olearia pimeleoides (DC.) Benth. – GT FR EA EP NL MU
- *Eurybia pimeleoides* DC.
- *Olearia pimeleoides* (DC.) Benth. ssp. *pimeleoides*

Olearia ramulosa (Labill.) Benth. – GT FR EP NL YP SL KI SE
- *Aster ramulosus* Labill.

Olearia rudis (Benth.) F.Muell. ex Benth. – EP MU YP SL KI SE
- *Aster exul* Lindl.
- *Eurybia rudis* Benth.
- *Eurybia scabra* Benth.
- *Olearia rudis* (Benth.) F.Muell. ex Benth. var. *glabriuscula* Benth.

Olearia stuartii (F.Muell.) F.Muell. ex Benth. – NW LE GT
- *Aster megalodontus* F.Muell.
- *Aster stuartii* (F.Muell.) F.Muell.
- *Eurybia stuartii* F.Muell.

Olearia subspicata (Hook.) Benth. – NW NU GT EA EP MU
- *Aster mitchellii* F.Muell.
- *Eurybia subspicata* Hook.

Olearia suffruticosa D.A.Cooke (Endangered status in SA) – SE

Olearia teretifolia (Sond.) F.Muell. ex Benth. – EP NL MU YP SL KI
- *Aster teretifolius* (Sond.) F.Muell.
- *Eurybia teretifolia* Sond.

Olearia tubuliflora (Sond. & F.Muell. ex Sond.) Benth. – FR EP NL MU SL SE
- *Aster tubuliflorus* (Sond. & F.Muell. ex Sond.) F.Muell.
- *Eurybia tubuliflora* Sond. & F.Muell. ex Sond.

* **Oligocarpus calendulaceus** (L.f.) Less. – NU* GT* FR?e EA* EP*
- *Osteospermum calendulaceum* L.f.

* **Oncosiphon piluliferum** (L.f.) Kallersjo – EP*
- *Cotula piluliferum* L.f.

* **Oncosiphon suffruticosum** (L.) Kallersjo (Declared SA plant) – LE* GT* EP* NL* MU* SL*
- *Matricaria suffruticosa* (L.) Druce
- *Pentzia suffruticosa* (L.) J.B.Hutch. ex Merxm.
- *Tanacetum suffruticosum* L.

* **Onopordum acanthium** L. – EP* NL* SL*

* **Onopordum acaulon** L. – FR* EA* EP* NL* MU* YP* SL* KI* SE*

* **Onopordum illyricum** L. – NL* MU*
- *Onopordum illyricum* L. ssp. *illyricum*

?e **Onopordum tauricum** Willd. – FR?e
- *Carduus nutans* auct.non L.: D.A.Cooke(1986)

Ozothamnus decurrens F.Muell. – EP MU SE
- *Helichrysum catadromum* N.A.Wakef.
- *Helichrysum decurrens* (F.Muell.) F.Muell.
- *Ozothamnus catadromus* (N.A.Wakef.) Anderb.

?e **Ozothamnus diosmifolius** (Vent.) DC. – SL?e

Ozothamnus ferrugineus (Labill.) Sweet – SL SE
- *Chrysocoma ferruginea* (Labill.) Spreng.
- *Eupatorium ferrugineum* Labill.
- *Helichrysum dendroideum* N.A.Wakef.
- *Helichrysum ferrugineum* (Labill.) Less. ex Steud.
- *Ozothamnus dendroideus* (N.A.Wakef.) Anderb.
- *Petalolepis ferruginea* (Labill.) Cass.

Ozothamnus pholidotus F.Muell. (Vulnerable status in SA) – MU SE
- *Haeckeria pholidota* (F.Muell.) J.H.Willis
- *Helichrysum pholidotum* (F.Muell.) F.Muell. ex Benth.
- *Humea pholidota* (F.Muell.) J.M.Black
- *Humea squamata* F.Muell.

Ozothamnus retusus Sond. & F.Muell – FR EP NL MU YP SL KI SE
- *Helichrysum adnatum* auct.non (DC.) Benth.: Benth.(1867), partly
- *Helichrysum bilobum* N.A.Wakef.
- *Helichrysum retusum* (Sond. & F.Muell.) F.Muell.
- *Ozothamnus bilobus* (N.A.Wakef.) Anderb.

Ozothamnus scaber F.Muell. (Vulnerable status in SA) – FR EA NL
- *Helichrysum adnatum* (DC.) Benth. var. *scabrum* (F.Muell.) Benth.
- *Helichrysum bilobum* N.A.Wakef. ssp. *scabrum* (F.Muell.) N.T.Burb.
- *Helichrysum bilobum* N.A.Wakef. var. *scabrum* (F.Muell.) E.L.Robertson
- *Helichrysum decurrens* (F.Muell.) F.Muell. var. *scabrum* (F.Muell.) J.M.Black

Ozothamnus turbinatus DC. – SL SE
- *Chrysocoma cinerea* Labill.
- *Helichrysum cinereum* auct.non (Labill.) Benth.: F.Muell. ex Benth., partly
- *Helichrysum gunnii* (Hook.f.) Benth. ssp. *paralium* N.T.Burb.
- *Helichrysum paralium* (N.T.Burb.) W.M.Curtis
- *Ozothamnus cinereus* (Labill.) DC.

?e **Pascalia glauca** Ortega – EP?e SL?e
- *Wedelia glauca* (Ortega) S.F.Blake

* **Pentzia incana** (Thunb.) Kuntze – FR* EA*
- *Chrysanthemum incanum* Thunb.
- *Pentzia virgata* Less.

* **Picnomon acarna** (L.) Cass. (Declared SA plant) – FR* NL* MU* YP* SL* KI* SE*
- *Carduus acarna* L.
- *Cirsium acarna* (L.) Moench
- *Cnicus acarna* (L.) L.

?e **Picris altissima** Delile – FR?e

Picris angustifolia DC. ssp. **angustifolia** – GT FR EA EP YP SL KI SE
- *Picris angustifolia* DC.
- *Picris angustifolia* DC. ssp. *angustifolia*, partly
- *Picris hieracioides* auct.non L.: Cooke(1986)
- *Picris hieracioides* L. var. *hieracioides* auct.non Benth.: Jessop(1993)

Picris drummondii S.Holzapfel – LE GT
- *Picris angustifolia* DC. ssp. *angustifolia* auct.non Lack & S.Holzapfel: Barker et al.(2005), as to LE & some GT, partly

Picris squarrosa Steetz (Rare status in SA) – EP MU SL SE
- *Picris hieracioides* L. var. *squarrosa* (Steetz) Benth.

Pleuropappus phyllocalymmeus F.Muell. (Vulnerable status in SA, Vulnerable status in Australia) – EP MU YP
- *Angianthus phyllocalymmeus* (F.Muell.) Druce
- *Angianthus pleuropappus* Benth.

Pluchea dentex R.Br. ex Benth. – NW LE GT FR EA
- *Pluchea eyrea* F.Muell. var. *major* Benth.
- *Pluchea rubelliflora* (F.Muell.) Robinson var. *major* (Benth.) J.M.Black
- *Pluchea squarrosa* Benth.

Pluchea dunlopii Hunger – NW LE GT?n
- *Pluchea tetranthera* F.Muell. var. *tetranthera* auct.non F.Muell.: Cooke(1986)

Pluchea rubelliflora (F.Muell.) B.L.Rob. – NW LE GT FR EA
- *Eyrea rubelliflora* F.Muell.
- *Pluchea eyrea* F.Muell., nom.illeg.

Podolepis arachnoidea (Hook.) Druce – ?LE
- *Podolepis rhytidochlamys* F.Muell.
- *Podolepis rutidochlamys* F.Muell. ex Benth.
- *Rutidochlamys mitchellii* Sond.
- *Rutidosis arachnoidea* Hook.

Podolepis aristata Benth. ssp. **affinis** (Sond.) Jeanes
– NW LE NU GT FR EA EP NL MU YP SL SE
- *Podolepis affinis* Sond.
- *Podolepis canescens* auct.non A.Cunn. ex DC.: D.A.Cooke in Jessop & Toelken(1986), partly

Podolepis aristata Benth. ssp. **auriculata** (DC.) Jeanes – NW LE GT ?FR EA YP
- *Podolepis auriculata* DC.
- *Podolepis canescens* A.Cunn. ex DC. auct.non: D.A.Cooke in Jessop & Toelken(1986), partly

Podolepis capillaris (Steetz) Diels – NW LE NU GT FR EA EP MU
- *Podolepis siemssenia* F.Muell. ex Benth.
- *Siemssenia capillaris* Steetz

Podolepis davisiana D.A.Cooke – NW LE GT FR

Podolepis decipiens Jeanes (Rare* status in SA) – FR EP NL MU YP SL SE
- *Podolepis jaceoides* auct.non (Sims) Voss: D.A.Cooke in Jessop & Toelken(1986), partly

Podolepis eremaea Jeanes – NW LE?id FR MU
- *Podolepis canescens* A.Cunn. ex DC., partly

Podolepis jaceoides (Sims) Voss (Rare status in SA) – NL SL KI SE
- *Podolepis acuminata* R.Br. in Aiton, nom. illeg.
- *Scalia jaceoides* Sims

Podolepis linearifolia Jeanes (Rare* status in SA) – FR NL SE
- *Podolepis jaceoides* auct.non (Sims) Voss: D.A.Cooke in Jessop & Toelken(1986), partly

Podolepis longipedata A.Cunn. ex DC. – GT EP
- *Podolepis mitchellii* Sond.

Podolepis muelleri (Sond.) G.L.R.Davis (Vulnerable status in SA) – FR EP SL
- *Panaetia muelleri* Sond.
- *Podolepis cupulata* Maiden & Betche
- *Podolepis lessonii* auct.non (Cass.) Benth.: J.M.Black 1957)

Podolepis rugata Labill. ssp. **glabrata** Jeanes – EP MU YP SL KI SE
- *Podolepis rugata* auct.non Labill.: E.L.Robertson in Black(1965), partly
- *Podolepis rugata* Labill. var. *rugata* auct.non Labill.: D.A.Cooke in Jessop & Toelken(1986), partly
- *Podolepis rugata* Labill. var. *rugata* auct.non Labill.: SA Census online(3 Sep 2015), partly

Podolepis rugata Labill. ssp. **littoralis** (G.L.R.Davis) Jeanes – EP YP SL KI
- *Podolepis rugata* Labill. var. *littoralis* G.L.R.Davis

Podolepis rugata Labill. ssp. **rugata** – NU EP SE?id
- *Podolepis canescens* auct.non A.Cunn. ex DC.: SA Census online(3 Sep 2015), partly
- *Podolepis jaceoides* auct.non (Sims) Voss: SA Census online(3 Sep 2015), partly
- *Podolepis rugata* Labill. var. *rugata*

Podolepis rugata Labill. ssp. **trullata** Jeanes – YP KI
- *Podolepis jaceoides* auct.non (Sims) Voss: SA Census online(3 Sep 2015), partly
- *Podolepis rugata* Labill. var. *littoralis* auct.non G.L.R.Davis: D.A.Cooke in Jessop & Toelken(1986), partly

Podolepis tepperi (F.Muell.) D.A.Cooke – EP NL MU YP SL
- *Helichrysum tepperi* F.Muell.

Podotheca angustifolia (Labill.) Less. – NU GT FR EP NL MU YP SL KI SE
- *Podosperma angustifolium* Labill.

Pogonolepis muelleriana (Sond.) P.S.Short – FR EP NL MU YP SL KI SE
- *Angianthus strictus* auct.non (Steetz) Benth.: J.M.Black(1957)
- *Skirrophorus muellerianus* Sond.

Polycalymma stuartii F.Muell.& Sond. ex Sond. – NW LE NU GT FR EA EP MU SL SE
- *Myriocephalus stuartii* (F.Muell. & Sond. ex Sond.) Benth.

?n **Pseudognaphalium luteoalbum** (L.) Hilliard & B.L.Burtt
– NW?n LE?n GT?n FR?n EA?n EP?n NL?n MU?n YP?n SL?n KI?n SE?n
- *Gnaphalium luteoalbum* L.

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

- *Helichrysum luteoalbum* (L.) Rchb.

Pterocaulon serrulatum (Montrouz.) Guillaumin var. **velutinum** (Ewart & O.B.Davies) Guillaumin – NW LE FR
- *Monenteles glandulosus* F.Muell. ex Benth.
- *Monenteles serrulatus* Montrouz.
- *Pterocaulon glandulosum* (F.Muell. ex Benth.) Benth. ex F.Muell.
- *Pterocaulon glandulosum* (F.Muell. ex Benth.) Benth. & Hook.f. ex F.Muell. var. *velutineum* Ewart & O.B.Davies
- *Pterocaulon serrulatum* (Montrouz.) Guillaumin

Pterocaulon sphacelatum (Labill.) Benth. ex F.Muell. – NW LE GT FR EA EP MU
- *Monenteles sphacelatus* Labill.

Pycnosorus chrysanthes (Schltdl.) Sond. (Endangered status in SA) – SE
- *Calocephalus chrysanthes* Schltdl.
- *Craspedia chrysantha* (Schltdl.) Benth.
- *Craspedia globosa* auct.non (Benth.) Benth.: D.A.Cooke(1986), partly

Pycnosorus eremaeus J.Everett & Doust – LE FR
- *Craspedia chrysantha* auct.non Schltdl.: Cooke(1989), partly

Pycnosorus globosus F.L.Bauer ex Benth. (Vulnerable status in SA) – LE FR EP NL MU
- *Craspedia globosa* (F.L.Bauer ex Benth.) Benth.

Pycnosorus melleus J.Everett & Doust – LE
- *Craspedia chrysantha* auct.non Schltdl.: Cooke(1989), partly

Pycnosorus pleiocephalus (F.Muell.) J.Everett & Doust – NW LE NU GT FR EA EP
- *Craspedia chrysantha* auct.non Schltdl.: Cooke(1986), partly
- *Craspedia pleiocephala* F.Muell.

Quinetia urvillei Cass. – EP NL MU SL SE

* **Reichardia tingitana** (L.) Roth – NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Picridium tingitanum* (L.) Desf.
- *Reichardia picroides* auct.non (L.) Roth: J.M.Black(1957)
- *Scorzonera tingitana* L.

* **Rhaponticum repens** (L.) Hidalgo (Declared SA plant) – FR?e EP* NL* MU* YP* SL* KI*
- *Acroptilon repens* (L.) DC.
- *Centaurea picris* Pall. ex Willd.
- *Centaurea repens* L.

Rhodanthe anthemoides (Sieber ex Spreng.) Paul G.Wilson (Endangered status in SA) – FR NL SL
- *Helichrysum anthemoides* Sieber ex Spreng.
- *Helipterum anthemoides* (Sieber ex Spreng.) DC.

Rhodanthe charsleyae (F.Muell.) Paul G.Wilson – NW LE GT
- *Helipterum charsleyae* F.Muell.

Rhodanthe chlorocephala (Turcz.) Paul G.Wilson ssp. **rosea** (Hook.) Paul G.Wilson – NW NU GT
- *Acroclinium roseum* Hook.
- *Helipterum chlorocephalum* (Turcz.) Benth.
- *Helipterum roseum* (Hook.) Benth.
- *Helipterum roseum* (Hook.) Benth. var. *patens* auct.non (Ewart, Jean White & B.Rees) J.M.Black: J.M.Black(1921), partly
- *Helipterum troedelii* F.Muell. var. *patens* auct.non Ewart, Jean White & B.Rees: J.M.Black(1921), partly

Rhodanthe citrina (Benth.) Paul G.Wilson – NW
- *Leptorhynchos citrinus* Benth.
- *Waitzia citrina* (Benth.) Steetz
- *Waitzia steetziana* Lehm.

Rhodanthe corymbiflora (Schltdl.) Paul G.Wilson – LE GT FR EA EP NL MU YP SL?e SE
- *Argyrocome corymbiflora* (Schltdl.) Kuntze
- *Helipterum corymbiflorum* Schltdl.

Rhodanthe floribunda (DC.) Paul G.Wilson – NW LE NU GT FR EA EP MU
- *Helipterum floribundum* DC.

Rhodanthe gossypina Paul G.Wilson – LE

Rhodanthe haigii (F.Muell.) Paul G.Wilson – NW NU GT EP
- *Helipterum haigii* F.Muell.
- *Helipterum humboldtianum* auct.non (Gaudich.) Paul G.Wilson: D.A.Cooke(1986)

Rhodanthe laevis (A.Gray) Paul G.Wilson – GT FR EP NL MU YP SL
- *Helipterum laeve* (A.Gray) Benth.
- *Pteropogon laevis* A.Gray

Rhodanthe microglossa (Maiden & Betche) Paul G.Wilson – NW LE GT FR EA EP MU
- *Helipterum corymbiflorum* Schltdl. var. *microglossum* F.Muell.
- *Helipterum microglossum* Maiden & Betche

Rhodanthe moschata (A.Cunn. ex DC.) Paul G. Wilson – NW LE NU GT FR EA EP MU
- *Calocephalus gnaphalioides* Hook.
- *Gnaphalium moschatum* A.Cunn. ex DC.
- *Helipterum moschatum* (A.Cunn. ex DC.) Benth.

Rhodanthe oppositifolia (S.Moore) Paul G.Wilson ssp. **oppositifolia** (Vulnerable status in SA) – EP
- *Griffithia helipteroides* J.M.Black
- *Helipterum oppositifolium* S.Moore

Rhodanthe polygalifolia (A.Cunn. ex DC.) Paul G.Wilson – NW LE GT FR EA EP NL MU
- *Argyrocome polygalifolia* (A.Cunn. ex DC.) Kuntze
- *Helipterum polygalifolium* A.Cunn. ex DC.

Rhodanthe pygmaea (DC.) Paul G.Wilson – NW LE NU GT FR EA EP NL MU YP SL SE
- *Helipterum pygmaeum* (DC.) Benth.
- *Helipterum pygmaeum* (DC.) Benth. var. *occidentale* Benth.
- *Pteropogon pygmaeum* DC.

Rhodanthe stricta (Lindl.) Paul G.Wilson – NW LE NU GT FR EA EP NL MU
- *Helipterum strictum* (Lindl.) Benth.
- *Pteropogon platyphyllus* F.Muell.
- *Xyridanthe stricta* Lindl.

Rhodanthe stuartiana (Sond. & F.Muell.) Paul G.Wilson
– NW LE GT FR EA EP NL MU YP SL
- *Helipterum floribundum* DC. var. *stuartianum* (Sond. & F.Muell.) Benth.
- *Helipterum stuartianum* Sond. & F.Muell.

Rhodanthe tietkensii (F.Muell.) Paul G.Wilson – NW LE NU EP MU
- *Argyrocome tietkensii* (F.Muell.) Kuntze
- *Helipterum tietkensii* F.Muell.

Rhodanthe troedelii (F.Muell.) Paul G.Wilson – NW LE FR EA EP
- *Helipterum roseum* (Hook.) Benth. var. *patens* (Ewart, Jean White & B.Rees) J.M.Black, partly
- *Helipterum troedelii* F.Muell.
- *Helipterum troedelii* F.Muell. var. *patens* Ewart, Jean White & B.Rees, partly

Rhodanthe uniflora (J.M.Black) Paul G.Wilson – NW LE GT FR EA MU
- *Helipterum uniflorum* J.M.Black

Rutidosis helichrysoides DC. ssp. **helichrysoides** – NW LE GT FR EA MU

Schoenia ayersii (F.Muell.) J.M.Black – NW LE NU
- *Helichrysum ayersii* F.Muell.
- *Podolepis georgei* Diels

Schoenia cassiniana (Gaudich.) Steetz – NW LE NU GT
- *Helichrysum cassinianum* Gaudich.

Schoenia ramosissima (F.Muell.) Paul G.Wilson – NW LE GT FR EA EP
- *Helichrysum semifertile* F.Muell.
- *Pteropogon ramosissimus* F.Muell.

* **Scorzonera laciniata** L. var. **calcitrapifolia** (Vahl) Bisch. ex Boiss. – SE*
- *Podospermum resedifolium* (L.) DC.
- *Scorzonera laciniata* L., partly
- *Scorzonera resedifolia* L.

* **Scorzonera laciniata** L. var. **laciniata** – FR* NL* MU* YP* SL* SE*
- *Podospermum laciniatum* (L.) DC.
- *Scorzonera laciniata* L., partly

Senecio anethifolius A.Cunn. ex DC. ssp. **anethifolius** – FR EA NL MU
- *Senecio anethifolius* A.Cunn. ex DC., partly
- *Senecio angustifolius* auct.non Willd.: Sond.(1853)
- *Senecio angustilobus* F.Muell.

Senecio anethifolius A.Cunn. ex DC. ssp. **brevibracteolatus** I.Thomps. – FR EA EP NL
- *Senecio anethifolius* A.Cunn. ex DC., partly

* **Senecio angulatus** L.f. – MU* SL* SE*

Senecio behrianus Sond. & F.Muell. (Endangered status in SA, Endangered status in Australia) – MU

Senecio biserratus Belcher – SE
- *Erechtites prenanthoides* auct.non (A.Rich) DC.: J.M.Black(1929)
- *Erechtites sonchoides* DC.(1838)

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

- *Senecio flaccidus* auct.non Less.: A.Rich.(1834)
- *Senecio minimus* auct.non Poir.: E.L.Robertson(1957)

Senecio cunninghamii DC. var. **cunninghamii** – NL MU YP SL SE
Senecio cunninghamii DC. var. **flindersensis** I.Thomps. – GT FR EA EP NL
- *Senecio cunninghamii* DC. var. *cunninghamii* auct.non M.E.Lawr.: Jessop(1993), partly

Senecio depressicola I.Thomps. – LE
- *Senecio lautus* auct.non G.Forster ex Willd.: M.E.Lawr. & Belcher(1986), partly
- *Senecio lautus* A.Rich. ssp. *dissectifolius* Ali, partly
- *Senecio lautus* A.Rich. ssp. *lanceolatus* Ali, partly
- *Senecio lautus* A.Rich. ssp. *maritimus* Ali, partly
- *Senecio pinnatifolius* auct.non A.Rich.: Barker et al.(2005), partly

Senecio dolichocephalus I.Thomps. – FR EA EP NL MU YP SL KI
- *Senecio tenuiflorus* auct.non (DC.) Sieber: M.E.Lawr. & Belcher(1986), partly

* **Senecio elegans** L. – MU* YP* SL* SE*
Senecio eremicola I.Thomps. – NW
- *Senecio lautus* auct.non G.Forster: M.E.Lawr. & Belcher(1986), partly
- *Senecio pinnatifolius* auct.non A.Rich.: Barker et al.(2005), partly

Senecio euclaensis I.R.Thomps. – NU
Senecio gawlerensis M.E.Lawr. (Rare status in SA) – GT FR EP
- *Senecio georgianus* DC. var. *latifolius* J.M.Black

Senecio glomeratus Desf. ex Poir. ssp. **glomeratus** – EP MU SL KI SE
- *Erechtites arguta* (A.Rich.) DC.
- *Erechtites arguta* (A.Rich.) DC. var. *dissecta* auct.non Benth.: J.M.Black(1929)
- *Senecio argutus* A.Rich.
- *Senecio glomeratus* Desf. ex Poir., partly

Senecio glomeratus Desf. ex Poir. ssp. **longifructus** I.Thomps. – FR EP MU SL KI SE
- *Senecio glomeratus* Desf. ex Poir., partly

Senecio glossanthus (Sond.) Belcher – NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Erechtites glossantha* Sond.
- *Senecio brachyglossus* F.Muell. ex Benth.

Senecio gregorii F.Muell. – NW LE NU GT FR EA EP MU
- *Othonna gregorii* (F.Muell.) C.Jeffrey

Senecio gypsicola (R.Bates) I.Thomps. (Rare status in SA) – LE
- *Othonna gypsicola* R.J.Bates

Senecio halophilus I.Thomps. – YP SL
Senecio helichrysoides F.Muell. (Endangered* status in SA, Extinct* status in Australia) – MU
- *Senecio georgianus* auct.non DC.: M.E.Lawr. & Belcher(1986), partly

Senecio hispidissimus I.Thomps. – SL KI SE
- *Senecio hispidulus* auct.non A.Rich.: M.E.Lawr.& Belcher(1986), partly

Senecio hispidulus A.Rich. – SL KI
- *Erechtites arguta* auct.non (A.Rich.) DC.: J.M.Black(1929), partly
- *Senecio hispidulus* A.Rich. var. *hispidulus*
- *Senecio multicaulis* A.Rich. var. *dissecta* E.L.Robertson(1957), nom.illeg.

Senecio hypoleucus F.Muell. ex Benth. – MU SL SE
- *Senecio odoratus* Hornem. var. *petiolata* Sond.

* **Senecio jacobaea** L. (Declared SA plant) – SL*
Senecio laceratus (F.Muell.) Belcher (Rare status in SA) – NW LE?id GT FR NL
- *Erechtites arguta* auct.non (A.Rich.) DC.: Benth.(1867), partly
- *Erechtites lacerata* F.Muell.

Senecio lacustrinus I.Thomps. – NW LE NU GT FR EA EP YP?id
- *Senecio lautus* auct.non G.Forster ex Willd.: M.E.Lawr. & Belcher(1986), partly
- *Senecio lautus* A.Rich. ssp. *dissectifolius* Ali, partly
- *Senecio pinnatifolius* auct.non A.Rich.: Barker et al.(2005), partly

Senecio lanibracteus I.Thomps. – LE GT FR EA
- *Senecio cunninghamii* DC. var. *serratus* M.Lawr.

?n **Senecio linearifolius** A.Rich. var. **linearifolius** – ?NL?n?id SL?n*
- *Senecio dryadeus* auct.non Ewart: J.M.Black(1948)
- *Senecio linearifolius* A.Rich. in Eichler(1965)

Senecio longicollaris I.Thomps. – MU SL

Senecio macrocarpus F.Muell. ex Belcher (Vulnerable status in SA, Vulnerable status in Australia) – FR NL MU YP SL SE
- *Erechtites hispidula* auct.non (A.Rich.) DC.: J.M.Black(1929), partly

Senecio magnificus F.Muell. – NW LE GT FR EA EP MU

Senecio megaglossus F.Muell. (Endangered status in SA, Vulnerable status in Australia) – FR EP NL MU

Senecio minimus Poir. – SL KI SE
- *Erechtites minima* (Poir.) DC.
- *Erechtites prenanthoides* (A.Rich) DC.
- *Senecio minimus* Poir. var. *minimus*

Senecio odoratus Hornem. – FR EA EP NL MU SL KI SE
- *Senecio odoratus* A.Rich., nom.illeg.(1834)
- *Senecio odoratus* Hornem. var. *longifolius* M.E.Lawr.
- *Senecio odoratus* Hornem. var. *obtusifolius* J.M.Black

Senecio × orarius J.M.Black – SE

Senecio phelleus I.Thomps. – FR EP NL MU SL KI SE
- *Senecio tenuiflorus* auct.non (DC.) Sieber: M.E.Lawr. & Belcher(1986), partly

Senecio picridioides (Turcz.) M.E.Lawr. – EP NL MU YP SL KI SE
- *Erechtites picridioides* Turcz.
- *Erechtites prenanthoides* DC. var. *picridioides* (Turcz.) Benth.
- *Senecio minimus* Poir. var. *picridioides* (Turcz.) Belcher

Senecio pinnatifolius A.Rich. var. **lanceolatus** (Benth.) I.Thomps. – SL KI SE
- *Senecio lautus* auct.non G.Forst. ex Willd.: M.E.Lawr. & Belcher(1986), partly
- *Senecio lautus* G.Forst. ex Willd. ssp. *dissectifolius* Ali, partly
- *Senecio lautus* G.Forst. ex Willd. ssp. *lanceolatus* Ali, partly
- *Senecio lautus* G.Forst. ex Willd. ssp. *maritimus* Ali, partly
- *Senecio pinnatifolius* A.Rich., partly

Senecio pinnatifolius A.Rich. var. **maritimus** (Ali) I.Thomps. – NU EP YP SL KI SE
- *Senecio lautus* auct.non G.Forst. ex Willd.: M.E.Lawr. & Belcher(1986), partly
- *Senecio lautus* G.Forst. ex Willd. ssp. *dissectifolius* Ali, partly
- *Senecio lautus* G.Forst. ex Willd. ssp. *maritimus* Ali
- *Senecio pinnatifolius*, partly

Senecio pinnatifolius A.Rich. var. **pinnatifolius** (Rare status in SA) – YP SL KI SE
- *Senecio lautus* auct.non G.Forster ex Willd.: M.E.Lawr. & Belcher(1986), partly
- *Senecio pinnatifolius* A.Rich., partly
- *Senecio pinnatifolius* A.Rich. var. *dissectifolius* Ali, partly

Senecio prenanthoides A.Rich. – SL SE
- *Erechtites prenanthoides* (A.Rich.) DC.
- *Senecio tenuiflorus* auct.non (DC.) Sieber: M.E.Lawr. & Belcher(1986), partly

Senecio productus I.Thomps. ssp. **magnus** I.Thomps. – EA
- *Senecio glossanthus* auct.non (Sond.) Belcher: M.E.Lawr. & Belcher(1986), partly

Senecio productus I.Thomps. ssp. **productus** – MU
- *Senecio glossanthus* auct.non (Sond.) Belcher: M.E.Lawr. & Belcher(1986), partly

Senecio psilocarpus Belcher & Albr. (Vulnerable status in SA, Vulnerable status in Australia) – SE

* **Senecio pterophorus** DC. – EP* NL* MU* YP?e SL* KI* SE*
- *Senecio pterophorus* DC. var. *pterophorus*

Senecio quadridentatus Labill. – LE FR EA EP NL MU YP SL KI SE
- *Erechtites quadridentata* (Labill.) DC.

Senecio runcinifolius J.H.Willis – NW LE GT FR EA EP MU SL
- *Erechtites mixta* auct.non (A.Rich.) DC.: J.M.Black(1929)
- *Erechtites picridioides* auct.non Turcz.: Sond. & F.Muell.(1853)

Senecio serratiformis I.Thomps. ssp. **serratiformis** – EP YP KI
- *Senecio glossanthus* auct.non (Sond.) Belcher: M.E.Lawr. & Belcher(1986), partly

Senecio spanomerus I.Thomps. – LE NU GT FR EA EP NL MU YP SL KI SE
- *Senecio lautus* auct.non G.Forst. ex Willd.: M.E.Lawr. & Belcher(1986), partly
- *Senecio lautus* A.Rich. ssp. *dissectifolius* Ali, partly
- *Senecio lautus* A.Rich ssp. *maritimus* Ali, partly
- *Senecio pinnatifolius* A.Rich., partly

Senecio squarrosus A.Rich. – MU?id ?YP SL SE
- *Erechtites hispidula* auct.non (A.Rich.) DC.: J.M.Black(1929), partly
- *Erechtites richardiana* DC.

* **Senecio vulgaris** L. – NL* YP* SL* KI* SE*

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Sigesbeckia australiensis D.L.Schulz ssp. **australiensis** – NW LE FR EA EP NL SL
- *Sigesbeckia australiensis* D.L.Schulz: Census online(11 Nov 2015)
- *Sigesbeckia microcephala* auct.non DC.: D.A.Cooke(1986)
- *Sigesbeckia orientalis* auct.non L.: J.M.Black(1957), partly

Sigesbeckia orientalis L. – LE EP SL KI SE
- *Sigesbeckia microcephala* DC.
- *Sigesbeckia orientalis* L. ssp. *orientalis* L.: SA Census online(11 Nov 2015)

Siloxerus multiflorus Nees – FR EA EP NL MU YP SL KI SE
- *Pumilo argyrolepis* Schltdl.
- *Rutidosis multiflora* (Nees) B.L.Rob.
- *Rutidosis pumilo* Benth.
- *Styloncerus multiflorus* Nees

* **Silybum marianum** (L.) Gaertn. (Declared SA plant) – FR* EA* EP* NL* SL* KI* SE*
- *Carduus marianus* L.

Solenogyne dominii L.G.Adams – EP NL MU SL KI SE
- *Solenogyne bellioides* Cass. var. *gunnii* auct.non (Hook.f.) G.L.R.Davis: J.M.Black(1957)
- *Solenogyne emphysopus* Tate

* **Solidago canadensis** L. – NL* MU* SL* SE*
- *Solidago lepida* DC. var. *elongata* auct.non (Nutt.) Fernald: H.Eichler(1965)

* **Soliva anthemifolia** (Juss.) Sweet – MU*
- *Gymnostyles anthemifolia* Juss.

* **Soliva sessilis** Ruiz & Pav. – NL* MU* SL* SE*
- *Gymnostyles pterosperma* Juss.
- *Soliva pterosperma* (Juss.) Less.

* **Sonchus asper** (L.) Hill – FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Sonchus asper* (L.) Hill ssp. *asper*
- *Sonchus asper* (L.) Hill ssp. *glaucescens* auct.non (Jordan) Ball: D.A.Cooke(1986)
- *Sonchus oleraceus* L. var. *asper* L.

Sonchus hydrophilus Boulos – NW LE FR EP NL MU YP SL KI SE
- *Sonchus asper* (L.) Hill var. *gracilis* auct.non Albert: Cleland(1946)

* **Sonchus oleraceus** L. – NW* LE* NU* GT* FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Sonchus tenerrimus* auct.non L.: D.A.Cooke(1986)

Sphaeranthus indicus L. – LE
- *Sphaeranthus hirtus* Willd.

Sphaeromorphaea littoralis (Retz.) A.R.Bean – LE GT MU SL
- *Artemisia littoralis* Retz.
- *Epaltes australis* auct.non Less.: Barker et al.(2005)
- *Epaltes australis* auct.non Less.: J.M.Black(1929)
- *Epaltes littoralis* (Retz.) Less.

Streptoglossa adscendens (Benth.) Dunlop – NW LE GT FR EA
- *Pterigeron adscendens* Benth.

Streptoglossa bubakii (Domin) Dunlop – LE

Streptoglossa cylindriceps (J.M.Black) Dunlop – LE
- *Pterigeron cylindriceps* J.M.Black

?n **Streptoglossa decurrens** (DC.) Dunlop – LE?n

Streptoglossa liatroides (Turcz.) Dunlop – NW LE GT FR EA
- *Erigeron liatroides* Turcz.
- *Pluchea ligulata* F.Muell.
- *Pterigeron liatroides* (Turcz.) Benth.

Stuartina hamata Philipson – LE FR EA EP

Stuartina muelleri Sond. – FR EA EP NL MU YP SL KI SE
- *Gnephosis rotundifolia* Diels

* **Symphyotrichum subulatum** (Michx.) G.L.Nesom
– LE* GT?e FR* EA* EP* NL* MU* YP* SL* KI* SE*
- *Aster squamatus* auct.non (Spreng.) Hieron. ex Sodiro: Ewart(1931)
- *Aster subulatus* Michx.

?e **Tagetes erecta** L. – NW?e GT?e EP?e NL?e SL?e

* **Tagetes minuta** L. – EP* NL* MU* SL*

* **Tanacetum parthenium** (L.) Sch.Bip. – NL* SL* SE*
- *Chrysanthemum parthenium* (L.) Pers.
- *Matricaria parthenium* L.

* **Tanacetum vulgare** L. – EP* SL* SE*
- *Chrysanthemum vulgare* (L.) Bernh., nom.illeg., non (Lam.)Gaterau(1789)
- *Tanacetum boreale* Fisch.ex Link: Jessop(1986)
- *Tanacetum huronense* auct.non Nutt.: J.M.Black(1909)

Taraxacum cygnorum Hand.-Mazz. (Vulnerable status in Australia) – EP KI SE
- *Taraxacum dens-leonis* auct.non (Desv.) Poir: Benth. (1867), partly
- *Taraxacum officinale* auct.non F.H.Wigg.: D.A.Cooke in Jessop & Toelken(1986), partly

* **Taraxacum gracilens** Dahlst. – MU* SL* SE*
- *Taraxacum erythrospermum* auct.non Andrz. & Besser: D.A.Cooke in Jessop & Toelken(1986), partly
- *Taraxacum officinale* auct.non F.H.Wigg.: J.M.Black(1929), partly

* **Taraxacum hepaticolor** Soest – MU* SL* SE*
- *Taraxacum disseminatum* auct.non G.E.Haglund: D.A.Cooke in Jessop & Toelken(1986)
- *Taraxacum erythrospermum* auct.non Andrz. & Besser: D.A.Cooke in Jessop & Toelken(1986), partly
- *Taraxacum officinale* auct.non F.H.Wigg.: J.M.Black(1929), partly

* **Taraxacum khatoonae** Abedin – FR* EP* NL* MU* YP* SL*
- *Taraxacum laholense* Abedin, nom. illeg.
- *Taraxacum officinale* auct.non F.H.Wigg.: D.A.Cooke in Jessop & Toelken(1986), partly
- *Taraxacum pseudocalocephalum* auct.non Soest: Barker et al.(2005)

* **Taraxacum multidentatum** Soest – SL* SE*
- *Taraxacum erythrospermum* auct.non Andrz. & Besser: D.A.Cooke in Jessop & Toelken(1986), partly
- *Taraxacum officinale* auct.non F.H.Wigg: J.M.Black(1929), partly

?e **Taraxacum ohritense** Sonck – SL?e

Taraxacum retzii Soest – NL

* **Taraxacum sect. Hamata** H.Ollg. – NL* SL*
- *Taraxacum officinale* auct.non F.H.Wigg.: J.M.Black(1929), partly

* **Taraxacum sect. Taraxacum** – EP* NL* MU* YP* SL* SE*
- *Taraxacum officinale* auct.non F.H.Wigg.: J.M.Black(1929), Jessop & Toelken(1986), partly
- *Taraxacum sect. Ruderalia* Kirschner, H.Ollg. & Stepanek

Tietkensia corrickiae P.S.Short – NW

* **Tolpis barbata** (L.) Gaertn. – MU* SL*
- *Crepis barbata* L.
- *Tolpis umbellata* Bertol.

* **Tragopogon brevirostris** DC. ssp. **longifolius** (Heldr. & Sartori ex Boiss.) I.Richardson – NL* SL?e
- *Tragopogon longifolius* Heldr. & Sartori ex Boiss.

?e **Tragopogon hybridus** L. – NL?e

* **Tragopogon porrifolius** L. – FR* EP?e NL* MU* SL* SE*

Trichanthodium skirrophorum Sond. & F.Muell. ex Sond. – NW LE NU GT FR EA EP NL MU
- *Gnephosis codonopappa* F.Muell., nom. inval.
- *Gnephosis skirrophora* (Sond. & F.Muell. ex Sond.) Benth.

Triptilodiscus pygmaeus Turcz. – NW NU FR EA EP NL MU SL SE
- *Dimorpholepis australis* A.Gray
- *Duttonia sessiliceps* F.Muell.
- *Helipterum australe* (A.Gray) Druce
- *Helipterum dimorpholepis* Benth.

?e **Urospermum dalechampii** (L.) Scop. ex F.W.Schmidt – SL?e
- *Tragopogon dalechampii* L.

* **Urospermum picroides** (L.) Scop. ex F.W.Schmidt – GT* FR* EP* NL* MU* YP* SL* KI* SE*
- *Arnopogon picroides* (L.) Willd.
- *Tragopogon picroides* L.

* **Ursinia anthemoides** (L.) Poir. – EP* SL*

* **Vellereophyton dealbatum** (Thunb.) Hilliard & B.L.Burtt – MU* SL* KI* SE*
- *Gnaphalium candidissimum* Lam.
- *Gnaphalium dealbatum* Thunb.

* **Verbesina encelioides** (Cav.) Benth. & Hook.f. ex A.Gray var. **encelioides** – LE* MU?e
- *Verbesina encelioides* (Cav.) Benth. & Hook.f. ex A.Gray: SA Census online(10 Nov 2015)
- *Ximenesia encelioides* Cav.

Vittadinia arida N.T.Burb. – NW LE GT FR

Vittadinia australasica (Turcz.) N.T.Burb. var. **australasica** – NU FR EP MU YP SL KI SE
- *Diplopappus australasicus* Turcz.

Vittadinia australasica (Turcz.) N.T.Burb. var. **oricola** N.T.Burb. (Vulnerable status in SA) – MU SE

Vittadinia australasica (Turcz.) N.T.Burb. var. **subglabra** N.T.Burb. – YP

. . . ?e, questionably established. n*, native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

Vittadinia blackii N.T.Burb. – LE FR EA EP NL MU YP SL SE
- *Eurybiopsis hookeri* Sond.
- *Vittadinia tenuissima* auct.non J.M.Black(1928): J.M.Black(1957)

Vittadinia cervicularis N.T.Burb. var. **cervicularis** – NU GT FR EA EP NL MU YP SL SE
- *Vittadinia cervicularis* N.T.Burb.
- *Vittadinia triloba* auct.non (Gaudich.) DC.: J.M.Black(1929), partly

Vittadinia condyloides N.T.Burb. – FR EP NL MU YP SL
- *Vittadinia triloba* auct.non (Gaudich.) DC.: J.M.Black(1929), partly

Vittadinia cuneata DC. var. **cuneata** – FR EA EP NL MU YP SL KI SE
- *Vittadinia cuneata* DC. var. *cuneata* f. *cuneata*

Vittadinia cuneata DC. var. **morrisii** N.T.Burb. – FR EA NL MU

Vittadinia cuneata DC. var. **murrayensis** N.T.Burb. – MU SL

Vittadinia dissecta (Benth.) N.T.Burb. var. **hirta** N.T.Burb.
– NW LE NU GT FR EP MU YP SL SE
- *Vittadinia australis* A.Rich. var. *dissecta* Benth.
- *Vittadinia triloba* (Gaudich.) DC.
- *Vittadinia triloba* (Gaudich.) DC. var. *dissecta* (Benth.) J.M.Black

Vittadinia eremaea N.T.Burb. – NW LE NU GT FR EA EP MU
- *Vittadinia scabra* auct.non DC.: J.M.Black(1957)

Vittadinia gracilis (Hook.f.) N.T.Burb. – NW FR EA EP NL MU YP SL KI SE
- *Eurybiopsis gracilis* Hook.f.
- *Vittadinia cuneata* auct.non DC.: N.T.Burb.(1969)
- *Vittadinia triloba* (Gaudich.) DC. var. *lanuginosa* J.M.Black

Vittadinia megacephala (F.Muell. ex Benth.) J.M.Black – FR EP NL MU YP SL
- *Vittadinia australis* A.Rich. var. *megacephala* F.Muell. ex Benth.

Vittadinia nullarborensis N.T.Burb. – NU

Vittadinia pterochaeta (F.Muell. ex Benth.) J.M.Black – LE GT FR EA
- *Vittadinia australis* A.Rich. var. *pterochaeta* F.Muell. ex Benth.

Vittadinia pustulata N.T.Burb. – NW

Vittadinia sulcata N.T.Burb. – LE FR EA EP
- *Vittadinia triloba* auct.non (Gaudich.) DC.: J.M.Black(1929), partly

Waitzia acuminata Steetz var. **acuminata** – NW LE NU GT FR EP NL MU SL SE
- *Waitzia corymbosa* auct.non Wendl.: Tate(1890)

Waitzia fitzgibbonii (F.Muell.) X.Weber & Schmidt-Leb. – NW LE NU GT
- *Helipterum fitzgibbonii* F.Muell.
- *Leucochrysum fitzgibbonii* (F.Muell.) Paul G.Wilson

* **Xanthium spinosum** L. (Declared SA plant)
– LE* GT* FR* EA* EP* NL* MU* YP* SL* KI?e SE*

* **Xanthium strumarium** L. (Declared SA plant) – LE* ?GT* FR* EA* EP* MU* SL* SE*
- *Xanthium californicum* Greene
- *Xanthium chinense* Mill.
- *Xanthium occidentale* Bertol.
- *Xanthium orientale* L.
- *Xanthium pungens* Wallr.

Xerochrysum bracteatum (Vent.) Tzvelev
– NW LE NU GT FR EA EP NL MU YP SL?e KI SE
- *Bracteantha bracteata* (Vent.) Anderb. & Haegi
- *Elichrysum lucidum* Henckel, orth.var.(orig.)
- *Helichrysum bracteatum* (Vent.) Andrews
- *Helichrysum lucidum* Henckel, corrected spelling
- *Xeranthemum bracteatum* Vent.

?e **Zinnia elegans** Jacq. – EP?e

ESCALLONIACEAE 100.404

?e **Escallonia rubra** (Ruiz & Pav.) Pers. – SL?e SE?e
- *Escallonia macrantha* auct.non Hook. & Arn.: SA Census online(Mar. 2011)
- *Escallonia rubra* (Ruiz & Pav.) Pers. var. *macrantha* (Hook. & Arn.) Reiche

ADOXACEAE 100.408

* **Sambucus gaudichaudiana** DC. – SE*

* **Sambucus nigra** L. – SL* SE?e

* **Viburnum tinus** L. – SL* KI?e

CAPRIFOLIACEAE 100.409

* **Centranthus macrosiphon** Boiss. – NL* SL* SE*
- *Fedia cornucopiae* auct.non (L.) Gaertn.: J.M.Black(1957), partly

* **Centranthus ruber** (L.) DC. ssp. **ruber** – FR* NL* YP* SL* KI* SE*
- *Centranthus ruber* (L.) DC.
- *Valeriana rubra* L.

* **Dipsacus sativus** (L.) Honck. – SL* SE*
- *Dipsacus fullonum* L. ssp. *sativus* (L.) Thell.
- *Dipsacus fullonum* L. var. *sativus* L.

* **Fedia graciliflora** Fisch. & C.A.Mey. – SL*
- *Fedia caupt-bovis* Pomel
- *Fedia cornucopiae* auct.non (L.) Gaertn.: J.M.Black(1957), partly

* **Leycesteria formosa** Wall. – SL*

?e **Lonicera fragrantissima** Lindl. & Paxton – SL?e

* **Lonicera japonica** Thunb. – FR?e SL* KI*

* **Sixalix atropurpurea** (L.) Greuter & Burdet – FR* EP* NL* MU* YP* SL* KI* SE*
- *Scabiosa atropurpurea* L.
- *Scabiosa atropurpurea* L. ssp. *maritima* (L.) Arcang.
- *Scabiosa atropurpurea* L. var. *maritima* (L.) Beg.
- *Scabiosa maritima* L.

* **Symphoricarpos albus** (L.) S.F.Blake – SL*

* **Symphoricarpos orbiculatus** Moench. – SL*

* **Valerianella discoidea** (L.) Loisel. – EP* NL* MU* YP* SL* KI* SE*
- *Valeriana locusta* L. var. *discoidea* L.

* **Valerianella eriocarpa** Desv. – YP* SL* SE*

* **Valerianella muricata** (Steven ex M.Bieb.) W.H.Baxter – SL* SE*
- *Fedia muricata* Steven ex M.Bieb.
- *Valerianella truncata* Betcke
- *Valerianella truncata* Betcke var. *muricata* (Steven ex M.Bieb.) Boiss.

PITTOSPORACEAE 100.413

Billardiera cymosa F.Muell. ssp. **cymosa** – EP MU YP SL KI SE
- *Billardiera cymosa* F.Muell., partly

Billardiera cymosa F.Muell. ssp. **pseudocymosa** (Klatt) L.Cayzer & Crisp – EP MU YP SL
- *Billardiera cymosa* F.Muell., partly
- *Billardiera pseudocymosa* F.Muell. ex Klatt

* **Billardiera heterophylla** (Lindl.) L.Cayzer & Crisp – SL* KI* SE*
- *Billardiera fusiformis* Labill.
- *Billardiera hambruchiana* Seem. & J.C.Schmidt
- *Labillardiera fusiformis* (Labill.) Schult.
- *Pronaya lanceolata* Turcz.
- *Sollya fusiformis* (Labill.) Briq.
- *Sollya fusiformis* Payer
- *Sollya heterophylla* Lindl.
- *Sollya heterophylla* Lindl. var. *angustifolia* Benth.
- *Sollya linearis* Lindl.
- *Sollya salicifolia* Marnock
- *Xerosollya gilbertii* Turcz.

Billardiera scandens Sm. var. **scandens** (Rare status in SA) – SE
- *Billardiera angustifolia* DC.
- *Billardiera brachyantha* F.Muell. ex Klatt
- *Billardiera canariensis* J.C.Wendl.
- *Billardiera daphnoides* Knowles & Westc.
- *Billardiera latifolia* Putt.
- *Billardiera mutabilis* Salisb.
- *Billardiera scandens* Sm. var. *brachyantha* (F.Muell. ex Klatt) Benth.
- *Labillardiera mutabilis* (Salisb.) Schult.
- *Labillardiera scandens* (Sm.) Schult.

Billardiera sericophora F.Muell. – EP YP
- *Billardiera cymosa* F.Muell. var. *sericophora* (F.Muell.) Benth.
- *Billardiera sericophora* F.Muell. var. *megaphylla* F.Muell.

Billardiera sp. Yorke Peninsula (P.C.Heyligers 80164) R.M.Barker & H.P.Vonow (Endangered status in SA) – YP
- *Billardiera lehmanniana* auct.non F.Muell.: Jessop(1993)

Billardiera uniflora E.M.Benn. – EP SL KI

Billardiera versicolor F.Muell. ex Klatt – FR EP NL MU YP SL KI SE
- *Pronaya muelleriana* Turcz.

Bursaria spinosa Cav. ssp. **lasiophylla** (E.M.Benn.) L.Cayzer, Crisp & I.Telford – FR MU SL
- *Bursaria lasiophylla* E.M.Benn. var. *albicoma* E.M.Benn.

Bursaria spinosa Cav. ssp. **spinosa** – FR EA EP NL MU YP SL KI SE
- *Bursaria pantonii* Guilf.
- *Bursaria spinosa* Cav. var. *australis* E.M.Benn.
- *Bursaria spinosa* Cav. var. *lanceolata* E.M.Benn.
- *Bursaria spinosa* Cav. var. *macrophylla* Hook.
- *Bursaria spinosa* Cav. var. *microphylla* Ewart, B.Rees & B.Wood
- *Bursaria spinosa* Cav. var. *obovata* E.M.Benn.
- *Bursaria spinosa* Cav. var. *pantonii* (Guilf.) Ewart
- *Cyrilla spinosa* (Andrews) Spreng.
- *Itea spinosa* Andrews

Cheiranthera alternifolia E.M.Benn. – FR EP NL MU YP SL KI SE
- *Cheiranthera cyanea* auct.non Brongn.: H.Eichler(1965)
- *Cheiranthera linearis* auct.non A.Cunn. ex Lindl.: J.M.Black(1948)

Cheiranthera volubilis Benth. (Vulnerable status in SA, Vulnerable status in Australia) – KI

Marianthus bignoniaceus F.Muell. – SL KI
- *Billardiera bignoniacea* (F.Muell.) E.M.Benn.

Pittosporum angustifolium G.Lodd. – NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Pittosporum acacioides* A.Cunn.
- *Pittosporum lanceolatum* A.Cunn. ex T.Mitch., nom.inval.
- *Pittosporum ligustrifolium* A.Cunn. ex Putt.
- *Pittosporum longifolium* Putt.
- *Pittosporum oleaefolium* auct.non A.Cunn. ex Putt.: E.M.Benn.(1986), pro syn.
- *Pittosporum phillyreoides* auct.non DC.: E.M.Benn.(1986)
- *Pittosporum phylliraeoides* DC. var. *microcarpa* auct.non S.Moore: E.M.Benn.(1986)
- *Pittosporum roeanum* Putt.
- *Pittosporum salicinum* Lindl., partly

?e **Pittosporum crassifolium** A.Cunn. – SE?e

?e **Pittosporum tenuifolium** Sol. ex Gaertn. – SL?e

* **Pittosporum undulatum** Vent. – EP?e NL?e SL* KI* SE?e
- *Pittosporum undulatum* Vent. ssp. *emmettii* W.M.Curtis

Rhytidosporum procumbens (Hook.) F.Muell. (Rare status in SA) – KI
- *Billardiera procumbens* (Hook.) E.M.Benn.
- *Bursaria diosmoides* Putt.
- *Bursaria procumbens* (Hook.) Putt.
- *Bursaria stuartiana* F.Muell. ex Klatt
- *Campylanthera ericoides* Lindl.
- *Marianthus procumbens* (Hook.) Benth.
- *Pittosporum nanum* Hook.
- *Pittosporum procumbens* Hook.
- *Pronaya ericoides* (Lindl.) Walp.
- *Rhytidosporum stuartianum* F.Muell. ex Hook.f.

ARALIACEAE 100.414

* **Hedera algeriensis** Rantonnet ex C.Morren – SL*

* **Hedera helix** L. – FR?e MU?e SL* KI?e?id SE*?id
- *Hedera helix* L. ssp. *helix*

* **Hedera hibernica** Poit. – FR?e NL?e SL* KI* SE*
- *Hedera helix* auct.non L., partly
- *Hedera helix* ssp. *helix* auct.non L.: Jessop(1986), partly

?e **Hydrocotyle bonariensis** Lam. – SL?e

Hydrocotyle callicarpa Bunge – FR EP NL MU YP SL KI SE
Hydrocotyle capillaris F.Muell. ex Klatt – EP NL MU YP SL KI SE
Hydrocotyle comocarpa F.Muell. (Rare status in SA) – EP SL KI SE
- *Hydrocotyle comosa* F.Muell.
Hydrocotyle crassiuscula Tate (Rare status in SA) – EP[?id] SL KI
- *Hydrocotyle crassiuscula* F.Muell.(1884), nom.inval., nom.nud.
- *Hydrocotyle crassiuscula* Tate(1883), nom.inval., nom.nud.
Hydrocotyle diantha DC. (Endangered status in SA) – YP KI
Hydrocotyle foveolata H.Eichler – EP NL MU YP SL KI SE
Hydrocotyle glochidiata Benth. (Rare* status in SA) – NU
- *Neosciadium glochidiatum* (Benth.) Domin
Hydrocotyle hirta R.Br. ex A.Rich. – MU[?id] SL KI SE
Hydrocotyle intertexta R.Br. ex A.Rich. – ?LE EP NL MU YP SL KI
- *Hydrocotyle pilifera* Turcz. var. *glabrata*
Hydrocotyle laxiflora DC. – FR EP NL MU SL KI SE
- *Hydrocotyle candollei* F.Muell.
- *Hydrocotyle densiflora* DC.
Hydrocotyle medicaginoides Turcz. – EP NL MU YP SL SE
Hydrocotyle muscosa R.Br. ex A.Rich. – SL KI SE
- *Hydrocotyle tripartita* R.Br. ex A.Rich. var. *muscosa* (R.Br. ex A.Rich.) Benth.
Hydrocotyle pterocarpa F.Muell. – SL SE
Hydrocotyle rugulosa Turcz. – EP NL MU YP ?SL
Hydrocotyle simulans A.J.Perkins – MU SL SE
- *Hydrocotyle plebeia* auct.non R.Br. ex Spreng.: Black(1952), orth.var.
- *Hydrocotyle plebeja* auct.non R.Br. ex Spreng.: Black(1926), orth.var.
- *Hydrocotyle plebeya* auct.non R.Br. ex A.Rich.: Jessop & Toelken(1986)
Hydrocotyle trachycarpa F.Muell. – NW LE GT FR EA EP NL
Hydrocotyle tripartita R.Br. ex A.Rich. – SE
Hydrocotyle verticillata Thunb. – LE FR MU SL SE
- *Hydrocotyle vulgaris* auct.non L.: J.M.Black(1952)
Trachymene bialata (Domin) B.L.Burtt – NW
- *Didiscus bialatus* Domin
- *Trachymene glaucifolia* auct.non (F.Muell.) Benth.: Eichler(1986), partly
Trachymene ceratocarpa (W.Fitzg.) Keighery & Rye – NW LE NU GT EP
- *Dominia acroptera* (Domin) Fedde
- *Hydrocotyle ceratocarpa* W.Fitzg.
- *Hydrocotyle mercurialis* (J.M.Black) M.Hiroe
- *Maidenia acroptera* Domin.
- *Maidenia ceratocarpa* (W.Fitzg.) Domin.
- *Uldinia ceratocarpa* (W.Fitzg.) N.T.Burb.
- *Uldinia mercurialis* J.M.Black
Trachymene cyanopetala (F.Muell.) Benth. – GT EP NL MU YP SL
- *Didiscus cyanopetalus* (F.Muell.) F.Muell.
- *Dimetopia cyanopetala* F.Muell.
Trachymene glaucifolia (F.Muell.) Benth. – NW LE NU GT FR EA EP
- *Didiscus glaucifolius* F.Muell.
- *Didiscus glaucifolius* F.Muell. var. *macrocarpus* Domin.
Trachymene ornata (Endl.) Druce – LE GT FR EP
- *Didiscus eriocarpus* (F.Muell.) F.Muell.
- *Didiscus ornatus* (Endl.) Domin var. *semilanatus* J.M.Black
- *Dimetopia eriocarpa* F.Muell.
- *Trachymene eriocarpa* (F.Muell.) Benth.
- *Trachymene ornata* (Endl.) Druce var. *ornata*
- *Trachymene ornata* (Endl.) Druce var. *semilanata* (J.M.Black) H.Eichler
Trachymene pilosa Sm. – GT FR EP MU YP SL KI SE
- *Didiscus pilosus* (Sm.) Domin
- *Didiscus pusillus* (DC.) F.Muell.
- *Dimetopia pusilla* DC.
Trachymene thysanocarpa J.M.Hart (Rare* status in SA) – NL MU
- *Didiscus pilosus* auct.non Benth.: J.M.Black(1952), partly
- *Trachymene anisocarpa* auct.non (Turcz.) B.L.Burtt: Eichler(1986)

. . . [?e], questionably established. [n*], native and naturalised present. x, extinct. ?x, questionably so. ?id, questionable identification.

- *Trachymene australis* Benth., partly

APIACEAE 100.416

* **Ammi majus** L. – EP* NL* MU* YP* SL* SE*

?e **Anethum graveolens** L. – NL?e SL?e

Apium annuum P.S.Short – EP NL MU YP SL KI SE
- *Apium australe* auct.non Thouars: J.M.Black(1952), partly
- *Apium prostratum* auct.non Labill. ex Vent.: H.Eichler(1965), partly

* **Apium graveolens** L. – FR* EP* NL* MU* SL* SE*?id

Apium prostratum Labill. ex Vent. var. **filiforme** (A.Rich.) Kirk – FR EA EP NL MU YP SL KI SE
- *Apium filiforme* (A.Rich.) Hook.
- *Petroselinum filiforme* A.Rich.

Apium prostratum Labill. ex Vent. var. **prostratum** – FR EP NL MU YP SL SE
- *Apium prostratum* Labill., nom. inval., nom. nud.: Labillardiere(1800)
- *Apium prostratum* Labill., nom. illeg.: Labillardiere(1804)

* **Berula erecta** (Huds.) Coville – NL* MU* SL* SE*
- *Berula angustifolia* (L.) K.Mert. & W.D.J.Koch
- *Carum sioides* J.M.Black
- *Sium angustifolium* L.
- *Sium erectum* Huds.
- *Sium latifolium* auct.non L.: Benth.(1867), partly
- *Sium latifolium* L. var. *univittatum* J.M.Black
- *Sium latijugum* auct.non C.B.Clarke: J.M.Black(1926)

* **Bifora testiculata** (L.) Spreng. (Declared SA plant) – NL* YP* SL*
- *Coriandrum testiculatum* L.

* **Bupleurum semicompositum** L. – NU* GT?e FR* EP* NL* MU* YP* SL* KI* SE*

Centella asiatica (L.) Urb. – FR EP MU SL SE
- *Hydrocotyle asiatica* L.

Centella cordifolia (Hook.f.) Nannf. – FR EP NL SL KI SE
- *Hydrocotyle cordifolia* Hook.f.

Centella uniflora (Colenso) Nannf. (Vulnerable status in SA) – SE?id
- *Hydrocotyle uniflora* Colenso

* **Conium maculatum** L. – FR* EA* EP* NL* MU* SL* KI* SE*

* **Coriandrum sativum** L. – NL* MU* SL* SE*

* **Cyclospermum leptophyllum** (Pers.) Sprague ex Britton & P. Wilson – EP* MU* SL*
- *Apium ammi* Urb.
- *Apium leptophyllum* (Pers.) F.Muell.
- *Apium tenuifolium* Thell.
- *Ciclospermum leptophyllum* (Pers.) Sprague, orth.var.
- *Pimpinella leptophylla* Pers.
- *Sison ammi* auct.non L.: Jacq.(1773)

* **Daucus carota** L. (Declared SA plant) – MU* SL* SE*

Daucus glochidiatus (Labill.) Fisch., C.A.Mey. & Ave-Lall.
– NW LE NU GT FR EA EP NL MU YP SL KI SE
- *Daucus brachiatus* Sieber ex DC.
- *Daucus glochidiatus* (Labill.) Fisch., C.A.Mey. & Ave-Lall. var. *leptacanthus* Thell.
- *Daucus glochidiatus* (Labill.) Fisch., C.A.Mey. & Ave-Lall. var. *pachyacanthus* Thell.
- *Daucus glochidiatus* (Labill.) Fisch., C.A.Mey. & Ave-Lall. subvar. *thellungii* H.Wolff ex Thell.
- *Scandix glochidiata* Labill.

* **Eryngium campestre** L. – MU*

Eryngium ovinum A.Cunn. (Vulnerable status in SA) – FR EP?id NL MU SL SE
- *Eryngium rostratum* auct.non Cav.: Barker et al.(2005)
- *Eryngium rostratum* auct.non Cav.: J.M.Black(1926)

Eryngium paludosum (C.Moore) P.W.Michael – MU
- *Eryngium plantagineum* auct.non F.Muell.: Barker et al.(2005), partly
- *Eryngium plantagineum* auct.non F.Muell.: J.M.Black(1926), partly

Eryngium supinum J.M.Black – LE
- *Eryngium plantagineum* auct.non F.Muell.: Barker et al.(2005), partly
- *Eryngium plantagineum* auct.non F.Muell.: J.M.Black (1926), partly

Eryngium vesiculosum Labill. (Rare status in SA) – NW MU SL KI SE

* **Ferula communis** L. ssp. **communis** – SL*
- *Ferula communis* L. var. *nodiflora* (L.) Arcang.
- *Ferula nodiflora* L.

* **Foeniculum vulgare** Mill. – NU* FR* EP* NL* MU* YP* SL* KI* SE*
- *Foeniculum officinale* All.

* **Helosciadium nodiflorum** (L.) W.D.J.Koch – NL*
- *Apium nodiflorum* (L.) Lag.
- *Sium nodiflorum* L.

Lilaeopsis polyantha (Gand.) H.Eichler – EP MU SL KI SE
- *Crantzia australasica* F.Muell., nom.inval., nom.nud.
- *Crantzia australica* F.Muell. ex Klatt, nom.inval., pro syn.
- *Crantzia polyantha* Gand.
- *Lilaeopsis australica* A.W.Hill ex J.M.Black

* **Oenanthe pimpinelloides** L. (Declared SA plant) – SL*
- *Oenantha pimpinelloides* : Jessop(1993), orth.var.

Oreomyrrhis eriopoda (DC.) Hook.f. (Endangered status in SA) – SL SE
- *Caldasia eriopoda* DC.
- *Oreomyrrhis andicola* auct.non (Kunth) Hook.f.: J.M.Black(1952), partly

* **Pastinaca sativa** L. ssp. **sativa** – SL* SE*

* **Petroselinum crispum** (Mill.) Fuss – EP* YP* SL* KI* SE*
- *Apium crispum* Mill.
- *Apium petroselinum* L.
- *Carum petroselinum* (L.) Benth.
- *Petroselinum sativum* Hoffm.

Platysace heterophylla (Benth.) C.Norman var. **heterophylla** – EP NL MU YP SL KI SE
- *Siebera heterophylla* Benth.

Platysace heterophylla (Benth.) C.Norman var. **tepperi** (J.M.Black) H.Eichler (Rare status in SA) – KI
- *Trachymene heterophylla* (Benth.) Tate var. *tepperi* J.M.Black

* **Scandix pecten-veneris** L. ssp. **pecten-veneris** – SL*

?e **Smyrnium olusatrum** L. – SL?e

* **Tordylium apulum** L. – SL*

* **Torilis arvensis** (Huds.) Link – SL* SE*
- *Caucalis purpurea* Ten.
- *Torilis arvensis* (Huds.) Link ssp. *heterophylla* (Guss.) Thell.
- *Torilis arvensis* (Huds.) Link ssp. *purpurea* (Ten.) Hayek

* **Torilis nodosa** (L.) Gaertn. – EP* SL* KI* SE*
- *Caucalis nodosa* (L.) Scop.
- *Tordylium nodosum* L.

Xanthosia huegelii (Benth.) Steud. – EP SL KI SE
- *Leucolaena huegelii* Benth.
- *Xanthosia pusilla* Bunge

Xanthosia leiophylla Klatt – EP SL KI SE
- *Xanthosia dissecta* Hook.f. var. *floribunda* Benth.

Xanthosia tasmanica Domin (Rare status in SA) – SL KI